


PROJECT DOCUMENTATION:

On-Premise MySQL → Azure SQL Database Migration using Azure Data Factory

OBJECTIVE

To Migrate structured data from an on-premises MySQL database to Azure SQL Database using a secure, dynamic, and reusable pipeline architecture built with Azure Data Factory (ADF).

PROJECT ARCHITECTURE:




RESOURCES REQUIRED:

- **MYSQL Work Bench** - On-prem database management tool
- **Azure Data Factory (ADF)** – Core orchestration tool
- **Self-Hosted Integration Runtime (IR)** – Enables secure connection between on-prem MySQL and ADF
- **Azure SQL Database** – Destination cloud data store

USE CASE – COPY ALL TABLES DYNAMICALLY (Lookup + ForEach + Copy data)


On Prem Database: ksr_incre_db

In MySQL I have 10 tables. I need to Copy all MySQL tables (10 tables) dynamically using one pipeline and one copy activity.



- To get all the tables names in mysql run the below sql query

```
Select table_name from information_schema.tables
Where table_schema='ksr_incre_db'
And table_type='BASE TABLE';
```



RESOURCE CREATION STEPS

1. Create Resource Group

Azure Portal → Resource Groups → Create

Home > Resource Manager | Resource groups >

Create a resource group

Basics Tags Review + create

Resource group - A container that holds related resources for an Azure solution. The resource group can include all the resources for the solution, or only those resources that you want to manage as a group. You decide how you want to allocate resources to resource groups based on what makes the most sense for your organization. [Learn more](#)

Subscription *

Resource group name *

Region *

Previous Next **Review + create**

Click on Review + create

Home > Resource Manager | Resource groups >

Create a resource group

Basics Tags Review + create

[Automation Link](#)

Basics

Subscription	Azure subscription 1
Resource group name	soma-mde-rg
Region	East US

Tags

None

Previous Next **Create**

Click on Create

2. Create Azure Data Factory

Azure Portal → Create Resource → Data Factory
Select region, version (V2), and assign to resource group.

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create Data Factory ...

BasicsGit configurationNetworkingAdvancedTagsReview + create

One-click to create data factory with sample pipeline and datasets. [Try it](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘAzure subscription 1

Resource group * ⓘsoma-mde-rg

Create new

Instance details

Name * ⓘsomavizonadf

Region * ⓘEast US

Version * ⓘV2

PreviousNextReview + create

Give feedback

Click on Next

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create Data Factory ...

BasicsGit configurationNetworkingAdvancedTagsReview + create

Azure Data Factory allows you to configure a Git repository with either Azure DevOps or GitHub. Git is a version control system that allows for easier change tracking and collaboration.
[Learn more about Git integration in Azure Data Factory](#)

Configure Git later ⓘ☒

PreviousNextReview + create

Click on Next

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create Data Factory

BasicsGit configurationNetworkingAdvancedTagsReview + create

Managed virtual network

Choose whether you want the default AutoResolveIntegrationRuntime to be provisioned on demand inside an ADF-managed virtual network. If this setting is disabled, after the data factory is created, you can still choose whether to provision explicitly created Azure integration runtime inside an ADF-managed virtual network.
[Learn more](#)

Enable Managed Virtual Network on the default AutoResolveIntegrationRuntime☐

Self-hosted integration runtime inbound connectivity to Azure Data Factory service

Choose whether to connect your self-hosted integration runtime to Azure Data Factory via public endpoint or private endpoint. This applies to self-hosted integration runtime running either on premises or inside customer managed Azure virtual network.
[Learn more](#)

Connect via ☒ Public endpoint ☐ Private endpoint

You can change this or configure another connectivity method after this resource is created. [Learn more](#)

Previous

Next

Review + create

Click on Next

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create Data Factory

BasicsGit configurationNetworkingAdvancedTagsReview + create

Datafactory Encryption

By default, data is encrypted with Microsoft-managed keys. For additional control over encryption keys, you can supply customer-managed keys to use for encryption of blob and file data. Customer-managed keys must be stored in an Azure Key Vault. You can either create your own keys and store them in a key vault, or you can use the Azure Key Vault APIs to generate keys. The storage account and the key vault must be in the same region, but they can be in different subscriptions.

Enable encryption using a Customer Managed Key ☐

Previous

Next

Review + create

Click on Next

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create Data Factory

BasicsGit configurationNetworkingAdvancedTagsReview + create

Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups. [Learn more about tags](#)

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name ⓘ	Value ⓘ	Resource
		Data factory (V2)

Previous

Next

Review + create

Click on Next

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create Data Factory

BasicsGit configurationNetworkingAdvancedTagsReview + create

[View automation template](#)

Basics

Subscription	Azure subscription 1
Resource group	soma-mde-rg
Name	somavizonadf
Region	East US
Version	V2

Networking


Connect via	Public endpoint
-------------	-----------------

Previous


Next

Create

Click on Create




Click on go to resource




Click on Launch studio






Click on pencil icon



3. Create Self-Hosted Integration Runtime

ADF → Manage → Integration Runtime → New → Self-Hosted
Download & install IR on the on-prem server.



Home Author Monitor Manage Learning Center

Data Factory Validate all Publish all

General

- Connector upgrade advi...
- Factory settings

Connections

- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control

- Git configuration
- ARM template

Author

- Triggers
- Global parameters
- Data flow libraries

Security

- Credentials
- Customer managed key

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name Annotations: Any

No linked service to show

If you expected to see results, try changing your filters or create a new linked services.

Create linked service

Home Author Monitor Manage Learning Center

Data Factory Validate all Publish all

General

- Connector upgrade advi...
- Factory settings

Connections

- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control

- Git configuration
- ARM template

Author

- Triggers
- Global parameters
- Data flow libraries

Security

- Credentials
- Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the following data integration capabilities across different network environment. [Learn more](#)

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub-type	Status	Related	Region	Version
AutoResolveIntegrationRuntime	Azure	Public	Running	0	Auto Resolve	---

Home Author Monitor Manage Learning Center

Data Factory Validate all Publish all

General

- Connector upgrade advi...
- Factory settings

Connections

- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control

- Git configuration
- ARM template

Author

- Triggers
- Global parameters
- Data flow libraries

Security

- Credentials
- Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Integration Runtime is the native compute used to execute or dispatch activities. Choose what integration runtime to create based on required capabilities. [Learn more](#)

- Azure, Self-Hosted**
Perform data flows, data movement and dispatch activities to external compute.
- Azure-SSIS
Lift-and-shift existing SSIS packages to execute in Azure.
- Airflow (Preview)
Use this for running your existing DAGs

Continue Cancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Integration Runtime is the native compute used to execute or dispatch activities. Choose what integration runtime to create based on required capabilities. [Learn more](#)

Azure, Self-Hosted

Perform data flows, data movement and dispatch activities to external compute.

Azure-SSIS

Lift-and-shift existing SSIS packages to execute in Azure.

Airflow (Preview)

Use this for running your existing DAGs

Continue

Cancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Network environment:
Choose the network environment of the data source / destination or external compute to which the integration runtime will connect to for data flows, data movement or dispatch activities:

Azure

Use this for running data flows, data movement, external and pipeline activities in a fully managed, serverless compute in Azure.

Self-Hosted

Use this for running activities in an on-premises / private network

[View more](#)

External Resources:

You can use an existing self-hosted integration runtime that exists in another resource. This way you can reuse your existing infrastructure where self-hosted integration runtime is setup.

Linked Self-Hosted

[Learn more](#)

Continue

Back

Cancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Network environment:
Choose the network environment of the data source / destination or external compute to which the integration runtime will connect to for data flows, data movement or dispatch activities:

Azure

Use this for running data flows, data movement, external and pipeline activities in a fully managed, serverless compute in Azure.

Self-Hosted

Use this for running activities in an on-premises / private network

[View more](#)

External Resources:

You can use an existing self-hosted integration runtime that exists in another resource. This way you can reuse your existing infrastructure where self-hosted integration runtime is setup.

Linked Self-Hosted

[Learn more](#)

Continue

Back

Cancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Private network support is realized by installing integration runtime to machines in the same on-premises network/VNET as the resource the integration runtime is connecting to. Follow below steps to register and install integration runtime on your self-hosted machines.

Name *

integrationRuntime1

Description

Enter description here...

Type

Self-Hosted

Create

Back

Cancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Private network support is realized by installing integration runtime to machines in the same on-premises network/VNET as the resource the integration runtime is connecting to. Follow below steps to register and install integration runtime on your self-hosted machines.

Name *

SelfHostedIR

Description

Enter description here...

Type

Self-Hosted

Create

Back

Cancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

Settings

Nodes

Auto update

Sharing

Links

Install integration runtime on Windows machine or add further nodes using the Authentication Key.

Name

SelfHostedIR

Self-contained interactive authoring

Disable

Enable

Option 1: Express setup

Click here to launch the express setup for this computer


Option 2: Manual setup

Step 1: Download and install integration runtime



Step 2: Use this key to register your integration runtime



Name	Authentication key
Key1	IR@d398245d-5a8e-421f-bbca-4ac62651c472@somavizonadhf@Service
Key2	IR@d398245d-5a8e-421f-bbca-4ac62651c472@somavizonadhf@Service



Close





Run installer









Copy Authentication key

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

SettingsNodesAuto updateSharingLinks

Install integration runtime on Windows machine or add further nodes using the Authentication Key.

Name

SelfhostedIR

Self-contained interactive authoring

DisableEnable

Option 1: Express setup

Click here to launch the express setup for this computer

Option 2: Manual setup

Step 1: Download and install integration runtime

Step 2: Use this key to register your integration runtime

Name	Authentication key
Key1	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service
Key2	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service

Close

paste authentication key

Microsoft Integration Runtime Configuration Manager

Register Integration Runtime (Self-hosted)

Welcome to Microsoft Integration Runtime Configuration Manager. Before you start, register your Integration Runtime (Self-hosted) node using a valid Authentication Key.

✓

☐ Show Authentication Key

[Learn how to find the Authentication Key](#)

HTTP Proxy

Current Proxy: No proxy

Change

Diagnostic Tool

Troubleshoot problems (preview)

Register

Cancel

Microsoft Integration Runtime Configuration Manager - New Node

New Integration Runtime (Self-hosted) Node

Integration Runtime (Self-hosted) node name: ⓘ

DESKTOP-1O1UG38

✓

Below is the list of Integration Runtime (Self-hosted) Nodes:

SelfHostedIR

DESKTOP-1O1UG38 : Current New Node

☐ Enable remote access from intranet ⓘ

Finish

Cancel

Microsoft Integration Runtime Configuration Manager

Register Integration Runtime (Self-hosted)

Welcome to Microsoft Integration Runtime Configuration Manager. Before you start, register your Integration Runtime (Self-hosted) node using a valid Authentication Key.

✓

☐ Show Authentication Key [Learn how to find the Authentication Key](#)

✓

Integration Runtime (Self-hosted) node has been registered successfully.

Note: You can associate up to 4 physical nodes with a Self-hosted Integration Runtime. This enables high availability and scalability for the Self-hosted Integration Runtime.
We recommend you setup at least 2 nodes for higher availability. [See Integration Runtime \(Self-hosted\) article for details.](#)

HTTP Proxy

Current Proxy: No proxy

Change

Diagnostics Tool

Troubleshoot problems (preview)

Launch Configuration Manager

Close

Microsoft Integration Runtime Configuration Manager

Home

Settings

Diagnostics

Update

Help

✓

Self-hosted node is connected to the cloud service

Data Factory: somavizonadf

Integration Runtime: SelfHostedIR

Node: DESKTOP-1O1UG38

Stop Service

Data Source Credential ⓘ

Credential store: On-premises

Credential status: In sync

Last backup time: N/A

Generate Backup

Import Backup

✓

Connected to the cloud service (Data Factory V2)

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

SettingsNodesAuto updateSharingLinks

Install integration runtime on Windows machine or add further nodes using the Authentication Key.

NameSelfHostedIR

Self-contained interactive authenticating

DisableEnable

Option 1: Express setup

Click here to launch the express setup for this computer

Option 2: Manual setup

Step 1: Download and install integration runtime

Step 2: Use this key to register your integration runtime

Name	Authentication key
Key1	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service
Key2	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service

Close

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

SettingsNodesAuto updateSharingLinks

Install integration runtime on Windows machine or add further nodes using the Authentication Key.

NameSelfHostedIR

Self-contained interactive authenticating

DisableEnable

Option 1: Express setup

Click here to launch the express setup for this computer

Option 2: Manual setup

Step 1: Download and install integration runtime

Step 2: Use this key to register your integration runtime

Name	Authentication key
Key1	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service
Key2	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service

Close

Self-contained interactive authenticating

While self-contained interactive authenticating is enabled, all interactive authenticating traffic will be routed exclusively through this functionality, bypassing Azure Relay. The traffic will only be redirected back to Azure Relay once you choose to disable this feature. During this period, the functionalities of both "Get IP address" and "Upload logs" are not supported.

EnableCancel

Home

Author

Monitor

Manage

Learning Center

Data Factory

Validate all

Publish all

General

Connector upgrade advi...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the f

+ New Refresh

Filter by name

Showing 1 - 1 of 1 items

Name	Type	Sub
AutoResolveIntegrationRuntime	Azure	Pub

Integration runtime setup

SettingsNodesAuto updateSharingLinks

Install integration runtime on Windows machine or add further nodes using the Authentication Key.

NameSelfHostedIR

Self-contained interactive authenticating

DisableEnable

Option 1: Express setup

Click here to launch the express setup for this computer

Option 2: Manual setup

Step 1: Download and install integration runtime

Step 2: Use this key to register your integration runtime

Name	Authentication key
Key1	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service
Key2	IR@d398245d-5aae-421f-bbca-4ac62651c472@somavizonadf@Service

Close

Home Author Monitor Manage Learning Center

Data Factory Validate all Publish all

General

- Connector upgrade advi...
- Factory settings

Connections

- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control

- Git configuration
- ARM template

Author

- Triggers
- Global parameters
- Data flow libraries

Security

- Credentials

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the following data integration capabilities across different network environment. [Learn more](#)

+ New Refresh

Filter by name

Showing 1 - 2 of 2 items

Name	Type	Sub-type	Status	Related	Region	Version
AutoResolveIntegrationRuntime	Azure	Public	Running	0	Auto Resolve	---
Self-HostedIR	Self-Hosted	---	Running	0	---	5.56.9345.2

Create Azure SQL Database

Microsoft Azure Upgrade Search resources, services, and docs (G+/I) Copilot somashekhar.bomma@... DEFAULT DIRECTORY SOMASHE...

Create a resource Home Dashboard All services FAVORITES All resources (Resource Manager) Resource groups (Resource Manager) App Services Function App Azure SQL Database (Azure SQL) Azure Cosmos DB Virtual machines Load balancers Storage accounts Virtual networks Microsoft Entra ID Monitor Advisor

Take a free online course on Microsoft Learn Watch a demo and attend a live Q&A Start a project with Quickstart Center Explore support resources

Azure services

- Create a resource
- Resource groups
- Subscriptions
- Storage accounts
- Cost Management ...
- Quickstart Center
- Foundry
- Kubernetes services
- Virtual machines
- More services

Resources

Recent Favorite

Name	Type	Last Viewed
somavizonadf	Data factory (V2)	2 hours ago
soma-mde-rg	Resource group	2 hours ago

Microsoft Azure Upgrade Search resources, services, and docs (G+/I) Copilot somashekhar.bomma@... DEFAULT DIRECTORY SOMASHE...

Create a resource Home Dashboard All services FAVORITES All resources (Resource Manager) Resource groups (Resource Manager) App Services Function App Azure SQL Database (Azure SQL) Azure Cosmos DB Virtual machines Load balancers Storage accounts Virtual networks Microsoft Entra ID Monitor Advisor

Create a resource

Help me choose the right VM size Design a new Azure workload Help me build a new Azure OpenAI application

Recently created



Categories

- Machine Learning
- AI Apps and Agents
- Analytics
- Blockchain
- Infrastructure Services
- Databases
- Developer Tools
- DevOps
- Identity
- Integration
- Internet of Things
- IT & Management Tools
- Media
- Migration
- Mixed Reality

Popular Azure services See more in All services

- Function App Create
- Web App Create
- Virtual network Create
- Resource group Create
- Key Vault Create
- Virtual machine Create
- Storage account Create

Give feedback



Create SQL Database Server ...

Microsoft

Server name *

somaserver

.database.windows.net

Location *

(US) West US 2

Authentication

 Azure Active Directory (Azure AD) is now Microsoft Entra ID. [Learn more](#) 

Select your preferred authentication methods for accessing this server. Create a server admin login and password to access your server with SQL authentication, select only Microsoft Entra authentication [Learn more](#)  using an existing Microsoft Entra user, group, or application as Microsoft Entra admin [Learn more](#) , or select both SQL and Microsoft Entra authentication.

Authentication method

- ☐ Use Microsoft Entra-only authentication
- ☐ Use both SQL and Microsoft Entra authentication
- ☒ Use SQL authentication

Create SQL Database Server ...

Microsoft

Location *

(US) West US 2

Authentication

 Azure Active Directory (Azure AD) is now Microsoft Entra ID. [Learn more](#) 

Select your preferred authentication methods for accessing this server. Create a server admin login and password to access your server with SQL authentication, select only Microsoft Entra authentication [Learn more](#)  using an existing Microsoft Entra user, group, or application as Microsoft Entra admin [Learn more](#) , or select both SQL and Microsoft Entra authentication.

Authentication method

- ☐ Use Microsoft Entra-only authentication
- ☐ Use both SQL and Microsoft Entra authentication
- ☒ Use SQL authentication

Server admin login *

soma_admin

Password *

.....

Confirm password *

.....

OK

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

somashekhhar.bomma@...
DEFAULT DIRECTORY SOMASHE...

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create SQL Database

Microsoft

Workload environment

Development

Production

Default settings provided for Development workloads. Configurations can be modified as needed.

Compute + storage *

General Purpose - Serverless

Standard-series (Gen5): 1 vCore, 32 GB storage, zone redundant disabled

Configure database

Backup storage redundancy

Choose how your PITR and LTR backups are replicated. Geo restore or ability to recover from regional outage is only available when geo-redundant storage is selected.

Backup storage redundancy

Locally-redundant backup storage

Zone-redundant backup storage

Geo-redundant backup storage

Geo-Zone-redundant backup storage

Review + create

Next: Networking >

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

somashekhhar.bomma@...
DEFAULT DIRECTORY SOMASHE...

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Configure

Feedback

Service and compute tier

Select from the available tiers based on the needs of your workload. The vCore model provides a wide range of configuration controls and offers Hyperscale and Serverless to automatically scale your database based on your workload needs. Alternately, the DTU model provides set price/performance packages to choose from for easy configuration. [Learn more](#)

SQL Database Hyperscale: Low price, high scalability, and best feature set. [Learn more](#)

Service tier

Basic (For less demanding workloads)

Compare service tiers

DTUs [Compare DTU options](#)

5 (Basic)

Data max size (GB)

2

Cost summary

Basic (Basic)

Cost per DTU (in USD)

0.98

DTUs selected

x 5

ESTIMATED COST / MONTH

4.90 USD

Apply

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

somashekhhar.bomma@...
DEFAULT DIRECTORY SOMASHE...

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Home > Create a resource >

Create SQL Database

Microsoft

Workload environment

Development

Production

Default settings provided for Development workloads. Configurations can be modified as needed.

Compute + storage *

Basic

2 GB storage

Configure database

Backup storage redundancy

Choose how your PITR and LTR backups are replicated. Geo restore or ability to recover from regional outage is only available when geo-redundant storage is selected.

Backup storage redundancy

Locally-redundant backup storage

Zone-redundant backup storage

Geo-redundant backup storage

Geo-Zone-redundant backup storage

Review + create

Next: Networking >

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Microsoft Azure

Upgrade

Search resources, services, and docs (G+I)

Copilot

somasekhar.bomma@...
DEFAULT DIRECTORY DOMAIN...

Home > Create a resource >

Create SQL Database

Microsoft

Basics

Networking

Security

Additional settings

Tags

Review + create

Configure network access and connectivity for your server. The configuration selected below will apply to the selected server 'somasekhar' and all databases it manages. [Learn more](#)

Network connectivity

Choose an option for configuring connectivity to your server via public endpoint or private endpoint. Choosing no access creates with defaults and you can configure connection method after server creation. [Learn more](#)

Connectivity method *

☐ No access

☒ Public endpoint

☐ Private endpoint

Firewall rules

Setting 'Allow Azure services and resources to access this server' to Yes allows communications from all resources inside the Azure boundary, that may or may not be part of your subscription. [Learn more](#)

Setting 'Add current client IP address' to Yes will add an entry for your client IP address to the server firewall.

Allow Azure services and resources to access this server *

☐ No ☒ Yes

Add current client IP address *

☐ No ☒ Yes

Review + create

< Previous

Next : Security >

SQL

Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Microsoft Azure

Upgrade

Search resources, services, and docs (G+I)

Copilot

somasekhar.bomma@...
DEFAULT DIRECTORY DOMAIN...

Home > Create a resource >

Create SQL Database

Microsoft

Basics

Networking

Security

Additional settings

Tags

Review + create

Microsoft Defender for SQL

Protect your data using Microsoft Defender for SQL, a unified security package including vulnerability assessment and advanced threat protection for your server. [Learn more](#)

Get started with a 30 day free trial period, and then 15 USD/server/month.

Enable Microsoft Defender for SQL *

☐ Start free trial

☒ Not now

Ledger

Ledger cryptographically verifies the integrity of your data and detects any tampering that might have occurred. [Learn more](#)

Ledger

Not configured

[Configure ledger](#)

Server identity

Use system assigned and user assigned managed identities to enable central access management between this database

Review + create

< Previous

Next : Additional settings >

SQL

Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

Create a resource

Home

Dashboard

All services

FAVORITES

All resources (Resource Manager)

Resource groups (Resource Manager)

App Services

Function App

Azure SQL Database (Azure SQL)

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Microsoft Azure

Upgrade

Search resources, services, and docs (G+I)

Copilot

somasekhar.bomma@...
DEFAULT DIRECTORY DOMAIN...

Home > Create a resource >

Create SQL Database

Microsoft

Basics

Networking

Security

Additional settings

Tags

Review + create

Customize additional configuration parameters including collation & sample data.

Data source

Start with a blank database, restore from a backup or select sample data to populate your new database.

Use existing data *

☒ None ☐ Backup ☐ Sample

Database collation

Database collation defines the rules that sort and compare data, and cannot be changed after database creation. The default database collation is SQL_Latin1_General_CP1_CI_AS. [Learn more](#)

Collation *

SQL_Latin1_General_CP1_CI_AS

[Find a collation](#)

Maintenance window

Select a preferred maintenance window from the drop-down. During maintenance, databases remain available, but some updates may require a failover. The system default maintenance window (5pm to 8am) limits most activities to this time, but urgent updates may occur outside of it. To ensure all updates occur only during the maintenance window, select a non-default option. [Learn more](#)

Review + create

< Previous

Next : Tags >

SQL

Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

Home > Create a resource >

Create SQL Database

Microsoft

Basics Networking Security Additional settings Tags Review + create

Tags are name/value pairs that enable you to categorize and view consolidated billing by applying the same tag to multiple resources and resource groups. [Learn more](#)

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name	Value	Resource
	:	2 selected

Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

[Review + create](#) < Previous **Next: Review + create >**

Microsoft Azure Upgrade Search resources, services, and docs (G+)

Home > Create a resource >

Create SQL Database

Microsoft

Basics Networking Security Additional settings Tags **Review + create**

Product details

SQL database by Microsoft
[Terms of use](#) | [Privacy policy](#)

Estimated cost per month
4.90 USD

Terms

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. For additional details see [Azure Marketplace Terms](#).

Basics

Subscription	Azure subscription 1
Resource group	soma-mde-rg
Region	West US 2
Database name	soma_db

Create < Previous [Download a template for automation](#)

Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

Microsoft Azure Upgrade Search resources, services, and docs (G+)

Home >

Microsoft.SQLDatabase.newDatabaseNewServer_dd47230a1a72473a816b1 | Overview

Deployment

Search Delete Cancel Redeploy Download Refresh

Overview

Deployment is in progress

Deployment name : Microsoft.SQLDatabase.newDat... Start time : 11/27/2025, 4:30:51 PM
Subscription : Azure subscription 1 Correlation ID : acad6b32-68c5-4d4e-8b07-60f0...
Resource group : soma-mde-rg

Deployment details

Resource	Type	Status	Operation c
There are no resources to display.			

Microsoft Defender for Cloud
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials
[Start learning today >](#)

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Add or remove favorites by pressing Ctrl+20 (Ctrl+F)

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/I) | Copilot | somashekhar.bomma@... | DEFAULT DIRECTORY SOMASHEK...

Home > Microsoft.SQLDatabase.newDatabaseNewServer_dd47230a1a72473a816b1 | Overview

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : Microsoft.SQLDatabase.newDat... Start time : 11/27/2025, 4:30:54 PM
Subscription : Azure subscription 1 Correlation ID : acad6b32-68c5-4d4e-8b07-600d...
Resource group : soma-mde-rg

> Deployment details

> Next steps

Go to resource

Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)

Microsoft Defender for Cloud
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials
[Start learning today >](#)

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/I) | Copilot | somashekhar.bomma@... | DEFAULT DIRECTORY SOMASHEK...

Home > Microsoft.SQLDatabase.newDatabaseNewServer_dd47230a1a72473a816b1 | Overview > soma_db (somaserver/soma_db)

SQL database

Copy Restore Export Set server firewall Delete Connect with... Feedback

Join us at **SQLCON Atlanta** from March 16-20 2026, for the ultimate SQL community learning event. Save \$200 with SQLAZP200. [Register now](#)

Essentials

Resource group (...): [soma-mde-rg](#) Server name: [somaserver.database.windows.net](#)
Status: Online Elastic pool: [No elastic pool](#)
Location: West US 2 Connection strings: [Show database connection strings](#)
Subscription ([move](#)): [Azure subscription 1](#) Pricing tier: Basic
Subscription ID: d7c481a-379b-4695-b1c4-ac3bf757f88 Earliest restore point: No restore point available

Tags ([edit](#)): [Add tags](#)

Getting started Monitoring Properties Features Notifications (0) Integrations Tutorials

Start working with your database
Connect to your database and start working with data with a few simple steps. [Learn more >](#)

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/I) | Copilot | somashekhar.bomma@... | DEFAULT DIRECTORY SOMASHEK...

Home > Microsoft.SQLDatabase.newDatabaseNewServer_dd47230a1a72473a816b1 | Overview > soma_db (somaserver/soma_db) > Query editor (preview)

SQL database

Login + New Query Open query Feedback Getting started

Query editor (preview) is a tool to run SQL queries against Azure SQL Database in the Azure portal. It is designed for lightweight querying and object exploration in your database. For more information and troubleshooting, [Learn more](#)

Welcome to SQL Database Query Editor

SQL server authentication

Login *




Password *


Microsoft Entra authentication

[Continue as somashekhar.bomma@out...](#)



OR

OK













InitialLoadMigrationFromOnPremMySQLToAzureSQL_PL




Drag and drop Lookup activity
















Drag and drop ForEach activity









Microsoft Azure | Data Factory | somavizonadfi

InitialLoadMigrati...

Activities

Lookup

Lookup1

ForEach

ForEach1

Copy data1

Source dataset *

InputData_DS

Use query

Table

Query

Additional columns

+

New

Pipeline expression builder

Add dynamic content below using any combination of expressions, functions and system variables.

@concat('select * from ',item().table_name)

Clear contents

ForEach iterator

Activity outputs

Parameters

System variables

OK

Cancel

Microsoft Azure | Data Factory | somavizonadfi

InitialLoadMigrati...

Activities

Lookup

Lookup1

ForEach

ForEach1

Copy data1

Source dataset *

InputData_DS

Use query

Table

Query

@concat('select * from ',item().table_name,...)

Additional columns

+

New

Properties

General

Related

Name *

InitialLoadMigrationFromOnPremMySQLTo...

Description

Annotations

+ New

Cancel

Microsoft Azure | Data Factory | somavizonadfi

InitialLoadMigrati...

Activities

Lookup

Lookup1

ForEach

ForEach1

Copy data1

Source dataset *

InputData_DS

Use query

Table

Query

@concat('select * from ',item().table_name,...)

Additional columns

+

New

Properties

General

Related

Name *




InitialLoadMigrationFromOnPremMySQLTo...




Description




Annotations




+ New




Cancel
















Microsoft Azure | Data Factory | somavizonadf

InitialLoadMigrati... x OutputData_DS

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- ForEach
- If Condition
- Switch

Lookup

Lookup1

General Source Sink Mapping Settings User properties

Sink dataset * OutputData_DS

Dataset properties

Name	Value
TargetTableName	@item().table_name

Write behavior

Insert ☒ Upsert ☐ Stored procedure ☐

Bulk insert table lock ☐ Yes ☒ No

Pipeline run

Trigger pipeline now using last published configuration.

Parameters

Name	Type	Value
No records found		

OK Cancel

Microsoft Azure | Data Factory | somavizonadf

InitialLoadMigrati... x OutputData_DS

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- ForEach
- If Condition
- Switch

Lookup

Lookup1

ForEach

ForEach1

Copy data1

General Source Sink Mapping Settings User properties

Sink dataset * OutputData_DS

Dataset properties

Name	Value	Type
TargetTableName	@item().table_name	string

Write behavior

Insert ☒ Upsert ☐ Stored procedure ☐

Bulk insert table lock ☐ Yes ☒ No

Running

Successfully running InitialLoadMigrationFromOnPremMySQLToAzureSQL_PL (Pipeline).

View pipeline run

Microsoft Azure | Data Factory | somavizonadf

InitialLoadMigrationFromOnPremMySQLToAzureSQL_PL - Activity runs

Lookup

Lookup1

ForEach

ForEach1

Activity runs

Pipeline run ID 280518f1-004f-48a7-8f2b-049d601c39b2

All status List

Showing 1 - 12 items

Activity name	Activity status	Activity type	Run start	Duration	Integration runtime	User properties	Activity run ID
Lookup1	Succeeded	Lookup	11/27/2025, 6:55:18 PM	14s	SelfHostedIR		bc84f065-fed8
ForEach1	In progress	ForEach	11/27/2025, 6:55:33 PM	7s			b68c421-4501
Copy data1	Queued	Copy data	11/27/2025, 6:55:34 PM	6s			8fd9aa3-be3f
Copy data1	Queued	Copy data	11/27/2025, 6:55:34 PM	6s			9d9635d5-8f2
Copy data1	Queued	Copy data	11/27/2025, 6:55:34 PM	6s			e58bc1c5-fed8
Copy data1	Queued	Copy data	11/27/2025, 6:55:34 PM	6s			98e9008-993
Copy data1	Queued	Copy data	11/27/2025, 6:55:34 PM	6s			30e3d412-b7f

Microsoft Azure | Data Factory | somavizoradrf

All pipeline runs > InitialLoadMigrationFromOnPremMySQLtoAzureSQL_PL - Activity runs

Pipeline run ID: 280518f1-004f-48a7-8f2b-049d901c39b2

Showing 1 - 12 items

Activity name	Activity status	Activity type	Run start	Duration	Integration runtime	User properties	Activity run ID
Lookup1	Succeeded	Lookup	11/27/2025, 6:55:18 PM	14s	SelfHostedIR		bc84f065-fede-4dd4-b1d0-2c04ac59e0f0
ForEach1	Succeeded	ForEach	11/27/2025, 6:55:33 PM	2m 17s	SelfHostedIR		b58c421-4503-42ea-a7d6-3afae6cd9584
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	1m 39s	SelfHostedIR		8f0c9aa3-be36-4db8-a901-c0795c5ad0f1
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	1m 35s	SelfHostedIR		9d9635d5-8f25-4107-b597-d406eb116a6d
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	1m 22s	SelfHostedIR		e58bc1c5-fede-428b-b573-eda2738e1dd6
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	1m 47s	SelfHostedIR		98e90008-9934-4439-bed0-91113c32a046
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	2m 15s	SelfHostedIR		30e3d412-b76c-49be-b6e5-b17360f70338
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	57s	SelfHostedIR		cd1900f1-a304-4658-a158-54a2ad06405c
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	39s	SelfHostedIR		a512a6c3-077f-41bc-823e-d3a4c7275361
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	39s	SelfHostedIR		a420a9f6-6200-422e-8f3d-98225b59e0ef
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	1m 6s	SelfHostedIR		61dd424b-1c5c-4cd2-bd8a-7ad7c2b3501a
Copy data1	Succeeded	Copy data	11/27/2025, 6:55:34 PM	2m 4s	SelfHostedIR		ff92ac93-c39c-45bb-a8c1-7a58a140889c

Microsoft Azure | Upgrade

Home > Microsoft.SqlDatabase.newDatabaseNewServer_dd47230a1a72473a816b1 | Overview > soma_db (somaserver/soma_db)

soma_db (somaserver/soma_db) | Query editor (preview)

Showing limited object explorer here. For full capability please click here to open Azure Data Studio.

Tables

Views

Stored Procedures

Query 1

Run Cancel query Save query Export data as Show only Editor

Results Messages

Search to filter items...

Microsoft Azure | Upgrade

Home > Microsoft.SqlDatabase.newDatabaseNewServer_dd47230a1a72473a816b1 | Overview > soma_db (somaserver/soma_db)

soma_db (somaserver/soma_db) | Query editor (preview)

Showing limited object explorer here. For full capability please click here to open Azure Data Studio.

Tables

dbo.ksr_attendance_incre_tb

dbo.ksr_batches_incre_tb

dbo.ksr_courses_incre_tb

dbo.ksr_enrollments_incre_tb

dbo.ksr_exam_results_incre_tb

dbo.ksr_exams_incre_tb

dbo.ksr_feedback_incre_tb

dbo.ksr_payments_incre_tb

dbo.ksr_students_incre_tb

dbo.ksr_trainers_incre_tb

Views

Stored Procedures

Query 1

Run Cancel query Save query Export data as Show only Editor

Results Messages

Search to filter items...

Ready

table records count in OnPrem MySQL

Result Grid			
Filter Rows:		Export:	Wrap Cell Content:
Table	TableName	updatedate	TotalRows
▶	ksr_attendance_incre_tb	2025-11-17	200
	ksr_batches_incre_tb	2025-11-17	150
	ksr_courses_incre_tb	2025-11-17	10
	ksr_enrollments_incre_tb	2025-11-17	200
	ksr_exam_results_incre_tb	2025-11-17	200
	ksr_exams_incre_tb	2025-11-17	50
	ksr_feedback_incre_tb	2025-11-17	200
	ksr_payments_incre_tb	2025-11-17	200
	ksr_students_incre_tb	2025-11-17	7000
	ksr_trainers_incre_tb	2025-11-17	60

table records count in Azure SQL Database

Results

Messages

Search to filter items...

TableName	updatedate	TotalRows
ksr_attendance_incre_tb	2025-11-17T00:00:00.0000000	200
ksr_batches_incre_tb	2025-11-17T00:00:00.0000000	150
ksr_courses_incre_tb	2025-11-17T00:00:00.0000000	10
ksr_enrollments_incre_tb	2025-11-17T00:00:00.0000000	200
ksr_exam_results_incre_tb	2025-11-17T00:00:00.0000000	200
ksr_exams_incre_tb	2025-11-17T00:00:00.0000000	50
ksr_feedback_incre_tb	2025-11-17T00:00:00.0000000	200
ksr_payments_incre_tb	2025-11-17T00:00:00.0000000	200
ksr_students_incre_tb	2025-11-17T00:00:00.0000000	7000
ksr_trainers_incre_tb	2025-11-17T00:00:00.0000000	60

Query succeeded | 0s