Car Club Call SOPs

Oct 7, 2026 · Draft v0.1

These SOPs set how DriveBot, DriveCarClub's AI assistant built on Perfox agents, handles customer conversations. Fill in the client details below before any SOP is drafted.

Client details

Field	Value
Company name	DriveCarClub (per the Perfox onboarding form; confirm legal name)
Business	Corporate car and chauffeur service
Assistant name	DriveBot (from the assistant onboarding form)
Personality	[Not given; proposed: professional, courteous, premium-service tone]
Channels	[None ticked on the form: website, WhatsApp, SMS, phone, in-app]
City and outlets	To fill
Business sponsor	To fill
Day-to-day contact	To fill
IT / technical contact	To fill (for the ~1-hour technical call)
Perfox project lead	To fill

Base SOP: rules for every SOP

These rules apply to every Car Club SOP. Items in [square brackets] need a Car Club answer.

Ground rules

1. **Never talk down another brand or company.** The agent speaks only about what Car Club offers, even if the customer criticises a competitor.

2. **Protect personal data.** The agent asks only for what it needs, never for PAN, Aadhaar, bank, card, UPI PIN or OTP details, and never reads details back to an unconfirmed customer.
3. **Never share employee details.** Customers hear "our team"; anyone who wants a person gets the [customer support number]. One exception: a customer is given the details of the driver allocated to their own booking only (SOP 6), never any other driver's or staff member's.

Knowledge bases

The agent answers only from approved content. A fact not in a knowledge base is not said; the agent shares the customer support number instead.

Knowledge base	Holds	Approved by
Key Information Document (KID)	Contact numbers, people in charge of alerts, hours, locations, approved answers, do-not-answer topics, scripts, languages, fallback phones	[Car Club GM / sponsor]
Product Knowledge Base (PKB)	Approved service, vehicle and fare information with effective dates	[Car Club sales or operations head]

No payments. DriveBot does not take payments, share bank or payment details, or confirm that a payment was received. Any payment or billing question gets the [customer support number].

Call-handling defaults

1. **Answer and disclose.** Answer within 2 rings, 24x7; one short greeting that introduces DriveBot from DriveCarClub, says it is an AI assistant and that the call is recorded.
2. **Emergency redirect.** On emergency words in any language, stop the flow, give the [emergency number] twice and by SMS, alert the [person in charge], and log the call.
3. **Talk to support.** Offer to help first; if the customer still wants a person, share the customer support number by voice and SMS. No transfers in Phase 1.
4. **Recording or AI objection.** Stop recording, delete what was captured, confirm, and end politely; log only the call event.
5. **Language.** Detect it in the first sentence and answer in the customer's language; the customer can switch at any time.
6. **Close the call.** Short recap, WhatsApp opt-in asked before sending anything, and a complete call log before the call ends.

Platform and security baseline

One home per record, named accounts with multi-factor sign-in, encryption in transit and at rest, secrets in a vault, read-only audit logs, and pseudonymised data outside production. A quarterly business review tunes the models, prompts, knowledge bases and SOPs.

Introduction

Car Club is a cab booking app for corporates. It wants every query from travellers and travel desks answered accurately, at any hour. DriveBot answers first, 24x7, in the customer's language, on phone, WhatsApp and website chat, and hands over to the support team when needed. Each SOP describes one workflow as rules and a flow chart, so the solution can be built from it and Car Club staff can follow the same rules.

Pilot and phases. A 2-week pilot covers the three Car Club SOPs: Login, Car dispatch, and Car and chauffeur details. Phase 1 has no CRM link: every customer is treated as new and contacts are logged in the AI platform. Customer lookup, identity checks and repeat-contact handling start in Phase 1.1 with the lightweight CRM.

#	Workstream	What it covers	Pilot
1	AI agent	Answers and makes calls under these SOPs	SOPs 1 to 3
2	Lightweight CRM	System of record for leads, call log, tasks, SLAs and escalation	No
3	Integration PoC	Fetches data from Car Club's existing system [name to confirm] by API	No
4	Booking / scheduling app	[Needed? Booking and scheduling app, if DriveCarClub's own APIs don't cover it]	No
5	Workflow application	Small app for approvals and similar workflows	No
6	Multi-channel	The same agent on phone, WhatsApp and website chat	[Channels to confirm]

SOP format

Every Car Club SOP gets its own tab and follows the same six parts, in this order.

1. **Summary.** Two or three sentences: what the SOP covers and the outcome for the customer.
2. **Trigger, owner, service level.** A three-row table: what starts the workflow, who owns it (DriveBot first, customer support as fallback), and the time or quality standard.
3. **Standard steps and rules.** Numbered rules, each starting with a bold name, with [square brackets] for anything Car Club must confirm.
4. **Flow chart.** A numbered flow (1.1, 1.2 …) with every decision and handover drawn, plus a line on what each branch means.
5. **Open items.** A table of undecided points: item, proposed answer, who decides.
6. **Before go-live.** A checklist of what must be filled in, approved or tested before the SOP goes live.

SOP list

Each workflow below has its own tab. SOPs 4 to 6 use DriveCarClub's APIs; their details are still sketchy, so gaps go to each SOP's open items. Safety is handled offline by DriveCarClub.

SOP	What it covers	API	Pilot	Status
Base SOP (this tab)	Ground rules, knowledge bases, contact handling, platform and security	None	Yes	Drafting
SOP 1: Master routing	Greets, finds the intent, routes to the right SOP	None	Yes	Drafting
SOP 2: Human on request	Gives the customer support number when a customer wants a person	None	Yes	Drafting
SOP 4: Login	DriveBot signs in to DriveCarClub's API before every lookup	Token (credentials API)	Yes	Not started

SOP	What it covers	API	Pilot	Status
SOP 5: Has my car been sent?	Tells the customer whether their car has been dispatched	DespatchedBooking	Yes	Drafting
SOP 6: Car and chauffeur details	Shares the allocated chauffeur and car for the customer's own booking	DespatchedBooking	Yes	Drafting
SOP 7: New booking request	Takes pickup, drop, date and time, passes it to support	None yet	No	Not started
SOP 8: Change or cancel	Takes the request, passes it to support	None yet	No	Not started
Safety and emergencies	Handled offline by DriveCarClub	None	No	Not started

API details, the call sequence, error handling and the API access standards are in API reference.

Open items

These must be answered before SOPs 1 to 3 can be drafted in full. Proposals are suggestions until Car Club confirms.

#	Item	Proposed	Who decides
1	API details: SOP 3 has the Token and DespatchedBooking calls (UAT). Still needed: a sample response, error codes, token expiry, production URLs, and any APIs for Login and Dispatch	Cover on the ~1-hour technical call with DriveCarClub IT; a Postman collection would help	DriveCarClub IT
2	Decided: "Login" (SOP 4) is the agent's system sign-in through the credentials (Token) API	Set up as per API access standards; customers do not log in	DriveCarClub sponsor, IT

#	Item	Proposed	Who decides
3	What triggers a dispatch and who can cancel or reassign	Dispatch only after a confirmed booking; cancel and reassign go to the control room	DriveCarClub operations
4	Which driver and car fields may be shared, and when	Driver first name, car model, colour and registration, shared only to the booking's mobile once allocated, and only for the allocated driver	DriveCarClub operations, legal
5	Decided: driver details are shared only for the driver allocated to the customer's booking	Added to ground rule 3 as its one exception	DriveCarClub sponsor
6	Channels for the pilot	Website chat first, then WhatsApp and phone	DriveCarClub sponsor
7	Emergency and safety handling during a trip	Give the [control room number], alert the person in charge, log the call	DriveCarClub operations
8	Client details table at the top of this doc	Fill before the first SOP draft	DriveCarClub sponsor
9	Several dispatched bookings for one mobile	Agent asks which pickup (date, time, location) before sharing details	DriveCarClub operations
10	Production API credentials	DriveCarClub IT and the Perfox team set these up as per API access standards; test credentials refreshed before go-live	DriveCarClub IT

API reference


Oct 6, 2026 · Version 0.1 · UAT (test) environment

DriveBot uses two DriveCarClub APIs: it signs in with the Token API, then looks up dispatched bookings by mobile number with the DespatchedBooking API. Both endpoints below are UAT; production URLs follow once agreed.

At a glance

#	API	Purpose	Method	Used by
1	Token	Signs DriveBot in and returns an access token	POST [to confirm]	SOP 4, then SOPs 5 and 6
2	DespatchedBooking	Returns dispatched bookings, with car and chauffeur, for a mobile number	POST	SOP 5, SOP 6

Call sequence



API call sequence · 2 calls

Dashed arrows are responses. The token is reused until it expires, so most lookups need only call 3.

1. Token API

DriveBot calls this once per session, or when its token expires, before any lookup.

Endpoint	`https://drivecarclub.com/CarclubCRMUAT/api/auth/Token`
Method	POST [to confirm]
Authentication	HTTP Basic (UAT). Credentials are held in the Perfox secrets vault, never in documents
Request body	None
Response	Access token [format, field name and expiry to confirm]
Token use	Sent on every DespatchedBooking call [header name to confirm, e.g. `Authorization: Bearer <token>`]
Production	As per the API access standards below

2. DespatchedBooking API

Returns the bookings for a mobile number that have a car dispatched, including the allocated car and chauffeur.

Endpoint	`https://drivecarclub.com/CarclubCRMUAT/Api/Home/DespatchedBooking`
Method	POST
Authentication	Token from the Token API
Content type	`application/json`
Request field	`ContactNo` : the customer's mobile as country code + 10 digits, no plus sign or spaces
Response	List of dispatched bookings [sample to confirm]

Request example

```
{
  "ContactNo": "91XXXXXXXXXX"
}
```

Response fields DriveBot needs (to confirm against a sample response)

Field	Used for	Shared with the customer
Booking reference	Telling bookings apart	Yes
Pickup date and time	Confirming the right trip (SOP 5)	Yes
Pickup area	Confirming the right trip (SOP 5)	Yes, area only
Dispatch status	Whether the car has been sent (SOP 5)	Yes
Chauffeur first name	Chauffeur details (SOP 6)	Yes
Chauffeur mobile	Chauffeur details (SOP 6)	[To decide]
Car model and colour	Chauffeur details (SOP 6)	Yes
Registration number	Chauffeur details (SOP 6)	Yes

Error handling

Situation	What DriveBot does
Token call fails	Shares the customer support number; alerts the Perfox team
Token expired (401)	Gets a new token once and retries; if it fails again, as above
No bookings returned	"I can't see a car sent for this number yet" (SOP 5 rule 4)
No response within [5 seconds]	Apologises, shares the customer support number, logs the timeout
Server error (5xx)	As for no response; the Perfox team is alerted

API access standards

Access to DriveCarClub's APIs follows standard practice for service-to-service integrations. The current UAT setup works well for testing; before production, DriveCarClub IT and the Perfox team put the following in place together.

1. **Service credentials.** A dedicated client ID and secret (OAuth 2.0 client credentials) or an API key issued to Perfox, separate from any user account.
2. **One set per environment.** Separate credentials for UAT and production, each limited to the calls DriveBot needs (Token and DespatchedBooking, read only).
3. **Short-lived tokens.** The Token call returns a token with a stated expiry [for example 60 minutes], used for all other calls.
4. **Secure exchange.** Credentials are exchanged through a secure channel, such as an encrypted password-manager share, and Perfox keeps them only in its secrets vault.
5. **Regular rotation.** Credentials are rotated every [90 days]; test credentials are refreshed before production go-live.
6. **Network limits.** HTTPS only; optionally, the API accepts calls only from Perfox's fixed IP addresses [to confirm].
7. **Call logging.** DriveCarClub logs each call (time, client, endpoint, result) for audit.

To confirm with DriveCarClub IT

- [ ] Token API: method, response format, token field name and expiry
- [ ] Header used to send the token
- [ ] A sample DespatchedBooking response, including when several bookings match
- [ ] Error codes and messages for both APIs
- [ ] Production URLs and rate limits

No API exists yet for login by customers, new bookings, or changes and cancellations; those SOPs hand over to customer support.

SOP 1: Master routing

Oct 6, 2026 · Draft v0.1

Summary

DriveBot answers every customer contact first, 24x7, in the customer's language. It finds out what they want and sends them to the right SOP; anyone who wants to talk to someone gets the customer support number (SOP 2). Items in [square brackets] need a DriveCarClub answer.


Trigger	Any call, WhatsApp message or website chat to DriveCarClub
Owner	DriveBot answers first; the customer support team is the fallback
Service level	Calls answered within 2 rings; every contact has a complete log before it ends

Standard steps and rules

1. **Answer and disclose.** One short greeting that names DriveBot, says it is an AI assistant and, on calls, that the call is recorded. For example: "Hi, this is DriveBot, DriveCarClub's AI assistant. This call is recorded. How can I help?"
2. **Recording or AI objection.** If the customer objects, DriveBot stops recording at once, deletes what was captured, confirms this, and ends politely. Only the event is logged.
3. **Language.** Detected from the first sentence; DriveBot answers in that language [languages to confirm]. The customer can switch at any time.
4. **Find the intent and route.**
   - Has my car been sent? → SOP 5
   - Car or chauffeur details → SOP 6
   - New booking, change or cancel → customer support number for now (SOPs 7 and 8 come later)
   - Payment, billing or invoice → customer support number (DriveBot takes no payments)
   - Wants to talk to support → SOP 2
   - Safety or emergency → [process agreed offline with DriveCarClub]

5. **Unclear request.** After two clarifying questions, DriveBot shares the customer support number.
6. **Several needs.** DriveBot repeats them back, asks which comes first, and handles them one at a time. Each is logged separately.
7. **Silent or abusive contact.** Silent: two prompts within 10 seconds, then end. Abusive: one calm warning, then end politely.
8. **Close.** A short recap. Before sending anything on WhatsApp, DriveBot asks for opt-in; otherwise it sends by SMS. The log holds number, language, intent, outcome, opt-in flag and transcript link.
9. **System failure.** If DriveBot or a DriveCarClub API is down, the customer gets the customer support number and the Perfox team is alerted.

Flow chart



Every path ends with a recap, the WhatsApp opt-in check and a complete log (rule 8).

SOP 1 routing flow · 1 decision, 5 routes

A customer who refuses the AI or the recording leaves at 1.3; everyone else is routed once DriveBot knows what they want.

Open items

#	Item	Proposed	Who decides
1	Customer support number and hours	From the KID	DriveCarClub sponsor

#	Item	Proposed	Who decides
2	Languages supported	English, Hindi + [others]	DriveCarClub, Perfox team
3	Safety and emergency process	Agreed offline	DriveCarClub

Before go-live

- [ ] Customer support number and hours added to the KID
- [ ] Greeting written in each supported language
- [ ] Test contact made for each route in rule 4

SOP 2: Talk to support

Oct 6, 2026 · Draft v0.1

Summary

When a traveller or travel-desk user wants to speak to someone, DriveBot offers to help once, then gives the customer support number by voice and message. There are no live transfers in Phase 1, and no staff names or numbers are shared.


Trigger	The customer asks for support, an agent, a manager or a named staff member
Owner	DriveBot; the customer support team takes over once the customer contacts them
Service level	Support number shared in the same contact; out-of-hours callback by [10:00 AM] next working day

Standard steps and rules

1. **Offer help once.** For example: "I can help with most things, like checking your cab or your chauffeur's details. Shall I try?" If the customer still wants support, DriveBot does not push again.
2. **Share the support number.** DriveBot reads the [customer support number] twice and sends it by SMS (WhatsApp if opted in). On chat, it shows the number and offers a callback request.
3. **Out of hours.** If support is not staffed 24x7, DriveBot gives the support hours and offers a callback for the next working day by [10:00 AM].
4. **No staff details.** DriveBot never gives an employee's name, mobile or extension; it says "our support team". The only exception is the allocated chauffeur in SOP 6.
5. **Log.** "Asked for support: number shared", plus any callback request.

Flow chart

A customer who still wants support always leaves with the number



No staff names or numbers at any step; the allocated chauffeur (SOP 6) is the only exception.

SOP 2 support flow · 2 decisions

A customer who changes their mind goes back to routing; everyone else gets the support number, or a callback when support is closed.

Open items

#	Item	Proposed	Who decides
1	Customer support number and hours (24x7?)	From the KID	DriveCarClub sponsor
2	Out-of-hours callback time	Next working day by 10:00 AM	DriveCarClub operations
3	Live transfer to support in a later phase	Review after the pilot	DriveCarClub, Perfox team

Before go-live

- [ ] Customer support number and hours in the KID
- [ ] Callback requests reach the support team [how: email, WhatsApp or CRM]

SOP 5: Has my car been sent?

Oct 6, 2026 · Draft v0.1

Summary


DriveBot tells a customer whether the car for their booking has been sent, by looking up dispatched bookings for their mobile number. It shares only that customer's own booking, and hands over to customer support when it cannot answer.

Trigger	The customer asks whether their car has been sent, or where their booking stands
Owner	DriveBot; customer support for anything it cannot answer
Service level	Answer within [10 seconds] of the request

Standard steps and rules

1. **Use a trusted number.** On a call, the caller's number; on WhatsApp, the WhatsApp number. A number typed into website chat needs an OTP check first [method to confirm]. DriveBot never looks up a number the customer reads out for someone else.
2. **Sign in.** DriveBot gets a token from the credentials API (SOP 4). If sign-in fails, it apologises, shares the customer support number and alerts the Perfox team.
3. **Look up.** DriveBot calls DespatchedBooking with the mobile number as country code + 10 digits (for example 91XXXXXXXXXX).
4. **No booking found.** "I can't see a car sent for this number yet." DriveBot offers the customer support number. It does not guess whether a booking exists.
5. **One booking.** DriveBot confirms the pickup date, time and area, and that the car has been sent. It offers the chauffeur and car details (SOP 6).
6. **Several bookings.** DriveBot asks which pickup the customer means, reading only the date, time and area of each, then continues as in rule 5.
7. **Only their own booking.** DriveBot never shares anyone else's booking, address or trip.
8. **Log.** Number, booking chosen, outcome (sent / not found / handed over).

Flow chart



Website chat needs an OTP check at 5.1; DriveBot never looks up a number given for someone else.

SOP 5 dispatch-status flow · 2 decisions

Every path either confirms the customer's own car or hands over to customer support; DriveBot never guesses.

Open items

#	Item	Proposed	Who decides
1	What DespatchedBooking returns: fields, statuses (sent, arrived, completed), date range	Share a sample response	DriveCarClub IT
2	OTP for website chat	OTP by SMS through a DriveCarClub or Perfox service	DriveCarClub IT, Perfox team
3	Does the API return past trips too?	Show only today's and upcoming pickups	DriveCarClub operations

Before go-live

- [ ] Sample DespatchedBooking response reviewed
- [ ] Test lookups for none, one and several bookings
- [ ] Production API access set up as per the API access standards (main tab)

SOP 6: Car and chauffeur details

Oct 6, 2026 · Draft v0.1

Summary


DriveBot gives a customer the details of the chauffeur and car allocated to their own confirmed booking, and of no other driver. It reads them out and sends them by message so the customer has them at pickup.

Trigger	The customer asks who their chauffeur is, for the car number, or for the chauffeur's contact; or accepts the offer in SOP 5
Owner	DriveBot; customer support for anything it cannot answer
Service level	Details shared within [10 seconds] once the booking is identified

Standard steps and rules

1. **Find the booking.** Same as SOP 5 rules 1 to 3 and 6: trusted number, sign in, look up, and ask which pickup if there are several.
2. **Chauffeur not yet allocated.** "Your chauffeur hasn't been assigned yet. You'll get the details once they are." DriveBot offers the customer support number for anything urgent.
3. **Share only the allocated chauffeur.** DriveBot shares, for that booking only: chauffeur's first name, [chauffeur contact number], car model, colour and registration number [fields to confirm].
4. **Read out and send.** DriveBot reads the details and sends them by SMS, or WhatsApp if the customer opts in, to the mobile on the booking only.
5. **Latest allocation only.** If the chauffeur or car has changed, DriveBot shares only what the API returns now.
6. **Nothing more.** DriveBot never shares another driver's details, the chauffeur's surname, address or other personal data, or any staff details.
7. **Log.** Number, booking, fields shared, channel used.

Flow chart



Latest allocation only; never another driver's details, a surname, an address or staff details.

SOP 6 chauffeur-details flow · 1 decision

Details go out only once a chauffeur is allocated, and only to the mobile on the booking.

Open items

#	Item	Proposed	Who decides
1	Exact fields DespatchedBooking returns	Share a sample response	DriveCarClub IT
2	Share the chauffeur's mobile number?	Yes, for the allocated chauffeur only, or a masked number if DriveCarClub has one	DriveCarClub operations, legal
3	Send details automatically when a car is dispatched (outbound)	Later phase; needs a "car dispatched" trigger	DriveCarClub IT

Before go-live

- [ ] Shared fields signed off by DriveCarClub

- [ ] SMS and WhatsApp message templates approved
- [ ] Test: allocated, not allocated, changed chauffeur