

Term Report

01286233 Web Programming
Software Engineering Program,
Department of Computer Engineering,
School of Engineering, KMITL

By

65011277 Chanasorn Howattanakulphong 65011320 Kanokjan Singhsuwan 65011381 Napatr Sapprasert

Table of contents

Introduction	3
Page showcases	4
Source codes	
Server.py	6
Se.html	10
Se.js	31
Login.html	34
Login.js	36
Blog.html	39
Blog.css.	40
Blog.js	50
Online.html	55
Online.css	59
Online.js	67
Calendar.html	69
Calendar.css	70
Calendar.is	84

Introduction

Our web project aimed to create an accessible and engaging online platform for the Software Engineering Department. Using HTML and CSS, we structured the website for easy navigation and a visually appealing experience.

Upon user login, we implemented JavaScript to make the platform interactive. This allowed students to engage in real-time discussions, ask questions, and share insights on the blog section.


For the technical aspects, we utilized Uvicorn and the FastAPI Python library to manage the server efficiently. These tools ensured seamless operations, enabling users to access information without interruptions.


Additionally, we integrated a customizable calendar feature. This functionality enables users to personalize and manage important dates, facilitating organized planning and coordination within the department.


This report provides an in-depth overview of our development process, the challenges encountered, and the innovative solutions implemented. Our primary objective was to create an easily accessible platform that encourages active participation and facilitates effective organization within the Software Engineering Department.

Page Showcases











Source Codes

Server.py

```
Python
import json
with open('videos.json', 'r') as file:
class User(BaseModel):
```

```
class BlogPost(BaseModel):
def login(user: User):
```

```
def expired_token(token: dict = Body(...)):
```

```
def create_new_post(post: BlogPost = Body(...)):
```

```
return 'Post created successfully!'

@app.get('/search/')
def search_posts(query: str):
    filtered_posts = [post for post in blogPosts if query.lower() in post['title'].lower()]
    return filtered_posts

@app.get('/searchvid/')
def search_video(query: str):
    filtered_video = [video for video in videos if query.lower() in video['title'].lower()]
    return filtered_video

if __name__ == '__main__':
    import_uvicorn
    uvicorn.run(app, host='127.0.0.1', port=8000)
```

Se.html

Unset

Se.css

```
flex-direction: column;
justify-content: flex-start;
```

```
height: auto;
height: 60px;
width: 50%;
border: 0;
position: relative;
text-align: center;
border-radius: 10px;
```

```
.admission1 {
width: 80%;
height: auto;
margin-right: 10%;
height: auto;
position: absolute;
margin-left: 10%;
margin-right: 10%;
visibility: hidden;
.footer {
text-align: center;
.fcontainer{
display: flex;
height:200px;
.k-icon {
.twitter{
background-color: #1DA1F2 !important;
.facebook {
background-color: #1877F2 !important;
margin-left: 100px;
display: inline-flex;
list-style: none;
height: 100px;
padding-top: 20px;
```

```
height: 50px;
font-size: 18px;
justify-content: center;
.wrapper .tooltip {
position: absolute;
top: 0;
font-size: 14px;
background: #fff;
height: 8px;
transition: all 0.3s cubic-bezier(0.68, -0.55, 0.265, 1.55);
.wrapper .icon:hover .tooltip {
top: -15px;
opacity: 1;
pointer-events: auto;
```

```
video {
```

```
.item4 a{
font-size: 3em !important;
width: 200px;
```

```
font-size: 20px;
font-weight: bold;
```

```
flex-direction: row !important;
```

```
.HH{
```

```
.HH:hover::before {
HHH.
font-size: 20px !important;
color: #e1b7c0;
text-transform: uppercase;
.HHH:hover{
.HHH::before {
height: 100%;
width: 0%;
top: 0;
left: -40px;
transform: skewX(45deg);
background-color: #1e3f57;
.HHH:hover::before {
```

```
flex: 1;
overflow: hidden;
display: flex;
justify-content: center;
align-items: center;
flex: 30;
letter-spacing: .1em;
.card2 {
width: 600px;
margin-left: 50%;
height: 400px;
margin-top: 100px !important;
border-radius: 20px;
background: #19354a;
display: flex;
position: absolute;
flex: 1;
```

```
flex: 30;
letter-spacing: .1em;
left: 50%;
height: 120px;
```

```
#AE445A
#F39F5A
#E8BCB9*/
```

JavaScript

```
var btn1 = document.getElementById('toggle1');
var item2 = document.getElementById('toggle2img');
var i;
for (i = 0; i < acc.length; i++) {
```

```
this.classList.toggle("active");

var panel = this.nextElementSibling;
if (panel.style.display === "block") {
  panel.style.display = "none";
} else {
  panel.style.display = "block";
}
});
}
```

Login.html

Unset

```
background-color: #d03ee6;

}

</style>

<script sre="/static/login.js"></script>

</head>

<body>

<div class="login-container">

<h2>Login</h2>

<input type="text" placeholder="Username" id="username">

<input type="password" placeholder="Password" id="password"><br/>
<input type="password" placeholder="password" id="password" id="
```

```
JavaScript
const web = 'http://localhost:8000/'
```

Blog.html

```
.form .btn:hover {
    opacity: 0.8;
}
.form .btn:active {
    transform: translateX(0.1em) translateY(0.1em);
    box-shadow: none;
}

/*
#newPostButton */

/* Color panel from dark to light
#1D1A39
#451952
#662549
#AE445A
#F39F5A
#E88CB9*/
```

JavaScript

```
});
} else {

// If search input is empty, reload all blog posts
fetch('http://localhost:8000/posts')
    .then(response => response.json())
    .then(data => {
        blogPosts = data;
        renderBlogPosts();
    })
    eatch((error) => {
        console.error('Error', error);
    });
}

});
```

```
picture-in-picture; web-share"
```

</html>

Online.css

```
Unset
```

```
flex-direction: row;
height: 40px;
```

```
.dot:nth-child(3) {
```

JavaScript

Calendar.html

Calendar.css

```
Unset

/* ::-webkit-scrollbar {
  width: 5px;
}
::-webkit-scrollbar-track {
  background: #f5f5f5;
  border-radius: 50px;
}
```

```
.dot:nth-child(3) {
width: 160px;
height: 160px;
```

Calendar.js

JavaScript

```
eventDay.innerHTML = dayName;
eventDate.innerHTML = date + " "
```