

# 70+ SQL Interview Questions and Answers

By Naveen    4.8 K Views    46 min read    Updated on September 22, 2023

This blog lists all the top SQL interview questions for developers to learn SQL programming thoroughly and prepare for interviews in advance. SQL is one of the most widely used languages. Almost all bigwigs in the tech industry, such as Uber, Netflix, Airbnb, etc., use SQL. Learn and ace your SQL interview right away!

Become a Certified Professional

Process Advisors



95% learner satisfaction score post completion of the program\*

\*Subject to [Terms and Condition](#)

## Top SQL Interview Questions

This blog contains SQL interview questions and answers for freshers and experienced professionals for concepts such as MS SQL Server, MySQL database, etc. It is a one-stop resource through which you can avail maximum benefits and prepare for job interviews easily. Check out the top SQL interview questions asked by recruiters today:

## Frequently Asked SQL Interview Questions

[Q1. Define Database](#)

[Q2. What is the difference between DBMS and RDBMS?](#)

[Q3. What is SQL?](#)

[Q4. What is normalization and what are its types?](#)

[Q5. What is denormalization?](#)

[Q6. What are Joins in SQL?](#)

[Q7. Explain the types of SQL Joins](#)

[Q8. What are the subsets of SQL?](#)

[Q9. What are the applications of SQL?](#)

[Q10. What is a DEFAULT constraint?](#)

This blog on SQL interview questions and answers can be divided into three parts:

[1. SQL Interview Questions for Freshers](#)

^ ~~[2. Intermediate SQL Interview Questions](#)~~

~~[Advanced SQL Interview Questions for Experienced](#)~~

~~Watch this video on SQL Interview Questions and Answers:~~

# SQL Interview Questions and Answers for Freshers

## 1. Define Database.

A [database](#) is an organized collection of structured data that can be stored, easily accessed, managed, and retrieved digitally from a remote or local computer system. Databases can be complex and vast and are built with a fixed design and modeling approach. While smaller databases can be stored on a file system, large ones are hosted on computer clusters or cloud storage.

## 2. What is the difference between DBMS and RDBMS?

A database management system or [DBMS](#) is system software that can create, retrieve, update, and manage a database. It ensures the consistency of data and sees to it that it is organized and easily accessible by acting as an interface between the database and its end-users or [application software](#). DBMS can be classified into four types:

- **Hierarchical Database:** It has a treelike structure with the data being stored in a hierarchical format. A parent in a hierarchical database can have multiple children, but a child can have only one parent.
- **Network Database:** This type of database is presented as a graph that can have many-to-many relationships, allowing entities to have multiple connections.
- **Relational Database:** It is the most widely used and easy-to-use database. It is represented as a table and the values in the columns and rows are related to each other.
- **Object-Oriented Database:** The data values and operations are stored as objects in this type of database, and these objects have multiple relationships among them.

An RDBMS stores data in the form of a collection of [tables](#). The relations are defined between the common fields of these tables. MS SQL Server, MySQL, IBM DB2, Oracle, and Amazon Redshift are all based on RDBMS.

### DBMS Vs. RDBMS

Parameters	DBMS	RDBMS
Access	Data elements need to be accessed separately	Multiple data elements can be accessed at the same time
Relationship Between Data	No relationship between data	Data in tables are related to each other
Normalization	It is not present	It is present
Distributed Database	It does not support distributed databases.	It supports distributed database
Data Storage Format	Data is stored in either a navigational or hierarchical form	Data is stored in a tabular structure with headers being the column names and the rows containing the corresponding values
Quantity of Data	It deals with a small quantity of data	It deals with a larger amount of data

<b>Data Redundancy</b>	It is prevalent	Keys and indexes do not allow data redundancy
<b>Number of Users</b>	It supports a single user	It supports multiple users
<b>Data Fetching</b>	It is slower for large amounts of data	It is speedy due to the relational approach
<b>Data Security</b>	Low-security levels when it comes to data manipulation	Multiple levels of data security exist
<b>Software and Hardware Requirements</b>	Low	High
<b>Examples</b>	XML, Window Registry, etc.	MySQL, SQL Server, Oracle, <a href="#">Microsoft Access</a> , PostgreSQL, etc.

### 3. What is SQL?

[SQL](#) stands for Structured Query Language. It is the standard language for RDBMS and is useful in handling organized data with entities or variables with relations between them. SQL is used for communicating with databases.

According to ANSI, SQL is used for maintaining RDBMS and for performing different operations of data manipulation on different [datatypes](#) by using the [features of SQL](#). It is a database language that is used for the creation and deletion of databases. It can also be used, among other things, to fetch and modify the rows of a table.

### 4. What is normalization and what are its types?

[Normalization](#) is used to reduce data redundancy and dependency by organizing fields and tables in databases. It involves constructing tables and setting up relationships between those tables according to certain rules. The redundancy and inconsistent dependency can be removed using these rules to make normalization more flexible.

The different forms of normalization are as follows:

- **First Normal Form:** If every attribute in a relation is single-valued, then it is in the first normal form. If it contains a composite or multi-valued attribute, it violates the first normal form.
- **Second Normal Form:** A relation is said to be in the second normal form if it has met the conditions for the first normal form and does not have any partial dependency, i.e., it does not have a non-prime attribute that relies on any proper subset of any candidate key of the table. Often, the solution to this problem is to specify a single-column primary key.
- **Third Normal Form:** A relation is in the third normal form when it meets the conditions for the second normal form and there is not any transitive dependency between the non-prime attributes, i.e., all the non-prime attributes are decided only by the candidate keys of the relation and not by other non-prime attributes.
- **Boyce-Codd Normal Form:** A relation is in the Boyce-Codd normal form or BCNF if it meets the conditions of the third normal form, and for every functional dependency, the left-hand side is a super key. A relation is in BCNF if and only if X is a super key for every non-trivial functional dependency in form  $X \rightarrow Y$ .

## 5. What is denormalization?

Denormalization is the opposite of normalization; redundant data is added to speed up complex queries that have multiple tables that need to be joined. Optimization of the read performance of a database is attempted by adding or grouping redundant copies of data.


## 6. What are Joins in SQL?

[JOINS in SQL](#) is used to combine rows from two or more tables based on a related column between them. Various types of JOINS can be used to retrieve data, depending on the relationship between tables.

There are four types of Joins:

- Inner Join
- Left Join
- Right Join
- Full Join

## 7. Explain the types of SQL joins.



There are four different types of SQL Joins:

- **(Inner) Join:** An inner join is used to retrieve the records that have matching values in tables involved in the join. It combines rows from two tables based on a related column and returns only the matching record. [Inner Join](#) is mostly used to join queries.

```
SELECT *
FROM Table_A
JOIN Table_B;
SELECT *
FROM Table_A
INNER JOIN Table_B;
```

- **Left (Outer) Join:** The use of [left join](#) is to retrieve all the records or rows from the left and the matched ones from the right.

```
x
SELECT *
FROM Table_A A
LEFT JOIN Table_B B
ON A.col = B.col;
```

- **Right (Outer) Join:** The use of [Right join](#) is to retrieve all the records or rows from the right and the matched ones from the left.

```
SELECT *
FROM Table_A A
RIGHT JOIN Table_B B
ON A.col = B.col;
```

- **Full (Outer) Join:** The use of [Full join](#) is to retrieve the records that have a match either in the left table or the right table.

```
SELECT *
FROM Table_A A
FULL JOIN Table_B B
ON A.col = B.col;
```

Ace your next SQL interview with our expert-written [SQL Join Interview Questions](#).

### Get 100% Hike!

Master Most in Demand Skills Now !

By providing your contact details, you agree to our Terms of Use & Privacy Policy

## 8. What are the subsets of SQL?

[SQL queries](#) are divided into four main categories:

- **Data Definition Language (DDL)**

DDL queries are made up of SQL commands that can be used to define the structure of the database and modify it.

- **CREATE:** Creates databases, tables, schema, etc.
- **DROP:** Drops tables and other database objects
- **DROP COLUMN:** Drops a column from any table structure
- **ALTER:** Alters the definition of database objects
- **TRUNCATE:** Removes tables, views, procedures, and other database objects
- **ADD COLUMN:** Adds any column to the table schema

- **Data Manipulation Language (DML)**

These SQL queries are used to manipulate data in a database.

- **SELECT INTO:** Selects data from one table and inserts it into another
- **INSERT:** Inserts data or records into a table
- **UPDATE:** Updates the value of any record in the database
- **DELETE:** Deletes records from a table

x

### Data Control Language (DCL)

These SQL queries manage the access rights and permission control of the database.

- **GRANT:** Grants access rights to database objects
- **REVOKE:** Withdraws permission from database objects

- **Transaction Control Language (TCL)**

TCL is a set of commands that essentially manages the transactions in a database and the changes made by the DML statements. TCL allows statements to be grouped together into logical transactions.

- **COMMIT:**

Commits an irreversible transaction, i.e., the previous image of the database before the transaction cannot be retrieved. When a transaction is committed using the COMMIT statement in SQL, it permanently saves the changes made within the transaction to the database. Once committed, the changes cannot be rolled back or undone, and the previous state of the database before the transaction cannot be retrieved without restoring from a backup or utilizing other data recovery methods.

- **ROLLBACK:** Reverts the steps in a transaction in case of an error

- **SAVEPOINT:** Sets a savepoint in the transaction to which rollback can be executed
- **SET TRANSACTION:** Sets the characteristics of the transaction

## 9. What are the applications of SQL?

The major applications of SQL are listed below:

- Writing data integration scripts
- Setting and running analytical queries
- Retrieving subsets of information within a database for analytics applications and transaction processing
- Adding, updating, and deleting rows and columns of data in a database

## 10. What is a DEFAULT constraint?

[Constraints in SQL](#) are used to specify some sort of rules for processing data and limiting the type of data that can go into a table. Now, let us understand what a default constraint is.

A default constraint is used to define a default value for a column so that it is added to all new records if no other value is specified. For example, if we assign a default constraint for the E\_salary column in the following table and set the default value to 85000, all the entries in this column will have the default value of 85000, unless no other value has been assigned during the insertion.

	E_id	E_name	E_salary	E_gender	E_dept
1	1	Sam	85000	Male	Analytics
2	2	Anne	85000	Male	Analytics
3	3	Julia	85000	Female	Analytics

Now, let us go through how to set a default constraint. We will start by creating a new table and adding a default constraint to one of its columns.

x

:

```
create table stu1(s_id int, s_name varchar(20), s_marks int default 50)
select *stu1
```

ut:

s_id	s_name	s_marks
------	--------	---------

Now, we will insert the records.

Code:

```
insert into stu1(s_id,s_name) values(1,'Sam')
insert into stu1(s_id,s_name) values(2,'Bob')
insert into stu1(s_id,s_name) values(3,'Matt')
select *from stu1
```

Output:

	s_id	s_name	s_marks
1	1	Sam	50
2	2	Bob	50
3	3	Matt	50

Also, learn from our blog on [MySQL Interview Questions and Answers](#) to crack any Interview.

## 11. What is a UNIQUE constraint?

Unique constraints ensure that all the values in a column are different. For example, if we assign a unique constraint to the e\_name column in the following table, then every entry in this column should have a unique value.



e_id	e_name	e_salary	e_age	e_gender	e_dept
1	Sam	95000	45	Male	Operations
2	Bob	80000	21	Male	Support
3	Anne	125000	25	Female	Analytics
4	Julia	73000	30	Female	Analytics
5	Matt	159000	33	Male	Sales
6	Jeff	112000	27	Male	Operations

First, we will create a table.

```
create table stu2(s_id int unique, s_name varchar(20))
```

Now, we will insert the records.

```
insert into stu2 values(1,'Julia')
insert into stu2 values(2,'Matt')
insert into stu2 values(3,'Anne')
```

Output:

	s_id	s_name
1	1	Julia
2	2	Matt
3	3	Anne

A PRIMARY KEY constraint will automatically have a UNIQUE constraint. However, unlike a PRIMARY KEY, multiple UNIQUE constraints are allowed per table.

## What is meant by table and field in SQL?

Organized data in the form of rows and columns is said to be a table. Simply put, it is a collection of related data in a table format.

Here rows and columns are referred to as tuples and attributes, and the number of columns in a table is referred to as a field. In the record, fields represent the characteristics and attributes and contain specific information about the data.

*Prepare yourself for PostgreSQL from our [PostgreSQL interview questions blog](#)*

### 13. What is a primary key?

A primary key is used to uniquely identify all table records. It cannot have NULL values and must contain unique values. Only one primary key can exist in one table, and it may have single or multiple fields, making it a composite key.

Now, we will write a query to demonstrate the use of a primary key for the employee table:

```
//  
CREATE TABLE Employee (  
    ID int NOT NULL,  
    Employee_name varchar(255) NOT NULL,  
    Employee_designation varchar(255),  
    Employee_Age int,  
    PRIMARY KEY (ID)  
);
```

### 14. What is a unique key?

A key that can accept only a null value and cannot accept duplicate values is called a unique key. The role of a unique key is to make sure that all columns and rows are unique.

The syntax for a unique key will be the same as the primary key. So, the query using a unique key for the employee table will be as follows:

```
//  
CREATE TABLE Employee (  
    ID int NOT NULL,  
    Employee_name varchar(255) NOT NULL,  
    Employee_designation varchar(255),  
    Employee_Age int,  
    UNIQUE(ID)  
);
```

### 15. What is the difference between a primary key and a unique key?

Both primary and unique keys carry unique values but a primary key cannot have a null value, while a unique key can. In a table, there cannot be more than one primary key, but there can be multiple unique keys.

x

## Career Transition

### 16. What is a foreign key?

A foreign key is an attribute or a set of attributes that reference the primary key of some other table. Basically, a foreign key is used to link together two tables together.

Let us create a foreign key for the following table:

PersonID	LastName	FirstName	Age
1	Rehman	Sayeedul	30
2	Soni	Anand	23
3	Singh	Abhishek	20



OrderID	OrderNumber	PersonID
1	90000	3
2	135000	3
3	77000	2
4	154000	1

```
CREATE TABLE Orders (
    OrderID int NOT NULL,
    OrderNumber int NOT NULL,
    PersonID int,
    PRIMARY KEY (OrderID),
    FOREIGN KEY (PersonID) REFERENCES Persons(PersonID)
)
```


### 17. What are the benefits of SQL database over NoSQL database?

SQL (Structured Query Language) and NoSQL (Not Only SQL) are different database management systems, each offering unique advantages. Here, we will discuss the benefits of SQL over NoSQL in a comprehensive manner.

- 1. Schema and Data Consistency:** SQL databases enforce a predefined schema, ensuring the data is structured and follows specific rules. It results in a higher level of data consistency, reducing the risk of data corruption or inconsistencies. On the other hand, NoSQL databases are schema-less, allowing for more flexibility but potentially sacrificing consistency.
- ACID Compliance:** SQL databases are designed to follow the ACID (Atomicity, Consistency, Isolation, Durability) principles. These properties guarantee transactional integrity, ensuring that database operations are reliable and maintain data integrity. NoSQL databases may sacrifice some of these properties for scalability and performance advantages.

3. **Advanced Querying Capabilities:** SQL databases provide a rich set of powerful querying capabilities through SQL. It allows for complex joins, aggregations, filtering, and data sorting. SQL queries are expressive and can handle complex relationships between tables efficiently. NoSQL databases may have limited querying capabilities, often requiring additional programming logic to achieve similar results.
4. **Data Integrity and Validation:** SQL databases offer built-in mechanisms for data integrity and validation through constraints, such as unique keys, foreign key relationships, and check constraints. These features ensure data quality and prevent invalid or inconsistent data insertion. NoSQL databases may require additional application-level logic to enforce data integrity.
5. **Mature Ecosystem and Tooling:** SQL databases have been around for decades and have a well-established ecosystem with many tools, libraries, and frameworks. It includes robust backup and recovery solutions, monitoring tools, and mature integration options. Being relatively newer, NoSQL databases may have a more limited tooling and ecosystem.

## 18. Explain the different types of SQL commands.



- **DDL:** DDL is that part of SQL that defines the data structure of the database in the initial stage when the database is about to be created. It is mainly used to create and restructure database objects. Commands in DDL are:
  - Create table
  - [Alter table](#)
  - Drop table
- **DML:** DML is used to manipulate already existing data in a database, i.e., it helps users to retrieve and manipulate data. It is used to perform operations such as inserting data into the database through the insert command, updating data with the update command, and deleting data from the database through the delete command.
- **DCL:** DCL is used to control access to the data in the database. DCL commands are normally used to create objects related to user access and to control the distribution of privileges among users. The commands that are used in DCL are Grant and Revoke.
- **TCL:** TCL is used to control the changes made by DML commands. It also authorizes the statements to assemble in conjunction with logical transactions. The commands that are used in TCL are Commit, Rollback, Savepoint, Begin, and Transaction.

**X** Have a look at [SQL Command Cheatsheet](#).

## What are the uses of SQL?

Following operations can be performed by using a SQL database:

- Creating new databases
- Inserting new data

- Deleting existing data
- Updating records
- Retrieving the data
- Creating and dropping tables
- Creating functions and views
- Converting data types

## 20. What is an index?

Indexes help speed up searching in a database. If there is no index on a column in the [WHERE clause](#), then the SQL Server has to skim through the entire table and check each and every row to find matches, which may result in slow operations with large data.

Indexes are used to find all rows matching with some columns and then to skim through only those subsets of the data to find the matches.

Syntax:

```
CREATE INDEX INDEX_NAME ON TABLE_NAME (COLUMN)
```

## 21. Explain the types of indexes.

Single-Column Indexes: A single-column index is created for only one column of a table.

Syntax:

```
CREATE INDEX index_name
ON table_name(column_name);
```

Composite-Column Indexes: A composite-column index is created for two or more columns of a table.

Syntax:

```
CREATE INDEX index_name
ON table_name (column1, column2)
```

Unique Indexes: A unique index is used to maintain the data integrity of a table. A unique index does not allow multiple values to be inserted into the table.

Syntax:

```
CREATE UNIQUE INDEX index
ON table_name(column_name)
```

Courses you may like



[What are entities and relationships?](#)

**Entities:** An entity can be a person, place, thing, or any identifiable object for which data can be stored in a database.

For example, in a company's database, employees, projects, salaries, etc., can be referred to as entities.

**Relationships:** A relationship between entities can be referred to as a connection between two tables or entities.

For example, in a college database, the student entity and the department entity are associated with each other.

That ends the section of basic interview questions. Let us now move on to the next section of intermediate interview questions.

## Intermediate SQL Interview Questions and Answers

### 23. What are SQL operators?

SQL operators are the special keywords or characters that perform specific operations. They are also used in SQL queries. These operators can be used within the WHERE clause of SQL commands. Based on the specified condition, SQL operators filter the data.

The SQL operators can be categorized into the following types:

- **Arithmetic Operators:** For mathematical operations on numerical data
  - addition (+)
  - subtraction (-)
  - multiplication (\*)
  - division (/)
  - remainder/modulus (%)
- **Logical Operators:** For evaluating the expressions and returning results in True or False
  - ALL
  - AND
  - ANY
  - ISNULL
  - EXISTS
  - BETWEEN
  - IN
  - LIKE
  - NOT
  - OR
  - UNIQUE
- **Comparison Operators:** For comparisons of two values and checking whether they are the same or not
  - equal to (=)
  - not equal to (!= or <>)
  - less than (<),
  - greater than (>)
  - less than or equal to (<=)
  - greater than or equal to (>=)

- not less than (!<)
- not greater than (!>)
- **Bitwise Operators:** For bit manipulations between two expressions of integer type. It first performs the conversion of integers into binary bits and then applied operators
  - AND (& symbol)
  - OR (|, ^)
  - NOT (~)
- **Compound Operators:** For operations on a variable before setting the variable's result to the operation's result
  - Add equals (+=)
  - subtract equals (-=)
  - multiply equals (\*=)
  - divide equals (/=)
  - modulo equals (%=)
- **String Operators:** For concatenation and pattern matching of strings
  - + (String concatenation)
  - += (String concatenation assignment)
  - % (Wildcard)
  - [] (Character(s) matches)
  - [^] (Character(s) not to match)
  - \_ (Wildcard match one character)

## 24. What do you mean by data integrity?

Data integrity is the assurance of the accuracy and consistency of data over its whole life cycle. It is a critical aspect of the design, implementation, and usage of systems that store, process, or retrieve data.

Data integrity also defines integrity constraints for enforcing business rules on data when it is entered into a database or application.

## 25. What is a data warehouse?

A [data warehouse](#) is a large store of accumulated data, from a wide range of sources, within an organization. The data helps drive business decisions.

## 26. How would you find the second highest salary from the following table?



e_id	e_name	E_salary	e_age	e_gender	e_dept
1	Sam	95000	45	Male	Operations
2	Bob	80000	21	Male	Support
3	Anne	125000	25	Female	Analytics
4	Julia	73000	30	Female	Analytics
5	Matt	159000	33	Male	Sales
6	Jeff	112000	27	Male	Operations

:

```
select * from employee
select max(e_salary) from employee where e_salary not in (select
max(e_salary) from employee)
```

Output:

(No column name)	
1	125000


## 27. Why is the FLOOR function used in SQL Server?

The FLOOR() function helps to find the largest integer value for a given number, which can be an equal or lesser number.

*Are you planning to learn SQL Server? Here is the [SQL Certification training](#) . Enroll now!*

## 28. State the differences between clustered and non-clustered indexes

- Clustered Index:** It is used to sort the rows of data by their key values. A clustered index is like the contents of a phone book. We can directly open the book on David's index (for "David, Thompson") and find information for all Davids right next to each other. Since the data are located next to each other, it helps a lot in fetching the data based on range-based queries. A clustered index is actually related to how the data is stored; only one clustered index is possible per table.
- Non-Clustered Index:** It stores data at one location and indexes at another location. The index has pointers that point to the location of the data. As the indexes in a non-clustered index are stored in a different place, there can be many non-clustered indexes for a table.



Now, we will see the major differences between clustered and non-clustered indexes:

Parameters	Clustered Index	Non-Clustered Index
Used For	Sorting and storing records physically in memory	Creating a logical order for data rows; pointers are used for physical data files
Methods for Storing	Stores data in the leaf nodes of the index	Never stores data in the leaf nodes of the index
Space	Quite large	Comparatively, small
Accessing	Fast	Slow
Additional Space	Not required	Required to store indexes separately

Type of Key	By default, the primary key of a table is a clustered index	It can be used with the unique constraint on the table that acts as a composite key
Main Feature	Improves the performance of data retrieval	Should be created on columns used in Joins

## 29. What do you know about CDC in SQL Server?

CDC refers to change data capture. It captures recent INSERT, DELETE, and UPDATE activity applied to SQL Server tables. It records changes to SQL Server tables in a compatible format.



## 30. What is the difference between SQL and MySQL?

Now Let's compare the difference between [SQL](#) and [MySQL](#).

SQL	MySQL
It is a structured query language used in a database	It is a database management system
It is used for query and operating database systems,	It allows data handling, storing, and modification in an organized manner
It is always the same	It keeps updating
It supports only a single storage engine	It supports multiple storage engines
The server is independent	During backup sessions, the server blocks the database

## 31. State the differences between SQL and PL/SQL

SQL	PL/SQL
It is a database structured query language	It is a programming language for a database that uses SQL
It is an individual query that is used to execute DML and DDL commands	It is a block of codes used to write the entire procedure or a function
x a declarative and data-oriented language	It is a procedural and application-oriented language
mainly used for data manipulation	It is used for creating applications
provides interaction with the database server	It does not provide interaction with the database server

It cannot contain PL/SQL code	It can contain SQL because it is an extension of SQL
-------------------------------	--

## 32. What is the ACID property in a database?

The full form of ACID is atomicity, consistency, isolation, and durability. ACID properties are used to check the reliability of transactions.

- Atomicity refers to completed or failed transactions, where a transaction refers to a single logical operation on data. This implies that if any aspect of a transaction fails, the whole transaction fails and the database state remains unchanged.
- Consistency means that the data meets all validity guidelines. The transaction never leaves the database without finishing its state.
- Concurrency management is the primary objective of isolation.
- Durability ensures that once a transaction is committed, it will occur regardless of what happens in between such as a power outage, fire, or some other kind of disturbance.

*Enroll now in [SQL course in Bangalore](#) to learn more in-depth about SQL.*

## 33. What is the need for group functions in SQL?

Group functions operate on a series of rows and return a single result for each group. COUNT(), MAX(), MIN(), SUM(), AVG(), and VARIANCE() are some of the most widely used group functions.

## 34. What do you understand about a character manipulation function?

Character manipulation functions are used for the manipulation of character data types. Some of the character manipulation functions are as follows:

**UPPER:** It returns the string in uppercase.

**Syntax:**

```
UPPER(' string')
```

**Example:**

```
SELECT UPPER('demo string') from String;
```

**Output:**

```
DEMO STRING
```

**LOWER:** It returns the string in lowercase.

**Syntax:**

```
X
OWER('STRING')
```

**Example:**

```
LECT LOWER ('DEMO STRING') from String
```

**Output:**

### demo string

**INITCAP:** It converts the first letter of the string to uppercase and retains others in lowercase.

Syntax:

```
Initcap('STRING')
```

Example:

```
SELECT Initcap('dATASET') from String
```

Output:

```
Dataset
```

**CONCAT:** It is used to concatenate two strings.

Syntax:

```
CONCAT('str1','str2')
```

Example:

```
SELECT CONCAT('Data','Science') from String
```

Output:

```
Data Science
```

**LENGTH:** It is used to get the length of a string.

Syntax:

```
LENGTH('String')
```

Example:

```
SELECT LENGTH('Hello World') from String
```

Output:

```
11
```

## 35. What is AUTO\_INCREMENT?

AUTO\_INCREMENT is used in SQL to automatically generate a unique number whenever a new record is inserted into a table.

Since the primary key is unique for each record, this primary field is added as the AUTO\_INCREMENT field so that it is incremented when a new record is inserted.

X

AUTO\_INCREMENT value starts at 1 and is incremented by 1 whenever a new record is inserted.

IX:

```

CREATE TABLE Employee(
    Employee_id int NOT NULL AUTO_INCREMENT,
    Employee_name varchar(255) NOT NULL,
    Employee_designation varchar(255)
    Age int,
    PRIMARY KEY (Employee_id)
)

```

Check out our Blog on [PL/SQL Interview Questions](#) to crack your SQL Interview.

### 36. What is the difference between the DELETE and TRUNCATE commands?

- **DELETE:** This query is used to delete or remove one or more existing tables.
- **TRUNCATE:** This statement deletes all the data inside a table.



differences between DELETE and TRUNCATE commands are the following:

- TRUNCATE is a DDL command, and DELETE is a DML command.
- With TRUNCATE, we cannot really execute and trigger, while with DELETE, we can accomplish a trigger.
- If a table is referenced by foreign key constraints, then TRUNCATE will not work. So, if we have a foreign key, we have to use the DELETE command.

The syntax for the DELETE command is as follows:

```

DELETE FROM table_name
[WHERE condition];

```

**Example:**

```
select * from stu
```

**Output:**

s_id	s_name	s_marks
1	Sam	50
2	Bob	50
3	Julia	50

```
X: delete from stu where s_name='Bob'
```

**Output:**

s_id	s_name	s_marks
1	Sam	50
3	Julia	50

The syntax for the TRUNCATE command:

```
TRUNCATE TABLE  
Table_name;
```

Example:

```
select * from stu1
```

Output:

	s_id	s_name	s_marks
1	1	Sam	50
2	2	Bob	50
3	3	Matt	50

```
truncate table stu1
```

Output:

```
s_id s_name s_marks
```

This deletes all the records from a table.



### 37. What is the difference between the DROP and TRUNCATE commands?

If a table is dropped, all things associated with that table are dropped as well. This includes the relationships defined on the table with other tables, access privileges, and grants that the table has, as well as the integrity checks and constraints.

To create and use the table again in its original form, all the elements associated with the table need to be redefined.

However, if a table is truncated, there are no such problems as mentioned above. The table retains its original structure.

### 38. What is a “TRIGGER” in SQL?

The [trigger](#) can be defined as an automatic process that happens when an event occurs in the database server. It helps to maintain the integrity of the table. The trigger is activated when the commands, such as insert, update, and delete, are given.

The syntax used to generate the trigger function is as follows:

```
CREATE TRIGGER trigger_name  
x
```

### Where are usernames and passwords stored in SQL Server?

In SQL Server, usernames and passwords are stored in the main database in the logins table.

## **40. What are the types of relationships in SQL Server databases?**

Relationships are developed by interlinking the columns of one table with the column of another table. There are three different types of relationships, which are as follows:

- One-to-one relationship
- Many-to-one relationship
- Many-to-many relationship

## **41. What are the third-party tools that are used in SQL Server?**

The following is the list of third-party tools that are used in SQL Server:

- SQL CHECK
- SQL DOC 2
- SQL Backup 5
- SQL Prompt
- Litespeed 5.0

## **42. How can you handle exceptions in SQL Server?**

TRY and CATCH blocks handle exceptions in SQL Server. Put the SQL statement in the TRY block and write the code in the CATCH block to handle exceptions. If there is an error in the code in the TRY block, then the control will automatically move to the CATCH block.

## **43. How many authentication modes are there in SQL Server? What are they?**

Two authentication modes are available in SQL Server. They are as follows:

- **Windows Authentication Mode:** It allows authentication for Windows but not for SQL Server.
- **Mixed Mode:** It allows both types of authentication—Windows and SQL Server.

## **44. What is a function in SQL Server?**

A function is an SQL Server database object. It is basically a set of SQL statements that allow input parameters, perform processing, and return results only. A function can only return a single value or table. The ability to insert, update, and delete records in database tables is not available.

## **45. Mention different types of replication in SQL Server?**

In SQL Server, three different types of replications are available:

- Snapshot replication
- Transactional replication
- Merge replication

## **Which command is used to find out the SQL Server version?**

Following command is used to identify the version of SQL Server:

dress	+91 IN	Phone Number	Submit
-------	--------	--------------	--------

The COALESCE function takes a set of inputs and returns the first non-null value.

Syntax:

```
COALESCE(val1,val2,val3,.....,nth val)
```

Example:

```
SELECT COALESCE(NULL, 1, 2, 'MYSQL')
```

Output:

```
1
```

## 48. Can we link SQL Server with others?

Yes, SQL Server can be linked with other database systems using various methods. One common method is through the use of linked servers. Linked servers allow SQL Server to establish connections and access data from other database platforms. By configuring appropriate settings and creating the necessary connections, SQL Server can interact with databases such as MySQL, Oracle, PostgreSQL, and more, enabling data integration and querying across multiple systems.

*Also, check out the blog on [PostgreSQL vs. MySQL](#).*

## 49. What is SQL Server Agent?

SQL Server Agent plays an important role in the daily work of SQL Server administrators or DBAs. This is one of the important parts of SQL Server. The aim of the server agent is to easily implement tasks using a scheduler engine that enables the tasks to be performed at scheduled times. SQL Server Agent uses SQL Server to store scheduled management task information.

## 50. What do you know about magic tables in SQL Server?

A magic table can be defined as a provisional logical table that is developed by an SQL Server for tasks such as insert, delete, or update (DML) operations. The operations recently performed on the rows are automatically stored in magic tables. Magic tables are not physical tables; they are just temporary internal tables.

## 51. What are some common clauses used with SELECT queries in SQL?

There are many SELECT statement clauses in SQL. Some of the most commonly used clauses with SELECT queries are as follows:

- FROM

The FROM clause defines the tables and views from which data can be interpreted.

~~X~~ The tables and views listed must exist at the time the question is given.

- WHERE

The WHERE clause defines the parameters that are used to limit the contents of the results table. You can test for basic relationships or for relationships between a column and a series of columns using subselects.

- GROUP BY

The GROUP BY clause is commonly used for aggregate functions to produce a single

outcome row for each set of unique values in a set of columns or expressions.

- **ORDER BY**

The ORDER BY clause helps in choosing the columns on which the table's result should be sorted.

- **HAVING**

The HAVING clause filters the results of the GROUP BY clause by using an aggregate function.

## 52. What is wrong with the following SQL query?

```
SELECT gender, AVG(age) FROM employee WHERE AVG(age)>30 GROUP BY gender
```

When this command is executed, it gives the following error:

```
Msg 147, Level 16, State 1, Line 1
```

Aggregation may not appear in the WHERE clause unless it is in a subquery contained in the HAVING clause or a select list; the column being aggregated is an outer reference.

```
Msg 147, Level 16, State 1, Line 1
```

```
Invalid column name 'gender'.
```

This means that whenever we work with aggregate functions and use the GROUP BY clause, we cannot use the WHERE clause. Therefore, instead of the WHERE clause, we should use the HAVING clause.

When we use the HAVING clause, the GROUP BY clause should come first, followed by the HAVING clause.

```
select e_gender, avg(e_age) from employee group by e_gender having  
avg(e_age)>30
```

Output:

	e_gender	(No column name)
1	Male	31

## 53. What do you know about the stuff() function?

The stuff() function deletes a part of the string and then inserts another part into the string, starting at a specified position.

Syntax:

```
STUFF(String1, Position, Length, String2)
```

Here, String1 is the one that will be overwritten. The position indicates the starting location for overwriting the string. Length is the length of the substitute string, and String2 is the string that will overwrite String1.

Example:


```
select stuff('SQL Tutorial',1,3,'Python')
```

will change 'SQL Tutorial' to 'Python Tutorial'

Output:

## 54. What are views? Give an example.

Views are virtual tables used to limit the tables that we want to display. Views are nothing but the result of an SQL statement that has a name associated with it. Since views are not physically present, they take less space to store.



Let us consider an example. In the following employee table, say we want to perform multiple operations on the records with the gender “Female”. We can create a view-only table for the female employees from the entire employee table.

Now, let us implement it on SQL Server.

This is the employee table:

Categories	
Automation	3
Big Data	12
Business Intelligence	21
Cloud Computing	21
Cyber Security	2
Data Science	11
Database	9
Digital Marketing	3
Electric Vehicle	1
Investment Banking	1
Mobile Development	2

```
select * from employee
```

e_id	e_name	e_salary	e_age	e_gender	e_dept
1	Sam	95000	45	Male	Operations
2	Bob	80000	21	Male	Support
3	Anne	125000	25	Female	Analytics
4	Julia	112000	30	Female	Analytics
5	Matt	159000	33	Male	Sales
6	Jeff	112000	27	Male	Operations

Now, we will write the syntax for the view.

Syntax:

```
create view female_employee as select * from employee where
e_gender='Female'
select * from female_employee
```

Output:

e_id	e_name	e_salary	e_age	e_gender	e_dept
3	Anne	125000	25	Female	Analytics
4	Julia	112000	30	Female	Analytics

## 55. What are the types of views in SQL?

There are four main types of views in SQL:

**Simple View:** It is a view based on a single table and does not have a GROUP BY clause or other features.

**Complex View:** It is a view built from several tables and includes a GROUP BY clause as well as functions.

Testing	4
Trending	34
UI UX	2
Website Development	9

- **Inline View:** It is a view built on a subquery in the FROM clause, which provides a temporary table and simplifies a complicated query.
- **Materialized View:** It is a view that saves both the definition and the details. It builds data replicas by physically preserving them.

## Advanced SQL Interview Questions and Answers For Experienced

### 56. What is a stored procedure? Give an example.

A stored procedure is a prepared SQL code that can be saved and reused. In other words, we can consider a stored procedure to be a function consisting of many SQL statements to access the database system. We can consolidate several SQL statements into a stored procedure and execute them whenever and wherever required.

A stored procedure can be used as a means of modular programming, i.e., we can create a stored procedure once, store it, and call it multiple times as required. This also supports faster execution when compared to executing multiple queries.

Syntax:

```
CREATE PROCEDURE procedure_name
AS
Sql_statement
GO;
To execute we will use this:
EXEC procedure_name
```

Example:

```
We are going to create a stored procedure that will help us extract the
age of the employees.
create procedure employee_age
as
select e_age from employee
go
Now, we will execute it.
exec employee_age
```

Output:

	e_age
1	45
2	21
3	25
4	30
5	33
6	27

### 57. Explain Inner Join with an example.

Join gives us those records that have matching values in two tables.

Assume that we have two tables: Table A and Table B. When we apply Inner Join to two tables, we will get only records common to both Table A and Table B.

Ans:

```

SELECT columns
FROM table1
INNER JOIN table2
ON table1.column_x=table2.column_y;

```

Example:

```

select * from employee
select * from department

```

Output:

	d_id	d_name	d_location
1	1	Content	New York
2	2	Support	Chicago
3	3	Analytics	New York
4	4	Sales	Boston
5	5	Tech	Dallas
6	6	Finance	Chicago

Now, we will apply Inner Join to both these tables, where the e\_dept column in the employee table is equal to the d\_name column of the department table.

Syntax:

```

select employee.e_name, employee.e_dept, department.d_name,
department.d_location
from employee inner join department
on
employee.e_dept=department.d_name

```

Output:

	e_name	e_dept	d_name	d_location
1	Bob	Support	Support	Chicago
2	Anne	Analytics	Analytics	New York
3	Julia	Analytics	Analytics	New York
4	Matt	Sales	Sales	Boston

After applying Inner Join, we have only those records where the departments match in both tables. As we can see, the matched departments are Support, Analytics, and Sales.

## 58. State the differences between views and tables.

Views	Tables
A view is a virtual table that is extracted from a database.	A table is structured with a set number of columns and a boundless number of rows.
A view does not hold the data itself.	A table contains data and stores it in databases.
A view is utilized to query certain information contained in a few distinct tables.	A table holds fundamental client information and cases of a characterized object.
In a view, we will get frequently queried information.	In a table, changing the information in the database changes the information that appears in the view.

## 59. What do you understand about a temporary table? Write a query to create a temporary table

A temporary table helps us store and process intermediate results. Temporary tables are created and can be automatically deleted when they are no longer used. They are very useful in places where temporary data needs to be stored.

Syntax:


```
CREATE TABLE #table_name();  
The below query will create a temporary table:  
create table #book(b_id int, b_cost int)  
Now, we will insert the records.  
insert into #book values(1,100)  
insert into #book values(2,232)  
select * from #book
```

Output:

	b_id	b_cost
1	1	100
2	2	232

## 60. Explain the difference between OLTP and OLAP.

**OLTP:** It stands for online transaction processing, and we can consider it a category of software applications that are efficient for supporting transaction-oriented programs. One of the important attributes of the OLTP system is its potential to maintain consistency. The OLTP system often follows decentralized planning to avoid single points of failure. This system is generally designed for a large audience of end users to perform short transactions. The queries involved in such databases are generally simple, require a fast response time, and, in comparison, return only a few records. So, the number of transactions per second acts as an effective measure for those systems.



**OLAP:** It stands for online analytical processing, and it is a category of software programs that are identified by a comparatively lower frequency of online transactions. For OLAP systems, the efficiency of computing depends heavily on the response time. Hence, such systems are generally used for data mining or maintaining aggregated historical data, and ~~x~~ are usually used in multidimensional schemas.

### What is Hybrid OLAP?

Hybrid OLAP (HOLAP) uses a combination of multidimensional data structures and relational database tables to store multidimensional data. The aggregations for a dimension are stored by analysis services in a multidimensional structure. The facts are

stored in a relational database.

## 62. What do you understand by Self Join? Explain using an example

Self Join in SQL is used for joining a table with itself. Here, depending on some conditions, each row of the table is joined with itself and with other rows of the table.

Syntax:

```
SELECT a.column_name, b.column_name  
FROM table a, table b  
WHERE condition
```

Example:

Consider the customer table given below.

Example:

Consider the customer table given below.

ID	Name	Age	Address	Salary
1	Anand	32	Ahmedabad	2,000.00
2	Abhishek	25	Delhi	1,500.00
3	Shivam	23	Kota	2,000.00
4	Vishal	25	Mumbai	6,500.00
5	Sayeedul	27	Bhopal	8,500.00
6	Amir	22	MP	4,500.00
7	Arpit	24	Indore	10,000.00

We will now join the table using Self Join:

```
SQL> SELECT a.ID, b.NAME, a.SALARY  
FROM CUSTOMERS a, CUSTOMERS b  
WHERE a.SALARY < b.SALARY;
```


Output:

ID	Name	Salary
2	Anand	1,500.00
2	Abhishek	1,500.00
x	Vishal	2,000.00
2	Vishal	1,500.00
3	Vishal	2,000.00
6	Vishal	4,500.00

1	Sayeedul	2,000.00
2	Sayeedul	1,500.00
3	Sayeedul	2,000.00
4	Sayeedul	6,500.00
6	Sayeedul	4,500.00
1	Amir	2,000.00
2	Amir	1,500.00
3	Amir	2,000.00
1	Arpit	2,000.00
2	Arpit	1,500.00
3	Arpit	2,000.00
4	Arpit	6,500.00
5	Arpit	8,500.00
6	Arpit	4,500.00

### 63. What is the difference between Union and Union All operators?

The [union operator](#) is used to combine the result set of two or more select statements. For example, the first select statement returns the fish shown in Image A, and the second statement returns the fish shown in Image B. The Union operator will then return the result of the two select statements as shown in Image A U B. If there is a record present in both tables, then we will get only one of them in the final result.



Syntax:

```
SELECT column_list FROM table1
```

**x**  
n:

```
SELECT column_list FROM table2
```

we will execute it in the SQL Server.

are the two tables in which we will use the Union operator.

	s_id	s_name	s_marks
1	1	Sam	45
2	2	Bob	87
3	3	Anne	73
4	4	Julia	92

	s_id	s_name	s_marks
1	3	Anne	73
2	4	Julia	92
3	5	Matt	65

```
select * from student_details1
```

Union:

```
select * from student_details2
```

Output:

	Results			Messages	
	s_id	s_name	s_marks		
1	1	Sam	45		
2	2	Bob	87		
3	3	Anne	73		
4	4	Julia	92		
5	5	Matt	65		

The Union All operator gives all the records from both tables including the duplicates.



Let us implement it in the SQL Server.

Syntax:

```
select * from student_details1
```

Union All:

```
select * from student_details2
```

Output:

	s_id	s_name	s_marks
1	1	Sam	45
2	2	Bob	87
3	3	Anne	73
4	4	Julia	92
5	3	Anne	73
6	4	Julia	92
7	5	Matt	65

## X What is a database cursor? How to use a database cursor?

database cursor is a control that allows you to navigate around a table's rows or ments. It can be referred to as a pointer for a row in a set of rows. Cursors are mely useful for database traversal operations such as extraction, insertion, and nation.

- After any variable declaration, DECLARE a cursor. A SELECT statement must always be aligned with the cursor declaration.
- To initialize the result set, OPEN statements must be called before fetching the rows from the result table.
- To grab and switch to the next row in the result set, use the FETCH statement.
- To deactivate the cursor, use the CLOSE expression.
- Finally, use the DEALLOCATE clause to uninstall the cursor description and clear all the resources associated with it.


Here is an example SQL cursor:

```
DECLARE @name VARCHAR(50)

DECLARE db_cursor CURSOR FOR
SELECT name
From myDB.company
WHERE employee_name IN ('Jay', 'Shyam')
OPEN db_cursor
FETCH next
FROM db_cursor
Into @name
Close db_cursor
DEALLOCATE db_cursor
```

## 65. What is the use of the INTERSECT operator?

The INTERSECT operator helps combine two select statements and returns only those records that are common to both select statements. After we get Table A and Table B over here, and if we apply the INTERSECT operator on these two tables, then we will get only those records that are common to the result of the select statements of these two tables.



Syntax:

```
SELECT column_list FROM table1
INTERSECT
SELECT column_list FROM table2
```



let us take a look at an example of the INTERSECT operator.

```
select * from student_details1
select * from student_details1
```

ut:

	s_id	s_name	s_marks
1	1	Sam	45
2	2	Bob	87
3	3	Anne	73
4	4	Julia	92


	s_id	s_name	s_marks
1	3	Anne	73
2	4	Julia	92
3	5	Matt	65

```
select * from student_details1
intersect
select * from student_details2
```

Output:

	s_id	s_name	s_marks
1	3	Anne	73
2	4	Julia	92

## 66. How can you copy data from one table to another table?



Here, we have our employee table.

e_id	e_name	E_salary	e_age	e_gender	e_dept
1	Sam	95000	45	Male	Operations
2	Bob	80000	21	Male	Support
3	Anne	125000	25	Female	Analytics
4	Julia	73000	30	Female	Analytics
5	Matt	159000	33	Male	Sales
6	Jeff	112000	27	Male	Operations

We have to copy this data into another table. For this purpose, we can use the INSERT INTO SELECT operator. Before we go ahead and do that, we will have to create another table that will have the same structure as the above-given table.

Syntax:

```
create table employee_duplicate(
e_id int,
e_name varchar(20),
e_salary int,
e_age int,
e_gender varchar(20)
e_dept varchar(20)
```

Copying the data, we will use the following query:

```
insert into employee_duplicate select * from employees
```

Take a look at the copied table.

```
select * from employee_duplicate
```

Output:

## 67. What is the difference between BETWEEN and IN operators in SQL?

The BETWEEN operator is employed to identify rows that fall within a specified range of values, encompassing numerical, textual, or date values. It returns the count of values that exist between the two defined boundaries.

On the other hand, the IN operator serves as a condition operator utilized for searching values within a predetermined range. When multiple values are available for selection, the IN operator is utilized.

*Check out how to use [IN and BETWEEN Operators in SQL](#) with examples.*

## 68. Describe how to delete duplicate rows using a single statement but without any table creation.

Let us create an employee table where the column names are ID, NAME, DEPARTMENT, and EMAIL. Below are the SQL scripts for generating the sample data:

```
CREATE TABLE EMPLOYEE
(
ID INT,
NAME Varchar(100),
DEPARTMENT INT,
EMAIL Varchar(100)
)

INSERT INTO EMPLOYEE VALUES (1,'Tarun',101,'tarun@intellipaat.com')
INSERT INTO EMPLOYEE VALUES (2,'Sabid',102,'sabid@intellipaat.com')
INSERT INTO EMPLOYEE VALUES (3,'Adarsh',103,'adarsh@intellipaat.com')
INSERT INTO EMPLOYEE VALUES (4,'Vaibhav',104,'vaibhav@intellipaat.com')
--These are the duplicate rows:
INSERT INTO EMPLOYEE VALUES (5,'Tarun',101,'tarun@intellipaat.com')
INSERT INTO EMPLOYEE VALUES (6,'Sabid',102,'sabid@intellipaat.com')
```

ID	NAME	DEPARTMENT	EMAIL
1	Tarun	101	tarun@intellipaat.com
2	Sabid	102	sabid@intellipaat.com
3	Adarsh	103	adarsh@intellipaat.com
4	Vaibhav	104	vaibhav@intellipaat.com
X	Tarun	101	tarun@intellipaat.com
	Sabid	102	sabid@intellipaat.com

an see the duplicate rows in the above table.

```
DELETE e1 FROM EMPLOYEE e1, EMPLOYEE e2 WHERE e1.name = e2.name AND
..id > e2.id
```

The SQL query above will delete the rows, where the name fields are duplicated, and it will retain only those unique rows in which the names are unique and the ID fields are the lowest, i.e., the rows with IDs 5 and 6 are deleted, while the rows with IDs 1 and 2 are retained.

ID	NAME	DEPARTMENT	EMAIL
1	Tarun	101	tarun@intellipaat.com
2	Sabid	102	sabid@intellipaat.com
3	Adarsh	103	adarsh@intellipaat.com
4	Vaibhav	104	vaibhav@intellipaat.com

## 69. Can you identify the employee who has the third-highest salary from the given employee table (with salary-related data)?

Consider the following employee table. In the table, Sabid has the third-highest salary (60,000).

Name	Salary
Tarun	70,000
Sabid	60,000
Adarsh	30,000
Vaibhav	80,000

Below is a simple query to find out which employee who has the third-highest salary. The functions RANK, DENSE RANK, and ROW NUMBER are used to obtain the increasing integer value by imposing the ORDER BY clause in the SELECT statement, based on the ordering of the rows. The ORDER BY clause is necessary when the RANK, DENSE RANK, or ROW NUMBER functions are used. On the other hand, the PARTITION BY clause is optional.

```
WITH CTE AS
(
    SELECT Name, Salary, RN = ROW_NUMBER() OVER (ORDER BY Salary DESC)
    FROM EMPLOYEE
)
SELECT Name, Salary FROM CTE WHERE RN = 3
```

## 70. What is the difference between HAVING and WHERE clauses?

The main difference between the 'HAVING' and 'WHERE' clauses in SQL is that the 'WHERE' clause operates on individual rows of data, while the 'HAVING' clause is used to filter aggregated data. The '[WHERE clause](#)' cannot be used with aggregate functions, whereas the 'HAVING' clause specifically filters results based on aggregate conditions.

✗

Consider the employee table below.

Name	Department	Salary
Tarun	Production	50,000
Tarun	Testing	60,000

Sabid	Marketing	70,000
Adarsh	Production	80,000
Vaibhav	Testing	90,000

The following will select the data on a row-by-row basis:

```
SELECT Name, Salary FROM Employee WHERE Salary >=50000
```

Output:

Name	Salary
Tarun	50,000
Tarun	60,000
Sabid	70,000
Adarsh	80,000
Vaibhav	90,000

The HAVING clause, on the other hand, operates on the aggregated results.

```
SELECT Department, SUM(Salary) AS total FROM Employee GROUP BY Department
```

Output:

Department	Total
Marketing	70,000
Production	130,000
Testing	150,000

Now, let us see the output when we apply HAVING to the above query.

```
SELECT Department, SUM(Salary) AS total FROM Employee GROUP BY Department HAVING SUM(Salary)>70000
```

Output:

Department	Total
Production	130,000
Testing	150,000

## Explain database white box testing and black box testing.

white box testing method mainly deals with the internal structure of a particular base, where users hide specification details. The white box testing method involves following:

- As the coding error can be detected by testing the white box, it can eliminate internal errors.
- To check for the consistency of the database, it selects the default table values.
- This method verifies the referential integrity rule.
- It helps perform the module testing of database functions, triggers, views, and SQL queries.

The black box testing method generally involves interface testing and database integration. The black box testing method involves the following:

- Mapping details
- Verification of incoming data
- Verification of outgoing data from the other query functions

## 72. How can you create empty tables with the same structure as another table?

This can be achieved by fetching the records of one table into a new table using the INTO operator while fixing a WHERE clause to be false for all records. In this way, SQL prepares the new table with a duplicate structure to accept the fetched records. However, there are no records that will get fetched due to the WHERE clause in action. Therefore, nothing is inserted into the new table, thus creating an empty table.

```
SELECT * INTO Students_copy
FROM Students WHERE 1 = 2;
```

[Next](#)

## Course Schedule

Name	Date	Details
<a href="#">SQL Training</a>	21 Oct 2023 (Sat-Sun) Weekend Batch	<a href="#">View Details</a>
<a href="#">SQL Training</a>	28 Oct 2023 (Sat-Sun) Weekend Batch	<a href="#">View Details</a>
<a href="#">SQL Training</a>	04 Nov 2023 (Sat-Sun) Weekend Batch	<a href="#">View Details</a>

x

32 thoughts on “70+ SQL Interview Questions and Answers”

x

x



Aman says:

Thanks for sharing top SQL interview questions.

[DECEMBER 20, 2015 AT 2:15 PM](#)

[Reply](#)



Mukesh Saini says:

These questions are really amazing, to preapre [DECEMBER 20, 2015 AT 5:51 PM](#) for an interview..Thanks

[Reply](#)



SUMIT KHERA says:

Very good question

[DECEMBER 23, 2015 AT 6:08 PM](#)

[Reply](#)



Vikas Kumar Garg says:

These questions are very much helpful... please [MARCH 22, 2016 AT 1:15 AM](#) upload more questions related to this.

[Reply](#)



Manian says:

Excellent questions/answers for beginner to [APRIL 11, 2016 AT 1:54 AM](#) advanced level SQL development covered.nice work and thanks for sharing.

[Reply](#)



Neemita says:

Thanks for sharing SQL Interview Questions and [MAY 3, 2016 AT 6:10 PM](#) Answers for Developers and Administrators. It's very useful.

[Reply](#)



Pratheesh Babu says:

These are some basic but very essential questions [JUNE 26, 2016 AT 8:51 PM](#) an Sql professional should know. Thanks for sharing. Indeed it helps to do a self evaluatio.

[Reply](#)



Shaun Goguen says:

Excellent questions. Some of them do have [SEPTEMBER 20, 2016 AT 12:43 AM](#) multiple ways to answer.

I guess if you know SQL Server you can find many ways to figure things out. I follow best practice, best performance method.

What about all the new functionality available with SQL Server 2016?

Didn't see any questions on here about those.

Thank you for sharing.

X

ly



cool says:

great to those things in a very organized way [OCTOBER 12, 2016 AT 2:17 AM](#)

[Reply](#)



Very helpful questions!

OCTOBER 15, 2016 AT 7:23 AM

[Reply](#)

gezah says:



Very helpful!

OCTOBER 15, 2016 AT 7:24 AM

[Reply](#)

Anonymous  
says:



Thank You for sharing these interview  
questions.These are really helpful and essential questions for interview.

JULY 25, 2017 AT 11:39 AM

amar kayam  
says:



very helpful

DECEMBER 17, 2019 AT 1:52 PM

[Reply](#)

Robe Getachew  
says:



Content is very helpful

FEBRUARY 20, 2020 AT 2:26 PM

[Reply](#)

Mahesh says:



Thanks for sharing top SQL question and help  
full to developer

FEBRUARY 21, 2020 AT 3:39 PM

MAHENDER  
says:



Thanks for sharing SQL questions and solution.

MAY 18, 2020 AT 7:22 PM

[Reply](#)

Prity says:



Content is very helpful

AUGUST 4, 2020 AT 5:49 PM

[Reply](#)

C MANJUNATH  
says:

X



Thanks for sharing

NOVEMBER 28, 2020 AT 9:10 AM

[Reply](#)

Iohammed  
Vahid says:



amazing questions and answers really

JANUARY 25, 2021 AT 4:48 AM



Jose Antonio

says:

amazing questions and answers, really appreciate the work done here

[Read more...](#)

[Reply](#)



It was very useful. Thank you so much.

[MARCH 2, 2021 AT 1:46 AM](#)

[Reply](#)

Tichan says:



Thanks for the questions. It is very precise and level of difficulty is sorted. Great job!!

[MAY 13, 2021 AT 10:39 PM](#)

[Reply](#)

Pooja N says:



Thanks for the questions. It is very useful information.

[JULY 30, 2021 AT 12:22 PM](#)

[Reply](#)

Hriday Kumar  
says:



Very helpful...please update this with some advanced sql as well..

[JULY 31, 2021 AT 1:05 AM](#)

[Reply](#)

Robin says:



Great information

[SEPTEMBER 6, 2021 AT 7:42 AM](#)

[Reply](#)

Mason says:



Thank you, it s very useful 😊

[DECEMBER 17, 2021 AT 2:32 PM](#)

[Reply](#)

Hülya Özlü says:



nice information. it covered all main concept

[APRIL 25, 2022 AT 3:30 PM](#)

[Reply](#)

Shilpa says:



x  
singhavendra  
singh says:

these Questions and Answer are really helpful

[JUNE 9, 2022 AT 9:56 PM](#)

[Reply](#)



Very helpful, thanks for this tutorial.

[JULY 11, 2022 AT 12:25 AM](#)

[Reply](#)

Arpita says:



Thank you very much for the useful Question & [OCTOBER 22, 2022 AT 1:03 AM](#)  
Answers in SQL

Hari says:

[Reply](#)



That tutorial was superb AND i learned a lot from [MAY 27, 2023 AT 1:53 PM](#)  
this thanks to intelpaat

Shaik

Asmatjaha says:

[Reply](#)



Thank you a quick guide to prepare SQL related [JULY 20, 2023 AT 8:45 AM](#)  
interview questions

Rekha says:

[Reply](#)



Thank you this is very helpful. [OCTOBER 3, 2023 AT 11:27 PM](#)

[Reply](#)

Divya Lakhara  
says:

x

### Leave a Reply

Your email address will not be published. Required fields are marked \*

Comment \*

Name \*

Email \*

Post Comment

### ► Other Regions

[City](#)    [Texas](#)    [Pune](#)    [Hyderabad](#)

[to](#)    [Denver](#)    [Seattle](#)    [Mumbai](#)

[San Jose](#)    [New Jersey](#)    [Adelaide](#)

[Phoenix](#)    [Orange County](#)

[Philippines](#)   [Singapore](#)   [Sydney](#)   [Toronto](#)   [Melbourne](#)   [Minneapolis](#)   [New York](#)   [Perth](#)   [Charlotte](#)   [Cincinnati](#)   [Columbus](#)   [Manchester](#)   [Detroit](#)  
[Velachery](#)   [Manila](#)   [Maryland](#)   [Miami](#)   [Michigan](#)   [Minnesota](#)   [Nashville](#)   [New Zeal](#)   [South Africa](#)   [St Louis](#)   [Dallas](#)   [Tampa](#)   [Los Angeles](#)   [Houston](#)  
[Brisbane](#)   [Calgary](#)   [Baltimore](#)   [Bay Area](#)   [Bellevue](#)   [Birmingham](#)   [Northern Virginia](#)   [Washington](#)   [Edinburgh](#)   [USA](#)   [Bristol](#)

---

MEDIA   CONTACT US   TUTORIALS   COMMUNITY   INTERVIEW QUESTIONS

© Copyright 2011 - 2023 Intellipaat Software Solutions Pvt. Ltd.

x