

API Documentation for OpenAPI SSoFlow

1. Introduction

This document provides detailed information about the OpenAPI SSoFlow API endpoints. It includes request and response structures, required headers, authentication details, and example payloads.

2. Authentication

Each API request requires the following headers for authentication:

- **VendorId:** A unique identifier for the vendor.
- **VendorKey:** A secret key associated with the vendor.
- **Bearer Token:** An API token generated after Finx Website login. It must be included in the Authorization header. Steps to get the API Key is provided in the separate document.

Example Header:

```
VendorId: XYZ
VendorKey: 0DAZLDQRABCDFFERRRRR2EY7QXC
Authorization: Bearer <your_api_token>
```

3. API Endpoints

3.1 LoginTOTP

Endpoint: POST <https://finx.choiceindia.com/api/OpenAPIV1/LoginTOTP>

Headers: *(Required)*

- VendorId
- VendorKey
- Authorization (Bearer Token)

Request Body: *(JSON Format)*

```
{
  "MobileNo": "7jsrik8nFqN9nIbsz2/Iww=="
}
```

Response: *(Example)*

```
{
  "Status": "Success",
  "Response": {
    "LogonStatus": 10000,
  }
}
```

```
        "LogonMessage": "User logged in Successfully."
    },
    "Reason": ""
}
```

3.2 GetClientLoginTOTP

Endpoint: POST <https://finx.choiceindia.com/api/OpenAPIV1/GetClientLoginTOTP>

Headers: *(Required)*

- VendorId
- VendorKey
- Authorization (Bearer Token)

Request Body: *(JSON Format)*

```
{
  "MobileNo": "7jsrik8nFqN9nIbsz2/Iww=="
}
```

Response: *(Example)*

```
{
  "Status": "Success",
  "Response": "230011",
  "Reason": ""
}
```

3.3 ValidateTOTP

Endpoint: POST [https:// finx.choiceindia.com /api/OpenAPIV1/ValidateTOTP](https://finx.choiceindia.com/api/OpenAPIV1/ValidateTOTP)

Headers: *(Required)*

- VendorId
- VendorKey
- Authorization (Bearer Token)

Request Body: *(JSON Format)*

```
{
  "MobileNo": "9920990259",
  "OTP": "200011"
}
```

Response: *(Example)*

