

Multiple CSS Selectors

Project

Structure

Favorites

004_multiple-css-rule-sets/index.html

html head link

1 <!DOCTYPE html>

2 <html lang="en">

3 <head>

4 <meta charset="UTF-8">

5 <title>Title</title>

6 <link rel="stylesheet" href="main.css">

7 </head>

8 <body>

9

10 <header></header>

11

12 <section>

13 <article></article>

14 </section>

15

16 <aside></aside>

17

18 <footer></footer>

19

20 </body>

21 </html>

004_multiple-css-rule-sets/main.css

1 * { margin: 50px; }

2

3 header {

4 width: 100%;

5 height: 100px;

6 background-color: red;

7 }

8

9 section {

10 width: 100%;

11 height: 200px;

12 background-color: blue;

13 }

14

15 article {

16 width: 50%;

17 height: 100px;

18 background-color: yellow;

19 }

20

21 aside, footer {

22 width: 100%;

23 height: 100px;

24 background-color: green;

25 }

6: TODO

Terminal

9: Version Control

28:1 LF UTF-8 Git: master

Event Log

Project

Z: Structure

Favorites

004_multiple-css-rule-sets/index.html

html body

1<!DOCTYPE html>

2<html lang="en">

3<head>

4<meta charset="UTF-8">

5<title>Title</title>

6<link rel="stylesheet" href="main.css">

7</head>

8<body>

9

10<header></header>

11

12<section>

13<article></article>

14</section>

15

16<aside></aside>

17

18<footer></footer>

19

20</body>

21</html>

004_multiple-css-rule-sets/main.css

1* { margin: 50px; }

2

3header {

4width: 100%;

5height: 100px;

6background-color: red;

7}

8

9section {

10width: 100%;

11height: 200px;

12background-color: blue;

13}

14

15article {

16width: 50%;

17height: 100px;

18background-color: yellow;

19}

20

21aside, footer {

22width: 100%;

23height: 100px;

24background-color: green;

25}

6: TODO

Terminal

9: Version Control

Event Log

99 chars, 9 lines18:18 UTF-8Git: master

Project

Z: Structure

Favorites

004_multiple-css-rule-sets/index.html

html body

1<!DOCTYPE html>

2<html lang="en">

3<head>

4<meta charset="UTF-8">

5<title>Title</title>

6<link rel="stylesheet" href="main.css">

7</head>

8<body>

9

10<header></header>

11

12<section>

13<article></article>

14</section>

15

16<aside></aside>

17

18<footer></footer>

19

20</body>

21</html>

004_multiple-css-rule-sets/main.css

1* { margin: 50px; }

2

3header {

4width: 100%;

5height: 100px;

6background-color: red;

7}

8

9section {

10width: 100%;

11height: 200px;

12background-color: blue;

13}

14

15article {

16width: 50%;

17height: 100px;

18background-color: yellow;

19}

20

21aside, footer {

22width: 100%;

23height: 100px;

24background-color: green;

25}

6: TODO

Terminal

9: Version Control

Event Log

99 chars, 9 lines18:18 UTF-8Git: master

Project

Z: Structure

Favorites

004_multiple-css-rule-sets/index.html

html body

1<!DOCTYPE html>

2<html lang="en">

3<head>

4<meta charset="UTF-8">

5<title>Title</title>

6<link rel="stylesheet" href="main.css">

7</head>

8<body>

9

10<header></header>

11

12<section>

13<article></article>

14</section>

15

16<aside></aside>

17

18<footer></footer>

19

20</body>

21</html>

004_multiple-css-rule-sets/main.css

1* { margin: 50px; }

2

3header {

4width: 100%;

5height: 100px;

6background-color: red;

7}

8

9section {

10width: 100%;

11height: 200px;

12background-color: blue;

13}

14

15article {

16width: 50%;

17height: 100px;

18background-color: yellow;

19}

20

21aside, footer {

22width: 100%;

23height: 100px;

24background-color: green;

25}

6: TODO

Terminal

9: Version Control

99 chars, 9 lines18:18 UTF-8Git: master

Event Log

Project

Z: Structure

Favorites

004_multiple-css-rule-sets/index.html

html body

1<!DOCTYPE html>

2<html lang="en">

3<head>

4<meta charset="UTF-8">

5<title>Title</title>

6<link rel="stylesheet" href="main.css">

7</head>

8<body>

9

10<header></header>

11

12<section>

13<article></article>

14</section>

15

16<aside></aside>

17

18<footer></footer>

19

20</body>

21</html>

004_multiple-css-rule-sets/main.css

1* { margin: 50px; }

2

3header {

4width: 100%;

5height: 100px;

6background-color: red;

7}

8

9section {

10width: 100%;

11height: 200px;

12background-color: blue;

13}

14

15article {

16width: 50%;

17height: 100px;

18background-color: yellow;

19}

20

21aside, footer {

22width: 100%;

23height: 100px;

24background-color: green;

25}

6: TODO

Terminal

9: Version Control

99 chars, 9 lines18:18 UTF-8Git: master

Event Log

Project

Z: Structure

Favorites

004_multiple-css-rule-sets/index.html

html body

1<!DOCTYPE html>

2<html lang="en">

3<head>

4<meta charset="UTF-8">

5<title>Title</title>

6<link rel="stylesheet" href="main.css">

7</head>

8<body>

9

10<header></header>

11

12<section>

13<article></article>

14</section>

15

16<aside></aside>

17

18<footer></footer>

19

20</body>

21</html>

004_multiple-css-rule-sets/main.css

1* { margin: 50px; }

2

3header {

4width: 100%;

5height: 100px;

6background-color: red;

7}

8

9section {

10width: 100%;

11height: 200px;

12background-color: blue;

13}

14

15article {

16width: 50%;

17height: 100px;

18background-color: yellow;

19}

20

21aside, footer {

22width: 100%;

23height: 100px;

24background-color: green;

25}

6: TODO

Terminal

9: Version Control

Event Log

99 chars, 9 lines18:18 UTF-8Git: master

Project

Structure

Favorites

004_multiple-css-rule-sets/index.html

html body

1<!DOCTYPE html>

2<html lang="en">

3<head>

4<meta charset="UTF-8">

5<title>Title</title>

6<link rel="stylesheet" href="main.c

7</head>

8<body>

9

10<header></header>

11

12<section>

13<article></article>

14</section>

15

16<aside></aside>

17

18<footer></footer>

19

20</body>

21</html>

004_multiple-css-rule-sets/main.css

1* { margin: 50px; }

2

18background-color: yellow,

19}

20

21aside, footer {

22width: 100%;

23height: 100px;

24background-color: green;

25}

The * symbol selects all elements.

In this example, these are the elements selected:

- html
- body
- header
- section
- article
- aside
- footer

6: TODO

Terminal

9: Version Control

99 chars, 9 lines18:18 UTF-8Git: master

Event Log

