

## INTERNAL STYLE :

1(a).

<!-- HTML : Style - HTML elements (Headings, Paragraphs & Fonts) -->

<html>

<head>

<title> Learning HTML </title>

<style>

.int\_demo1

{

font-family:algerian;

font-size:30pt;

font-weight:bold;

background-color:yellow;

color:blue;

text-align:center;

}

</style>

</head>

<body style="background-color:PowderBlue;">

<font style="font-family:shelley-allegroscript wd; font-size:30pt; font-weight:bold; background-color: orange; color:blue">Heading Styles </font>

<h1 style="font-family:verdana; background-color:red; color:white; text-align:center"> Bishnupur Youth Computer </h1>

<h2 style="font-family:gigi; color:blue; text-align:center;"> Bishnupur Youth Computer </h2>

<font style="font-family:Lucida Calligraphy; font-size:24pt; background-color: white; color:red">Paragraph Styles </font>

<!-- <p style="font-family:algerian; font-size:30pt; font-weight:bold; background-color: yellow; color:blue; text-align:center"> Bishnupur Youth Computer </p> -->

<p class="int\_demo1">Bishnupur Youth Computer </p>

<p style="font-family:Bankgothic lt bt; color:red; text-align:center; font-size:26pt; font-weight:bold"> Deptt. of Youth Services, Govt. of West Bengal </p>

<p style="font-size:20pt; text-align:right; color:magenta;"> Ph No. : 9126508444 </p>

</body>

</html>

1(b).

<!-- HTML : Style - Background colors & working with Paragraphs -->

<html>

<head>

<title> Learning HTML </title>

<style>

.demo1

{

background-color:magenta;

color:blue;

text-align:justify;

text-justify:inter-word;

padding-left:20px;

padding-right:20px;

text-indent:50px;

text-transform:uppercase;

}

.demo2

{

background-color:magenta;

color:white;

text-align:justify;

text-justify:inter-word;

padding-left:50px;

padding-right:50px;

text-indent:-50px;

text-transform:lowercase;

}

</style>

</head>

<body style="background-color:yellow;">

`<h1 style="background-color:red; color:white; text-align:center;"> Bishnupur Youth Computer  
Training Centre`

`<br />`

`<h2 style="background-color:red; color:blue; text-align:center;"> Bailapara, Bishnupur, Bankura`

`</h2></h1>`

`<!-- <p style="background-color:magenta; color:blue; text-align:justify; text-justify:inter-word;  
padding-left:20px; padding-right:20px; text-indent:50px; text-transform:uppercase"> Paragraph : Both Public  
& Private sfector companies are giving Information Technology utmost importance to keep pace with the  
global environment. It can now simply be said that Indian Computer Industry is Booming! -->`

`<p class="demo1">Paragraph : Both Public & Private sfector companies are giving Information  
Technology utmost importance to keep pace with the global`

`environment. It can now simply be said that Indian Computer Industry is Booming!  
Computer education in itself cannot guarantee`

`anybody a job. It all depends on your ability, drive and aspirations. However, it can  
pave the way for a rewarding career if you are`

`willing to put adequate amount of effort.`

`</p>`

`<!-- <p style="background-color:magenta; color:white; text-align:justify; text-justify:inter-word;  
padding-left:50px; text-indent:-50px; text-transform:lowercase"> Paragraph : Both Public & Private sfector  
companies are giving Information Technology utmost importance to keep pace with the global environment.  
It can now simply be said that Indian Computer Industry is Booming! -->`

`<p class="demo2"> Paragraph : Both Public & Private sfector companies are giving Information  
Technology utmost importance to keep pace with the global`

`environment. It can now simply be said that Indian Computer Industry is Booming!  
Computer education in itself cannot guarantee`

`anybody a job. It all depends on your ability, drive and aspirations. However, it can  
pave the way for a rewarding career if you are`

`willing to put adequate amount of effort.`

`</p>`

`<p style="text-transform:capitalize">youth computer training centre </p>`

`</body>`

`</html>`

## **Ordered & Unordered List :**

1.

<!-- HTML : An unordered lists -->

<html>

<body>

<h4>An Unordered List:</h4>

<ul>

<li>Coffee</li>

<li>Tea</li>

<li>Milk</li>

</ul>

</body>

</html>

2.

<!-- HTML : An ordered lists -->

<html>

<body>

<h4>An Ordered List:</h4>

<ol>

<li>Coffee</li>

<li>Tea</li>

<li>Milk</li>

</ol>

</body>

</html>

3.

<!-- HTML : Different types of ordered lists -->

<html>

<body>

<h4>Numbered list:</h4>

<ol>

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ol>

<h4>Letters list:</h4>

<ol type="A">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ol>

<h4>Lowercase letters list:</h4>

<ol type="a">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ol>

<h4>Roman numbers list:</h4>

<ol type="I">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ol>

<h4>Lowercase Roman numbers list:</h4>

<ol type="i">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ol>

</body>

</html>

4.

<!-- HTML : Different types of unordered lists -->

<html>

<body>

<h4>Disc bullets list:</h4>

<ul type="disc">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ul>

<h4>Circle bullets list:</h4>

<ul type="circle">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ul>

<h4>Square bullets list:</h4>

<ul type="square">

<li>Apples</li>

<li>Bananas</li>

<li>Lemons</li>

<li>Oranges</li>

</ul>

```
</body>
```

```
</html>
```

5.

```
<!-- HTML : Nested list – 2a (unordered) -->
```

```
<html>
```

```
<body>
```

```
<h4>A nested List:</h4>
```

```
<ul>
```

```
<li>Coffee</li>
```

```
<li>Tea
```

```
<ul>
```

```
<li>Black tea</li>
```

```
<li>Green tea
```

```
<ul>
```

```
<li>China</li>
```

```
<li>Africa</li>
```

```
</ul>
```

```
</li>
```

```
</ul>
```

```
</li>
```

```
<li>Milk</li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

6.

```
<!-- HTML : Nested list – 2b (unordered), with changed pattern -->
```

```
<html>
```

```
<body>
```

```
<h4>A nested List:</h4>
```

```
<ul type="square">
```

```
<li>Coffee</li>
```

```
<li>Tea
```

```

<ul type="circle">
  <li>Black tea</li>
  <li>Green tea
    <ul type="disc">
      <li>China</li>
      <li>Africa</li>
    </ul>
  </li>
</ul>
</li>
<li>Milk</li>
</ul>
</body>
</html>

```

#### TABLE:

1.

```
<!-- Simple Table -->
```

```
<html>
```

```
<body>
```

```
  <p>
```

Each table starts with a table tag.

Each table row starts with a tr tag.

Each table data starts with a td tag.

```
  </p>
```

```
<h4>One column:</h4>
```

```
<table border="1">
```

```
  <tr>
```

```
    <td>100</td>
```

```
  </tr>
```

```
</table>
```

```
<h4>One row and three columns:</h4>
```

```
<table border="1">
```

```
  <tr>
```

```
    <td>100</td>
```



```

        <td>200</td>
        <td>300</td>
    </tr>
</table>
<h4>Three rows and three columns:</h4>
<center>
<table border="1"; bordercolor="red"; bgcolor="yellow";>
    <tr>
        <td>Bishnupur</td>
        <td>Youth</td>
        <td>Computer</td>
    </tr>
    <tr>
        <td>Youth</td>
        <td>Services</td>
        <td>Deptt.</td>
    </tr>
    <tr>
        <td>Bailapara</td>
        <td>Bishnupur</td>
        <td>Bankura</td>
    </tr>
</table>
</center>
</body>
</html>

```

2.

```

<!-- Tables without borders -->
<html>
<body>
<h4>This table has no borders:</h4>
<table>
    <tr>
        <td>100</td>

```

```

        <td>200</td>
        <td>300</td>
    </tr>
    <tr>
        <td>400</td>
        <td>500</td>
        <td>600</td>
    </tr>
</table>

```

<h4>And this table has no borders:</h4>

```

<table border="0">
    <tr>
        <td>100</td>
        <td>200</td>
        <td>300</td>
    </tr>
    <tr>
        <td>400</td>
        <td>500</td>
        <td>600</td>
    </tr>
</table>

```

</body>

</html>

3.

<!-- Different table borders (with color effect) -->

<html>

<head>

<title>TABLE DESIGN : PATTERN - 1</title>

</head>

<center>

<body style="color:blue">

<!--TABLE DESIGN : PATTERN - 1-->

```
<table border=8; bordercolor="magenta" >
```

```
    <tr bgcolor="yellow">
```

```
        <th>Dr. Narendra Damodar Modi </th>
```

```
        <th>Ms. Dipika Parokan</th>
```

```
        <th>Mahendra Singh Dhoni</th>
```

```
    </tr>
```

```
    <tr bgcolor="pink"; align="center">
```

```
        <td>Ind. Prime Minister</td>
```

```
        <td>Bolly. Actress</td>
```

```
        <td>Ind. Crik. Captain</td>
```

```
    </tr>
```

```
</table>
```

```
<hr />
```

```
<!-- TABLE DESIGN : PATTERN - 2 -->
```

```
<table border=12>
```

```
    <tr bgcolor="cream" >
```

```
        <th>Dr. Narendra Damodar Modi</th>
```

```
        <th>Ms. Dipika Parokan</th>
```

```
        <th>Mahendra Singh Dhoni</th>
```

```
    </tr>
```

```
    <tr>
```

```
        <td bgcolor="cyan"; bordercolor="blue"; align="left">Ind. Prime Minister</td>
```

```
        <td bgcolor="yellow"; bordercolor="brown"; align="center">Bolly. Actress</td>
```

```
        <td bgcolor="magenta"; bordercolor="blue"; align="right">Ind. Crik. Captain</td>
```

```
    </tr>
```

```
</table>
```

```
</center>
```

```
</body>
```

```
</html>
```

4.

```
<!-- Table Headers -->
```

```
<html>
```

```
<body>
```

```
<h4>Table headers:</h4>
```

```
<table border="1">
```

```
    <tr>
```

```
        <th>Centre Name </th>
```

```
        <th>Telephone 1</th>
```

```
        <th>Telephone 2</th>
```

```
    </tr>
```

```
    <tr>
```

```
        <td>Bsp. YCTC</td>
```

```
        <td>(03244) 254 809</td>
```

```
        <td>09126508444</td>
```

```
    </tr>
```

```
</table>
```

```
<h4>Vertical headers:</h4>
```

```
<table border="1">
```

```
    <tr>
```

```
        <th>Centre Name :</th>
```

```
        <td>Bsp. YCTC</td>
```

```
    </tr>
```

```
    <tr>
```

```
        <th>Telephone 1 :</th>
```

```
        <td>(03244) 254 809</td>
```

```
    </tr>
```

```
    <tr>
```

```
        <th>Telephone 2 :</th>
```

```
        <td>09126508444</td>
```

```
    </tr>
```

```
</table>
```

```
</body>
```

```
</html>
```

5.

<!-- Table cells that span more than one row/column -->

<html>

<body>

<h4>Cell that spans two columns:</h4>

<table border="1">

<tr>

<th>Centre Name</th>

<th colspan="2">Telephone(s)</th>

</tr>

<tr>

<td>Bsp. YCTC</td>

<td>(03244) 254 809</td>

<td>09126508444</td>

</tr>

</table>

<h4>Cell that spans two rows:</h4>

<table border="1">

<tr>

<th>Centre Name </th>

<td>Bsp. YCTC</td>

</tr>

<tr>

<th rowspan="2">Telephone(s)</th>

<td>(03244) 254 809</td>

</tr>

<tr>

<td>09126508444</td>

</tr>

</table>

</body>

</html>

6.

```
<table border="5">
    <tr>
        <th width="15%"></th>
        <th width="70%"><font style="text-align:center">Bishnupur Youth Computer</font></th>
        <th width="15%"></th>
    </tr>
    <tr>
    </tr>
    </tr>
    <tr>
    </tr>
</table>
```

#### **DROP CAP :**

1.

```
<html>
    <head>
        <style>
            .dropcap
            {
                font-size:.75in;
                font-weight:bold;
                float:left;
                margin-top:-.15in;
            }
        </style>
    </head>
    <body>
```

<p><span class="dropcap">V</span>ideo provides a powerful way to help you prove your point. When you click Online Video, you can paste in the embed code for the video you want to add. You can also type a keyword to search online for the video that best fits your Document. To make your document look professionally produced, Word provides header, footer, cover page, and text box designs that complement each other. For example, you can add a matching cover page, header, and sidebar. Click Insert and then choose the elements you want from the different galleries. Themes and styles also help keep your document coordinated. When you click Design and choose a new Theme, the pictures, charts, and SmartArt graphics change to match your new theme. When you apply styles, your headings change to match the new theme. Save time in Word with new buttons that show up where you need them. To change the way a picture fits in your document, click it and a button for layout options appears next to it. When you work on a table, click

where you want to add a row or a column, and then click the plus sign. Reading is easier, too, in the new Reading view. You can collapse parts of the document and focus on the text you want. If you need to stop reading before you reach the end, Word remembers where you left off - even on another device.

```
</p>
```

```
</body>
```

```
</html>
```

## **FRAME:**

1.

```
<!-- FrameSet - A Vertical frameset -->
```

```
<html>
```

```
    <heading>
```

```
        <title> FrameSet - A Vertical frameset </title>
```

```
    </heading>
```

```
    <frameset cols="30%,25%,45%">
```

```
        <frameset rows="50%,50%">
```

```
            <frame scr="" />
```

```
            <frame scr="" />
```

```
        </frameset>
```

```
        <frame scr="" />
```

```
        <frameset rows="33%,33%,34%">
```

```
            <frame scr="" />
```

```
            <frame scr="" />
```

```
            <frame scr="" />
```

```
        </frameset>
```

```
    </frameset>
```

```
</html>
```

2.

```
<!-- FrameSet - A Horizontal frameset -->

<html>

    <heading>

        <title> FraeSet - A Vertical frameset </title>

    </heading>

    <frameset rows="30%,25%,45%">

        <frame src="" />

        <!-- <frame src="" /> -->

        <frameset cols="50%,50%">

            <frame src="" />

            <frame src="" />

        </frameset>

        <!-- <frame src="" /> -->

        <frameset cols="34%,33%,33%">

            <frame src="" />

            <frame src="" />

            <frame src="" />

        </frameset>

    </frameset>

</html>
```

**\*\* For underneath programs, you need to have frm1.html, frm2.html, frm3.html in the active path ...**

3.

```
<html>

    <head>

        <title> FrameSet - A Vertical frameset  with noframe tag</title>

    </head>

    <frameset cols="35%,30%,40%">

        <frame src="frm1.html" />

        <frame src="frm2.html" />

        <frame src="frm3.html" />

    <noframe>

        <body>Your browser does not handle frames!</body>
```



```
</noframe>
```

```
</frameset>
```

```
</html>
```

4.

```
<!-- FrameSet - A Horizontal frameset -->
```

```
<html>
```

```
  <heading>
```

```
    <title> FrameSet - A Horizontal frameset </title>
```

```
  </heading>
```

```
  <frameset rows="35%,30%,40%">
```

```
    <frame src="frm1.html" />
```

```
    <frame src="frm2.html" />
```

```
    <frame src="frm3.html" />
```

```
  </frameset>
```

```
</html>
```

5.

```
<!-- How to mix a frameset in rows and columns (Nested Frames) -->
```

```
<html>
```

```
  <title> How to mix a frameset in rows and columns (Nested Frames) </title>
```

```
  <frameset rows="50%,50%">
```

```
    <frame src="frm1.html" />
```

```
    <frameset cols="25%,75%">
```

```
      <frame src="frm2.html" />
```

```
      <frame src="frm3.html" />
```

```
    </frameset>
```

```
  </frameset>
```

```
</html>
```

6.

<!-- Frameset with noresize = "noresize" (with Nested frames) -->

<html>

    <title> Frameset with noresize = "noresize" (with Nested frames) </title>

    <frameset rows="50%,50%">

        <frame noresize="noresize" src="frm1.html" />

        <frameset cols="25%,75%">

            <frame noresize="noresize" src="frm2.html" />

            <frame src="frm3.html" />

        </frameset>

    </frameset>

</html>

## For Project Guidance : Frameset Source & Target

1. Temple\_head.html

<html>

<body>

<table border="5">

    <tr>

        <th width="15%"></th>

        <th width="70%"><font style="text-align:center">Bishnupur Youth Computer</font></th>

        <th width="15%"></th>

    </tr>

    <tr>

    </tr>

    <tr>

    </tr>

</table>

</body>

</html>

2. Rash.html – Create this file with :

i) front-view, Side-view & Arial-view images of the Temple

ii) Text – History of the Temple with some significant Points in Bulleted form.

3. Temple\_menu.html

```
<html>
<body>
    <center>
        <br>
        <br><br><br>
        <a href="Rash.html" target="temple">Rasmancha</a>
    </center>
</body>
</html>
```

4. Temple\_frame.html

```
<html>
    <frameset rows="25%,75%">
        <frame name=""; src="temple_head.html">
        <frameset cols="20%,80%">
            <frame name=""; src="temple_menu.html">
            <frame name="temple"; src="">
        </frameset>
    </frameset>
</html>
```

## 5. Rref with Button

```
<html>

  <head>

    <title>Button & Hyper-Link</title>

    <style>

      .linkbutton:link, .linkbutton:visited

        {

          background-color: #f44336;

          color: white;

          padding: 5px 5px;

          text-align: center;

          text-decoration: none;

          display: inline-block;

          border-radius:5px;

        }

      .linkbutton:hover

      {

        background-color: yellow;

        color: blue;

        font-weight:bold;

        padding: 5px 5px;

        text-align: center;

        text-decoration: none;

        display: inline-block;

        border-radius:5px;

        border:4px solid red;

      }

    </style>

  </head>

  <body>

    <ul style="list-style-type:none">

      <a href="" class="linkbutton"><li>Home</li></a>

      <a href="" class="linkbutton"><li>Terracotta</li></a>

      <a href="" class="linkbutton"><li>Temples</li></a>
```

<li>Map Of Bishnupur</li></a>

</ul>

</body>

</html>