```
1.
<!-- HTML : Heading & Simple message -->
<html>
       <head>
              <title> Learning HTML </title>
       </head>
       <body>
              <h1> Heading Style - H1: Bishnupur Youth Computer </h1>
              Studying at :Bishnupur Youth Computer Training Centre
       </body>
</html>
2.
<!-- HTML : Heading(s) & Simple paragraph(s) with alignment -->
<html>
<head>
       <title> Learning HTML </title>
</head>
<body>
       <center><h1> Heading Style - H1 : Bishnupur Youth Computer </h1></center>
              <h2> Heading Style - H2: Deptt. of Youth Services </h2>
       <center>
               Studying at : Bishnupur Youth Computer Training Centre
       </center>
                       Bailapara, Bishnupur, Bankura 
       >
       <center>
              <h1> Heading Style - H1: Bishnupur Youth Computer </h1>
              <h2> Heading Style - H2: Deptt. of Youth Services </h2>
               Studying at : Bishnupur Youth Computer Training Centre 
                             Bailapara, Bishnupur, Bankura 
              >
       </center>
</body>
</html>
```

```
3.
<!-- HTML : Different Heading styles -->
<html>
<head>
       <title> Learning HTML </title>
</head>
<center>
       <h1> Style - H1 : Bishnupur Youth Computer </h1>
       <h2> Style - H2: Bishnupur Youth Computer </h2>
       <h3> Style – H3: Bishnupur Youth Computer </h3>
       <h4> Style – H4: Bishnupur Youth Computer </h4>
       <h5> Style – H5: Bishnupur Youth Computer </h5>
       <h6> Style – H6: Bishnupur Youth Computer </h6>
</center>
</html>
4.
<!-- HTML: Horizontal lines -->
<html>
<head>
       <title> Learning HTML </title>
</head>
<body>
        The hr tag defines a Horizontal Rule : 
       <hr />
        Bishnupur Youth Computer Training Centre <br />
               Bailapara, Bishnupur, Bankura 
       <hr></hr>
</body>
</html>
```

```
5.
<!-- HTML : Comment -->
<html>
<title> Learning HTML </title>
<body>
<!--This comment will not be displayed-->
This is a regular paragraph
</body>
</html>
6.
<!-- HTML : Paragraph - The Poem problem -->
<html>
<head>
       <title> Learning HTML </title>
</head>
<body>
       <h2 style="color:red">
               <u>Browser's ignorance of the layout made :</u>
       </h2>
       <center>
       >
               Twinkle Twinkle little star
               How I wonder what you are
               Up Above the world so high
               like a diamond in the sky.
       </center>
       <h2 style="color:red"><u>Experience : force line break :</u></h2>
       <center>
       >
               Twinkle Twinkle little star <br />
                                   How I wonder what you are <br />
```

```
Up Above the world so high <br />
                           like a diamond in the sky. <br />
      </center>
      <h2 style="color:red"><u>Layout you choosen : </u></h2>
      <center>
       Twinkle Twinkle little star
                    How I wonder what you are
             Up Above the world so high
                    like a diamond in the sky.
      </center>
</body>
</html>
<!-- HTML : Different Text styles & Types -->
<html>
<head>
<title> Learning HTML </title>
</head>
<body>
       Normal : Bishnupur Youth Computer 
        Strong : <strong> Bishnupur Youth Computer </strong>
        Bold : <b> Bishnupur Youth Computer </b>
        Italics : <i> Bishnupur Youth Computer </i> 
       Emphasized : <em> Bishnupur Youth Computer </em>
        BoldItalics : <b><i> Bishnupur Youth Computer </i>
       Underline : <u> Bishnupur Youth Computer </u>
        Big : <big> Bishnupur Youth Computer </big>
        Small : <small> Bishnupur Youth Computer </small>
```

7.

```
Type Writer: <tt> Bishnupur Youth Computer / BISHNUPUR YOUTH COMPUTER </tt>
      p> Superscript : (A+B)< sup>2</sup> = A< sup>2</sup> + 2AB + B< sup>2</sup>
      Subscript: H<sub>2</sub>SO<sub>4</sub>
</body>
</html>
8.
<!-- HTML : Style - HTML elements (Headings, Paragraphs & Fonts) -->
<html>
<body background="D:\temples\horse.jpeg">
      <font style="font-family:Forte; font-size:30pt; font-weight:bold; background-color: orange;</pre>
color:blue;">Heading Styles :</font>
      <h1 style="font-family:verdana; background-color:red; color:white; text-align:center">
Bishnupur Youth Computer </h1>
      <h2 style="font-family:gigi; color:blue; text-align:center;"> Bishnupur Youth Computer </h2>
      <font style="font-family:Lucida Calligraphy; font-size:24pt; background-color: white;</pre>
color:red">Paragraph Styles :</font>
      color:blue; text-align:center">
                                              Bishnupur Youth Computer 
      weight:bold; background-color: yellow;"> Deptt. of Youth Services, Govt. of West Bengal 
       Ph No. : <u>6294690387</u>
</body>
</html>
9.
<!-- HTML : Style - Background colors & working with Paragraphs -->
<html>
<body style="background-color:lightgrey;">
      <h1 style="background-color:red; color:white; text-align:center;"> Bishnupur Youth Computer
Training Centre
<br />
      <h2 style="background-color:red; color:blue; text-align:center;"> Bailapara, Bishnupur, Bankura
```

```
</h2></h1>
```

Paragraph : Both
Public & Private sector companies are giving Information Technology utmost importance to
keep pace with the global environment. It can now simply be said that Indian
Computer Industry is Booming!

Computer education in itself cannot guarantee anybody a job. It all depends on your ability, drive and aspirations. However, it can pave the way for a rewarding career if you are willing to put adequate amount of effort.

Paragraph: Both Public & Private sfector companies are giving Information Technology utmost importance to keep pace with the global environment. It can now simply be said that Indian Computer Industry is Booming!

Computer education in itself cannot guarantee anybody a job. It all depends on your ability, drive and aspirations. However, it can pave the way for a rewarding career if you are willing to put adequate amount of effort.

```
<!-- (Title case conversion) <p style="text-transform:capitalize">youth computer training centre
 -->
</body>
</html>
10.
<!-- HTML : Abbreviation & Accronyms -->
<html>
<body>
       <h2 style="color:red"><u>Abbreviation :</u></h2>
       The <abbr title="World Health Organization">WHO</abbr> was founded in 1948.
       Can I get this <acronym title="as soon as possible">ASAP</acronym>?
       The title attribute is used to show the spelled-out version when holding the mouse pointer
over the acronym or
                             abbreviation.
       <hr />
              <h2 style="color:red"><u>RTL: (Right to Left):</u></h2>
```

f your browser supports bi-directional override (bdo), the next line will be written from the right to the left (rtl):

<bdo dir="rtl">

Bishnupur Youth Computer Training Centre

```
</bdo>
       <hr />
               <h2 style="color:red"><u>Strikethrough :</u></h2>
               My favorite color is <del>Black</del> <ins>Blue</ins>!
               Notice that browsers will strikethrough deleted text and underline inserted
text.
</body>
</html>
11.
<!-- HTML : Simple Image (with dimension) -->
<html>
<head>
       <title> Learning HTML </title>
</head>
<body>
       <center> <h1> Scene of Puri Sea </h1>
               Enjoy the scene at Puri – The Puri Sea
       </center>
       <img src="D:\PIC\d29.jpg"; width="300px"; height="200px";/>
       <img src="..\pic\001-terracotta-bankura-horse-original-imaewpzwv8mrmzwf.jpeg";</pre>
align="right"; alt="Puri Sea"; width="300px"; height="200px";/>
</body>
</html>
12.
<!-- HTML : Image & Alignment -->
<html>
<head>
<title> Learning HTML </title>
</head>
<body>
               <center>
```

<h1> Scene of Puri Sea </h1>

```
 Enjoy the scene at Puri – The Puri Sea 
                      <img src="..\jpeg\Puri_scene.jpg" alt="Puri Sea" width="500" height="300" />
           </center>
</body>
</html>
13.
<!-- HTML: Insertion of Image (Still & Moving) -->
<html>
<body>
>
An image:
<img src="..\gif\splash.gif" alt="BSNL logo" width="250" height="150" />
>
A moving image:
<img src="..\gif\channel_2.gif" alt="Playing cat (Animated)" width="600" height="400" />
>
Note that the syntax of inserting a moving image is no different from a non-moving image.
</body>
</html>
14.
<!-- HTML : Aligning Images (Vertical) -->
<html>
<body>
       <center>
       An image
       <img src="..\gif\channel_2.gif" alt="Playing Cat" valign="bottom" width="100" height="100" />
       with align="bottom".
       An image
       <img src="..\gif\channel_2.gif" alt=" Playing Cat" valign="middle" width="100" height="100" />
```

```
with align="middle".
       An image
       <img src="..\gif\channel_2.gif" alt=" Playing Cat" valign="top" width="100" height="100" />
       with align="top".
       <b>Tip:</b> align="bottom" is default!
               <img src="..\gif\channel_2.gif" alt=" Playing Cat" width="100" height="100" />
       An image before the text.
       An image after the text.
       <img src="..\gif\channel_2.gif" alt=" Playing Cat" width="100" height="100" />
       </center>
</body>
</html>
15.
<!-- HTML : Let the Image float to the left, right of a paragraph -->
<html>
<body>
>
<img src="..\gif\channel_2.gif" alt="Playing Cat" align="left" width="100" height="100" />
A paragraph with an image. The align attribute of the image is set to "left". The image will float to the
left of this text.
<img src="..\gif\channel_2.gif" alt="Playing Cat" align="right" width="100" height="100" />
A paragraph with an image. The align attribute of the image is set to "right". The image will float to the
right of this text.
</body>
</html>
16.
<!-- HTML : Hyperlink to a WebSite and a File-->
<html>
<head>
       <title> Learning HTML </title>
```

```
</head>
<body>
       <a href="http://www.rediff.com">This is a Web link</a>
       <br /><br />
       <a href="d:\temples\dalmadal.jpg">This is a Link to File</a>
</body>
</html>
17.
<!-- HTML: Hyperlink to a WebSite and a File-->
<html>
<head>
       <title> Learning HTML </title>
</head>
<body>
       <a href="http://www.rediff.com">This is a Web link</a>
       <br /><br />
       <a href="d:\temples\dalmadal.jpg">This is a Link to File</a>
</body>
</html>
18.
<!-- HTML : HyperLink with a WebSite & page of a WebSite -->
<html>
<body>
>
<a href="http://www.w3schools.com/aspnet/default.asp">HTML Tutorial</a>
This is a link to a page of a School's website.
>
<a href="http://www.hdfcbank.com/assets/popuppages/netbanking.htm">HDFC NET BANKING</a>
                      This is a link to NetBanking page of HDFC BANK's website.
```

```
>
<a href="http://www.google.co.in/">Google</a> This is a link to Google website on the World Wide
Web.
</body>
</html>
19.
<!-- HTML : Image HyperLink with a WebSite & page of a WebSite -->
<html>
<body>
 Image Link : NetBanking page of HDFC Bank WebSite
       <a href="http://www.hdfcbank.com/assets/popuppages/netbanking.htm">
       <img src="..\gif\bgupdate.gif" style="border:3px solid red;" alt="HTML tutorial" width="32"
height="32" /></a>
 Image Link : (Border less) – Google WebSite
       <a href="http://www.google.co.in/">
       <img border="0" src="..\gif\bgupdate_ar.gif" alt="HTML tutorial" width="32" height="32"
/></a>
</body>
</html>
20.
<!-- HTML : Image insertion from a different Folder & Link -->
<html>
<body>
    An image from W3Schools : 
       <a href="http://www.w3schools.com/">
               <img border = "0" src="http://www.w3schools.com/images/w3schools_green.jpg"</pre>
                                    width="104" height="142" />Get the Site & Study </a>
alt="W3Schools.com"
 An image for Link :
```

```
<a href="..\gif\tagore.html">
<img border = "0" src="..\gif\Rabindranath-Tagore.gif" alt="Rabindranath-Tagore" width="104"</pre>
height="142" /></a>
</body>
</html>
21.
<!-- HTML : Moving Text (Marquee) -->
<html>
<head>
       <title> Learning HTML </title>
</head>
<body bgcolor="cyan">
<marquee>
       <font style="font-family:souvenir lt bt; font-size:18pt; color:red"><b> Govt. of West Bengal
</b></font>
</marquee>
<center>
<font style="font-family:arial; color:blue;">
<h1> Bishnupur Youth Computer Training Centre </h1>
<h2> Bishnupur Youth Computer Training Centre </h2>
<h3> Bishnupur Youth Computer Training Centre </h3>
<h4> Bishnupur Youth Computer Training Centre </h4>
<h5> Bishnupur Youth Computer Training Centre </h5>
<h6> Bishnupur Youth Computer Training Centre </h6>
</font>
</center>
<hr>
<marquee direction="left"; behavior="alternate">
       <font style="font-family:souvenir lt bt; font-size=16pt; font-weight:bold; color:red"> Deptt. of
Youth Services </font>
</marquee>
```

<center>

```
<font style="font-family:Verdana; color:yellow">
<h6> Bishnupur Youth Computer Training Centre </h6>
<h5> Bishnupur Youth Computer Training Centre </h5>
<h4> Bishnupur Youth Computer Training Centre </h4>
<h3> Bishnupur Youth Computer Training Centre </h3>
<h2> Bishnupur Youth Computer Training Centre </h2>
<h1> Bishnupur Youth Computer Training Centre </h1>
</font>
</center>
</body>
</html>
22.
<!-- HTML : Moving Text & Image (Marquee) -->
<html>
<head>
       <title> HTML Tutorial : Moving Text & Image (Marquee) - A fascinating one </title>
</head>
<body bgcolor="cyan">
       <marquee bgcolor="red"; behavior="alternate">
               <font style="font-family:souvenir lt bt; color:white;"><h1>
                       Bishnupur Youth Computer Training Centre </h1></font>
       </marquee>
       <br />
       <br />
       <marquee direction="up">
               <center><img src="d:\download.jpg"; width="700px"; height="325px";/></center>
       </marquee>
       <br />
       <br />
       <marquee behavior="alternate"; direction="right"; bgcolor="yellow" style="font-family:souvenir"</pre>
It bt; color:blue"><h2><i> Deptt. of YS, Govt. of W.B. </i>
       </marquee>
```