



## Задание 2: DDL


1. Создать новую таблицу с именем Departments со столбцами: DepartmentID (SERIAL PRIMARY KEY), DepartmentName (VARCHAR(50), UNIQUE, NOT NULL), Location (VARCHAR(50)).



2. Изменить таблицу Employees, добавив новый столбец с именем Email (VARCHAR(100)).




### 3. Добавить ограничение UNIQUE к столбцу Email в таблице Employees, предварительно заполнив любыми значениями



The screenshot shows the DBeaver 25.1.4 interface with the 'employees' table selected. The table structure is as follows:

employeeid	first_name	last_name	department	salary	email
1	Bob	Johnson	IT	75 000	bob.johnson@example.com
2	Charlie	Brown	Finance	62 000	charlie.brown@example.com
3	Eve	Davis	HR	58 000	eve.davis@example.com
4	John	Johnson	Finance	70 000	john.johnson@example.com
5	Andrei	Lukashevich	IT	90 000	andrei.lukashevich@example.com
6	Alice	Smith	HR	65 000	alice.smith@example.com

### 4. Переименовать столбец Location в таблице Departments в OfficeLocation.



The screenshot shows the DBeaver 25.1.4 interface with the 'departments' table selected. The table structure is as follows:

departmentid	departmentname	officelocation
--------------	----------------	----------------