

● 导线型 Lead Wiring Type (感应/可逆Induction/Reversible Motor)

重量 Weight: 电动机 Motor: 3.2kg 减速器 Gearhead: 1.5kg

减速器型号 Gearhead Model	减速比 Gear Ratio	L1
5GU□KB	3~200	65.5






● 导线型 Lead Wiring Type (刹车 Brake Motors)


重量 Weight: 电动机 Motor: 4.3kg


减速器 Gearhead: 1.5kg



● 导线型 Lead Wiring Type (调速 Speed Control Motors)


重量 Weight: 电动机 Motor: 3.3kg 减速器 Gearhead: 1.5kg






● 帯端子箱型 Terminal Box Type (感应/可逆Induction/Reversible Motor)


重量 Weight: 电动机 Motor: 3.35kg 减速器 Gearhead: 1.5kg




减速器型号 Gearhead Model	减速比 Gear Ratio	L1
5GU□KB	3~200	65.5


減速器型号的□中为减速比的数值
Enter the gear ratio in the box (□) within the model n








Synergy Asia Solution





可安装在GU齿轮轴型上

60W, 90W,120W **凸缘安装型减速器** 60W, 90W,120W Flange Mounting

减速器型号

Gearhead Model

减速比

Gear Ratio

L1

