

# Solutions to Book Of Proof

Son To  
<son.trung.to@gmail.com>

*Fazer Oy, Arcada Ammattikorkeakoulu*

January 12, 2020



# Preface

An attempt at solving all the exercises.

Helsinki, Finland  
11<sup>th</sup> January, 2020

# Contents

<b>Preface</b>	<b>i</b>
<b>Contents</b>	<b>ii</b>
 <b>I Fundamentals</b>	 <b>1</b>
<b>1 Sets</b>	<b>3</b>
1.1 Introduction to sets . . . . .	3
1.1.1 . . . . .	3
1.1.2 . . . . .	3
1.1.3 . . . . .	3
1.1.4 . . . . .	3
1.1.5 . . . . .	3
1.1.6 . . . . .	3
1.1.7 . . . . .	3
1.1.8 . . . . .	3
1.1.9 . . . . .	4
1.1.10 . . . . .	4
1.1.11 . . . . .	4
1.1.12 . . . . .	4
1.1.13 . . . . .	4
1.1.14 . . . . .	4
1.1.15 . . . . .	4
1.1.16 . . . . .	4
1.1.17 . . . . .	4
1.1.18 . . . . .	4
1.1.19 . . . . .	4

**Part I**

**Fundamentals**



# Chapter 1

## Sets

### 1.1 Introduction to sets

#### 1.1.1

$\{\dots -16, -11, -6, -1, 4, 9, 14, \dots\}$ .

#### 1.1.2

$\{\dots -7, -4, -1, 2, 5, 8, 11, \dots\}$ .

#### 1.1.3

$\{-2, -1, \dots, 6\}$ .

#### 1.1.4

$\{1, 2, \dots, 7\}$ .

#### 1.1.5

$\{\pm\sqrt{3}\}$ .

#### 1.1.6

$\{\pm 3\}$ .

#### 1.1.7

$\{-2, -3\}$ .

#### 1.1.8

$\{0, -2, -3\}$ .

**1.1.9**

$\mathbb{Z}$ .

**1.1.10**

$\{2\pi x : x \in \mathbb{Z}\}$ .

**1.1.11**

$\{-4, -3, \dots, 4\}$ .

**1.1.12**

$\{-2, -1, \dots, 2\}$ .

**1.1.13**

$\{0\}$ .

**1.1.14**

$\{-20, -15, -10, \dots, 10, 15, 20\}$ .

**1.1.15**

Let's call the set  $S$ . It's clear that every member of  $S$  is an integer. Conversely, note that  $n = 5n + 2(-2n)$ ,  $n \in \mathbb{Z}$ . Therefore,  $S = \mathbb{Z}$ .

**1.1.16**

The reasoning is similar, but note that there exists no  $a, b \in \mathbb{Z}$  such that either  $n = 6n + 2b$  or  $n = 6a + 2b$ ,  $n \in \mathbb{Z}$ . Also, note that  $6a + 2b = 2(3a + b)$ , in which  $n = 3n - 2n$ . Therefore,  $S$  is the set of even integers in  $\mathbb{Z}$ .

$$S = \{2n : n \in \mathbb{Z}\} \subset \mathbb{Z} \tag{1.1}$$

**1.1.17**

$\{2^n : n \in \mathbb{N}\}$ .

**1.1.18****1.1.19**