HOWTO Upload Files to Remote Instance In a GCP SSH Session

1. Overview

Google Cloud Platform (GCP) enable uploading files, including data sets *.csv, to the remote server in GCP in a GCP SSH session

2. Upload Dataset to Remote Virtual Server

2.1 Start Remote Virtual Server

If the remote instance does not run, start the remote virtual server.

… **Wait** until the remote virtual machine is completely up and running,



2.2 Start an SSH session





Click: Open in browser window



NOTES: An GCP SSH session starts in the **home directory**



Run the command line: **ls –l**
(List all the contents in the directory or folder)



2.3 Upload file to home directory of remote server

Click: The arrow to open a **drop-down menu**



Click: **Upload File**



Browse to the data file and **high light** it.

Click: **Open**



NOTES: The data file is uploaded to the **home directory** of the user

Click: **Close**



2.4 Verify that the file has been uploaded

Run the command line: **ls –l**

(List all the contents in the directory or folder)



NOTES: The data file is in the home directory

3. Copy Data File to a Sub-Folder

For example: **Copy** the data file Iris.csv to the sub-folder **JP_NTBK**

Run the command line: **cp** Iris.csv **JP_NTBK**

For example: **Copy** the data file **Iris.csv** to the sub-folder **JP_NTBK/DATA** (**NOTES**: *DATA is a sub-folder inside JP_NTBK*)

Run the command line: **cp** Iris.csv **JP_NTBK/DATA**