
n^3
2^n
n^2
60
50
40
30
20
10
$n \log_2 n$
n
$\log_2 n$
$\log_2 \log_2 n$
2
4
6
8
10

$O(n^2)$

$O(n \log n)$

$O(n)$

$O(\log n)$

$O(1)$

Sorting Algorithms

Bubble Sort

Insertion Sort

Shell Sort

Merge Sort

Quick Sort

Heap Sort

Selection Sort


input →
→ output


unsorted →
→ output


unsorted →
→ sorted


6 3 8 5 2 7 4 1
sorted

6 3 8 5 2 7 4 1 →  → 1 2 3 4 5 6 7 8

selection sort

6 3 8 5 2 7 4 1

```
For i from 0 to n-1
    Find smallest item between i'th item and last item
    Swap smallest item with i'th item
```

n

$n + (n - 1)$

$n + (n - 1) + (n - 2)$

$n + (n - 1) + (n - 2) + ... + 1$

$n + (n - 1) + (n - 2) + \ldots + 1$

$n(n + 1)/2$

$n + (n - 1) + (n - 2) + ... + 1$

$n(n + 1)/2$

$(n^2 + n)/2$

$n + (n - 1) + (n - 2) + ... + 1$

$n(n + 1)/2$

$(n^2 + n)/2$

$n^2/2 + n/2$

$n + (n - 1) + (n - 2) + ... + 1$

$n(n + 1)/2$

$(n^2 + n)/2$

$n^2/2 + n/2$

$O(n^2)$

$O(n^2)$

$O(n \log n)$

$O(n)$ linear search

$O(\log n)$ binary search

$O(1)$

$O(n^2)$ selection sort

$O(n \log n)$

$O(n)$ linear search

$O(\log n)$ binary search

$O(1)$

```
For i from 0 to n-1
    Find smallest item between i'th item and last item
    Swap smallest item with i'th item
```

$\Omega(n^2)$

$\Omega(n \log n)$

$\Omega(n)$

$\Omega(\log n)$

$\Omega(1)$ linear search, binary search

$\Omega(n^2)$ selection sort

$\Omega(n \log n)$

$\Omega(n)$

$\Omega(\log n)$

$\Omega(1)$ linear search, binary search

bubble sort

6 3 8 5 2 7 4 1

Bubble Sort

An idea of this algorithm is to move higher valued elements generally towards the right and lower elements generally towards the left.

In pseudocode:

Set swap counter to non-zero value

Repeat until the swap counter is 0:

Reset swap counter to 0

Look at each adjacent pair

If the adjacent elements are not in order, swap them and add one to swap counter.

```
Repeat until sorted
    For i from 0 to n-2
        If i'th and i+1'th elements out of order
            Swap them
```

```
Repeat n-1 times
    For i from 0 to n-2
        If i'th and i+1'th elements out of order
            Swap them
```

$(n - 1) \times (n - 1)$

$(n - 1) \times (n - 1)$

$n^2 - 1n - 1n + 1$

$(n - 1) \times (n - 1)$

$n^2 - 1n - 1n + 1$

$n^2 - 2n + 1$

$(n - 1) \times (n - 1)$

$n^2 - 1n - 1n + 1$

$n^2 - 2n + 1$

$O(n^2)$

$O(n^2)$ selection sort

$O(n \log n)$

$O(n)$ linear search

$O(\log n)$ binary search

$O(1)$

$O(n^2)$	selection sort, bubble sort
$O(n \log n)$	
$O(n)$	linear search
$O(\log n)$	binary search
$O(1)$	

```
Repeat n-1 times
    For i from 0 to n-2
        If i'th and i+1'th elements out of order
            Swap them
    If no swaps
        Quit
```

Bubble Sort Demo

Swap Counter

-1

Swap Counter

0

Swap Counter

1

Swap Counter

1



Swap Counter

2



Swap Counter

3

Swap Counter

4

Swap Counter

4

Swap Counter

0

Swap Counter

0

Swap Counter

1

Swap Counter

2



Swap Counter

3



Swap Counter

3

Swap Counter

0

Swap Counter

1

Swap Counter

2



Swap Counter

3

Swap Counter

3




Swap Counter
0
2
4
1
5
6
8

Swap Counter

0



Swap Counter

1



Swap Counter

1


Swap Counter
0
2
1
4
5
6
8

Swap Counter

1

Swap Counter

1

Swap Counter

0

$\Omega(n^2)$ selection sort

$\Omega(n \log n)$

$\Omega(n)$

$\Omega(\log n)$

$\Omega(1)$ linear search, binary search

$\Omega(n^2)$	selection sort
$\Omega(n \log n)$	
$\Omega(n)$	bubble sort(When array is sorted)
$\Omega(\log n)$	
$\Omega(1)$	linear search, binary search