


input →



→ output



algorithms

1024

512

256

128

64

32

16

8


4


2


1


time to solve


size of problem




















pseudocode

```
1  Pick up phone book
2  Open to middle of phone book
3  Look at page
4  If Smith is on page
5      Call Mike
6  Else if Smith is earlier in book
7      Open to middle of left half of book
8      Go back to line 3
9  Else if Smith is later in book
10     Open to middle of right half of book
11     Go back to line 3
12 Else
13     Quit
```

```
1  Pick up phone book
2  Open to middle of phone book
3  Look at page
4  If Smith is on page
5      Call Mike
6  Else if Smith is earlier in book
7      Open to middle of left half of book
8      Go back to line 3
9  Else if Smith is later in book
10     Open to middle of right half of book
11     Go back to line 3
12 Else
13     Quit
```

```
1  Pick up phone book
2  Open to middle of phone book
3  Look at page
4  If Smith is on page
5      Call Mike
6  Else if Smith is earlier in book
7      Open to middle of left half of book
8      Go back to line 3
9  Else if Smith is later in book
10     Open to middle of right half of book
11     Go back to line 3
12 Else
13     Quit
```

```
1  Pick up phone book
2  Open to middle of phone book
3  Look at page
4  If Smith is on page
5      Call Mike
6  Else if Smith is earlier in book
7      Open to middle of left half of book
8      Go back to line 3
9  Else if Smith is later in book
10     Open to middle of right half of book
11     Go back to line 3
12 Else
13     Quit
```



```
1  Pick up phone book
2  Open to middle of phone book
3  Look at page
4  If Smith is on page
5      Call Mike
6  Else if Smith is earlier in book
7      Open to middle of left half of book
8      Go back to line 3
9  Else if Smith is later in book
10     Open to middle of right half of book
11     Go back to line 3
12 Else
13     Quit
```

