



AWS Serverless Notes Application

1. AWS LAMBDA SERVICE:


1) Lambda – Function – NotesHandler



2) Lambda – Function – NotesHandler – Triggered




3) Lambda – Function – NotesHandler – Lambda_Function.py code



```
1 import json
2 import boto3
3 import uuid
4
5 BUCKET_NAME = 'serverless-notes-app20'
6 s3 = boto3.client('s3')
7
8 def lambda_handler(event, context):
9     try:
10         method = event.get('httpMethod')
11
12         # Handle Lambda test (no httpMethod)
13         if method is None:
14             method = "POST"
15             body = event
16         else:
17             body = json.loads(event['body']) if event.get('body') else {}
18
19         # GET
20         if method == "GET":
21             response = s3.list_objects_v2(Bucket=BUCKET_NAME)
```

4) Lambda – Function – NotesHandler – get_notes.py code



```
1 import json
2 import boto3
3
4 s3 = boto3.client('s3')
5 BUCKET_NAME = 'serverless-notes-app20'
6
7 def lambda_handler(event, context):
8     try:
9         response = s3.list_objects_v2(Bucket=BUCKET_NAME)
10
11         notes = []
12
13         if 'Contents' in response:
14             for obj in response['Contents']:
15                 file = s3.get_object(Bucket=BUCKET_NAME, Key=obj['Key'])
16                 content = file['Body'].read().decode('utf-8')
17
18                 notes.append({
19                     "file": obj['Key'],
20                     "content": content
21                 })
```

5) Lambda – Function – NotesHandler – Code – Deploy & Test

NotesHandler | Functions | Lambda

ap-south-1.console.aws.amazon.com/lambda/home?region=ap-south-1#/functions/NotesHandler?tab=code

Deploy (Ctrl+Shift+D) Test (Ctrl+Shift+T)

TEST EVENTS (SELECTED: CREATENOTEST)

Create new test event
CreateNoteTest
getnote
son10

ENVIRONMENT VARIABLES
✓ Lambda Deployed 0 0 0 ▶ Amazon Q

PROBLEMS OUTPUT CODE REFERENCE LOG TERMINAL

Status: Succeeded
Test Event Name: CreateNoteTest

Response:

```
{
  "statusCode": 200,
  "headers": {
    "Access-Control-Allow-Origin": "*"
  },
  "body": "\\message\\: \\\\\"Note created\\\\\\\""}

```

The area below shows the last 4 KB of the execution log.

Function Logs:

```
START RequestId: 9651f958-be9e-48d8-9a8a-abddcdee390 Version: $LATEST
END RequestId: 9651f958-be9e-48d8-9a8a-abddcdee390
REPORT RequestId: 9651f958-be9e-48d8-9a8a-abddcdee390 Duration: 350.82 ms Billed Duration: 860 ms Memory Size: 128 MB Max Memory Used: 91
Ln 1, Col 1 Spaces: 4 UTF-8 CRLF Python Lambda Layout: US
```

Code properties info

Package size
1.3 kB

SHA256 hash
MUDXJmtsYmx1SdO+9tRCizwInMFERPzrRRKKYaGlgz4=

Last modified
3 weeks ago

2. AWS API GATEWAY SERVICE:

1) API Gateway – APIs – notes-api

API Gateway

APIs

Custom domain names
Domain name access associations
VPC links
AgentCore targets New

Usage plans
API keys
Client certificates
Settings


Developer portals
Portals
Portal products

APIs (2/2)

Find APIs


	Name	Description	ID	Protocol	API endpoint type	Created	Security policy	API status
☐	notes-api		se379n2b1	REST	Regional	2026-04-13	TLS_1_0	Available
☐	trigger-pipeline1-API	Created by AWS Lambda	tuytx35b3k	HTTP	Regional	2026-04-25	-	Available

2) API Gateway – APIs – notes-api – Stages URL Link




3. POSTMAN:

1) Postman – Post – Note Create




2) Postman – Get – Note Read



Stages URL Link:




Output on browser:




4. S3 SERVICE


1) AWS S3 Bucket – serverless-notes-app20



2) AWS S3 Bucket – serverless-notes-app20 – Object



Output on Notepad:



A screenshot of a Notepad application window. The window has a dark theme. The title bar shows three tabs: '4f98-99', '5c8ecf55-c7', and '6a571'. The menu bar includes 'File', 'Edit', and 'View'. The status bar at the bottom shows 'Ln 1, Col 1', '14 characters', 'Plain text', '100%', 'Windows (CRLF)', and 'UTF-8'. The main text area contains the text 'Hello AWS...!!'.

```
4f98-99 5c8ecf55-c7 6a571 X
File Edit View H1 B ...
Hello AWS...!!
Ln 1, Col 1 | 14 characters | Plain text | 100% | Windows (CRLF) | UTF-8
```