

SonarQube Migration Report

Run ID: 2026-06-30-07

Generated: 2026-06-30 10:17:38

Objects	Full Migration	Near Full Migration	Partial Migration	Failed	Skipped
Quality Gates	3	3	1	0	5
Quality Profiles	8	17	1	0	67
Permission Templates	9	0	0	0	2
Groups	32	0	0	0	10
Portfolios	15	2	6	0	5
Projects	69	5	3	0	1
Global Settings	112	4	0	0	252
Total	248	31	11	0	342

Quality Gates

3 succeeded, 3 near full migration, 1 partial migration, 0 failed, 5 skipped (2 built-in, 3 unused)

Name	Organization	Outcome	Details
0 - Corp Platinum	latest-unbound	Partial Migration	Some metrics were mapped to the closest SonarQube Cloud equivalents: software_quality_blocker_issues > 0 --> reliability_rating <= D software_quality_blocker_issues > 0 --> security_rating <= D Some conditions were dropped because the source metric has no SonarQube Cloud equivalent: new_software_quality_reliability_remediation_effort > 0
Bad - Absolute nbr of issues		Skipped	Not used by any migrated project
Bad - Irrelevant metrics		Skipped	Not used by any migrated project
Bad - Twice the same criteria		Skipped	Not used by any migrated project
Sonar way		Skipped	Built-in, not migrated
Sonar way + SCA	latest-unbound	Full Migration	
Sonar way for AI Code		Skipped	Built-in, not migrated
Sonar way w/o coverage	latest-gh	Full Migration	
β test QG	latest-gh	Near Full Migration	Some metrics were mapped to the closest SonarQube Cloud equivalents: new_software_quality_reliability_issues > 0 --> new_reliability_rating <= A new_software_quality_security_issues > 0 --> new_security_rating <= A



? 1 - Corp Gold	latest-unbound	Near Full Migration	Some metrics were mapped to the closest SonarQube Cloud equivalents: software_quality_blocker_issues > 0 --> reliability_rating <= D software_quality_blocker_issues > 0 --> security_rating <= D
? 2 - Corp Silver	latest-unbound	Full Migration	Permissions granted to 1 user have been dropped in the migration
? 3 - Corp base	latest-unbound	Near Full Migration	Some metrics were mapped to the closest SonarQube Cloud equivalents: new_software_quality_reliability_issues > 0 --> new_reliability_rating <= A new_software_quality_security_issues > 0 --> new_security_rating <= A

Quality Profiles

8 succeeded, 17 near full migration, 1 partial migration, 0 failed, 67 skipped (6 organization skipped, 54 built-in, 7 unused)

Name	Organization	Outcome	Details
abap / Sonar way		Skipped	Built-in, not migrated
ansible / Sonar way		Skipped	Built-in, not migrated
ansible / Test		Skipped	Not used by any migrated project
apex / Sonar way		Skipped	Built-in, not migrated
azurepipelines / Sonar way		Skipped	Built-in, not migrated
azureresourcemanager / Sonar way		Skipped	Built-in, not migrated
c / Sonar way		Skipped	Built-in, not migrated
cloudformation / Sonar way		Skipped	Built-in, not migrated
cobol / Sonar way		Skipped	Built-in, not migrated
cpp / Mission critical		Skipped	Built-in, not migrated
cpp / Sonar MISRA C++:2023 Compliance		Skipped	Built-in, not migrated
cpp / Sonar way		Skipped	Built-in, not migrated
cs / Sonar way		Skipped	Built-in, not migrated
css / Sonar way		Skipped	Built-in, not migrated
dart / Corp Way	latest-others	Near Full Migration	Since SQC does not support parent profile rules disabled in child profiles, the following rules were enabled in the profile: dart:S1161
dart / Corp Way	latest-gh	Near Full Migration	Since SQC does not support parent profile rules disabled in child profiles, the following rules were enabled in the profile: dart:S1161
dart / Corp Way	latest-unbound	Near Full Migration	Since SQC does not support parent profile rules disabled in child profiles, the following rules were enabled in the profile: dart:S1161
dart / Corp Way	latest-gl	Near Full Migration	Since SQC does not support parent profile rules disabled in child profiles, the following rules were enabled in the profile: dart:S1161
dart / Corp Way	bitbucket-server.your...	Skipped	Organization skipped
dart / Critical projects	latest-others	Near Full Migration	Because rules custom severities are not supported in SQC, the following rules were reverted to their default severities: dart:S7103
dart / Critical projects	latest-gh	Near Full Migration	Because rules custom severities are not supported in SQC, the following rules were reverted to their default severities: dart:S7103
dart / Critical projects	latest-unbound	Near Full Migration	Because rules custom severities are not supported in SQC, the following rules were reverted to their default severities: dart:S7103
dart / Critical projects	latest-gl	Near Full Migration	Because rules custom severities are not supported in SQC, the following rules were reverted to their default severities: dart:S7103
dart / Critical projects	bitbucket-server.your...	Skipped	Organization skipped



dart / Sonar way		Skipped	Built-in, not migrated
docker / Sonar way		Skipped	Built-in, not migrated
flex / Sonar way		Skipped	Built-in, not migrated
githubactions / Sonar way		Skipped	Built-in, not migrated
go / Sonar way		Skipped	Built-in, not migrated
groovy / Sonar way		Skipped	Built-in, not migrated
ipynb / Sonar agentic AI		Skipped	Built-in, not migrated
ipynb / Sonar way		Skipped	Built-in, not migrated
java / Green IT	latest-unbound	Partial Migration	Because SQC does not support 3rd party plugins, the following 3rd party rules were removed from the quality profile: creedengo-java:GCI1, creedengo-java:GCI2, creedengo-java:GCI27, creedengo-java:GCI28, creedengo-java:GCI3, creedengo-java:GCI32, creedengo-java:GCI5, creedengo-java:GCI67, creedengo-java:GCI69, creedengo-java:GCI72, creedengo-java:GCI74, creedengo-java:GCI76, creedengo-java:GCI77, creedengo-java:GCI78, creedengo-java:GCI79, creedengo-java:GCI82, creedengo-java:GCI94
java / Security Max	latest-gl	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: java:Don_t_be_rude
java / Security Max	latest-others	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: java:Don_t_be_rude
java / Security Max	latest-unbound	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: java:Don_t_be_rude
java / Security Max	latest-gh	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: java:Don_t_be_rude
java / Security Max	bitbucket-server.your...	Skipped	Organization skipped
java / Sonar agentic AI		Skipped	Built-in, not migrated
java / Sonar way		Skipped	Built-in, not migrated
java / Sonar Way + Checkstyle		Skipped	Not used by any migrated project
java / Sonar Way + Creedengo		Skipped	Not used by any migrated project
jcl / All rules		Skipped	Not used by any migrated project
jcl / Sonar way		Skipped	Built-in, not migrated
js / security-max	latest-gl	Full Migration	
js / security-max	latest-others	Full Migration	
js / security-max	latest-unbound	Full Migration	
js / security-max	latest-gh	Full Migration	
js / security-max	bitbucket-server.your...	Skipped	Organization skipped
js / Sonar agentic AI		Skipped	Built-in, not migrated
js / Sonar way		Skipped	Built-in, not migrated
json / Sonar way		Skipped	Built-in, not migrated
jsp / Sonar way		Skipped	Built-in, not migrated
kotlin / No rules		Skipped	Not used by any migrated project
kotlin / Sonar way		Skipped	Built-in, not migrated
kubernetes / Sonar way		Skipped	Built-in, not migrated





objc / Sonar way		Skipped	Built-in, not migrated
php / All rules	latest-gh	Full Migration	
php / All rules	latest-others	Full Migration	
php / All rules	latest-unbound	Full Migration	
php / All rules	latest-gl	Full Migration	
php / All rules	bitbucket-server.your...	Skipped	Organization skipped
php / Sonar way		Skipped	Built-in, not migrated
pli / Sonar way		Skipped	Built-in, not migrated
plsql / Sonar way		Skipped	Built-in, not migrated
powershell / Sonar way		Skipped	Built-in, not migrated
py / Olivier Way	latest-unbound	Near Full Migration	Permissions granted to 1 user have been dropped in the migration Because rules custom severities are not supported in SQC, the following rules were reverted to their default severities: python:InequalityUsage, python:S1128, python:S6740 Since SQC does not support prioritized rules, the following rules were migrated in the profile as regular rules: python:S6740
py / Prioritized		Skipped	Not used by any migrated project
py / Sonar agentic AI		Skipped	Built-in, not migrated
py / Sonar way		Skipped	Built-in, not migrated
rpg / Sonar way		Skipped	Built-in, not migrated
ruby / Sonar way		Skipped	Built-in, not migrated
rust / Sonar way		Skipped	Built-in, not migrated
scala / Sonar way		Skipped	Built-in, not migrated
secrets / Corp Way		Skipped	Not used by any migrated project
secrets / Sonar way		Skipped	Built-in, not migrated
shell / Sonar way		Skipped	Built-in, not migrated
swift / Sonar way		Skipped	Built-in, not migrated
terraform / Sonar way		Skipped	Built-in, not migrated
text / Sonar way		Skipped	Built-in, not migrated
ts / Sonar agentic AI		Skipped	Built-in, not migrated
ts / Sonar way		Skipped	Built-in, not migrated
tsql / Sonar way		Skipped	Built-in, not migrated
vb / Sonar way		Skipped	Built-in, not migrated
vbnet / Sonar way		Skipped	Built-in, not migrated
web / Sonar way		Skipped	Built-in, not migrated
xml / Sonar way		Skipped	Built-in, not migrated
xml / Xpath instantiated	latest-gl	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: xml:XML_Xpath_instantiated_rule
xml / Xpath instantiated	latest-others	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: xml:XML_Xpath_instantiated_rule



xml / Xpath instantiated	latest-unbound	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: xml:XML_Xpath_instantiated_rule
xml / Xpath instantiated	latest-gh	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules were not migrated: xml:XML_Xpath_instantiated_rule
xml / Xpath instantiated	bitbucket-server.your...	Skipped	Organization skipped
yaml / Sonar way		Skipped	Built-in, not migrated

Permission Templates

9 succeeded, 0 failed, 2 skipped (2 organization skipped)

Name	Organization	Outcome	Details
0. Default template	latest-others	Full Migration	
0. Default Template for portfolio	latest-gh	Full Migration	
1. Banking projects	latest-unbound	Full Migration	Permissions granted to 1 user have been dropped in the migration
0. Default template	latest-unbound	Full Migration	
0. Default Template for portfolio	latest-gl	Full Migration	
0. Default Template for portfolio	latest-unbound	Full Migration	
0. Default template	latest-gh	Full Migration	
0. Default template	latest-gl	Full Migration	
0. Default Template for portfolio	latest-others	Full Migration	
0. Default Template for portfolio	bitbucket-server.your...	Skipped	Organization skipped
0. Default template	bitbucket-server.your...	Skipped	Organization skipped

Groups

32 succeeded, 0 failed, 10 skipped (9 organization skipped, 1 built-in)

Name	Organization	Outcome	Details
ci-tools	latest-gl	Full Migration	
ci-tools	latest-others	Full Migration	
ci-tools	latest-gh	Full Migration	
ci-tools	latest-unbound	Full Migration	
ci-tools	bitbucket-server.your...	Skipped	Organization skipped
developers	latest-gh	Full Migration	
developers	latest-gl	Full Migration	
developers	latest-others	Full Migration	
developers	latest-unbound	Full Migration	
developers	bitbucket-server.your...	Skipped	Organization skipped
language-experts	latest-others	Full Migration	



language-experts	latest-gh	Full Migration	
language-experts	latest-unbound	Full Migration	
language-experts	latest-gl	Full Migration	
language-experts	bitbucket-server.your...	Skipped	Organization skipped
project-admins	latest-gh	Full Migration	
project-admins	latest-others	Full Migration	
project-admins	latest-unbound	Full Migration	
project-admins	latest-gl	Full Migration	
project-admins	bitbucket-server.your...	Skipped	Organization skipped
quality-managers	latest-gl	Full Migration	
quality-managers	latest-others	Full Migration	
quality-managers	latest-unbound	Full Migration	
quality-managers	latest-gh	Full Migration	
quality-managers	bitbucket-server.your...	Skipped	Organization skipped
security-auditors	latest-gl	Full Migration	
security-auditors	latest-others	Full Migration	
security-auditors	latest-unbound	Full Migration	
security-auditors	latest-gh	Full Migration	
security-auditors	bitbucket-server.your...	Skipped	Organization skipped
sonar-administrators	latest-gl	Full Migration	
sonar-administrators	latest-gh	Full Migration	
sonar-administrators	latest-others	Full Migration	
sonar-administrators	latest-unbound	Full Migration	
sonar-administrators	bitbucket-server.your...	Skipped	Organization skipped
sonar-users	bitbucket-server.your...	Skipped	Organization skipped
sonar-users		Skipped	Built-in group on SonarQube Server; replaced by the implicit 'Members' group on SonarQube Cloud.
tech-leads	latest-gl	Full Migration	
tech-leads	latest-others	Full Migration	
tech-leads	latest-unbound	Full Migration	
tech-leads	latest-gh	Full Migration	
tech-leads	bitbucket-server.your...	Skipped	Organization skipped

Portfolios

15 succeeded, 2 near full migration, 6 partial migration, 0 failed

Name	Outcome	Details
------	---------	---------





All projects	Partial Migration	The SQS portfolio is defined with REST selection mode, it was converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different The SQS portfolio contains applications that were replaced by their enclosed projects
Banking	Partial Migration	The SQS portfolio has nested subportfolios depth higher than 2, it was converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
CEO Strategic Projects	Full Migration	
Corporate loans	Skipped	The SQS portfolio is empty, was not migrated
Corporate Mergers and Acquisitions	Skipped	The SQS portfolio is empty, was not migrated
Demo projects	Full Migration	
ESA-BU-XXX	Full Migration	
fdfgf	Skipped	The SQS portfolio is empty, was not migrated
Health Insurance	Full Migration	
Hybrid app proj portfolio	Near Full Migration	The SQS portfolio contains applications that were replaced by their enclosed projects
Insurance	Partial Migration	The SQS portfolio has nested subportfolios with different selection modes, it was converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Investment Banking	Skipped	The SQS portfolio is empty, was not migrated
Life Insurance	Full Migration	
My favorite projects	Full Migration	
Olivier's projects	Full Migration	
Other Insurance	Skipped	The SQS portfolio is empty, was not migrated
Other unclassified projects	Partial Migration	The SQS portfolio is defined with REST selection mode, it was converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Portfolio of Apps	Near Full Migration	The SQS portfolio contains applications that were replaced by their enclosed projects
Portfolio regexp 1	Full Migration	
Portfolio regexp 2	Full Migration	
Portfolio super regexp	Partial Migration	The SQS portfolio has nested subportfolios with different selection modes, it was converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Portfolio Tag 1	Full Migration	
Portfolio Tag 2	Full Migration	
Portfolios multiple branches	Full Migration	
Portofolio super tags	Partial Migration	The SQS portfolio has nested subportfolios with different selection modes, it was converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Private Banking	Full Migration	
Python Projects	Full Migration	
Retail Banking	Full Migration	

Projects

69 succeeded, 5 near full migration, 3 partial migration, 0 failed, 1 skipped (1 organization skipped)

Name	Organization	Outcome	Details
12k-issues-flat	latest-unbound	Full Migration	New Project Key: latest-unbound_12k-issues-flat
12k-issues-structured	latest-unbound	Full Migration	New Project Key: latest-unbound_12k-issues-structured





AI CodeFix examples	latest-unbound	Full Migration	New Project Key: latest-unbound_ai-code-fix
Banking Africa operations	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-AFRICA-OPS
BANKING-ACQUISITIONS	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-ACQUISITIONS
BANKING-ACQUISITIONS-DILIGENCE	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-ACQUISITIONS-DILIGENCE
BANKING-ASIA-OPS	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-ASIA-OPS
BANKING-ASIA-OPS	latest-unbound	Full Migration	New Project Key: latest-unbound_bad:stale-project 100% of issues with manual changes synced (17/17) Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
BANKING-INVESTMENT-ACQUISITION S	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-INVESTMENT-ACQUISITIONS
BANKING-INVESTMENT-DILIGENCE	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-INVESTMENT-DILIGENCE
BANKING-INVESTMENT-EQUITY	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-INVESTMENT-EQUITY
BANKING-INVESTMENT-MERGER	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-INVESTMENT-MERGER
BANKING-MERGERS	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-MERGERS
BANKING-PORTAL	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-PORTAL Source code of branches release-3.2 , comma , branch is missing (likely purged in SQS). Migration is executed without the sources.
BANKING-PRIVATE-ASSETS	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-PRIVATE-ASSETS
BANKING-RETAIL-WEB	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-RETAIL-WEB
BANKING-TRADING-EURO	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-TRADING-EURO
BANKING-TRADING-JAPAN	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-TRADING-JAPAN
BANKING-TRADING-NASDAQ	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-TRADING-NASDAQ
code-variants	latest-unbound	Full Migration	New Project Key: latest-unbound_code-variants Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
Coverage demo	latest-unbound	Full Migration	New Project Key: latest-unbound_org.sonarqube:example-coverage
Creedengo	latest-unbound	Full Migration	New Project Key: latest-unbound_creedengo
Demo Gitlab-CI Gradle	latest-gl	Full Migration	New Project Key: latest-gl_okorach_demo-gitlabci-gradle_5bd095d2-c47c-4b64-aea5-ea48f95446c0 Source project was provisioned but never analyzed, project settings migrated anyway Permissions granted to 1 user have been dropped in the migration
Demo Jenkins Maven	latest-gl	Full Migration	New Project Key: latest-gl_okorach_demo-jenkins-maven_605e4e16-531b-4c2c-9a30-c98c254c6e15 Source project was provisioned but never analyzed, project settings migrated anyway
Demo Security	latest-gh	Full Migration	New Project Key: latest-gh_demo:java-security 100% of issues with manual changes synced (4/4)
demo-rules	latest-unbound	Near Full Migration	New Project Key: latest-unbound_demo-rules 0% of issues with manual changes synced (0/3) Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:ado-cli	latest-unbound	Full Migration	New Project Key: latest-unbound_demo:ado-cli Source project was provisioned but never analyzed, project settings migrated anyway



demo:coverage	latest-unbound	Full Migration	New Project Key: latest-unbound_demo:coverage Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:github-actions-mono-maven	latest-gh	Full Migration	New Project Key: latest-gh_demo:github-actions-mono-maven Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:gitlab:gradle	latest-unbound	Full Migration	New Project Key: latest-unbound_demo:gitlab:gradle Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:gitlab:scanner-cli	latest-gl	Full Migration	New Project Key: latest-gl_demo:gitlab:scanner-cli Source code of branches master , main is missing (likely purged in SQS). Migration is executed without the sources.
dotnet-with-cli	latest-unbound	Full Migration	New Project Key: latest-unbound_dotnet-with-cli Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
dvpa	latest-unbound	Near Full Migration	New Project Key: latest-unbound_dvpa 75% of issues with manual changes synced (3/4) Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
exclusions-2	latest-unbound	Full Migration	New Project Key: latest-unbound_exclusions-2 Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
file-issue	latest-unbound	Near Full Migration	New Project Key: latest-unbound_file-issue 0% of issues with manual changes synced (0/1)
GitHub / Actions / CLI	latest-unbound	Full Migration	New Project Key: latest-unbound_demo:github-actions-cli
GitHub / Actions / Maven	latest-gh	Full Migration	New Project Key: latest-gh_demo:github-actions-maven
GitHub / Actions / monorepo .Net Core	latest-gh	Full Migration	New Project Key: latest-gh_demo:github-actions-mono-dotnet
GitHub / Actions / monorepo CLI	latest-gh	Full Migration	New Project Key: latest-gh_demo:github-actions-mono-cli
GitHub / Actions / monorepo Gradle	latest-gh	Full Migration	New Project Key: latest-gh_demo:github-actions-mono-gradle 100% of issues with manual changes synced (1/1)
GitLab-CI / Maven	latest-gl	Full Migration	New Project Key: latest-gl_demo:gitlab-ci-maven
gradle-with-cli	latest-unbound	Full Migration	New Project Key: latest-unbound_gradle-with-cli Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
Green-IT	latest-unbound	Full Migration	New Project Key: latest-unbound_creedengo-issues
iceoryx	latest-unbound	Full Migration	New Project Key: latest-unbound_iceoryx 100% of issues with manual changes synced (6/6)
INSURANCE-HEALTH	latest-unbound	Full Migration	New Project Key: latest-unbound_INSURANCE-HEALTH
INSURANCE-HOME	latest-unbound	Full Migration	New Project Key: latest-unbound_INSURANCE-HOME
INSURANCE-LIFE	latest-unbound	Full Migration	New Project Key: latest-unbound_INSURANCE-LIFE
INSURANCE-PET	latest-unbound	Full Migration	New Project Key: latest-unbound_INSURANCE-PET
Juice Shop	latest-unbound	Full Migration	New Project Key: latest-unbound_test:juice-shop
laravel	latest-unbound	Full Migration	New Project Key: latest-unbound_laravel 100% of issues with manual changes synced (1/1)
maven-with-cli	latest-unbound	Near Full Migration	New Project Key: latest-unbound_maven-with-cli 66% of issues with manual changes synced (4/6) Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
Mute issue in IDE	latest-unbound	Full Migration	New Project Key: latest-unbound_mute-in-ide 100% of issues with manual changes synced (1/1)



name	latest-unbound	Full Migration	New Project Key: latest-unbound_TEST Source project was provisioned but never analyzed, project settings migrated anyway
okorach_demo-gitlabci-cli_e81d5112-e681-44b2-ae4-62b56c8ac5cb	latest-unbound	Full Migration	New Project Key: latest-unbound_okorach_demo-gitlabci-cli_e81d5112-e681-44b2-ae4-62b56c8ac5cb Source project was provisioned but never analyzed, project settings migrated anyway
okorach_demo-gitlabci-maven	latest-unbound	Full Migration	New Project Key: latest-unbound_okorach_demo-gitlabci-maven Source project was provisioned but never analyzed, project settings migrated anyway
okorach_docker-hello-world	latest-unbound	Full Migration	New Project Key: latest-unbound_okorach_docker-hello-world Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
pr-demo	latest-others	Full Migration	New Project Key: latest-others_okorach-org_pr-demo_3a1857ec-cebc-49f2-96ac-9bbc9911469 Source project was provisioned but never analyzed, project settings migrated anyway
Project 1	latest-others	Partial Migration	New Project Key: latest-others_test:project1 100% of issues with manual changes synced (18/18) Per-branch new code period overrides do not exist on SonarQube Cloud; branches will inherit the project-level new code period.
Project 2	latest-others	Full Migration	New Project Key: latest-others_test:project2
Project 3	bitbucket-server.your...	Skipped	Organization skipped
Project 4	latest-unbound	Partial Migration	New Project Key: latest-unbound_test:project4 The new code period "reference branch" does not exist on SonarQube Cloud and has been replaced by the org default.
Project 5	latest-unbound	Full Migration	New Project Key: latest-unbound_test:project5
Project with checkstyle issues	latest-unbound	Near Full Migration	New Project Key: latest-unbound_checkstyle-issues 44% of issues with manual changes synced (36/81)
Project with no perms	latest-unbound	Full Migration	New Project Key: latest-unbound_Project-with-no-perms Source project was provisioned but never analyzed, project settings migrated anyway
Project without analyses	latest-unbound	Full Migration	New Project Key: latest-unbound_project-without-analyses Source project was provisioned but never analyzed, project settings migrated anyway
Retail - ATM	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-RETAIL-ATM
Retail Clerk	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-RETAIL-CLERK
Retail Web	latest-unbound	Full Migration	New Project Key: latest-unbound_RETAIL-WEB 100% of issues with manual changes synced (17/17)
SCA demo - Log4shell detect - Maven	latest-unbound	Full Migration	New Project Key: latest-unbound_demo:sca-log4shell-detect-maven
Secrets detection	latest-unbound	Full Migration	New Project Key: latest-unbound_demo:secrets
Sonar Tools	latest-unbound	Partial Migration	New Project Key: latest-unbound_okorach-oss_sonar-tools Source project was provisioned but never analyzed, project settings migrated anyway 97% of issues with manual changes synced (451/461); 98% of hotspots with manual changes synced (59/60); 1 ACKNOWLEDGED hotspot left as TO_REVIEW (status not supported on SonarQube Cloud) Per-branch new code period overrides do not exist on SonarQube Cloud; branches will inherit the project-level new code period.
Third party issues	latest-unbound	Full Migration	New Project Key: latest-unbound_third-party-issues



Training: Cyclomatic vs Cognitive complexity	latest-unbound	Full Migration	New Project Key: latest-unbound_training:complexity
Training: External issues import	latest-unbound	Full Migration	New Project Key: latest-unbound_training:external-issues 100% of issues with manual changes synced (2/2)
Wealth Management	latest-unbound	Full Migration	New Project Key: latest-unbound_BANKING-PRIVATE-WEALTH
Web back-end	latest-unbound	Full Migration	New Project Key: latest-unbound_web-backend
Web front-end	latest-unbound	Full Migration	New Project Key: latest-unbound_web-frontend 100% of issues with manual changes synced (21/21)
Wrong Scanner	latest-unbound	Full Migration	New Project Key: latest-unbound_wrong-scanner

Global Settings

112 succeeded, 4 near full migration, 0 failed, 252 skipped (11 not applicable on SonarQube cloud, 237 left at default value on SonarQube server)

Setting Key	Organization	Outcome	Details
newCodePeriod	latest-unbound	Full Migration	Applied (defaultLeakPeriodType=previous_version, defaultLeakPeriod=previous_version)
newCodePeriod	latest-gh	Full Migration	Applied (defaultLeakPeriodType=previous_version, defaultLeakPeriod=previous_version)
newCodePeriod	latest-gl	Full Migration	Applied (defaultLeakPeriodType=previous_version, defaultLeakPeriod=previous_version)
newCodePeriod	latest-others	Full Migration	Applied (defaultLeakPeriodType=previous_version, defaultLeakPeriod=previous_version)
provisioning.github.project.visibility.enabled		Skipped	Setting is left to default on SQS, no migration needed
provisioning.gitlab.enabled		Skipped	Setting is left to default on SQS, no migration needed
provisioning.gitlab.token.secured		Skipped	Setting is left to default on SQS, no migration needed
sonar.abap.file.suffixes	latest-gh	Full Migration	Applied value=.ab4,.abap,.asprog,.flow,.abapx to all projects
sonar.abap.file.suffixes	latest-gl	Full Migration	Applied value=.ab4,.abap,.asprog,.flow,.abapx to all projects
sonar.abap.file.suffixes	latest-others	Full Migration	Applied value=.ab4,.abap,.asprog,.flow,.abapx to all projects
sonar.abap.file.suffixes	latest-unbound	Full Migration	Applied value=.ab4,.abap,.asprog,.flow,.abapx to all projects
sonar.ai.suggestions.enabled	latest-gh	Near Full Migration	OpenAI GPT-4o is not available on SonarQube Cloud; the LLM was changed to GPT-5.1.
sonar.ai.suggestions.enabled	latest-gl	Near Full Migration	OpenAI GPT-4o is not available on SonarQube Cloud; the LLM was changed to GPT-5.1.
sonar.ai.suggestions.enabled	latest-others	Near Full Migration	OpenAI GPT-4o is not available on SonarQube Cloud; the LLM was changed to GPT-5.1.
sonar.ai.suggestions.enabled	latest-unbound	Near Full Migration	OpenAI GPT-4o is not available on SonarQube Cloud; the LLM was changed to GPT-5.1.
sonar.alerts.enabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.age.threshold.minutes		Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.age.threshold.value		Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.failure_rate.threshold.minutes		Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.failure_rate.threshold.value		Skipped	Setting is left to default on SQS, no migration needed



sonar.alerts.tasks.volume.threshold.minutes		Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.volume.threshold.value		Skipped	Setting is left to default on SQS, no migration needed
sonar.androidLint.reportPaths	latest-gh	Full Migration	Applied value= alint/** to all projects
sonar.androidLint.reportPaths	latest-gl	Full Migration	Applied value= alint/** to all projects
sonar.androidLint.reportPaths	latest-others	Full Migration	Applied value= alint/** to all projects
sonar.androidLint.reportPaths	latest-unbound	Full Migration	Applied value= alint/** to all projects
sonar.announcement.displayMessage		Skipped	Setting is left to default on SQS, no migration needed
sonar.ansible.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.ansible.ansible-lint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.apex.coverage.reportPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.apex.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.apex.pmd.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.architecture.visualization.enabled		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.auth.*		Skipped	Settings not migrated. Authentication must be redefined from scratch on SonarQube Cloud
sonar.autodetect.ai.code		Skipped	Setting is left to default on SQS, no migration needed
sonar.azurepipelines.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.azureresourceanager.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.azureresourceanager.file.identifier	latest-gh	Full Migration	Applied value= https://schema.management.azure.com/schemas/ to all projects
sonar.azureresourceanager.file.identifier	latest-gl	Full Migration	Applied value= https://schema.management.azure.com/schemas/ to all projects
sonar.azureresourceanager.file.identifier	latest-others	Full Migration	Applied value= https://schema.management.azure.com/schemas/ to all projects
sonar.azureresourceanager.file.identifier	latest-unbound	Full Migration	Applied value= https://schema.management.azure.com/schemas/ to all projects
sonar.azureresourceanager.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.c.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.ce.parallelProjectTasks		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.bullseye.reportPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.cobertura.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.cppunit.reportsPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.gcov.reportsPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.llvm-cov.reportPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.valgrind.reportsPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.cfamily.vscoveragexml.reportsPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.cloudformation.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.cloudformation.cfn-lint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.cloudformation.file.identifier		Skipped	Setting is left to default on SQS, no migration needed



sonar.cobol.adaprep.activation		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.aucobol.preprocessor.directives.default		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.byteBasedColumnCount		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.compilationConstants		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.copy.directories		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.copy.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.copy.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.db2include.directories		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.dialect		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.exec.recoveryMode		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.preprocessor.skipping.first.matching.characters		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.sourceFormat		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.sql.catalog.csv.path		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.sql.catalog.defaultSchema		Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.tab.width		Skipped	Setting is left to default on SQS, no migration needed
sonar.coverage.exclusions	latest-gh	Full Migration	Applied value= covexclude.*
sonar.coverage.exclusions	latest-gl	Full Migration	Applied value= covexclude.*
sonar.coverage.exclusions	latest-others	Full Migration	Applied value= covexclude.*
sonar.coverage.exclusions	latest-unbound	Full Migration	Applied value= covexclude.*
sonar.coverage.jacoco.aggregateXmlReportPaths	latest-gh	Full Migration	Applied value= someplace,some-other-place to all projects
sonar.coverage.jacoco.aggregateXmlReportPaths	latest-gl	Full Migration	Applied value= someplace,some-other-place to all projects
sonar.coverage.jacoco.aggregateXmlReportPaths	latest-others	Full Migration	Applied value= someplace,some-other-place to all projects
sonar.coverage.jacoco.aggregateXmlReportPaths	latest-unbound	Full Migration	Applied value= someplace,some-other-place to all projects
sonar.coverage.jacoco.xmlReportPaths	latest-gh	Full Migration	Applied value= **//jacoco*.xml to all projects
sonar.coverage.jacoco.xmlReportPaths	latest-gl	Full Migration	Applied value= **//jacoco*.xml to all projects
sonar.coverage.jacoco.xmlReportPaths	latest-others	Full Migration	Applied value= **//jacoco*.xml to all projects (skipped: latest-others_test:project1 (override))
sonar.coverage.jacoco.xmlReportPaths	latest-unbound	Full Migration	Applied value= **//jacoco*.xml to all projects
sonar.cpd.cobol.ignoreLiteral		Skipped	Setting is left to default on SQS, no migration needed
sonar.cpd.cross_project		Skipped	Setting is left to default on SQS, no migration needed
sonar.cpd.exclusions	latest-gh	Full Migration	Applied value= duplex*,triplex*
sonar.cpd.exclusions	latest-gl	Full Migration	Applied value= duplex*,triplex*
sonar.cpd.exclusions	latest-others	Full Migration	Applied value= duplex*,triplex*
sonar.cpd.exclusions	latest-unbound	Full Migration	Applied value= duplex*,triplex*
sonar.cpp.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed



sonar.cs.analyzeGeneratedCode		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.analyzeRazorCode		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.ignoreHeaderComments		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.bugCategories		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.codeSmellCategories		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.ignoreIssues		Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.vulnerabilityCategories		Skipped	Setting is left to default on SQS, no migration needed
sonar.css.file.suffixes	latest-gh	Full Migration	Applied value=.css,.less,.scss to all projects
sonar.css.file.suffixes	latest-gl	Full Migration	Applied value=.css,.less,.scss to all projects
sonar.css.file.suffixes	latest-others	Full Migration	Applied value=.css,.less,.scss to all projects
sonar.css.file.suffixes	latest-unbound	Full Migration	Applied value=.css,.less,.scss to all projects
sonar.css.stylelint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.dart.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.dart.lcov.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.auditHousekeeping		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.branchesToKeepWhenInactive	latest-gh	Full Migration	Combined 6 SonarQube Server branch patterns into a single SonarQube Cloud regex "(comma,branch develop main master release-.* trunk)" (target setting: sonar.branch.longLivedBranches.regex).
sonar.dbcleaner.branchesToKeepWhenInactive	latest-gl	Full Migration	Combined 6 SonarQube Server branch patterns into a single SonarQube Cloud regex "(comma,branch develop main master release-.* trunk)" (target setting: sonar.branch.longLivedBranches.regex).
sonar.dbcleaner.branchesToKeepWhenInactive	latest-others	Full Migration	Combined 6 SonarQube Server branch patterns into a single SonarQube Cloud regex "(comma,branch develop main master release-.* trunk)" (target setting: sonar.branch.longLivedBranches.regex).
sonar.dbcleaner.branchesToKeepWhenInactive	latest-unbound	Full Migration	Combined 6 SonarQube Server branch patterns into a single SonarQube Cloud regex "(comma,branch develop main master release-.* trunk)" (target setting: sonar.branch.longLivedBranches.regex).
sonar.dbcleaner.branchesToKeepWhenInactive		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingAnticipatedTransitions		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingClosedIssues		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingInactiveBranchesAndPRs		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingScannerCache		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.hoursBeforeKeepingOnlyOneSnapshotByDay		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeDeletingAllSnapshots		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeKeepingOnlyAnalysesWithVersion		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeKeepingOnlyOneSnapshotByMonth		Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeKeepingOnlyOneSnapshotByWeek		Skipped	Setting is left to default on SQS, no migration needed



sonar.developerAggregatedInfo.disabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.docker.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.docker.file.patterns		Skipped	Setting is left to default on SQS, no migration needed
sonar.docker.hadolint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.apex.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.groovy.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.powershell.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.ruby.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.enforceAzureOpenAiDomainValidation		Skipped	Setting is left to default on SQS, no migration needed
sonar.eslint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.example.hello		Skipped	Setting is left to default on SQS, no migration needed
sonar.exclusions	latest-gh	Full Migration	Applied value=**/*.bin,**/*.exe (merged from sonar.global.exclusions + sonar.exclusions)
sonar.exclusions	latest-gl	Full Migration	Applied value=**/*.bin,**/*.exe (merged from sonar.global.exclusions + sonar.exclusions)
sonar.exclusions	latest-others	Full Migration	Applied value=**/*.bin,**/*.exe (merged from sonar.global.exclusions + sonar.exclusions)
sonar.exclusions	latest-unbound	Full Migration	Applied value=**/*.bin,**/*.exe (merged from sonar.global.exclusions + sonar.exclusions)
sonar.flex.cobertura.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.flex.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.forceAuthentication		Skipped	Setting is left to default on SQS, no migration needed
sonar.githubactions.actionlint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.githubactions.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.global.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.global.test.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.coverage.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.golangci-lint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.golint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.gometalinter.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.govet.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.go.tests.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.governance.report.project.branch.frequency		Skipped	Setting is left to default on SQS, no migration needed
sonar.governance.report.view.frequency		Skipped	Setting is left to default on SQS, no migration needed
sonar.governance.report.view.recipients		Skipped	Setting is left to default on SQS, no migration needed



sonar.groovy.cobertura.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.groovy.file.patterns		Skipped	Setting is left to default on SQS, no migration needed
sonar.groovy.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.html.file.suffixes	latest-gh	Full Migration	Applied value=.ascx,.aspx,.cmp,.cshtml,.erb,.html,.rhtml,.shtm,.shtml,.twig,.vbhtml,.xhtml to all projects
sonar.html.file.suffixes	latest-gl	Full Migration	Applied value=.ascx,.aspx,.cmp,.cshtml,.erb,.html,.rhtml,.shtm,.shtml,.twig,.vbhtml,.xhtml to all projects
sonar.html.file.suffixes	latest-others	Full Migration	Applied value=.ascx,.aspx,.cmp,.cshtml,.erb,.html,.rhtml,.shtm,.shtml,.twig,.vbhtml,.xhtml to all projects
sonar.html.file.suffixes	latest-unbound	Full Migration	Applied value=.ascx,.aspx,.cmp,.cshtml,.erb,.html,.rhtml,.shtm,.shtml,.twig,.vbhtml,.xhtml to all projects
sonar.inclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.ipynb.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.issue.enforce.multicriteria	latest-gh	Full Migration	Applied value=[{"resourceKey":"**/new**", "ruleKey":"java:*Naming*"}]
sonar.issue.enforce.multicriteria	latest-gl	Full Migration	Applied value=[{"resourceKey":"**/new**", "ruleKey":"java:*Naming*"}]
sonar.issue.enforce.multicriteria	latest-others	Full Migration	Applied value=[{"resourceKey":"**/new**", "ruleKey":"java:*Naming*"}]
sonar.issue.enforce.multicriteria	latest-unbound	Full Migration	Applied value=[{"resourceKey":"**/new**", "ruleKey":"java:*Naming*"}]
sonar.issue.ignore.allfile	latest-gh	Full Migration	Applied value=[{"fileRegexp":"Generated with"}, {"fileRegexp":"DONT_(SCAN ANALYZE)_THIS_FILE"}]
sonar.issue.ignore.allfile	latest-gl	Full Migration	Applied value=[{"fileRegexp":"Generated with"}, {"fileRegexp":"DONT_(SCAN ANALYZE)_THIS_FILE"}]
sonar.issue.ignore.allfile	latest-others	Full Migration	Applied value=[{"fileRegexp":"Generated with"}, {"fileRegexp":"DONT_(SCAN ANALYZE)_THIS_FILE"}]
sonar.issue.ignore.allfile	latest-unbound	Full Migration	Applied value=[{"fileRegexp":"Generated with"}, {"fileRegexp":"DONT_(SCAN ANALYZE)_THIS_FILE"}]
sonar.issue.ignore.block	latest-gh	Full Migration	Applied value=[{"beginBlockRegexp":"EXCLUDE_BEGIN", "endBlockRegexp":"EXCLUDE_END"}]
sonar.issue.ignore.block	latest-gl	Full Migration	Applied value=[{"beginBlockRegexp":"EXCLUDE_BEGIN", "endBlockRegexp":"EXCLUDE_END"}]
sonar.issue.ignore.block	latest-others	Full Migration	Applied value=[{"beginBlockRegexp":"EXCLUDE_BEGIN", "endBlockRegexp":"EXCLUDE_END"}]
sonar.issue.ignore.block	latest-unbound	Full Migration	Applied value=[{"beginBlockRegexp":"EXCLUDE_BEGIN", "endBlockRegexp":"EXCLUDE_END"}]
sonar.issue.ignore.multicriteria	latest-gh	Full Migration	Applied value=[{"resourceKey":"**/javafiles**", "ruleKey":"java:S11**"}, {"resourceKey":"**/gen/c/**", "ruleKey":"c:S2**"}]
sonar.issue.ignore.multicriteria	latest-gl	Full Migration	Applied value=[{"resourceKey":"**/javafiles**", "ruleKey":"java:S11**"}, {"resourceKey":"**/gen/c/**", "ruleKey":"c:S2**"}]
sonar.issue.ignore.multicriteria	latest-others	Full Migration	Applied value=[{"resourceKey":"**/javafiles**", "ruleKey":"java:S11**"}, {"resourceKey":"**/gen/c/**", "ruleKey":"c:S2**"}]
sonar.issue.ignore.multicriteria	latest-unbound	Full Migration	Applied value=[{"resourceKey":"**/javafiles**", "ruleKey":"java:S11**"}, {"resourceKey":"**/gen/c/**", "ruleKey":"c:S2**"}]
sonar.issues.defaultAssigneeLogin		Skipped	Setting is left to default on SQS, no migration needed
sonar.issues.issueResolution.enabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.issues.issueResolution.global.enabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.issues.sandbox.default		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.issues.sandbox.enabled		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible



sonar.issues.sandbox.override.enabled		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.issues.sandbox.software-qualities		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.java.checkstyle.reportPaths	latest-gh	Full Migration	Applied value= target/checkstyle-result.xml , target/sonar/checkstyle-result.xml to all projects
sonar.java.checkstyle.reportPaths	latest-gl	Full Migration	Applied value= target/checkstyle-result.xml , target/sonar/checkstyle-result.xml to all projects
sonar.java.checkstyle.reportPaths	latest-others	Full Migration	Applied value= target/checkstyle-result.xml , target/sonar/checkstyle-result.xml to all projects
sonar.java.checkstyle.reportPaths	latest-unbound	Full Migration	Applied value= target/checkstyle-result.xml , target/sonar/checkstyle-result.xml to all projects
sonar.java.enablePreview	latest-gh	Full Migration	Applied value= false to all projects
sonar.java.enablePreview	latest-gl	Full Migration	Applied value= false to all projects
sonar.java.enablePreview	latest-others	Full Migration	Applied value= false to all projects
sonar.java.enablePreview	latest-unbound	Full Migration	Applied value= false to all projects
sonar.java.file.suffixes	latest-gh	Full Migration	Applied value= .jav , .java , .javax to all projects
sonar.java.file.suffixes	latest-gl	Full Migration	Applied value= .jav , .java , .javax to all projects
sonar.java.file.suffixes	latest-others	Full Migration	Applied value= .jav , .java , .javax to all projects
sonar.java.file.suffixes	latest-unbound	Full Migration	Applied value= .jav , .java , .javax to all projects (skipped: latest-unbound_okorach-oss_sonar-tools (override))
sonar.java.ignoreUnnamedModuleForSplitPackage	latest-gh	Full Migration	Applied value= false to all projects
sonar.java.ignoreUnnamedModuleForSplitPackage	latest-gl	Full Migration	Applied value= false to all projects
sonar.java.ignoreUnnamedModuleForSplitPackage	latest-others	Full Migration	Applied value= false to all projects
sonar.java.ignoreUnnamedModuleForSplitPackage	latest-unbound	Full Migration	Applied value= false to all projects
sonar.java.jvmframeworkconfig.activated		Skipped	Setting is left to default on SQS, no migration needed
sonar.java.jvmframeworkconfig.file.patterns		Skipped	Setting is left to default on SQS, no migration needed
sonar.java.pmd.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.java.spotbugs.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.createTSProgramForOrphanFiles		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.css.additional.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.disableTypeChecking		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.ecmaScriptVersion		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.environments	latest-gh	Full Migration	Applied value= amd, applescript, atomtest, browser, commonjs, couch, embertest, flow, greasemonkey, jasmine, jest, jquery, meteor, mocha, mongo, nashorn, node, phantomjs, prototypes, protractor, qunit, rhino, serviceworker, shared-node-browser, shelljs, webextensions, worker, wsh, yui to all projects
sonar.javascript.environments	latest-gl	Full Migration	Applied value= amd, applescript, atomtest, browser, commonjs, couch, embertest, flow, greasemonkey, jasmine, jest, jquery, meteor, mocha, mongo, nashorn, node, phantomjs, prototypes, protractor, qunit, rhino, serviceworker, shared-node-browser, shelljs, webextensions, worker, wsh, yui to all projects



sonar.javascript.environments	latest-others	Full Migration	Applied value= amd,applescript,atomtest,browser,commonjs,couch,embertest,flow,greasemonkey,jasmine,jest,jquery,meteor,mocha,mongo,nashorn,node,phantomjs,prototypejs,protractor,qunit,rhino,serviceworker,shared-node-browser,shelljs,webextensions,worker,ws,h,yui to all projects
sonar.javascript.environments	latest-unbound	Full Migration	Applied value= amd,applescript,atomtest,browser,commonjs,couch,embertest,flow,greasemonkey,jasmine,jest,jquery,meteor,mocha,mongo,nashorn,node,phantomjs,prototypejs,protractor,qunit,rhino,serviceworker,shared-node-browser,shelljs,webextensions,worker,ws,h,yui to all projects
sonar.javascript.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.globals	latest-gh	Full Migration	Applied value= Backbone,OenLayers,angular,casper,d3,dijit,dojo,dojox,goog,google,moment,sap to all projects
sonar.javascript.globals	latest-gl	Full Migration	Applied value= Backbone,OenLayers,angular,casper,d3,dijit,dojo,dojox,goog,google,moment,sap to all projects
sonar.javascript.globals	latest-others	Full Migration	Applied value= Backbone,OenLayers,angular,casper,d3,dijit,dojo,dojox,goog,google,moment,sap to all projects
sonar.javascript.globals	latest-unbound	Full Migration	Applied value= Backbone,OenLayers,angular,casper,d3,dijit,dojo,dojox,goog,google,moment,sap to all projects
sonar.javascript.html.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.ignoreHeaderComments		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.lcov.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.maxFileSize		Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.yaml.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.jcl.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.jreAutoProvisioning.disabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.json.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.json.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.json.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.jsp.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.junit.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.kotlin.detekt.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.kotlin.file.suffixes	latest-gh	Full Migration	Applied value= .kt to all projects
sonar.kotlin.file.suffixes	latest-gl	Full Migration	Applied value= .kt to all projects
sonar.kotlin.file.suffixes	latest-others	Full Migration	Applied value= .kt to all projects
sonar.kotlin.file.suffixes	latest-unbound	Full Migration	Applied value= .kt to all projects
sonar.kotlin.ktlint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.kubernetes.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.kubernetes.helm.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.enableGravatar		Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.gravatarServerUrl		Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.logoUrl		Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.logoWidthPx		Skipped	Setting is left to default on SQS, no migration needed



sonar.maturity.allowSuperstrictQualityGates		Skipped	Setting is left to default on SQS, no migration needed
sonar.maturity.maxCustomQualityGates		Skipped	Setting is left to default on SQS, no migration needed
sonar.maturity.maxQualityGateConditions		Skipped	Setting is left to default on SQS, no migration needed
sonar.mcp.enabled		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQS, no migration possible
sonar.misra.hello		Skipped	Setting is left to default on SQS, no migration needed
sonar.misracompliance.enabled		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQS, no migration possible
sonar.objc.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.pdf.confidential.header.enabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.coverage.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.frameworkDetection		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.phpstan.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.psalms.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.php.tests.reportPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.extralingualCharacters		Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.ignoreHeaderComments		Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.marginLeft		Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.marginRight		Skipped	Setting is left to default on SQS, no migration needed
sonar.plsql.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.plsql.ignoreHeaderComments		Skipped	Setting is left to default on SQS, no migration needed
sonar.plugins.downloadOnlyRequired		Skipped	Setting is left to default on SQS, no migration needed
sonar.portfolios.recompute.hours		Skipped	Setting is left to default on SQS, no migration needed
sonar.powershell.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.projectCreation.mainBranchName		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.bandit.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.coverage.reportPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.coverage.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.flake8.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.mypy.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.pylint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.ruff.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.version		Skipped	Setting is left to default on SQS, no migration needed
sonar.python.xunit.reportPath	latest-gh	Full Migration	Applied value= build//xunit-results*.xml to all projects



sonar.python.xunit.reportPath	latest-gl	Full Migration	Applied value= build//xunit-results*.xml to all projects
sonar.python.xunit.reportPath	latest-others	Full Migration	Applied value= build//xunit-results*.xml to all projects
sonar.python.xunit.reportPath	latest-unbound	Full Migration	Applied value= build//xunit-results*.xml to all projects
sonar.python.xunit.skipDetails		Skipped	Setting is left to default on SQS, no migration needed
sonar.qualitygate.ignoreSmallChanges		Skipped	Setting is left to default on SQS, no migration needed
sonar.qualityProfiles.allowDisableInheritedRules		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.report.partMaxSizeMBytes		Skipped	Setting is left to default on SQS, no migration needed
sonar.rpg.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.rpg.leftMarginWidth		Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.coverage.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.exclusions		Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.rubocop.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.cargo.manifestPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.clippy.enabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.clippy.offline		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.clippyReport.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.cobertura.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.lcov.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.sca.enabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.sca.featureEnabled		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.sca.rescan.branch_type		Skipped	Setting is left to default on SQS, no migration needed
sonar.sca.rescan.frequency		Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.coverage.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.scalastyle.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.scapegoat.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.scanner.skipNodeProvisioning		Skipped	Setting is left to default on SQS, no migration needed
sonar.scm.disabled		Skipped	Setting is left to default on SQS, no migration needed
sonar.secrets.disableEntropyFilter		Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.gosecurity		Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.javasecurity		Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.kotlininsecurity		Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.phpsecurity		Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.pythonsecurity		Skipped	Setting is left to default on SQS, no migration needed



sonar.security.config.roslyn.sonaranalyzer.security.cs		Skipped	Setting is left to default on SQS, no migration needed
sonar.shell.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.shell.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.coverage.reportPath		Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.coverage.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.swiftLint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.technicalDebt.developmentCost		Skipped	Setting is left to default on SQS, no migration needed
sonar.technicalDebt.ratingGrid		Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQS, no migration possible
sonar.terraform.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.provider.aws.version		Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.provider.azure.version		Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.tflint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.test.exclusions	latest-gh	Full Migration	Applied value= globaltestexclude*,superglobaltestexclude*,blah*.* (merged from sonar.global.test.exclusions + sonar.test.exclusions)
sonar.test.exclusions	latest-gl	Full Migration	Applied value= globaltestexclude*,superglobaltestexclude*,blah*.* (merged from sonar.global.test.exclusions + sonar.test.exclusions)
sonar.test.exclusions	latest-others	Full Migration	Applied value= globaltestexclude*,superglobaltestexclude*,blah*.* (merged from sonar.global.test.exclusions + sonar.test.exclusions)
sonar.test.exclusions	latest-unbound	Full Migration	Applied value= globaltestexclude*,superglobaltestexclude*,blah*.* (merged from sonar.global.test.exclusions + sonar.test.exclusions)
sonar.test.inclusions	latest-gh	Full Migration	Applied value= testinclude.*
sonar.test.inclusions	latest-gl	Full Migration	Applied value= testinclude.*
sonar.test.inclusions	latest-others	Full Migration	Applied value= testinclude.*
sonar.test.inclusions	latest-unbound	Full Migration	Applied value= testinclude.*
sonar.text.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.text.excluded.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.text.inclusions	latest-gh	Full Migration	Applied value= **/*.bash,**/*.conf,**/*.config,**/*.ksh,**/*.pem,**/*.properties,**/*.ps1,**/*.sh,**/*.zsh,.aws/config,.env to all projects (skipped: latest-gh_demo:github-actions-mono-dotnet (override))
sonar.text.inclusions	latest-gl	Full Migration	Applied value= **/*.bash,**/*.conf,**/*.config,**/*.ksh,**/*.pem,**/*.properties,**/*.ps1,**/*.sh,**/*.zsh,.aws/config,.env to all projects
sonar.text.inclusions	latest-others	Full Migration	Applied value= **/*.bash,**/*.conf,**/*.config,**/*.ksh,**/*.pem,**/*.properties,**/*.ps1,**/*.sh,**/*.zsh,.aws/config,.env to all projects
sonar.text.inclusions	latest-unbound	Full Migration	Applied value= **/*.bash,**/*.conf,**/*.config,**/*.ksh,**/*.pem,**/*.properties,**/*.ps1,**/*.sh,**/*.zsh,.aws/config,.env to all projects (skipped: latest-unbound_demo:secrets (override))
sonar.text.inclusions.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.tsqf.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.typescript.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed



sonar.typescript.tsconfigPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.typescript.tslint.reportPaths		Skipped	Setting is left to default on SQS, no migration needed
sonar.validateWebhooks		Skipped	Setting is left to default on SQS, no migration needed
sonar.vb.file.suffixes	latest-gh	Full Migration	Applied value=.BAS,.CLS,.CTL,.FRM,.bas,.cls,.ctl,.frm to all projects
sonar.vb.file.suffixes	latest-gl	Full Migration	Applied value=.BAS,.CLS,.CTL,.FRM,.bas,.cls,.ctl,.frm to all projects
sonar.vb.file.suffixes	latest-others	Full Migration	Applied value=.BAS,.CLS,.CTL,.FRM,.bas,.cls,.ctl,.frm to all projects
sonar.vb.file.suffixes	latest-unbound	Full Migration	Applied value=.BAS,.CLS,.CTL,.FRM,.bas,.cls,.ctl,.frm to all projects
sonar.vb.ignoreHeaderComments		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.analyzeGeneratedCode		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.ignoreHeaderComments		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.bugCategories		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.codeSmellCategories		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.ignoreIssues		Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.vulnerabilityCategories		Skipped	Setting is left to default on SQS, no migration needed
sonar.xml.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.yaml.activate		Skipped	Setting is left to default on SQS, no migration needed
sonar.yaml.file.suffixes		Skipped	Setting is left to default on SQS, no migration needed
sonar.yaml.spectral.reportPaths		Skipped	Setting is left to default on SQS, no migration needed

Migration limitations

- Applications do not exist on SonarQube Cloud, 5 SQS applications were not migrated.
- SonarQube Cloud has no per-branch new-code-definition concept; 3 branch-level new code definition(s) on SonarQube Server were not migrated.
- SonarQube Cloud does not support the reference_branch or specific_analysis new-code-definition types; 1 project(s) were migrated with the SonarQube Cloud organization default instead.
- SonarQube Cloud does not support user permissions via API. The following 4 user(s) had permissions on SonarQube Server permission templates and were not migrated: james, michal, olivier, olivier-k31581.
- SonarQube Cloud does not support user permissions via API. The following 23 user(s) had global SonarQube Server permissions and were not migrated: Global-analyser-2026, TEMP-user-42746, TEMP-user-42846, TEMP-user-49113, TEMP-user-49644, TEMP-user-51113, TEMP-user-52404, TEMP-user-52445, TEMP-user-54234, TEMP-user-55689, TEMP-user-57961, TEMP-user-59264, TEMP-user-61203, TEMP-user-64044, admin, ado, bbTEMPaa, james, michal, olivier, olivier-k31581, olivier-korach22656, syncer.
- sonar.qualitygate.ignoreSmallChanges is set on SonarQube Server but has no /api/settings/set equivalent on SonarQube Cloud. Configure "Ignore duplication and coverage on small changes (org-level)" manually after migration.





Run metadata

Field	Value
Started	2026-06-30 10:11:09
Completed	2026-06-30 10:17:37
Total elapsed	6m28s
Overall status	success

Performance bottlenecks

Phase timings

Phase	Tasks	Duration
Phase 5	5	4m9s
Phase 4	12	57s
Phase 3	14	29s
Phase 6	2	28s
Phase 2	13	16s
Phase 1	7	10.380792ms

Slowest tasks

Task	Phase	Duration	OK
importProjectData	5	4m9s	Yes
setProjectGroupPermissions	4	57s	Yes
setGlobalSettings	3	29s	Yes
syncIssueMetadata	6	28s	Yes
createProfiles	2	16s	Yes
setGlobalNewCodePeriod	2	12s	Yes
configurePortfolios	5	11s	Yes
addGateConditions	4	8s	Yes
grantMigrationUserProjectPermissions	3	6s	Yes
restoreProfiles	4	6s	Yes
getEnterprises	2	6s	Yes
createProjects	2	5s	Yes
syncHotspotMetadata	6	5s	Yes
setProjectSettings	4	5s	Yes
createGroups	2	5s	Yes
setNewCodePeriods	4	4s	Yes
createGates	2	3s	Yes
createMigrationGroups	2	3s	Yes
setProjectLinks	4	3s	Yes
setGlobalWebhooks	2	2s	Yes
setTemplateGroupPermissions	3	2s	Yes
createPermissionTemplates	2	2s	Yes
getOrgRepos	2	2s	Yes



Task	Phase	Duration	OK
setProjectGates	4	2s	Yes
addMigrationGroupToTemplates	3	1s	Yes
getProjectIds	3	1s	Yes
setProfileParent	3	1s	Yes
getMigrationUser	2	1s	Yes
setProjectTags	4	1s	Yes
addMigrationUserToMigrationGroups	3	1s	Yes
updateRuleTags	2	1s	Yes
updateRuleDescriptions	2	971.815416ms	Yes
analyzeProfileRules	3	964.357667ms	Yes
setDefaultTemplates	3	955.2875ms	Yes
setDefaultProfiles	5	769.028708ms	Yes
createPortfolios	3	742.376667ms	Yes
setProjectProfiles	4	722.244625ms	Yes
setProfileGroupPermissions	3	707.574917ms	Yes
setProjectWebhooks	4	468.020041ms	Yes
getProfileBackups	3	322.559666ms	Yes
matchProjectRepos	4	36.917667ms	Yes
getGateConditions	3	23.906792ms	Yes
setOrgGroupPermissions	3	11.94475ms	Yes
generateProjectMappings	1	9.044208ms	Yes
generateProfileMappings	1	8.178084ms	Yes
generateTemplateMappings	1	7.922916ms	Yes
generateGroupMappings	1	7.820417ms	Yes
generatePortfolioMappings	1	6.455708ms	Yes
generateOrganizationMappings	1	5.097125ms	Yes
setDefaultGates	5	4.788041ms	Yes
generateGateMappings	1	4.101833ms	Yes
setProjectBinding	5	1.409916ms	Yes
setPortfolioProjects	4	293.875µs	Yes

Per-branch CE activity

Branch	Type	Status	Task Id
comma,branch	long	packaged	AZ8XmH5fCDn1rAaJA2xi
develop	long	packaged	AZ8XmgmDPrLtHr0OfGDG
feature/new-feature	long	packaged	AZ8XI4P8PrLtHr0OfGCN
fix-log4shell	long	packaged	AZ8XmPciCDn1rAaJA2xt
fix/ruff-import-lint	long	packaged	AZ8XmZ3VCDn1rAaJA2x1
main		packaged	AZ8Xmf9MCDn1rAaJA2x5
master	long	packaged	AZ8XmRCPPrLtHr0OfGC8
release-2.x	long	packaged	AZ8XmMXfPrLtHr0OfGC0
release-3.2	long	packaged	AZ8XI_vJCDn1rAaJA2xU
release-3.x	long	packaged	AZ8XmIY_PrLtHr0OfGDJ
some-branch	long	packaged	AZ8XI96SPrLtHr0OfGcY



Warnings ledger

Gate Condition Skips

Gate	Metric	Action	Note
B test QG	new_software_quality_maintainability_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
B test QG	new_software_quality_reliability_issues	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
B test QG	new_software_quality_security_issues	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 3 - Corp base	new_software_quality_maintainability_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 3 - Corp base	new_software_quality_reliability_issues	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 3 - Corp base	new_software_quality_security_issues	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 2 - Corp Silver	software_quality_security_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 1 - Corp Gold	software_quality_blocker_issues	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 1 - Corp Gold	software_quality_reliability_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
? 1 - Corp Gold	software_quality_security_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
0 - Corp Platinum	software_quality_blocker_issues	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
0 - Corp Platinum	software_quality_reliability_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
0 - Corp Platinum	software_quality_security_rating	remapped	addGateConditions: source metric remapped to SonarQube Cloud equivalent(s) (#143)
0 - Corp Platinum	new_software_quality_reliability_remediation_effort	skipped	addGateConditions: source metric has no SonarQube Cloud equivalent — condition skipped (#143)

Metric Remaps

Gate	Source Metric	Target Metric
B test QG	new_software_quality_maintainability_rating	new_maintainability_rating
B test QG	new_software_quality_reliability_issues	new_reliability_rating
B test QG	new_software_quality_security_issues	new_security_rating
? 3 - Corp base	new_software_quality_maintainability_rating	new_maintainability_rating
? 3 - Corp base	new_software_quality_reliability_issues	new_reliability_rating
? 3 - Corp base	new_software_quality_security_issues	new_security_rating
? 2 - Corp Silver	software_quality_security_rating	security_rating





Gate	Source Metric	Target Metric
? 1 - Corp Gold	software_quality_blocker_issues	security_rating, reliability_rating
? 1 - Corp Gold	software_quality_reliability_rating	reliability_rating
? 1 - Corp Gold	software_quality_security_rating	security_rating
0 - Corp Platinum	software_quality_blocker_issues	security_rating, reliability_rating
0 - Corp Platinum	software_quality_reliability_rating	reliability_rating
0 - Corp Platinum	software_quality_security_rating	security_rating

Branch project data

Branch	Type	Status	Issues	External	Components	Active Rules	Zip Bytes	Skip Reason
comma,branch	long	packaged	6	0	1	435	4988	
develop	long	packaged	6	0	3	459	7440	
feature/new-feature	long	packaged	6	0	3	459	7374	
fix-log4shell	long	packaged	1	0	2	622	8498	
fix/ruff-import-lint	long	packaged	105	580	128	514	848374	
main		packaged	12	0	21	780	35005	
master	long	packaged	105	573	128	514	849304	
release-2.x	long	packaged	6	0	1	435	4989	
release-3.2	long	packaged	74	0	14	622	17147	
release-3.x	long	packaged	79	1462	96	486	718986	
some-branch	long	packaged	6	0	3	459	7370	