

Shefaa document :

Base URL : <https://shefaa-backend.vercel.app>

User end point :

1. Forget password

- Method : Post
- /api/auth/forgot-password
- Ex:

```
{
  "identity": "graduationproject911@gmail.com"
}
```

User get a verification code on his email or phone number

2. verify reset code

- method : Post
- /api/auth/verify-reset-code
- Ex:

```
{
  "identity": "graduationproject911@gmail.com",
  "code": "1421"
}
```

عشان يتعرف ان ده بتاعه (var احفظولي الايميل او الفون في) User enter the code he got

3. Reset password :

- Method : Post
- /api/auth/reset-password
- Ex:

```
{
  "identity": "graduationproject911@gmail.com",
  "code": "1421",
  "newPassword": "gradProj2026"
}
```

User enter a new password

4. Logout :

- Method: Post
- /api/auth/logout
- Ex:

```
• {  
•   "refreshToken":  
    "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjY5OGE1MTEzNTYwMmZlNGZhNmIwND  
    BmYSIsImIhdCI6MTc3MDY3NDI4NiwiZXhwIjoxNzc5Mjc5MDg2fQ.j0SDgXWl09ZeYBPbxK-  
    NG5VhTsMNzpCqEnZtsXXlg4c"  
• }
```

send the refresh token for user who will logout

5. Register :

- Method : post
- /api/auth/register
- 1. For patient :

```
2. {  
3.   "name": "grad_parm",  
4.   "username": "gradproj11",  
5.   "email": "gRadAtionPrct929@gmail.com",  
6.   "password": "password123",  
7.   "phoneNumber": "0155555513",  
8.   "role": "patient"  
9. }
```

2. Doctor :

```
3. {  
4.   "name": "grad_parm",  
5.   "username": "gradproj11",  
6.   "email": "gRadAtionPrct929@gmail.com",  
7.   "password": "password123",  
8.   "phoneNumber": "0155555513",  
9.   "role": "doctor"  
10. "membershipPdf"=> PDF file  
11. }
```

Content type => multipart / form data

3. for pharmacy :

Type	Value	Key
Text	Central Pharmacy	name
Text	central_pharm	username
Text	pharm@test.com	email
Text	123456	password
Text	pharmacy	role
Text	123456789	commercialRegisterNumber
File	(اختاري ملف الـ PDF من جهازك)	medicalLicence

4. for lab :

Type	Value	Key
Text	El-Shefaa Lab	name
Text	shefaalab1	username
Text	lab@test.com	email
Text	123456	password
Text	lab	role
Text	987654321	commercialRegisterNumber
File	(اختاري ملف الـ PDF من جهازك)	medicalLicence
Text	(أو radiology center) lab	facilityType
Text	Dr. Ahmed Ali	medicalDirectorName
Text	DIR-100200	directorProfessionalId


6. Login :

- Method : post
- /api/auth/login
- Ex:


```
{
  "identity": "gRadAtionPrct929@gmail.com",
  "password": "password123"
}
```

7. Sign in using google :

- لازم يكون ايميل حقيقي علي جوجل مش ايميل فيك عشان تعرفوا تدخلوا
- بايميل حقيقي postman علي register الاول اعملوا
- url => <https://shefaa-backend.vercel.app/api/auth/google> بعددين خدوا ال
- هيفتح : browser وحطوه في ال



كانكم بتسجلوا بجوجل عادي بقي واختاروا ايميلكم الي لسه مدخليه علي بوستان



المفروض يشتغل ان شاء الله get profile end point => وجربوه علي ال access خدوا ال

Patient end point :

/* Bearer token < access token > */

1. Get profile :
 - Method : get
 - /api/patient/profile
2. Update basic info :
 - Method : put
 - /api/patient/profile/basic-info
 - Ex:

```
{
  "age": 25,
  "gender": "male",
  "height": 180,
  "weight": 85
}
```

Patient can edit his info

3. Get medical history :

- Method : get
- /api/patient/medical-history

4. Update medical info :

- Method : put
- /api/patient/profile/medical-info
- Ex :

```
• {  
•   "bloodType": "A+",  
•   "allergies": ["Penicillin", "Dust"],  
•   "chronicConditions": ["None"]  
• }
```

Doctor end point :

** Bearer token < access token > **

1. Get profile :

- Method : get
- /api/doctor/profile

2. Update profile :

- Method : put
- /api/doctor/profile
- Ex:

```
• {  
•   "specialization": "Cardiology",  
•   "yearsOfExperience": "10",  
•   "paymentOption": "in_clinic",  
•   "about": "Heart specialist"  
• }
```

3. Add medical record :

- Method : post
- /api/doctor/add-medical-record
- Ex:

```
• {  
•   "patientId": "69875519d4c27be0fe6fbe42",  
•   "diagnosis": "Severe Bacterial Tonsillitis",  
• }
```

```

•   "prescription": [
•     {
•       "name": "Augmentin 1g",
•       "dosage": "1 tablet",
•       "frequency": "Every 12 hours",
•       "duration": "7 days"
•     },
•     {
•       "name": "Panadol Advance",
•       "dosage": "2 tablets",
•       "frequency": "When needed",
•       "duration": "3 days"
•     }
•   ],
•   "notes": "Patient should rest for 3 days.",
•   "nextVisitDate": "2026-02-15"}

```

Lab end points :

**Bearer token <access token>

1. Add test :

- Method : post
- /api/lab/add-test
- Ex :

```

•   {
•     "testName": "Complete Blood Count (CBC)",
•     "price": 200,
•     "estimatedTime": "24 hours"
•   }

```

2. Get lab's tests :

- Method : get
- /api/lab/my-tests

3. Upload result :

- Method : post

- /api/lab/upload-result
- Ex:

The screenshot shows a REST client interface with the following configuration:

- Content Type:** form-data (selected)
- Headers:**
 - Key: patientId, Value: 699a2c64df6c8a5e5753c203, Type: Text
 - Key: testName, Value: CBC, Type: Text
 - Key: resultFile, Value: Chapter 02 - Lexical Analysis.pdf, Type: File

Content type => multipart / form data

4. Get patient result :
 - Method : get
 - /api/lab/patient-results/:patientId

Pharmacy end point:

****Bearer token <access token>****

1. Get stock :
 - Method : get
 - /api/pharmacy/stock
2. Add medicine :
 - Method : post
 - /api/pharmacy/add-medicine
 - Ex :

```
{
  "medicineName": "ميوفين",
  "quantity": 100,
  "price": 100,
  "expirationDate": "2026-12-01",
  "category": "Other",
  "description": "باسط عضلات"
}
```

3. Update medicine :
 - Method : put
 - /api/pharmacy/update-medicine/medicineId

- Ex :

```

{
  "quantity": 250
}

```

4. Delete medicine :

- Method : delete
- /api/pharmacy/delete-medicine/medicineId

5. Search for medicine :

- Method : get
- /api/pharmacy/search?name=XXX

The screenshot shows a REST client interface with a GET request to `https://shefaa-backend.vercel.app/api/pharmacy/search?name=zertic`. The response is a 200 OK status with a JSON body. The JSON body contains an array of objects, each representing a medicine item with various attributes like `_id`, `pharmacyId`, `medicineName`, `quantity`, `price`, `expirationDate`, `description`, `category`, and `createdAt`.

Key	Value	Description
name	zertic	

```

1  [
2    {
3      "_id": "699a269adf6c8a5e5753c1c6",
4      "pharmacyId": {
5        "_id": "698f27fea0f2e56d5faff5ee"
6      },
7      "medicineName": "zertic",
8      "quantity": 248,
9      "price": 100,
10     "expirationDate": "2026-12-01T00:00:00.000Z",
11     "description": "مضاد فيستامين وهو مفيد جدا في حالة الحساسية والحساسية والحساسية",
12     "category": "Other",
13     "createdAt": "2026-02-21T21:41:46.899Z",

```

6. dispense medicine:

- method : post
- /api/pharmacy/dispense
- Ex :

```

{
  "stockId": "699a269adf6c8a5e5753c1c6",
  "quantityToDispense": 2
}

```

Clinic end point:

1. Add new clinic :

- Method : post
- /api/clinic/
- **Bearer token < access token > ** => doctor access token
- Ex:

```
{
  "name": "Heart Care Clinic",
  "city": "Cairo",
  "address": "123 Nile St, Maadi",
  "location": { "coordinates": [30.0444, 31.2357] },
  "daysOfWeek": [
    { "day": "Sunday", "open": "10:00", "close": "18:00" },
    { "day": "Tuesday", "open": "10:00", "close": "18:00" }
  ],
  "dailyCapacity": 20,
  "slotDuration": 30,
  "capacityPerSlot": 1,
  "price": 500
}
```

Appointment end points :

1. Search doctor :

- Method : get
- /api/doctor/search-doctors?specialization=cardiology&gender=female&city=cairo

>عشان تدوروا علي الدكتور سواء بالتخصص او مكان العيادة او نوعه بس الاول عدلوا في بروفایل الدكتور عشان تدخلوا نوعه ايه <

2. Book appointment :

- Method : post
- ** Bearer token <access token >** => patient access token
- /api/appointments/
- Ex:

```
{
  "clinicId": "69aaf2fc2b44bad810b01f35",
  "date": "2026-03-14",
}
```

```

•   "startTime": "5:00 PM",
•   "endTime": "5:30 PM",
•   "appointmentType": "video-call",
•   "paymentOption": "prePay",
•   "isFollowUp": false
•   }

```

3. Get my appointments (doctor and patient):

- Method : get
- ** Bearer token <access token > ** => علي حسب انتوا دلوقت في بروفایل البيشنت والا الدكتور
- /api/appointments/my

4. Cancel appointment :

- Method : delete
- ** Bearer token <access token > ** => patient
- /api/appointments/:id
- Id => appointment ID

Reviews end points :

1. Add review :

- ** Bearer token <access token > ** => patient
- Method : post
- /api/reviews
- ميقدرش يدي الا ريفيو واحد بس لكل دكتور
- Ex:

```

•   {
•       "doctorId": "698c91524687c848d2b629ea",
•       "rating": 3,
•       "comment": "she is a good doctor."
•   }

```

2. get doctor's reviews :

- method : get
- /api/reviews/doctor/:id
- Id => for doctor

3. Get my reviews :

- ** Bearer token <access token > ** => patient
- Method : get
- /api/reviews/me
- الـبيشنت بيشوف كل الـريفيوز الي عملها

4. Update reviews :

- ** Bearer token <access token > ** => patient
- Method : put
- /api/reviews/:id
- بتاع الـريفيوز id الـ
- Ex:

```
{
  "rating": 4,
  "comment": "تم تعديل التقييم، الخدمة كانت جيدة جداً."
}
```

5. Delete review :

- ** Bearer token <access token > ** => patient
- Method : delete
- /api/reviews/:id
- بتاع الـريفيوز id الـ

Admin end points :

- First admin login to get access token :

```
{
  "identity": "admin@shefaa.com",
  "password": "admin123456"
}
```

1. Get states :

- Method : get
- /api/admin/stats
- Brings the number of registered users in each category

2. get users :

- method : get
- /api/admin/users
- Display a list of all system users, excluding the password.

3. Get user by role :

- Method : get
- /api/admin/users/role/:role

4. Get users pending :

- Method : get
- /api/admin/users/pending
- [doctor , lab , pharmacy] profiles which need to activate

5. Activate user :

- Method : patch
- /api/admin/users/activate/:id
- userId => in users database
- activate [doctor , lab , pharmacy] profile and automatic send email

6. deactivate user profile :

- Method : patch
- /api/admin/users/deactivate/:id
- userId => in users database

7. delete user account :

- method : delete
- /api/admin/users/:id
- userId => in users database

lab report ai end point:

1. upload a pdf or image with any extension of a lab report:

- method : post
- /api/labReport/analyze
- Response:

```
{ } JSON ▾ ▶ Preview ☒ Visualize ▾  
1 {  
2   "success": true,  
3   "data": {  
4     "patientName": "سعيدة عزب درويش المبد",  
5     "findings": [  
6       {  
7         "testName": "Erythrocyte Sedimentation Rate (ESR) - First Hour",  
8         "result": 50,  
9         "unit": "mm",  
10        "status": "High"  
11      },  
12      {  
13        "testName": "Erythrocyte Sedimentation Rate (ESR) - Second Hour",  
14        "result": 115,  
15        "unit": "mm",  
16        "status": "High"  
17      }  
18    ],  
19    "dangerScore": 6,  
20    "summary": "The ESR levels are significantly elevated, indicating systemic inflammation or infection. However, the current results show a  
21      slight improvement compared to the previous readings.",  
22    "tips": [  
23      "Consult an internal medicine specialist for investigation.",  
24      "Stay well hydrated throughout the day.",  
25      "Maintain a balanced, anti-inflammatory diet."  
26    ]  
27  }  
}
```