

# Shefaa document :

Base URL : <https://shefaa-backend.vercel.app>

## User end point :

### 1. Forget password

- Method : Post
- /api/auth/forgot-password
- Ex:

```
{
  "identity": "graduationproject911@gmail.com"
}
```

User get a verification code on his email or phone number

### 2. verify reset code

- method : Post
- /api/auth/verify-reset-code
- Ex:

```
{
  "identity": "graduationproject911@gmail.com",
  "code": "1421"
}
```

عشان يتعرف ان ده بتاعه (var احفظولي الايميل او الفون في ) User enter the code he got

### 3. Reset password :

- Method : Post
- /api/auth/reset-password
- Ex:

```
{
  "identity": "graduationproject911@gmail.com",
  "code": "1421",
  "newPassword": "gradProj2026"
}
```

User enter a new password

#### 4. Logout :

- Method: Post
- /api/auth/logout
- Ex:

```
• {  
•   "refreshToken":  
    "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjY5OGE1MTEzNTYwMmZlNGZhNmIwND  
    BmYSIsImIhdCI6MTc3MDY3NDI4NiwiZXhwIjoxNzc5Mjc5MDg2fQ.j0SDgXWl09ZeYBPbxK-  
    NG5VhTsMNzpCqEnZtsXXlg4c"  
• }
```

send the refresh token for user who will logout

#### 5. Register :

- Method : post
  - /api/auth/register
1. For patient :

```
2. {  
3.   "name": "grad_parm",  
4.   "username": "gradproj11",  
5.   "email": "gRadAtionPrct929@gmail.com",  
6.   "password": "password123",  
7.   "phoneNumber": "0155555513",  
8.   "role": "patient"  
9. }
```

##### 2. Doctor :

```
3. {  
4.   "name": "grad_parm",  
5.   "username": "gradproj11",  
6.   "email": "gRadAtionPrct929@gmail.com",  
7.   "password": "password123",  
8.   "phoneNumber": "0155555513",  
9.   "role": "doctor"  
10. "membershipPdf"=> PDF file  
11. }
```

Content type => multipart / form data

##### 3. for pharmacy :

| Type        | Value                         | Key                      |
|-------------|-------------------------------|--------------------------|
| Text        | Central Pharmacy              | name                     |
| Text        | central_pharm                 | username                 |
| Text        | pharm@test.com                | email                    |
| Text        | 123456                        | password                 |
| Text        | pharmacy                      | role                     |
| <b>Text</b> | 123456789                     | commercialRegisterNumber |
| <b>File</b> | (اختاري ملف الـ PDF من جهازك) | medicalLicence           |

#### 4. for lab :

| Type        | Value                         | Key                      |
|-------------|-------------------------------|--------------------------|
| Text        | El-Shefaa Lab                 | name                     |
| Text        | shefaalab1                    | username                 |
| Text        | lab@test.com                  | email                    |
| Text        | 123456                        | password                 |
| Text        | lab                           | role                     |
| <b>Text</b> | 987654321                     | commercialRegisterNumber |
| <b>File</b> | (اختاري ملف الـ PDF من جهازك) | medicalLicence           |
| Text        | (أو radiology center) lab     | facilityType             |
| Text        | Dr. Ahmed Ali                 | medicalDirectorName      |
| Text        | DIR-100200                    | directorProfessionalId   |


## 6. Login :

- Method : post
- /api/auth/login
- Ex:


```
{
  "identity": "gRadAtionPrct929@gmail.com",
  "password": "password123"
}
```

## 7. Sign in using google :

- لازم يكون ايميل حقيقي علي جوجل مش ايميل فيك عشان تعرفوا تدخلوا
- بايميل حقيقي postman علي register الاول اعملوا
- url => <https://shefaa-backend.vercel.app/api/auth/google> بعددين خدوا ال
- هيفتح : browser وحطوه في ال



كأنكم بتسجلوا بجوجل عادي بقي واختاروا ايميلكم الي لسه مدخليه علي بوستان



المفروض يشتغل ان شاء الله get profile end point => وجربوه علي ال access خدوا ال

## Patient end point :

/\* Bearer token < access token > \*/

1. Get profile :
  - Method : get
  - /api/patient/profile
2. Update profile :
  - Method : put
  - /api/patient/profile
  - Ex:

```

{
  "allergies": ["Peanuts", "Dust"],
  "chronicConditions": ["Diabetes"],
  "age": 25
}

```

Patient can edit his info

3. Get medical history :
  - Method : get

- /api/patient/medical-history

## Doctor end point :

\*\* Bearer token < access token > \*\*

### 1. Get profile :

- Method : get
- /api/doctor/profile

### 2. Update profile :

- Method : put
- /api/doctor/profile
- Ex:

```
{
  "specialization": "Cardiology",
  "yearsOfExperience": "10",
  "paymentOption": "in_clinic",
  "about": "Heart specialist"
}
```

### 3. Add medical record :

- Method : post
- /api/doctor/add-medical-record
- Ex:

```
{
  "patientId": "69875519d4c27be0fe6fbe42",
  "diagnosis": "Severe Bacterial Tonsillitis",
  "prescription": [
    {
      "name": "Augmentin 1g",
      "dosage": "1 tablet",
      "frequency": "Every 12 hours",
      "duration": "7 days"
    },
    {
      "name": "Panadol Advance",
      "dosage": "2 tablets",
      "frequency": "When needed",
      "duration": "3 days"
    }
  ]
}
```

```

•     }
•   ],
•   "notes": "Patient should rest for 3 days.",
•   "nextVisitDate": "2026-02-15"}

```

## Lab end points :

\*\*Bearer token <access token>

### 1. Add test :

- Method : post
- /api/lab/add-test
- Ex :

```

• {
•   "testName": "Complete Blood Count (CBC)",
•   "price": 200,
•   "estimatedTime": "24 hours"
• }

```

### 2. Get lab's tests :

- Method : get
- /api/lab/my-tests

### 3. Upload result :

- Method : post
- /api/lab/upload-result
- Ex:

The screenshot shows a REST client interface with the following configuration for a POST request:

- Content Type:** form-data (selected)
- Headers:**
  - Key: patientId, Value: 699a2c64df6c8a5e5753c203, Type: Text
  - Key: testName, Value: CBC, Type: Text
  - Key: resultFile, Value: Chapter 02 - Lexical Analysis.pdf, Type: File
- Body:** A table with columns Key, Value, and Description. The first row has Key: patientId, Value: 699a2c64df6c8a5e5753c203, and Description: (empty). The second row has Key: testName, Value: CBC, and Description: (empty). The third row has Key: resultFile, Value: Chapter 02 - Lexical Analysis.pdf, and Description: (empty).

Content type => multipart / form data

4. Get patient result :

- Method : get
- /api/lab/patient-results/:patientId

## Pharmacy end point:

**\*\*Bearer token <access token>\*\***

1. Get stock :

- Method : get
- /api/pharmacy/stock

2. Add medicine :

- Method : post
- /api/pharmacy/add-medicine
- Ex :

```
{
  "medicineName": "ميوفين",
  "quantity": 100,
  "price": 100,
  "expirationDate": "2026-12-01",
  "category": "Other",
  "description": "باسط عضلات"
}
```

3. Update medicine :

- Method : put
- /api/pharmacy/update-medicine/medicineId
- Ex :

```
{
  "quantity": 250
}
```

4. Delete medicine :

- Method : delete
- /api/pharmacy/delete-medicine/medicineId



## 5. Search for medicine :

- Method : get
- /api/pharmacy/search?name=XXX

GET <https://shefaa-backend.vercel.app/api/pharmacy/search?name=zertic> Send

Docs Params Authorization Headers (7) Body Scripts Settings Cookies

Query Params

| <input checked="" type="checkbox"/> | Key  | Value  | Description | ... | Bulk Edit |
|-------------------------------------|------|--------|-------------|-----|-----------|
| <input checked="" type="checkbox"/> | name | zertic |             |     |           |
|                                     | Key  | Value  | Description |     |           |

Body Cookies Headers (23) Test Results 200 OK • 1.24 s • 1.47 KB Save Response

JSON Preview Visualize

```
1 [
2   {
3     "_id": "699a269adf6c8a5e5753c1c6",
4     "pharmacyId": {
5       "_id": "698f27fea0f2e56d5faff5ee"
6     },
7     "medicineName": "zertic",
8     "quantity": 248,
9     "price": 100,
10    "expirationDate": "2026-12-01T00:00:00.000Z",
11    "description": "مضاد هستامين وهو مفيد جدا في حالة الحساسية والحساسية والحساسية",
12    "category": "Other",
13    "createdAt": "2026-02-21T21:41:46.899Z",
```

## 6. dispense medicine:

- method : post
- /api/pharmacy/dispense
- Ex :

```
• {
•   "stockId": "699a269adf6c8a5e5753c1c6",
•   "quantityToDispense": 2
• }
```

## Clinic end point:

### 1. Add new clinic :

- Method : post
- /api/clinic/
- \*\*Bearer token < access token > \*\* => doctor access token
- Ex:

```
• {
```

```

•   "name": "Heart Care Clinic",
•   "city": "Cairo",
•   "address": "123 Nile St, Maadi",
•   "location": { "coordinates": [30.0444, 31.2357] },
•   "daysOfWeek": [
•     { "day": "Sunday", "open": "10:00", "close": "18:00" },
•     { "day": "Tuesday", "open": "10:00", "close": "18:00" }
•   ],
•   "dailyCapacity": 20,
•   "slotDuration": 30,
•   "capacityPerSlot": 1,
•   "price": 500
• }

```

## Appointment end points :

### 1. Book appointment :

- Method : post
- \*\* Bearer token <access token > \*\* => patient access token
- /api/appointments/
- Ex:

```

• {
•   "clinicId": "698b9bf327c022656ce1b505",
•   "date": "2026-04-19",
•   "startTime": "10:00",
•   "endTime": "10:30",
•   "paymentOption": "atClinic",
•   "price": 200
• }

```

### 2. Get my appointments ( doctor and patient ):

- Method : get
- \*\* Bearer token <access token > \*\* => علي حسب انتوا دلوقت في بروفایل البيشنت والا الدكتور
- /api/appointments/my

## Reviews end points :

### 1. Add review :

- \*\* Bearer token <access token > \*\* => patient

- Method : post
- /api/reviews
- ميقدرش يدي الا ريفيو واحد بس لكل دكتور
- Ex:

```

{
  "doctorId": "698c91524687c848d2b629ea",
  "rating": 3,
  "comment": "she is a good doctor."
}

```

## 2. get doctor's reviews :

- method : get
- /api/reviews/doctor/:id
- Id => for doctor

## 3. Get my reviews :

- \*\* Bearer token <access token > \*\* => patient
- Method : get
- /api/reviews/me
- البيشنت بيشفو كل الريفيوز الي عملها

## 4. Update reviews :

- \*\* Bearer token <access token > \*\* => patient
- Method : put
- /api/reviews/:id
- بتاع الريفيو id ال
- Ex:

```

{
  "rating": 4,
  "comment": "تم تعديل التقييم، الخدمة كانت جيدة جداً"
}

```

## 5. Delete review :

- \*\* Bearer token <access token > \*\* => patient
- Method : delete
- /api/reviews/:id
- بتاع الريفيو id ال

## Admin end points :

- First admin login to get access token :

```
• {  
•   "identity": "admin@shefaa.com",  
•   "password": "admin123456"  
• }
```

1. Get states :
  - Method : get
  - /api/admin/stats
  - Brings the number of registered users in each category
2. get users :
  - method : get
  - /api/admin/users
  - Display a list of all system users, excluding the password.
3. Get user by role :
  - Method : get
  - /api/admin/users/role/:role
4. Get users pending :
  - Method : get
  - /api/admin/users/pending
  - [ doctor , lab , pharmacy ] profiles which need to activate
5. Activate user :
  - Method : patch
  - /api/admin/users/activate/:id
  - userId => in users database
  - activate [ doctor , lab , pharmacy ] profile and automatic send email
6. deactivate user profile :
  - Method : patch
  - /api/admin/users/deactivate/:id
  - userId => in users database
7. delete user account :
  - method : delete
  - /api/admin/users/:id
  - userId => in users database