

把本地文件传到github上：


笔记本：	<Inbox>		
创建时间：	2018/8/1 22:03	更新时间：	2018/8/1 22:38
作者：	宋小疯		

把本地文件传到github上：

- 1、安装Git客户端
- 2、创建一个repository仓库
- 3、设置ssh key加密传输

```
$ cd ~/.ssh
$ ls
```

结果只有一个文件，如下




需要进一步生成另外两个文件：

```
$ ssh-keygen -t rsa -C "xxx@qq.com"
之后连接3个回车：
```

名称	修改日期	类型	大小
.git	2018/8/1 17:18	文件夹	
id_rsa	2018/8/1 17:14	文件	2 KB
id_rsa.pub	2018/8/1 17:14	Microsoft Publis...	1 KB
known_hosts	2018/8/1 17:18	文件	2 KB

然后打开id_rsa.pub，复制里面的代码到




然后add ssh key，得到

SSH keys

[New SSH key](#)

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.



crazy
Fingerprint: b4:ef:d1:df:49:44:ae:00:e7:88:4e:50:7b:6c:dc:82
Added on 1 Aug 2018
unverified automatically (private key found in a public repository) — Read/write

SSH

Delete

Approve

Check out our guide to [generating SSH keys](#) or troubleshoot [common SSH Problems](#).


在邮箱里确认，点击绿色的approve即可。

4、上传本地文件到github:

首先在本地选择要上传的文件，右键单击，选中git bash here，就会出现一个命令窗口，在里面依次按照官网上的指令输入：

```
echo "# cc" >> README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/Song-littleCrazy/cc.git
git push -u origin master
```

可能会出现问题，比如：

 MINGW64:/e/github

```
littlecrazy@MSI MINGW64 /e/github (master)
$ git commit -m "first commit"
On branch master
nothing to commit, working tree clean
```

```
littlecrazy@MSI MINGW64 /e/github (master)
$ git push -u origin master
To github.com:Song-littleCrazy/study.git
! [rejected]        master -> master (fetch first)
error: failed to push some refs to 'git@github.com:Song-littleCrazy/study.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```


然后，输入一行这样的指令：

```
littlecrazy@MSI MINGW64 /e/github (master)
$ git pull --rebase origin master
```


在输入一次git pull -u origin master就可以了：

```
littlecrazy@MSI MINGW64 /e/github (master)
$ git push -u origin master
Counting objects: 10635, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (9034/9034), done.
Writing objects: 100% (10635/10635), 10.37 MiB | 240.00 KiB/s, done.
Total 10635 (delta 1557), reused 10634 (delta 1557)
remote: Resolving deltas: 100% (1557/1557), done.
To github.com:Song-littleCrazy/study.git
   6ee81b5..cbe87e8  master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

- .git
- dojo
- jquery
- js
- README.md
- text.html

 Song-littleCrazy 提交text.html

 dojo

 jquery

 js

 README.md

 text.html