Water resource utilization regimes at a basin scale: transition framework and development traps

Shuang Song^{a, b}, Shuai Wang^{a, b, 1}, Bojie Fu^{a, b}, and Xutong Wu^{c, d}

^a State Key Laboratory of Earth Surface Processes and Resource Ecology, Faculty of Geographical Science, Beijing Normal University, Beijing 100875, P.R. China; ^b Institute of Land Surface System and Sustainability, Faculty of Geographical Science, Beijing Normal University, Beijing 100875, P.R. China; ^c College of Urban and Environmental Sciences, Peking University, Beijing 100871, P.R. China; ^d State Key Laboratory of Urban and Regional Ecology, Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, Beijing 100085, P.R. China

This manuscript was compiled on July 13, 2020

15

17

22

23

24

27

31

34

The importance of water resources to human society, the impact of humans on water resources, the relationship between humans and...

A complex human-water relationship is gradually being established between water resources. And resulted in water utilization regime. This helps to identify and understand the traps in the development of river basins, thus providing a theoretical basis for integrated water resources management and development in a coordinated way.

Water resource management \mid Human-water relationship \mid Water scarcity \mid Sustainable development

Water, at the centre of the planetary drama of the Anthropocene, is not only essential for myriad Earth system processes, but also a key resource supporting development of human societies in various aspects (1). At the same time, however, human's modification has profoundly influenced water processes and related changes may lead to adverse transitions in functions of human-water systems, along with various development traps. Facing major challenges of the Anthropocene, many of the world's big river basins are also centres of economy and civilization and urgently in need for integrated water resources management toward sustainability. (2) Therefore, understanding the complex relationship between human societies and water resources utilization provides underlying supports to development in a coordinated way, at a basin

Regime is a general term of systems structure and function and one of the most explanatory perspectives when analysis interactions within a coupling system, like human and water. Since widespread fluctuating disturbances in social development and natural water resources were out of consideration, water utilization regime only will be driven shifting when reorganizations occurred and the tipping points reached. As many large river basins had all experienced phases of accelerated water exploitation, over-exploitation of water resource, and integrated water management, it is a reasonable assumption that existence of a transitional water utilization regime corresponds to development of societies. Understanding the transitional nature of water resource regimes, therefore, can help to diagnosis and predict development traps, which is crucial for integrated management and coordinated development at a basin scale regard to sustainability. Despite pervasive and important as it is, there is lacking of effective method to detect the water utilization regimes and their shifts, with much fewer attempts to develop formal models of its transitions as

The key to analysis water utilization regimes is to understand the interactions between human societies and water resources, which have been depicted from different dimensions, as an ancient but evergreen topic. Firstly, the most widespread concern is the rising stresses on human societies with regard to water resources. Even though the stocks of water in increasing artificial reservoirs are helpful to water resources availability, highly stressed basins still characterized by high water consumption intensities and a major constraint to socio-economic development, driven by a significant increase in water extractions and a larger share of inflexible water utilization during the last century. (3–5) Secondly, as the need of industrial and ecological developments, tendentiousness of water utilization changed with. Despite a major water utilization of agricultural irrigation dominating most of the river basins, there are significant growths and preferential tendentiousness in the economy profits and water consumption regarding industry, leading a high potential for conflict between the industrial and agricultural sectors. (6,7) Thirdly, since water availability and utilization are inherently regional concerns, patterns of also play an important role. Although only 10% of available water is withdrawn on global average, about 30% of population live in highly water-stressed areas, where dominated sections regarding water utilization are various. (8, 9) In addition, human activities are still changing this pattern, since positive impacts caused by human interventions mostly occur in upper regions whereas aggravated water resources downstream, in many basins around the world. (10) Although existing researches have evaluated the aspects of water resource utilization from these different dimensions, we still cannot obtain a coherent understanding of regime regard to social development and water utilization, without integrating them.

41

42

43

44

45

46

49

50

51

52

54

56

57

58

59

60

61

64

65

66

67

68

69

70

Here, by integrating three above mentioned dimensions of water utilization, we develop an Integrated Water Resources Utilization (IWRU) Index at a basin scale to give a sketch of

Significance Statement

Authors must submit a 120-word maximum statement about the significance of their research paper written at a level understandable to an undergraduate educated scientist outside their field of speciality. The primary goal of the significance statement is to explain the relevance of the work in broad context to a broad readership. The significance statement appears in the paper itself and is required for all research papers.

Shuai Wang and Bojie Fu designed this research, Shuang Song performed the research and analysed data, Shuang Song, Xutong Wu wrote the paper.

The authors declare no competing interests.

¹To whom correspondence should be addressed. E-mail: shuaiwang@bnu.edu.cn




Fig. 1. Placeholder image of a frog with a long example legend to show justification setting.

relationships between human societies and their water utilization. Then, by applying this index to the Yellow River Basin, China, we analysed water utilization regimes and their shifts in this typical basin of anthropogenic impacts, with change points detection and contribution decomposition methods following. In addition, combining model and data analysis, we further identify resource and development traps that have been exposed by regimes' shifting. Finally, refer to the existing theories, we summarized a general transition framework of water utilization regimes, which can be a useful guideline for basins to predict development traps and to develop in a coordinated way.

84 Results

Division of Water Utilization Regimes. Figure 2 shows the change trend of the index.

87 Drivers of the First Regime Shift.

Drivers of the Second Regime Shift.

Language-Editing Services. Prior to submission, authors who believe their manuscripts would benefit from professional editing are encouraged to use a language-editing service (see list at www.pnas.org/page/authors/language-editing). PNAS does not take responsibility for or endorse these services, and their use has no bearing on acceptance of a manuscript for publication

Digital Figures. EPS, high-resolution PDF, and PowerPoint are preferred formats for figures that will be used in the main manuscript. Authors may submit PRC or U3D files for 3D images; these must be accompanied by 2D representations in TIFF, EPS, or high-resolution PDF format. Colour images must be in RGB (red, green, blue) mode. Include the font files for any text.

Images must be provided at final size, preferably 1 column width (8.7 cm). Figures wider than 1 column should be sized

Table 1. Comparison of the fitted potential energy surfaces and ab initio benchmark electronic energy calculations

Species	CBS	CV	G3
1. Acetaldehyde	0.0	0.0	0.0
Vinyl alcohol	9.1	9.6	13.5
3. Hydroxyethylidene	50.8	51.2	54.0

nomenclature for the TSs refers to the numbered species in the table.




Fig. 2. Placeholder image of a frog with a long example legend to show justification setting.

to 11.4 cm or 17.8 cm wide. Numbers, letters, and symbols should be no smaller than 6 points (2 mm) and no larger than 12 points (6 mm) after reduction and must be consistent.

Figures and tables should be labelled and referenced in the standard way using the \label{} and \ref{} commands.

Tables. Tables should be included in the main manuscript file and should not be uploaded separately.

Discussion

Transition Framework. Tables should be included in the main manuscript file and should not be uploaded separately.

Development Traps.

Materials and Methods

Please describe your materials and methods here. This can be more than one paragraph, and may contain subsections and equations as required. Authors should include a statement in the methods section describing how readers will be able to access the data in the paper.

Water utilization regime index. Example text for subsection.

Stresses. Various metrics, therefore, proposed for water stress (e.g. water scarcity, water stresses index, scarcity-flexibility-variability index), where the dimensions of human impact are increasingly valued. Among of them, by taking changes of water flexibility and variability into account, the scarcity-flexibility-variability (SFV) index focus more on dynamic responses to water resources in developing perspective, which considered a valid indicator of temporal changes in water stresses.

Lopsidedness.

Patterns. 132

Change points detection.

ACKNOWLEDGMENTS. Please include your acknowledgments here, set in a single paragraph. Please do not include any acknowledgments in the Supporting Information, or anywhere else in the manuscript.

- T Gleeson, et al., Illuminating water cycle modifications and Earth system resilience in the Anthropocene. Water Resour. Res. 56 (2020).
- 2. J Best, Anthropogenic stresses on the world's big rivers. *Nat. Geosci.* **12**, 7–21 (2019).

- 3. SL Postel, GC Daily, PR Ehrlich, Human Appropriation of Renewable Fresh Water. Science 142 **271**, 785–788 (1996). 143 144
 - 4. P Greve, et al., Global assessment of water challenges under uncertainty in water scarcity projections. Nat. Sustain. 1, 486–494 (2018).
- Y Qin, et al., Flexibility and intensity of global water use. Nat. Sustain. 2, 515–523 (2019).
 J Liu, et al., Water scarcity assessments in the past, present, and future. Earth's Futur. 5, 147 545-559 (2017). 148

145

146

151

152 153

157

- 7. M Flörke, C Schneider, RI McDonald, Water competition between cities and agriculture driven 149 by climate change and urban growth. Nat. Sustain. 1, 51–58 (2018). 150
 - 8. Y Wada, T Gleeson, L Esnault, Wedge approach to water stress. Nat. Geosci. 7, 615-617 (2014).
 - 9. T Oki, S Kanae, Global Hydrological Cycles and World Water Resources. Science 313, 1068–1072 (2006).
- 154 $10. \quad \text{T Veldkamp, et al., Water scarcity hotspots travel downstream due to human interventions in} \\$ 155 the 20th and 21st century. Nat. Commun. $\pmb{8}$, 15697 (2017). 156



PNAS | **July 13, 2020** | vol. XXX | no. XX | **3**