全球疫情分析

SXM

2020-02

1　读取数据及处理

```python
import pandas as pd
import numpy as np

#疫情的确诊数（confirmed）
path='./data/COVID-19/csse_covid_19_data/csse_covid_19_time_series/'
confirmed = pd.read_csv(path+'time_series_19-covid-Confirmed.csv')

#治愈数
recovered = pd.read_csv(path+'time_series_19-covid-Recovered.csv')

#死亡数
deaths = pd.read_csv(path+'time_series_19-covid-Deaths.csv')

print(confirmed.shape)
```

```python
print(recovered.shape)
```

```python
print(deaths.shape)
```

　　confirmed 表里面包含发生疫情的国家，经纬度，以及从 2020 年 1 月 22 日至今的每日的确诊数；recovered 表则记录了治愈数；deaths 表则记录了死亡数。

1.1 查看发生疫情国家

```python
countries = confirmed['Country/Region'].unique()
print('发生疫情国家：\n{}'.format(countries))
```

```
## 发生疫情国家：
## ['Mainland China' 'Thailand' 'Japan' 'South Korea' 'Taiwan' 'US' '
    Macau'
##  'Hong Kong' 'Singapore' 'Vietnam' 'France' 'Nepal' 'Malaysia' '
    Canada'
##  'Australia' 'Cambodia' 'Sri Lanka' 'Germany' 'Finland'
##  'United Arab Emirates' 'Philippines' 'India' 'Italy' 'UK' 'Russia'
##  'Sweden' 'Spain' 'Belgium' 'Others' 'Egypt' 'Iran' 'Lebanon' 'Iraq'
##  'Oman' 'Afghanistan' 'Bahrain' 'Kuwait' 'Algeria' 'Croatia' '
    Switzerland'
##  'Austria' 'Israel' 'Pakistan' 'Brazil' 'Georgia' 'Greece'
##  'North Macedonia' 'Norway' 'Romania' 'Denmark' 'Estonia' '
    Netherlands'
##  'San Marino' 'Belarus' 'Iceland' 'Lithuania' 'Mexico' 'New Zealand'
##  'Nigeria' 'Ireland' 'Luxembourg' 'Monaco' 'Qatar' 'Ecuador' '
    Azerbaijan'
```

```
12  ##   'Czech Republic' 'Armenia' 'Dominican Republic' 'Indonesia' '
         Portugal'
13  ##   'Andorra' 'Latvia' 'Morocco' 'Saudi Arabia' 'Senegal' 'Argentina' '
         Chile'
14  ##   'Jordan' 'Ukraine' 'Saint Barthelemy' 'Hungary' 'Faroe Islands'
15  ##   'Gibraltar' 'Liechtenstein' 'Poland' 'Tunisia' 'Palestine'
16  ##   'Bosnia and Herzegovina' 'Slovenia' 'South Africa' 'Bhutan' '
         Cameroon'
17  ##   'Colombia' 'Costa Rica' 'Peru' 'Serbia' 'Slovakia' 'Togo' 'Vatican
         City'
18  ##   'French Guiana' 'Malta' 'Martinique' 'Republic of Ireland' 'Bulgaria
         '
19  ##   'Maldives' 'Bangladesh' 'Moldova' 'Paraguay']
```

```
1  print('发生疫情国家数：\n{}'.format(countries.shape[0]))
```

```
1  ## 发生疫情国家数：
2  ## 108
```

1.2 每日所有地区新冠肺炎的确诊数，治愈数，死亡数。

```
1  all_confirmed = np.sum(confirmed.iloc[:,4:])
2  all_recovered = np.sum(recovered.iloc[:,4:])
3  all_deaths = np.sum(deaths.iloc[:,4:])
4  All = pd.DataFrame({'all_confirmed':all_confirmed,'all_recovered':all_
       recovered,'all_deaths':all_deaths})
5  All.to_csv('./data/All.csv')
```

表 1 全球每日新冠肺炎数据

日期	确诊数	治愈数	死亡数
1/22/20	555	28	17
1/23/20	653	30	18
1/24/20	941	36	26
1/25/20	1434	39	42
1/26/20	2118	52	56
1/27/20	2927	61	82
1/28/20	5578	107	131
1/29/20	6166	126	133
1/30/20	8234	143	171
1/31/20	9927	222	213
2/1/20	12038	284	259
2/2/20	16787	472	362
2/3/20	19881	623	426
2/4/20	23892	852	492
2/5/20	27636	1124	564
2/6/20	30818	1487	634

表 1 全球每日新冠肺炎数据 (续)

日期	确诊数	治愈数	死亡数
2/7/20	34392	2011	719
2/8/20	37121	2616	806
2/9/20	40151	3244	906
2/10/20	42763	3946	1013
2/11/20	44803	4683	1113
2/12/20	45222	5150	1118
2/13/20	60370	6295	1371
2/14/20	66887	8058	1523
2/15/20	69032	9395	1666
2/16/20	71226	10865	1770
2/17/20	73260	12583	1868
2/18/20	75138	14352	2007
2/19/20	75641	16121	2122
2/20/20	76199	18177	2247
2/21/20	76843	18890	2251
2/22/20	78599	22886	2458
2/23/20	78985	23394	2469
2/24/20	79570	25227	2629
2/25/20	80415	27905	2708
2/26/20	81397	30384	2770
2/27/20	82756	33277	2814
2/28/20	84122	36711	2872
2/29/20	86013	39782	2941
3/1/20	88371	42716	2996
3/2/20	90309	45602	3085
3/3/20	92843	48229	3160
3/4/20	95123	51171	3254
3/5/20	97885	53797	3348
3/6/20	101799	55866	3460
3/7/20	105835	58359	3558
3/8/20	109836	60695	3803

1.3 中国大陆新冠肺炎的情况

```
last_update=confirmed.columns[-1] #设置最新数据日期
China_cases=confirmed[['Province/State',last_update]][confirmed['Country
    /Region']=='Mainland China']
```

```
3  China_cases['recovered']=recovered[[last_update]][recovered['Country/
     Region']=='Mainland China']
4  China_cases['deaths']=deaths[[last_update]][deaths['Country/Region']=='
     Mainland China']
5  China_cases = China_cases.set_index('Province/State')
6  China_cases = China_cases.rename(columns = {last_update:'confirmed'})
7  China_cases.to_csv('./data/Chinacases.csv')
```

表 2   中国大陆新冠肺炎数据

省份	确诊数	治愈数	死亡数
Anhui	990	984	6
Beijing	428	308	8
Chongqing	576	527	6
Fujian	296	295	1
Gansu	124	87	2
Guangdong	1352	1256	7
Guangxi	252	223	2
Guizhou	146	117	2
Hainan	168	159	6
Hebei	318	307	6
Heilongjiang	481	412	13
Henan	1272	1247	22
Hubei	67707	45235	2986
Hunan	1018	968	4
Inner Mongolia	75	70	1
Jiangsu	631	612	0
Jiangxi	935	919	1
Jilin	93	90	1
Liaoning	125	109	1
Ningxia	75	71	0
Qinghai	18	18	0
Shaanxi	245	227	1
Shandong	758	642	6
Shanghai	342	314	3
Shanxi	133	126	0
Sichuan	539	464	3
Tianjin	136	128	3
Tibet	1	1	0
Xinjiang	76	73	3
Yunnan	174	170	2

表 2 中国大陆新冠肺炎数据 (续)

省份	确诊数	治愈数	死亡数
Zhejiang	1215	1161	1

1.4 中国大陆治愈率 VS 死亡率

```python
confirmed_china = confirmed[confirmed['Country/Region']=='Mainland China']
confirmed_china = np.sum(confirmed_china.iloc[:,4:])
recovered_china = recovered[recovered['Country/Region'] == 'Mainland China']
recovered_china = np.sum(recovered_china.iloc[:,4:])
deaths_china = deaths[deaths['Country/Region'] == 'Mainland China']
deaths_china = np.sum(deaths_china.iloc[:,4:])
recover_rate = (recovered_china/confirmed_china)*100
recover_rate1=(recover_rate/100).apply(lambda x: format(x, '.2%'))
death_rate = (deaths_china/confirmed_china)*100
death_rate1 = (death_rate/100).apply(lambda x: format(x, '.2%'))
re_de=pd.DataFrame({'recover_rate':recover_rate1,'death_rate':death_rate1})
re_de.to_csv('./data/rede.csv')
```

表 3 中国大陆治愈率 VS 死亡率

日期	治愈率	死亡率
1/22/20	5.12%	3.11%
1/23/20	4.69%	2.82%
1/24/20	3.93%	2.84%
1/25/20	2.79%	3.00%
1/26/20	2.38%	2.72%
1/27/20	2.03%	2.86%
1/28/20	1.84%	2.38%
1/29/20	1.98%	2.19%
1/30/20	1.66%	2.10%
1/31/20	2.19%	2.18%
2/1/20	2.32%	2.18%
2/2/20	2.79%	2.17%
2/3/20	3.12%	2.16%
2/4/20	3.56%	2.07%
2/5/20	4.07%	2.05%
2/6/20	4.83%	2.07%
2/7/20	5.86%	2.10%
2/8/20	7.06%	2.19%

表 3 中国大陆治愈率 VS 死亡率 (续)

日期	治愈率	死亡率
2/9/20	8.09%	2.27%
2/10/20	9.26%	2.39%
2/11/20	10.46%	2.51%
2/12/20	11.36%	2.50%
2/13/20	10.38%	2.29%
2/14/20	12.03%	2.29%
2/15/20	13.60%	2.43%
2/16/20	15.26%	2.51%
2/17/20	17.21%	2.57%
2/18/20	19.15%	2.70%
2/19/20	21.40%	2.84%
2/20/20	24.00%	2.98%
2/21/20	24.77%	2.96%
2/22/20	29.49%	3.17%
2/23/20	30.12%	3.18%
2/24/20	32.39%	3.36%
2/25/20	35.60%	3.43%
2/26/20	38.50%	3.48%
2/27/20	41.91%	3.50%
2/28/20	46.04%	3.54%
2/29/20	49.56%	3.58%
3/1/20	52.76%	3.60%
3/2/20	55.99%	3.64%
3/3/20	59.14%	3.67%
3/4/20	62.23%	3.71%
3/5/20	64.96%	3.75%
3/6/20	66.88%	3.78%
3/7/20	68.79%	3.81%
3/8/20	71.03%	3.84%

1.5 其他地区治愈率 VS 死亡率

```
confirmed_others = confirmed[confirmed['Country/Region'] != 'Mainland
    China']
confirmed_others = np.sum(confirmed_others.iloc[:,4:])
recovered_others = recovered[recovered['Country/Region'] != 'Mainland
    China']
recovered_others = np.sum(recovered_others.iloc[:,4:])
deaths_others = deaths[deaths['Country/Region'] != 'Mainland China']
```

```
6  deaths_others = np.sum(deaths_others.iloc[:,4:])
7  other_recover_rate = (recovered_others/confirmed_others)*100
8  other_recover_rate1=(other_recover_rate/100).apply(lambda x: format(x, '
   .2%'))
9  other_death_rate = (deaths_others/confirmed_others)
10 other_death_rate1 = (other_death_rate/100).apply(lambda x: format(x, '
   .2%'))
11 other_re_de=pd.DataFrame({'recover_rate':other_recover_rate1,'death_rate
   ':other_death_rate1})
12 other_re_de.to_csv('./data/otherrede.csv')
```

<div style="text-align:center">

表 4　其他地区治愈率 VS 死亡率

</div>

日期	治愈率	死亡率
1/22/20	0.00%	0.00%
1/23/20	0.00%	0.00%
1/24/20	0.00%	0.00%
1/25/20	0.00%	0.00%
1/26/20	5.36%	0.00%
1/27/20	4.69%	0.00%
1/28/20	7.14%	0.00%
1/29/20	6.25%	0.00%
1/30/20	7.27%	0.00%
1/31/20	5.56%	0.00%
2/1/20	5.39%	0.00%
2/2/20	5.00%	0.01%
2/3/20	4.79%	0.01%
2/4/20	4.25%	0.01%
2/5/20	3.96%	0.01%
2/6/20	4.15%	0.01%
2/7/20	4.10%	0.01%
2/8/20	6.12%	0.01%
2/9/20	7.20%	0.01%
2/10/20	6.35%	0.00%
2/11/20	10.08%	0.00%
2/12/20	13.58%	0.00%
2/13/20	15.24%	0.01%
2/14/20	14.29%	0.01%
2/15/20	14.74%	0.01%
2/16/20	15.00%	0.01%
2/17/20	14.29%	0.01%
2/18/20	15.32%	0.01%

表 4　其他地区治愈率 VS 死亡率 (续)

日期	治愈率	死亡率
2/19/20	15.43%	0.01%
2/20/20	14.58%	0.01%
2/21/20	14.37%	0.01%
2/22/20	11.87%	0.01%
2/23/20	10.94%	0.01%
2/24/20	9.80%	0.01%
2/25/20	9.26%	0.02%
2/26/20	9.93%	0.02%
2/27/20	8.90%	0.02%
2/28/20	7.93%	0.02%
2/29/20	7.44%	0.02%
3/1/20	7.00%	0.01%
3/2/20	7.70%	0.02%
3/3/20	6.50%	0.02%
3/4/20	8.19%	0.02%
3/5/20	8.92%	0.02%
3/6/20	9.32%	0.02%
3/7/20	11.44%	0.02%
3/8/20	11.58%	0.02%

1.6 世界其他地区疫情数量

```
others = confirmed[['Country/Region',last_update]][confirmed['Country/
    Region'] != 'Mainland China']
others['recovered'] = recovered[[last_update]][recovered['Country/Region
    '] != 'Mainland China']
others['death'] = deaths[[last_update]][deaths['Country/Region'] != '
    Mainland China']
others_countries = others.rename(columns = {last_update:'confirmed'})
others_countries = others_countries.set_index('Country/Region')
others_countries = others_countries.groupby('Country/Region').sum()
others_countries.to_csv('./data/otherscountries.csv')
```

表 5　世界其他地区疫情数量

地区	确诊数	治愈数	死亡数
Afghanistan	4	0	0
Algeria	19	0	0
Andorra	1	0	0
Argentina	12	0	1

表 5 世界其他地区疫情数量 (续)

地区	确诊数	治愈数	死亡数
Armenia	1	0	0
Australia	76	21	4
Austria	104	0	0
Azerbaijan	9	0	0
Bahrain	85	4	0
Bangladesh	3	0	0
Belarus	6	0	0
Belgium	200	1	0
Bhutan	1	0	0
Bosnia and Herzegovina	3	0	0
Brazil	20	0	0
Bulgaria	4	0	0
Cambodia	2	1	0
Cameroon	2	0	0
Canada	64	8	0
Chile	8	0	0
Colombia	1	0	0
Costa Rica	5	0	0
Croatia	12	0	0
Czech Republic	31	0	0
Denmark	35	1	0
Dominican Republic	5	0	0
Ecuador	14	0	0
Egypt	49	1	1
Estonia	10	0	0
Faroe Islands	2	0	0
Finland	23	1	0
France	1126	12	19
French Guiana	5	0	0
Georgia	13	0	0
Germany	1040	18	0
Gibraltar	1	0	0
Greece	73	0	0
Hong Kong	114	58	3
Hungary	7	0	0
Iceland	50	0	0

表 5 世界其他地区疫情数量 (续)

地区	确诊数	治愈数	死亡数
India	39	3	0
Indonesia	6	0	0
Iran	6566	2134	194
Iraq	60	0	6
Ireland	19	0	0
Israel	39	2	0
Italy	7375	622	366
Japan	502	76	6
Jordan	1	0	0
Kuwait	64	1	0
Latvia	2	0	0
Lebanon	32	1	0
Liechtenstein	1	0	0
Lithuania	1	0	0
Luxembourg	3	0	0
Macau	10	10	0
Malaysia	99	24	0
Maldives	4	0	0
Malta	3	0	0
Martinique	2	0	0
Mexico	7	1	0
Moldova	1	0	0
Monaco	1	0	0
Morocco	2	0	0
Nepal	1	1	0
Netherlands	265	0	3
New Zealand	5	0	0
Nigeria	1	0	0
North Macedonia	3	0	0
Norway	176	0	0
Oman	16	2	0
Others	696	40	6
Pakistan	6	1	0
Palestine	22	0	0
Paraguay	1	0	0
Peru	6	0	0

地区	确诊数	治愈数	死亡数
Philippines	10	1	1
Poland	11	0	0
Portugal	30	0	0
Qatar	15	0	0
Republic of Ireland	21	0	0
Romania	15	3	0
Russia	17	3	0
Saint Barthelemy	3	0	0
San Marino	36	0	1
Saudi Arabia	11	0	0
Senegal	4	1	0
Serbia	1	0	0
Singapore	150	78	0
Slovakia	3	0	0
Slovenia	16	0	0
South Africa	3	0	0
South Korea	7314	118	50
Spain	673	30	17
Sri Lanka	1	1	0
Sweden	203	0	0
Switzerland	337	3	2
Taiwan	45	13	1
Thailand	50	31	1
Togo	1	0	0
Tunisia	2	0	0
UK	273	18	3
US	538	8	21
Ukraine	1	0	0
United Arab Emirates	45	7	0
Vatican City	1	0	0
Vietnam	30	16	0

2 数据可视化

2.1 全球疫情变化趋势图

```
1  import matplotlib.pyplot as plt
2  import matplotlib.ticker as tk
```

图 1 全球疫情变化趋势

```python
fig,ax = plt.subplots()
plt.rcParams['font.sans-serif']=['SimHei']#用来正常显示中文标签
plt.rcParams['axes.unicode_minus']=False#用来显示正常负号
xt=[d[:-3] for d in all_confirmed.index]#取月日
ax.plot(xt,all_confirmed,c='r',label='确诊(例）',marker ='o',linewidth
    =1,markersize=2)
ax.plot(xt,all_recovered,c = 'b',label = '治愈(例）',marker = 'o',
    linewidth=1,markersize=2)
ax.plot(xt,all_deaths,c = 'lime',label = '死亡(例）',marker = 'o',
    linewidth=1,markersize=2)
ax.xaxis.set_major_locator(tk.MultipleLocator(2))
ax.xaxis.set_minor_locator(tk.MultipleLocator(1))
plt.xticks(rotation=45)
```

```python
plt.yticks()
```

```python
plt.xlabel('时 间')
plt.ylabel('数 目')
plt.legend(loc = "upper left",fontsize = 8)
plt.tight_layout()
plt.show()
```

图1显示，新冠肺炎确诊人数逐渐上升，治愈人数也在上升，死亡人数上升缓慢。

2.2 中国大陆每个省份的疫情数量图

```python
Mainland_china = China_cases.sort_values(by='confirmed',ascending=True)
Mainland_china.plot(kind='barh', color = ['red','blue','lime'],figsize
    =(20,30),
width=1)
plt.ylabel('省/市',fontsize = 35)
plt.xlabel('数量',fontsize = 35)
```

```
6   plt.yticks(fontsize = 30)
```

```
1   plt.xticks(fontsize = 30)
```

```
1   plt.legend(bbox_to_anchor=(0.95,0.95),fontsize = 30)
2   plt.tight_layout()
3   plt.show()
```

从图2可以看到，湖北省三项数据高居第一位，且远远高于其他省份。

2.3 中国大陆治愈率 VS 死亡率趋势图

```
1   fig,ax = plt.subplots()
2   xt=[d[:-3] for d in all_confirmed.index]#取月日
3   ax.plot(xt,recover_rate, color = 'blue', label = '治愈率（%）', marker =
        'o',linewidth=1,markersize=2)
4   ax.plot(xt,death_rate, color = 'lime', label = '死亡率（%）', marker = 'o
        ',linewidth=1,markersize=2)
5   ax.xaxis.set_major_locator(tk.MultipleLocator(2))
6   ax.xaxis.set_minor_locator(tk.MultipleLocator(1))
7   plt.ylabel('数量')
8   plt.xlabel('时间')
9   plt.xticks(rotation=45)
```

```
1   plt.yticks()
```

```
1   plt.legend(loc = "upper left",fontsize = 8)
2   plt.tight_layout()
3   plt.show()
```

图3显示在 1 月 25 日-1 月 31 日期间，中国大陆死亡率略高于治愈率，但其他时间段，治愈率远远高于死亡率

2.4 其他地区治愈率 VS 死亡率趋势图

```
1   fig,ax = plt.subplots()
2   xt=[d[:-3] for d in all_confirmed.index]#取月日
3   ax.plot(xt,other_recover_rate, color = 'blue', label = '治愈率（%）',
        marker = 'o',linewidth=1,markersize=2)
4   ax.plot(xt,other_death_rate, color = 'lime', label = '死亡率（%）',
        marker = 'o',linewidth=1,markersize=2)
5   ax.xaxis.set_major_locator(tk.MultipleLocator(2))
6   ax.xaxis.set_minor_locator(tk.MultipleLocator(1))
7   plt.ylabel('数量')
8   plt.xlabel('时间')
9   plt.xticks(rotation=45)
```

```
1   plt.yticks()
```

```
1   plt.legend(loc = "upper left",fontsize = 8)
2   plt.tight_layout()
3   plt.show()
```

从图4可以看出，其他地区的治愈率从 2 月 24 日开始显著下降，说明新冠肺炎疫情已经蔓延至其他国家，患病人数普遍增加导致治愈率下降。

13

图 2　中国大陆各省市疫情数量

图 3　中国大陆治愈率 VS 死亡率

图 4　其他地区治愈率 VS 死亡率

2.5 世界其他地区疫情数量

```
others_countries.sort_values(by = 'confirmed',ascending = True).plot(
    kind='barh', color = ['red','blue','lime'],figsize=(20,30), width=1)

plt.ylabel('Country/Region',fontsize = 35)
plt.xlabel('数量',fontsize = 35)
plt.yticks(fontsize = 30)
```

```
plt.xticks(fontsize = 30)
```

```
plt.legend(bbox_to_anchor=(0.95,0.95),fontsize = 30)
plt.tight_layout()
plt.show()
```

图5显示，韩国、意大利、伊朗，日本疫情较为严重，成为除中国外疫情较为严重的国家。

3 绘制疫情地图

3.1 用 folium 包绘制

```
# 疫情地图数据
others=confirmed[['Country/Region','Lat','Long',last_update]][confirmed[
    'Country/Region'] != 'Mainland China']
others['recovered'] = recovered[[last_update]][recovered['Country/Region
    '] != 'Mainland China']
others['death'] = deaths[[last_update]][deaths['Country/Region'] != '
    Mainland China']
others_countries = others.rename(columns = {last_update:'confirmed'})
others_countries.loc['94'] = ['Mainland China',30.9756,112.2707,
    confirmed_china[-1],recovered_china[-1],deaths_china[-1]]
```

```
import folium
world_map = folium.Map(location=[10, -20], zoom_start=2.3,tiles='Stamen
    Terrain')

for lat, lon, value, name in zip(others_countries['Lat'], others_
    countries['Long'],
others_countries['confirmed'], others_countries['Country/Region']):
    folium.CircleMarker([lat, lon],
    radius=10,
    popup = ('<strong>Country</strong>: ' + str(name).capitalize() + '<
    br>'
    '<strong>Confirmed Cases</strong>: ' + str(value) + '<br>'),
    color='red',
    fill_color='red',
    fill_opacity=0.7 ).add_to(world_map)
```

```
world_map
```

```
world_map.save("wordmap.html")
import webbrowser
webbrowser.open('wordmap.html')
```

图 5　世界其他地区疫情数量

图 6　亚洲地区疫情扩散图

　　用 folium 绘制每日疫情扩散地图如图6所示。这是一种可交互的地图，可以随意移动缩放，鼠标点击地图上红点，即可出现地区的疫情信息。展示图为静态，运行代码，可在网页中出现动态图

3.2　用 plotly 绘制每日疫情扩散地图

```python
import plotly.express as px

#确诊数
confirmed = confirmed.melt(id_vars = ['Province/State', 'Country/Region'
    , 'Lat', 'Long'],var_name='date',value_name = 'confirmed')


#把date列转换成datetime格式
confirmed['date_dt'] = pd.to_datetime(confirmed.date, format="%m/%d/%y")
confirmed.date = confirmed.date_dt.dt.date
confirmed.rename(columns={'Country/Region': 'country', 'Province/State':
    'province'}, inplace=True)


#治愈数、死亡数
recovered = recovered.melt(id_vars = ['Province/State','Country/Region',
    'Lat', 'Long'],var_name='date',value_name = 'recovered')
recovered['date_dt'] = pd.to_datetime(recovered.date, format="%m/%d/%y")
recovered.date = recovered.date_dt.dt.date
recovered.rename(columns={'Country/Region': 'country', 'Province/State':
    'province'}, inplace=True)

deaths = deaths.melt(id_vars = ['Province/State', 'Country/Region', 'Lat
    ', 'Long'],var_name='date', value_name = 'deaths')
deaths['date_dt'] = pd.to_datetime(deaths.date, format="%m/%d/%y")
deaths.date = deaths.date_dt.dt.date
deaths.rename(columns={'Country/Region': 'country', 'Province/State': '
    province'}, inplace=True)
```

18

图 7　亚洲地区疫情扩散图

```
23
24  #将三种数据合并在一起
25  merge_on = ['province', 'country', 'date']
26  all_date = confirmed.merge(deaths[merge_on + ['deaths']], how='left', on
        =merge_on). \
27  merge(recovered[merge_on + ['recovered']], how='left', on=merge_on)
28
29  Coronavirus_map = all_date.groupby(['date_dt', 'province'])['confirmed',
        'deaths',
30  'recovered', 'Lat', 'Long'].max().reset_index()
31  Coronavirus_map['size'] = Coronavirus_map.confirmed.pow(0.5)    # 创建实心圆
        大小
32  Coronavirus_map['date_dt'] = Coronavirus_map['date_dt'].dt.strftime('%Y
        -%m-%d')
33
34  fig = px.scatter_geo(Coronavirus_map, lat='Lat', lon='Long',scope='asia'
        ,
35  color="size", size='size', hover_name='province',
36  hover_data=['confirmed', 'deaths', 'recovered'],
37  projection="natural earth",animation_frame="date_dt",
38  title='亚洲地区疫情扩散图')
39  fig.update(layout_coloraxis_showscale=False)
1   fig.show()
```

　　用 plotly 绘制每日疫情扩散地图如图7所示，展示图为静态，运行代码，可在网页中出现动态图。