


# Evidencias

## 1.- Crear repositorio



The screenshot shows the 'Create a new repository' form on GitHub. The owner is set to 'SoniaGabrielaOrihuella'. The repository name is 'TechGirlINTTADATA2024', which is available. The visibility is set to 'Public'. The 'Add a README file' checkbox is checked. Other settings like .gitignore template (Java), license (None), and default branch (main) are also visible.

**Create a new repository**  
A repository contains all project files, including the revision history. Already have a project repository elsewhere?  
[Import a repository](#)

Required fields are marked with an asterisk (\*).

Owner \* SoniaGabrielaOrihuella / Repository name \* TechGirlINTTADATA2024  
TechGirlINTTADATA2024 is available.

Great repository names are short and memorable. Need inspiration? How about literate-train ?

Description (optional)

Public Anyone on the internet can see this repository. You choose who can commit.  
 Private You choose who can see and commit to this repository.

Initialize this repository with:  
 Add a README file This is where you can write a long description for your project. [Learn more about READMEs](#).

Add .gitignore  
[.gitignore template: Java](#)

Choose which files not to track from a list of templates. [Learn more about ignoring files](#).


Choose a license  
License: None

A license tells others what they can and can't do with your code. [Learn more about licenses](#).

This will set `main` as the default branch. Change the default name in your [settings](#).

You are creating a public repository in your personal account.

**Create repository**



The screenshot shows the main page of the repository 'TechGirlINTTADATA2024'. It displays the README file content, which includes a link to the repository's URL: <https://github.com/SoniaGabrielaOrihuella/TechGirlINTTADATA2024>. The repository has 0 stars and 1 watching. A terminal window at the bottom shows the command 'git clone https://github.com/SoniaGabrielaOrihuella/TechGirlINTTADATA2024.git' being run on a Windows machine (MINGW64).

SoniaGabrielaOrihuella / TechGirlINTTADATA2024

TechGirlINTTADATA2024 · Public

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

main · 1 Branch · 0 Tags

SoniaGabrielaOrihuella Initial commit

Initial commit



Initial commit

README

TechGirlINTTADATA2024

SONIA GABRIELA@SONIA\_GABRIELA MINGW64 ~/Desktop/EvaluacionGIT\$ git clone https://github.com/SoniaGabrielaOrihuella/TechGirlINTTADATA2024.git Cloning into 'TechGirlINTTADATA2024...' remote: Enumerating objects: 4, done. remote: Counting objects: 100% (4/4), done. remote: Compressing objects: 100% (3/3), done. remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) Receiving objects: 100% (4/4), done.

SONIA GABRIELA@SONIA\_GABRIELA MINGW64 ~/Desktop/EvaluacionGIT\$



TechGirlINTTADATA2024

README.md

TechGirlINTTADATA2024

Untracked files:  
(use "git add <file>..." to include in what will be committed)  
    bucleFor/  
nothing added to commit but untracked files present (use "git add" to track)

Sonia Gabriele@Sonia\_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)  
\$ git add .  
warning: in the working copy of 'bucleFor/src/Main.java', LF will be replaced by CRLF the next time Git touches it  
Sonia Gabriele@Sonia\_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)  
\$

16°C Nublado

1:1 CRLF UTF-8 4 spaces

22:30

**Terminal Local Git Bash**

\$ git status  
On branch main  
Your branch is up to date with 'origin/main'.  
Changes to be committed:  
(use "git restore --staged <file>..." to unstage)  
    new file: bucleFor/.idea/.gitignore  
    new file: bucleFor/.idea/misc.xml  
    new file: bucleFor/.idea/modules.xml  
    new file: bucleFor/bucleFor.iml  
    new file: bucleFor/src/Main.java

16°C Nublado

1:1 CRLF UTF-8 4 spaces

22:31

22/08/2024

The screenshot shows a code editor interface with a dark theme. The left sidebar displays a project structure for 'TechGirlINTTADATA2024' containing a 'bucleFor' folder, a '.gitignore' file, a 'README.md' file, and external libraries. The main workspace has a title 'TechGirlINTTADATA2024'. A terminal window at the bottom shows the following command history:

```
Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ git commit -m "Se agrego una nueva carpeta llamada bucleFor"
[main 43d0423] Se agrego una nueva carpeta llamada bucleFor
 5 files changed, 77 insertions(+)
  create mode 100644 bucleFor/.idea/.gitignore
  create mode 100644 bucleFor/.idea/misc.xml
  create mode 100644 bucleFor/.idea/modules.xml
  create mode 100644 bucleFor/bucleFor.iml
  create mode 100644 bucleFor/src/Main.java
Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$
```

```
Se agrego una nueva carpeta llamada bucleFor

commit 691bf1b6b005bba39344e7b791796504394bf706 (origin/main, origin/HEAD)
Author: Sonia Gabriele Orihuela Carrillo <sonigab11@gmail.com>
Date: Thu Aug 22 22:05:50 2024 -0500

Initial commit
```

The screenshot shows a code editor interface with a dark theme. The left sidebar displays a project structure for 'TechGirlINTTADATA2024' containing a 'bucleFor' folder, a '.gitignore' file, a 'README.md' file, and external libraries. The main workspace has a title 'TechGirlINTTADATA2024'. A terminal window at the bottom shows the following command history:

```
Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ git push origin main
Enumerating objects: 11, done.
Counting objects: 11/11, done.
Delta compression using up to 16 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (10/10), 1.54 KiB | 786.00 KiB/s, done.
Total 10 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/SoniaGabrieleOrihue/TechGirlINTTADATA2024.git
   691bf1b..43d0423  main -> main

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$
```

The screenshot shows a GitHub repository page for 'TechGirlINTTADATA2024'. The repository is public and contains a single commit from 'SoniaGabrielaOrihuela' adding a 'bucleFor' folder. The README file is present. The repository has 2 commits, 0 stars, and 1 watching. It shows Java 100% as the language.

5. - Crear 3 ramas: "**test**" "develop" y "feature/hu-292" a partir de la rama principal(main). En este instante las ramas test , develop y feature/hu-292 deben tener lo mismo que la rama principal(main). Asegurar que las ramas esten en el repositorio remoto **TechGirlINTTADATA2024** en GitHub **[Tomar Evidencia por cada rama]**

The screenshot shows the GitHub Desktop application interface. The user is creating three new branches: 'test', 'develop', and 'feature/hu-292' from the 'main' branch. The terminal window shows the git commands used to create these branches:

```

remotes/origin/HEAD -> origin/main
remotes/origin/main

Sonia Gabriele@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ git branch develop

Sonia Gabriele@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ git branch feature/hu-292

Sonia Gabriele@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ git branch -a
  develop
  feature/hu-292
* main
  test
  remotes/origin/HEAD -> origin/main
  remotes/origin/main

① Sonia Gabriele@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ 

```

The screenshot shows a terminal window with the following content:

```
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirINTTDA2024 (main)
$ git switch develop
Switched to branch 'develop'

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirINTTDA2024 (develop)
$ []
```

Below the terminal, the system tray shows the weather as 16°C Nublado, the date as 22/08/2024, and the time as 22:40.

The screenshot shows a terminal window with the following content:

```
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirINTTDA2024 (main)
$ git switch develop
Switched to branch 'develop'

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirINTTDA2024 (develop)
$ git switch test
Switched to branch 'test'

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirINTTDA2024 (test)
$ []
```

The screenshot shows a terminal window with the following command history:

```
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (main)
$ git switch develop
Switched to branch 'develop'

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (develop)
$ git switch test
Switched to branch 'test'

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (test)
$ git switch feature/hu-292
Switched to branch 'feature/hu-292'

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (feature/hu-292)
$
```

## Comandos push

The screenshot shows a terminal window with the following command history, including a push operation:

```
$ git switch develop
Switched to branch 'develop'

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (develop)
$ git switch test
Switched to branch 'test'

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (test)
$ git switch feature/hu-292
Switched to branch 'feature/hu-292'

Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (feature/hu-292)
$ git push origin feature/hu-292
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/hu-292' on GitHub by visiting:
remote:     https://github.com/SoniaGabriela01huele/TechGirlNTT DATA2024.git
remote:
remote: To https://github.com/SoniaGabriela01huele/TechGirlNTT DATA2024.git
remote: + [new branch]      feature/hu-292 -> feature/hu-292
remote:
remote: Sonia Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTT DATA2024 (feature/hu-292)
$
```

SoniaGabrielaOrihuela/TechGirl

github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024

SoniaGabrielaOrihuela / TechGirlINTTADATA2024

Type to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

TechGirlINTTADATA2024 Public

Switch branches/tags Find or create a branch..

Branches Tags

- main (default)
- feature/hu-292

View all branches

carpeta llamada bucleFor 43d0423 - 11 minutes ago 2 Commits

Se agrego una nueva carpeta llamada bucleFor 11 minutes ago

Initial commit 38 minutes ago

Initial commit 38 minutes ago

About No description, website, or topics provided.

Readme Activity 0 stars 1 watching 0 forks

Releases No releases published Create a new release

Packages No packages published Publish your first package

Languages Java 100.0%

Suggested workflows Based on your tech stack

Configure SLSA Generic generator

16°C Nublado

Current File

TechGirlINTTADATA2024 feature/hu-292

Project TechGirlINTTADATA2024 C:\Users\Sonia Gabriele\Desktop\EvaluacionGIT\TechGirlINTTADATA2024

File README.md

TechGirlINTTADATA2024

Terminal Local Git Bash

```
Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (feature/hu-292)
$ git push origin feature/hu-292
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/hu-292' on GitHub by visiting:
remote:   https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024/pull/new/feature/hu-292
remote:
To https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024.git
 * [new branch]      feature/hu-292 -> feature/hu-292

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (feature/hu-292)
$ git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024/pull/new/develop
remote:
To https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024.git
 * [new branch]      develop -> develop

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (feature/hu-292)
$ [ ]
```

16°C Nublado

1:1 CRLF UTF-8 4 spaces

22:45 22/08/2024

The image shows a Windows desktop environment with two main windows open:

- GitHub Repository Window:** A browser window displaying the GitHub repository page for "TechGirlINTTADATA2024". The repository has 2 commits, 0 stars, and 1 watching. It includes sections for About, Releases, Packages, Languages (Java 100.0%), and Suggested workflows.
- VS Code Editor Window:** An integrated development environment showing the file structure of the repository. The current file is "README.md", which contains the text "TechGirlINTTADATA2024". Below the editor is a terminal window showing a git session:


```
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024/pull/new/develop
remote:
To https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024.git
 * [new branch]      develop --> develop

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (feature/hu-292)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.


Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$ git push origin test
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'test' on GitHub by visiting:
remote:   https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024/pull/new/test
remote:
To https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024.git
 * [new branch]      test -> test

Sonia Gabriele@Sonia_Gabriele MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (main)
$
```

The taskbar at the bottom shows various pinned icons, including Microsoft Office applications and system status indicators like battery level and network connection.



6. - Agregar la carpeta "AppArrays" a la rama "test", con el commit "Se agrego la carpeta Java AppArrays"



7. - Agregar la carpeta "ArrayMulti" a la rama "test", con el commit "Se agrego la carpeta Java ArrayMulti" y subir los cambios al repositorio remoto.

```
nothing added to commit but untracked files present (use "git add" to track)

Sonia.Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTTDATA2024 (test)
$ git add .
warning: in the working copy of 'ArrayMulti/src/Main.java', LF will be replaced by CRLF the next time Git touches it

Sonia.Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTTDATA2024 (test)
$ git commit -m "Se agrega la carpeta Java ArrayMulti"
[test 7427de] Se agrega la carpeta Java ArrayMulti
 5 files changed, 46 insertions(+)
  create mode 100644 ArrayMulti/.idea/.gitignore
  create mode 100644 ArrayMulti/.idea/misc.xml
  create mode 100644 ArrayMulti/.idea/modules.xml
  create mode 100644 ArrayMulti/ArrayMulti.iml
  create mode 100644 ArrayMulti/src/Main.java

Sonia.Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTTDATA2024 (test)
$ [ ]
```

```
create mode 100644 ArrayMulti/.idea/.gitignore
create mode 100644 ArrayMulti/.idea/misc.xml
create mode 100644 ArrayMulti/.idea/modules.xml
create mode 100644 ArrayMulti/ArrayMulti.iml
create mode 100644 ArrayMulti/src/Main.java

Sonia.Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTTDATA2024 (test)
$ git push origin test
Enumerating objects: 23, done.
Counting objects: 100% (23/23), done.
Delta compression using up to 16 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (22/22), 2.79 KiB | 570.00 KiB/s, done.
Total 22 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/SoniaGabrielaDihuela/TechGirlNTTDATA2024.git
  43d0423...7427de test -> test

Sonia.Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlNTTDATA2024 (test)
$ [ ]
```

The screenshot shows a GitHub repository page for 'TechGirlINTTADATA2024'. The repository has 4 branches and 0 tags. A recent commit from 'SoniaGabrielaOrihuela' added a 'Java ArrayMulti' folder. The README file contains the text 'TechGirlINTTADATA2024'.

## 8. - Agregar la carpeta "POO\_Game" a la rama feature/hu-292 y subir los cambios al repositorio remoto.

```
$ git add .
warning: in the working copy of '.idea/workspace.xml', LF will be replaced by CRLF the next time Git touches it
$ git commit -m "Aregar carpeta POO_Game"
[feature/hu-292 880acf4] Agregar carpeta POO_Game
13 files changed, 400 insertions(+)
create mode 100444 .idea/misc.xml
create mode 100444 .idea/vcs.xml
create mode 100444 .idea/workspace.xml
create mode 100444 AppArrays/.idea/workspace.xml
create mode 100444 ArrayMulti/.idea/workspace.xml
create mode 100444 POO_Game/.idea/.gitignore
create mode 100444 POO_Game/.idea/misc.xml
create mode 100444 POO_Game/.idea/modules.xml
create mode 100444 POO_Game/POO_Game.iml
create mode 100444 POO_Game/src/Auto.java
create mode 100444 POO_Game/src/Main.java
create mode 100444 POO_Game/src/Nissan.java
create mode 100444 POO_Game/src/Toyota.java
$ [ ]
$ [ ]
```

```

Terminal Local Git Bash ×
create mode 106644 .idea/workspace.xml
create mode 106644 AppArrays/.idea/workspace.xml
create mode 106644 ArrayMulti/.idea/workspace.xml
create mode 106644 POO_Game/.idea/.gitignore
create mode 106644 POO_Game/.idea/misc.xml
create mode 106644 POO_Game/.idea/modules.xml
create mode 106644 POO_Game/POO_Game.java
create mode 106644 POO_Game/src/Auto.java
create mode 106644 POO_Game/src/Main.java
create mode 106644 POO_Game/src/Nissan.java
create mode 106644 POO_Game/src/Toyota.java

Sonia_Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (feature/hu-292)
$ git push origin feature/hu-292
Enumerating objects: 24, done.
Counting objects: 100% (24/24), done.
Delta compression using up to 16 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (23/23), 4.77 KB | 976.00 KiB/s, done.
Total 23 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), done.
To https://github.com/SoniaGabrielaOrihuela/TechGirlINTTADATA2024.git
   43d0423..880acf4  feature/hu-292 -> feature/hu-292

Sonia_Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/EvaluacionGIT/TechGirlINTTADATA2024 (feature/hu-292)
$ [REDACTED]

```

Users > Sonia\_Gabriela > Desktop > EvaluacionGIT > TechGirlINTTADATA2024 > .gitignore

16°C Mayorm. nublado 1:1 CRLF UTF-8 4 spaces 23:05 ESP LAA 22/08/2024

SoniaGabrielaOrihuela/TechGirlINTTADATA2024

About No description, website, or topics provided.

Releases No releases published Create a new release

Packages No packages published Publish your first package

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

**TechGirlINTTADATA2024** Public

test had recent pushes 30 minutes ago

Compare & pull request

feature/hu-292 4 Branches 0 Tags Go to file Add file Code This branch is 2 commits behind main. Contribute

SoniaGabrielaOrihuela Delete bucleFor directory 156077 - 4 minutes ago 6 Commits

.idea Agregar carpeta POO\_Game 20 minutes ago

POO\_Game Agregar carpeta POO\_Game 20 minutes ago

.gitignore Initial commit 1 hour ago

README.md Initial commit 1 hour ago

README

TechGirlINTTADATA2024

16°C Mayorm. nublado 1:1 CRLF UTF-8 4 spaces 23:24 ESP LAA 22/08/2024

9.- Desde la interfaz web de GitHub, seleccionar la rama feature/hu-292, y agregar un nuevo archivo con el nombre "Archivo1.txt", agregando el comentario del commit "Agrego archivo desde la interfaz web a la rama feature/hu-292". **[Tomar Evidencia]**

New File at / - SoniaGabrielaOrihu... +

github.com/SoniaGabrielaOrihuella/TechGirlINTTADATA2024/new/feature/hu-292

SoniaGabrielaOrihuella / TechGirlINTTADATA2024

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

TechGirlINTTADATA2024 / Archivo1.txt in feature/hu-292

Cancel changes Commit changes...

Edit Preview

1 Agrego archivo desde la interfaz web a la rama feature/hu-292

Spaces 2 No wrap

Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.

Plaza Francisco... Carretera cerrada 23:25 22/08/2024

New File at / - SoniaGabrielaOrihu... +

github.com/SoniaGabrielaOrihuella/TechGirlINTTADATA2024/new/feature/hu-292

SoniaGabrielaOrihuella / TechGirlINTTADATA2024

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

TechGirlINTTADATA2024 / Archivo1.txt in feature/hu-292

Commit changes

Commit message

Agrego archivo desde la interfaz web a la rama feature/hu-292

Extended description

Add an optional extended description...

Commit directly to the feature/hu-292 branch  Create a new branch for this commit and start a pull request [Learn more about pull requests](#)

Cancel Commit changes

Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.

Calle Leoncio Pr... Carretera cerrada 23:26 22/08/2024


The screenshot shows a GitHub repository page for 'TechGirlINTTADATA2024'. The 'test' branch has a recent push 32 minutes ago. The README file contains the text 'TechGirlINTTADATA2024'.

10. - Desde la interfaz web de GitHub, seleccionar la rama test , y agregar un nuevo archivo llamado "Archivo2.txt" agregando el comentario del commit "Agrego archivo desde interfaz web a la rama test".

The screenshot shows a GitHub commit dialog for 'Archivo2.txt' in the 'test' branch. The commit message is 'Agrego archivo desde interfaz web a la rama test'. The 'Commit changes' button is highlighted.

11. - Abrir el proyecto en IntelliJ IDEA, ubicarse en la rama feature/hu-292 y actualizar los cambios del repositorio remoto al repositorio local, puede hacerlo

por comando desde la consola o usando la interfaz grafica del IntelliJ. [Tomar Evidencia]




The screenshot shows the IntelliJ IDEA interface with a terminal window open. The terminal shows a git pull command being run against a GitHub repository named 'TechGirlINTTADATA2024'. The output indicates that the pull request has been merged successfully.

```
Sonia.Gabriela@Sonia_Gabriela MINGW64 ~/Desktop/TechGirlINTTADATA2024 (feature/hu-292)
$ git pull
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 2.03 KiB | 159.00 KiB/s, done.
From https://github.com/SoniaGabrielaOrhuela/TechGirlINTTADATA2024
 1f9a077..98d7ef0 feature/hu-292 -> origin/feature/hu-292
 7427dea..60b14fd test
* branch            feature/hu-292      -> origin/test
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

  git branch --set-upstream-to=<origin/><branch> feature/hu-292
```



The screenshot shows the IntelliJ IDEA interface with a project tree on the left. A file named 'Archivo1.txt' is selected in the tree. The main editor area displays the content of this file.

12. En el proyecto AppArrays, en la ruta **src/Main.java**, en la linea #24 agregar la siguiente linea de codigo: "System.out.println(config[XTEST][CAMB]);" , ejecutar el proyecto para asegurar que sigue funcionando correctamente. subir cambios a repositorio remoto [Tomar Evidencia]

```


1 > /...
2
3 public class Main {
4     public Main() {
5     }
6
7     public static void main(String[] args) {
8         String[] var10000 = new String[]{"123.123.42.12", "jkbe", "21231"};
9         var10000 = new String[]{"www.google.com", "jkbenites", "alalals"};
10        var10000 = new String[]{"123.123.42.10", "userdesa02", "1234"};
11        int XPROD = 2;
12        int XTEST = true;
13        int XDESA = false;
14        int CSERV = false;
15        int CUSER = true;
16        int CPASS = 2;
17        int CAMB = true;
18        String[][] config = new String[][]{{"123.123.42.10", "userdesa02", "1234", "DESA", "otro campo"}, {"123.123.42.12", "jkbe", "21231", "TE", "System.out.println(config[XPROD][CPASS])"};
19    }
20}
21
22
23
24
25

```

Sonia\_Gabriela@Sonia\_Gabriela MINGW64 ~/Desktop/TechGirlINTTADATA2024 (feature/hu-292)

### No me deja modificar el código

13. En el proyecto **POO\_Game**, en la ruta **src/**, crear una clase java con el nombre "**Hyundai**", dentro de la clase agregar un comentario libre por ejemplo: **// Clase creada por Jose Perez (puede puede reemplazar su nombre)**", subir cambios a repositorio remoto **[Tomar Evidencia]**



### No me permite crear un java class

14. - Unificar las ramas "**test**" y "**feature/hu-292**" en la rama llamada "**develop**" y subir cambios al repositorio remoto. **[Tomar Evidencia]**

15. - Mergear/Unificar nuevamente todos los cambios de la rama "**develop**" a la rama principal(**main**) y subir cambios al repositorio remoto.

16. - Ubicarse en la rama principal "**main**" y a nivel de comando consultar Historial de Cambios(debe mostrarse lista de commits realizados) debe usar el comando + el atributo **--graph**

<https://github.com/SoniaGabrielaOrihuella/TechGirlNTTDATA2024.git>

<https://github.com/SoniaGabrielaOrihuella/TechGirlNTTDATA2024>