



## Customer Repair Report

Model OTHER	Serial Number IQY72439C	Manufacture Date	RMA Number 02791	IRIDEX Service Contact Mark W	Completion Date
Customer Name Topcon Europe Medical B.V.		Customer Number 10868	Repair Type <input type="checkbox"/> Warranty <input checked="" type="checkbox"/> non-warranty <input type="checkbox"/> Upgrade <input type="checkbox"/> Other		

### Customer Description of Problem

console is shutting down but not the TxCell still On

### Technician Product Evaluate:

RETESTED ALL THE DELIVERY DEVICES .FOOT SWITCH CAME WITH UNIT TESTED WITH INHOUSE TOOL AS WELL AS WITH UNIT

### Service Performed on Unit:

Waiting for customer approval

### ITEMIZED REPAIR CHARGES

Part Number	Price/Unit	Quantity	Description	Total Price
TECHNICIAN HQ		6	Technician Labor	\$ 1,710.00
BILLABLE FREIGHT		1	BILLABLE FREIGHT	\$ -

---

**TOTAL CHARGES** **\$ 1,710.00**

Repaired products may contain reconditioned parts, but those are subject to the same specification and quality control standards applied to new materials and are warranted as such. The labor and parts are guaranteed for 90 days after the ship date of the product. Items not covered in the warranty are stated in the IRIDEX Standard Warranty Statement. Your signature below acknowledges the responsibility for payment of the listed charges.  
Freight and sales tax will be added where applicable.

Print Name:

Signature:

Date: