



## Customer Repair Report

Model OTHER	Serial Number K1176	Manufacture Date	RMA Number 03014	IRIDEX Service Contact Mark W	Completion Date
Customer Name Seattle Children's Hospital		Customer Number 15426	Repair Type <input type="checkbox"/> Warranty <input checked="" type="checkbox"/> non-warranty <input type="checkbox"/> Upgrade <input type="checkbox"/> Other		

### Customer Description of Problem

IMAGE IS NOT CENTRING, FRONT MIRROR MOVED

### Technician Product Evaluate:

Cannot test due to Twisted and burnt assembly fiber optic, burnt halogen bulb, missing eyepiece rubber, viewing assembly dislocated from T-slot adapter, stripped beam limit screw, loose adjust knob, short extension cable and will alignment.

### Service Performed on Unit:

Waiting for customer approval

### ITEMIZED REPAIR CHARGES

Part Number	Price/Unit	Quantity	Description	Total Price
88080		1	Jumper Assy Multilam LIO+	\$ 984.00
10784		1	LIO Halogen Bulb-10W/6V Heine: X-004.88.068	\$ 135.00
11481		1	DUST CAP W/LANYARD DART: IRIS DWG:	\$ 3.00
30628		2	EYEPIECE RUBBER P/N: 11.65 29	\$ 50.00
TECHNICIAN HQ		5	Technician Labor	\$ 1,425.00
87603		1	LIO EXTENSION CABLE(CS)	\$ 812.00
BILLABLE FREIGHT		1	BILLABLE FREIGHT	\$ 114.55

**TOTAL CHARGES** **\$ 3,523.55**

Repaired products may contain reconditioned parts, but those are subject to the same specification and quality control standards applied to new materials and are warranted as such. The labor and parts are guaranteed for 90 days after the ship date of the product. Items not covered in the warranty are stated in the IRIDEX Standard Warranty Statement. Your signature below acknowledges the responsibility for payment of the listed charges. Freight and sales tax will be added where applicable.

Print Name:

Signature:

Date: