



Customer Repair Report

Model OTHER	Serial Number TX18149C	Manufacture Date	RMA Number 02294	IRIDEX Service Contact Mark W	Completion Date
Customer Name Fortec Medical Inc.		Customer Number 13775	Repair Type <input type="checkbox"/> Warranty <input checked="" type="checkbox"/> non-warranty <input type="checkbox"/> Upgrade <input type="checkbox"/> Other		

Customer Description of Problem

Error 38

Technician Product Evaluate:

Error 2 and Error 38 .Power keep reset when firing power and clicking noise . CTRL board #31586-1 is bad . Laser head require Eval. Need assy vanadate 30264.

Service Performed on Unit:

Waiting for customer approval

ITEMIZED REPAIR CHARGES

Part Number	Price/Unit	Quantity	Description	Total Price
31586-1		1	PCBA LASER CONTROL JENOPTIK	\$ 2,631.48
30264		1	ASSY VANADATE GL2	\$ 1,439.00
02		10	Repair & Labor	\$ 2,850.00
BILLABLE FREIGHT		1	BILLABLE FREIGHT	\$ 201.14

TOTAL CHARGES **\$ 7,121.62**

Repaired products may contain reconditioned parts, but those are subject to the same specification and quality control standards applied to new materials and are warranted as such. The labor and parts are guaranteed for 90 days after the ship date of the product. Items not covered in the warranty are stated in the IRIDEX Standard Warranty Statement. Your signature below acknowledges the responsibility for payment of the listed charges.
Freight and sales tax will be added where applicable.

Print Name:

Signature:

Date: