
panel22: baseline atlas | P57-P59 exploratory cohort | genes 1/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | P57-P59 exploratory cohort | genes 2/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | P57-P59 exploratory cohort | genes 3/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_up34: baseline atlas | P57-P59 exploratory cohort | genes 1/5


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_up34: baseline atlas | P57-P59 exploratory cohort | genes 2/5


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_up34: baseline atlas | P57-P59 exploratory cohort | genes 3/5


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_up34: baseline atlas | P57-P59 exploratory cohort | genes 4/5


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_up34: baseline atlas | P57-P59 exploratory cohort | genes 5/5


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_down18: baseline atlas | P57-P59 exploratory cohort | genes 1/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_down18: baseline atlas | P57-P59 exploratory cohort | genes 2/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

common_down18: baseline atlas | P57-P59 exploratory cohort | genes 3/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2; ages not exactly matched.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P57 stratum | genes 1/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P57.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P57 stratum | genes 2/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P57.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P57 stratum | genes 3/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P57.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P58 stratum | genes 1/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P58.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P58 stratum | genes 2/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P58.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P58 stratum | genes 3/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P58.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P59 stratum | genes 1/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P59.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P59 stratum | genes 2/3


Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P59.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.

panel22: baseline atlas | exact-age P59 stratum | genes 3/3

Adjacent MOp/VISp rows within each subclass; color = mean expression; dot area = detection fraction. Numbers: mean / detected %.



Male Snap25;Ai14, 10x v2, RFP-positive; age P59.
n = cells, not animals. [small n] = fewer than 10 cells, retained for completeness. N/A is unobserved, not zero expression.
Region/preparation date confounded; descriptive baseline expression, no regional P/FDR or PBM effect.
up34/down18 are candidate directions in the original PBM studies; values and detection rates are copied from existing CSVs.