

```
mysql> USE college;
Database changed
mysql> select now();
```

```
-----
select now()
-----
```

```
+-----+
| now() |
+-----+
| 2024-09-04 14:23:42 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SHOW VARIABLES LIKE "VERSION";
```

```
-----
SHOW VARIABLES LIKE "VERSION"
-----
```

```
+-----+-----+
| Variable_name | Value |
+-----+-----+
| version       | 8.4.2 |
+-----+-----+
1 row in set (0.01 sec)
```

```
mysql> SHOW DATABASES;
```

```
-----
SHOW DATABASES
-----
```

```
+-----+
| Database |
+-----+
| college  |
| information_schema |
| myfirstdb |
| mysql    |
| performance_schema |
| studentdb |
| sys      |
+-----+
```

```
+-----+
7 rows in set (0.00 sec)
```

```
mysql> SELECT current_date;
```

```
-----
SELECT current_date
-----
```

```
+-----+
| current_date |
+-----+
| 2024-09-04   |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT current_time;
```

```
-----
SELECT current_time
-----
```

```
+-----+
| current_time |
+-----+
| 14:25:32     |
+-----+
1 row in set (0.01 sec)
```

```
mysql> SELECT current_timestamp;
```

```
-----
SELECT current_timestamp
-----
```

```
+-----+
| current_timestamp |
+-----+
| 2024-09-04 14:25:47 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT current_user;
```

```
-----
```

```
SELECT current_user
```

```
-----
```

```
+-----+
```

```
| current_user |
```

```
+-----+
```

```
| root@localhost |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```

```
mysql> SELECT pi();
```

```
-----
```

```
SELECT pi()
```

```
-----
```

```
+-----+
```

```
| pi() |
```

```
+-----+
```

```
| 3.141593 |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```

```
mysql> SELECT user();
```

```
-----
```

```
SELECT user()
```

```
-----
```

```
+-----+
```

```
| user() |
```

```
+-----+
```

```
| root@localhost |
```

```
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM student\G
```

```
-----
```

```
SELECT * FROM student
```

```
-----
```

```
***** 1. row *****
```

```
studentID: 120050789
```

```

        lastName: Floeser
        firstName: Michael
        homeAddress: 2 Main, Honeoy, Falls NY
collegeAddress: Brigs Hall Apt 503
        advisorID: 012345678
        departmentID: 4002
        graduated: 0
***** 2. row *****
        studentID: 121212121
        lastName: Habermas
        firstName: Jim
        homeAddress: 32 Main, Plymouth, MI
collegeAddress: Haffey Hall Apt 503
        advisorID: 234567890
        departmentID: 4003
        graduated: 1
***** 3. row *****
        studentID: 123123123
        lastName: Burns
        firstName: Jeff
        homeAddress: 8015 Arlington, Plymouth, MI
collegeAddress: Haffey Hall Apt 503
        advisorID: 345678901
        departmentID: 500
        graduated: 1
***** 4. row *****
        studentID: 133333330
        lastName: Miller
        firstName: Guy
        homeAddress: 32 Oak St., Plymouth, MI
collegeAddress: Haffey Hall Apt 503
        advisorID: 345678901
        departmentID: 500
        graduated: 1
***** 5. row *****
        studentID: 233333333
        lastName: French
        firstName: Bryan
        homeAddress: 3243 Main, Avon, NY
collegeAddress: Haffey Hall Apt 503
        advisorID: 345678901

```

```

departmentID: 500
graduated: 1
***** 6. row *****
studentID: 987220220
lastName: Habermas
firstName: Kim
homeAddress: 2222 South Main, Plymouth, MI
collegeAddress: Haffey Hall Apt 999
advisorID: 012345678
departmentID: 4002
graduated: 0
***** 7. row *****
studentID: 987654321
lastName: Wilcox
firstName: Dawn
homeAddress: 888 East Brook Ave.
collegeAddress: UNKNOWN
advisorID: 012345678
departmentID: 2000
graduated: 0
***** 8. row *****
studentID: 987659009
lastName: Smith
firstName: Dawn
homeAddress: 202 South St., Rochester, NY
collegeAddress: Haffey Hall Apt 301
advisorID: 012345678
departmentID: 2000
graduated: 0
8 rows in set (0.00 sec)

```

```
mysql> SELECT * FROM student;
```

```
-----
```

```
SELECT * FROM student
```

```
-----
```

```

+-----+-----+-----+-----+-----+-----+
+-----+-----+
| studentID | lastName | firstName | homeAddress | collegeAddress | advisorID |
| departmentID | graduated |
+-----+-----+-----+-----+-----+-----+

```

```

+-----+-----+
| 120050789 | Floeser | Michael | 2 Main, Honeoy,Falls NY | Brigs Hall Apt 503 | 012345678
| 4002 | 0 |
| 121212121 | Habermas | Jim | 32 Main, Plymouth, MI | Haffey Hall Apt 503 | 234567890
| 4003 | 1 |
| 123123123 | Burns | Jeff | 8015 Arlington, Plymouth, MI | Haffey Hall Apt 503 | 345678901
| 500 | 1 |
| 133333330 | Miller | Guy | 32 Oak St., Plymouth, MI | Haffey Hall Apt 503 | 345678901
| 500 | 1 |
| 233333333 | French | Bryan | 3243 Main, Avon, NY | Haffey Hall Apt 503 | 345678901
| 500 | 1 |
| 987220220 | Habermas | Kim | 2222 South Main, Plymout, MI | Haffey Hall Apt 999 | 012345678
| 4002 | 0 |
| 987654321 | Wilcox | Dawn | 888 East Brook Ave. | UNknown | 012345678
| 2000 | 0 |
| 987659009 | Smith | Dawn | 202 South St., Rochester, NY | Haffey Hall Apt 301 | 012345678
| 2000 | 0 |
+-----+-----+
+-----+-----+
8 rows in set (0.00 sec)

```

```
mysql> INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID,
graduated)
```

```
-> VALUES ("567856678","Hock","Henry","Gleason Hall, RIT","012345678","4002",0);
```

```
-----
INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID,
graduated)
```

```
VALUES ("567856678","Hock","Henry","Gleason Hall, RIT","012345678","4002",0)
```

```
-----
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID,
graduated)
```

```
-> VALUES ("567856789","Hilbert","Billy","Gleason Hall, RIT","012345678","4002",0);
```

```
-----
INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID,
graduated)
```

```
VALUES ("567856789","Hilbert","Billy","Gleason Hall, RIT","012345678","4002",0)
```

```
-----
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID, graduated)
```

```
-> VALUES ("947856776","Happy","Ian","Brigs Hall, RIT","012345678","4002",0);
```

```
-----  
INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID, graduated)
```

```
VALUES ("947856776","Happy","Ian","Brigs Hall, RIT","012345678","4002",0)
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID, graduated)
```

```
-> VALUES ("947444709","Helmouth","Bob","Brigs Hall, RIT","012345678","4002",0);
```

```
-----  
INSERT INTO student (studentID, lastName, firstName, collegeAddress,advisorID, departmentID, graduated)
```

```
VALUES ("947444709","Helmouth","Bob","Brigs Hall, RIT","012345678","4002",0)
```

Query OK, 1 row affected (0.00 sec)

```
mysql> SELECT studentID, lastName, firstName, collegeAddress, advisorID, departmentID
```

```
-> FROM student
```

```
-> ORDER BY lastname, firstname;
```

```
-----  
SELECT studentID, lastName, firstName, collegeAddress, advisorID, departmentID
```

```
FROM student
```

```
ORDER BY lastname, firstname
```

```
-----  
+-----+-----+-----+-----+-----+-----+  
| studentID | lastName | firstName | collegeAddress | advisorID | departmentID |  
+-----+-----+-----+-----+-----+-----+  
| 123123123 | Burns   | Jeff      | Haffey Hall Apt 503 | 345678901 | 500          |  
| 120050789 | Floeser | Michael   | Brigs Hall Apt 503  | 012345678 | 4002         |  
| 233333333 | French  | Bryan     | Haffey Hall Apt 503 | 345678901 | 500          |  
| 121212121 | Habermas | Jim       | Haffey Hall Apt 503 | 234567890 | 4003         |  
| 987220220 | Habermas | Kim       | Haffey Hall Apt 999 | 012345678 | 4002         |  
+-----+-----+-----+-----+-----+-----+
```

947856776	Happy	Ian	Brigs Hall, RIT	012345678	4002
947444709	Helmouth	Bob	Brigs Hall, RIT	012345678	4002
567856789	Hilbert	Billy	Gleason Hall, RIT	012345678	4002
567856678	Hock	Henry	Gleason Hall, RIT	012345678	4002
133333330	Miller	Guy	Haffey Hall Apt 503	345678901	500
987659009	Smith	Dawn	Haffey Hall Apt 301	012345678	2000
987654321	Wilcox	Dawn	UNknown	012345678	2000

12 rows in set (0.00 sec)

```
mysql> SELECT lastName, firstName, collegeAddress, homeAddress FROM student;
```

```
-----
SELECT lastName, firstName, collegeAddress, homeAddress FROM student
-----
```

lastName	firstName	collegeAddress	homeAddress
Floeser	Michael	Brigs Hall Apt 503	2 Main, Honeoy, Falls NY
Habermas	Jim	Haffey Hall Apt 503	32 Main, Plymouth, MI
Burns	Jeff	Haffey Hall Apt 503	8015 Arlington, Plymouth, MI
Miller	Guy	Haffey Hall Apt 503	32 Oak St., Plymouth, MI
French	Bryan	Haffey Hall Apt 503	3243 Main, Avon, NY
Hock	Henry	Gleason Hall, RIT	NULL
Hilbert	Billy	Gleason Hall, RIT	NULL
Helmouth	Bob	Brigs Hall, RIT	NULL
Happy	Ian	Brigs Hall, RIT	NULL
Habermas	Kim	Haffey Hall Apt 999	2222 South Main, Plymout, MI
Wilcox	Dawn	UNknown	888 East Brook Ave.
Smith	Dawn	Haffey Hall Apt 301	202 South St., Rochester, NY

12 rows in set (0.00 sec)

```
mysql> SELECT concat(lastName, ", ", firstName) AS "Student_Name"
```

```
-> FROM student
```

```
-> ORDER BY Student_Name;
```

```
-----
SELECT concat(lastName, ", ", firstName) AS "Student_Name"
```

```
FROM student
```

```
ORDER BY Student_Name
```

```
-----
```



```

+-----+
| Student_Name |
+-----+
| Burns, Jeff |
| Floeser, Michael |
| French, Bryan |
| Habermas, Jim |
| Habermas, Kim |
| Happy, Ian |
| Helmouth, Bob |
| Hilbert, Billy |
| Hock, Henry |
| Miller, Guy |
| Smith, Dawn |
| Wilcox, Dawn |
+-----+
12 rows in set (0.00 sec)

```

```
mysql> SHOW TABLES;
```

```

-----
SHOW TABLES
-----

```

```

+-----+
| Tables_in_college |
+-----+
| advisor |
| departments |
| otherdeptfac |
| student |
| ta |
+-----+
5 rows in set (0.00 sec)

```

```
mysql> notee
```