

Workb  
e and I  
nd run  
entatio

## MySQL Workbench



### Cannot Connect to Data

Your connection attempt failed.  
MySQL server at mysql.prosares.net  
Unable to connect to mysql.p

Please try again.

- 1 Check that MySQL is running
- 2 Check that MySQL is reachable at default, but this can be changed
- 3 Check the user `mahindra_user` on `mysql.prosares.net` from your client. Other clients can connect to the server.
- 4 Make sure you are both providing the correct password for the user and from the host address you're connecting from.

# Welcome to MySQL Workbench

MySQL Workbench



## Cannot Connect to Database Server

Your connection attempt failed for user 'mahindra\_user1' to the MySQL server at mysql.prosares.net:3306:  
Unable to connect to mysql.prosares.net:3306

Please:

- 1 Check that MySQL is running on address mysql.prosares.net
- 2 Check that MySQL is reachable on port 3306 (note: 3306 is the default, but this can be changed)
- 3 Check the user mahindra\_user1 has rights to connect to mysql.prosares.net from your address (MySQL rights define what clients can connect to the server and from which machines)
- 4 Make sure you are both providing a password if needed and using the correct password for mysql.prosares.net connecting from the host address you're connecting from

[Close](#)

MySQL Workbench  
create and I  
design and run

[Browse Documentation](#)

SQL. It allows you to design,  
and insert data as well as  
schemas and data from other

[Discuss on the Forum](#)


Ans + ⚙



← → C



localhost:7003/WelDataHub/Auth/Login?Retu





## This localhost page can't be found

No webpage was found for the web address:

[https://localhost:7003/WeiDataHub/Auth/Login?  
ReturnUrl=%2FWeiDataHub%2FSafetyInternalHSE%2FIndex%3F1%3Djh141rlrDADGjqddgkinEA%3D%3D](https://localhost:7003/WeiDataHub/Auth/Login?ReturnUrl=%2FWeiDataHub%2FSafetyInternalHSE%2FIndex%3F1%3Djh141rlrDADGjqddgkinEA%3D%3D)

HTTP ERROR 404

Reload

# Welcome to MySQL Workbench

MySQL Workbench

## X Cannot Connect to Database Server

Your connection attempt failed for user 'mahindra\_user1' to the MySQL server at mysql.prosares.net:3306:  
Unable to connect to mysql.prosares.net:3306

Please:


- 1 Check that MySQL is running on address mysql.prosares.net
- 2 Check that MySQL is reachable on port 3306 (note: 3306 is the default, but this can be changed)
- 3 Check the user mahindra\_user1 has rights to connect to mysql.prosares.net from your address (MySQL rights define what clients can connect to the server and from which machines)
- 4 Make sure you are both providing a password if needed and using the correct password for mysql.prosares.net connecting from the host address you're connecting from

[Close](#)

MySQL. It allows you to design, and insert data as well as schemas and data from other

[Discuss on the Forums >](#)

Connections  



 Filter

Transport ▾ Water ▾

Airoli ▾

### Scope 1 Fuel

Product Name Diesel Vehicle

Year List

2024

Year IF	Month	Consumption	Emission in tCO2e	Energy(GJ)	Expense in INR
2024	August	33575	98.2518990750	1213.2142856635	2986736.000
2024	July	23000	67.3058430000	831.0924369400	2055959.000
2024	September	14421	42.2007635610	521.0949579614	1280842.000

Showing 1 to 3 of 3 entries

Previous 1 Next

+ Add

Export To Excel

Back

Request Status IF	GRN No. IF	Invoice No. IF	Supplier Name IF	Date Of Entry IF	Office Location IF
Approved	0	29 ANI/W/23-24/ 070	M/s HP Petrol pump and Indian Oil	10-Sep-2024	Ambedkar Nagar

©2023 Welspun Enterprises Limited . All Rights Reserved.

Dharmendra Mauya



ENG  
IN 14:48  
26-11-2024

AS

Arbaz Shaikh (Unverified)

DM

Dharmendra Mauya

PS

SQLQuery5.sql - sql.prosares.net,1725.Welspun\_Onsite\_WellHub\_Protiks\_DB (welspun\_user (135)) - Microsoft SQL Server Management Studio

Quick Launch (Ctrl+Q)   

Edit View Query Project Tools Window Help

New Query                            <img alt="Execute icon" data-bbox="10645



Search By Keywords



Sr. No	Subcontractor	Section	Location	Date	Temperature (°C)		Humidity (%)		Weather Condition	Rain Fall	Cumulative Rain fall from the month	Remarks
					Maximum	Minimum	Maximum	Minimum				
1												

Showing 1 to 1 of 1 entries

Previous 1 Next

1




Sr. No	Subcontractor	Section	Location	Date	Temperature (°C)		Humidity (%)		Weather Condition	Cumulative Rain Fall	Rain Fall from the month	Remarks
					Maximum	Minimum	Maximum	Minimum				
1	ABC Construction	North Wing	Ground Level	2023-05-01	30	20	85	70	Sunny	100mm	10mm	Initial晴朗无雨
2	XYZ Builders	South Wing	Ground Level	2023-05-02	32	22	88	72	Partly Cloudy	120mm	15mm	雨量增加
3	MNO Developers	East Wing	Ground Level	2023-05-03	31	21	87	71	Cloudy	110mm	20mm	持续阴天
4	PQR Contractors	West Wing	Ground Level	2023-05-04	33	23	89	73	Overcast	130mm	25mm	暴雨来袭
5	LMN Builders	North Wing	Ground Level	2023-05-05	30	20	85	70	Sunny	100mm	10mm	雨停转晴
6	JKL Developers	South Wing	Ground Level	2023-05-06	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
7	MNO Developers	East Wing	Ground Level	2023-05-07	31	21	87	71	Cloudy	110mm	20mm	阴天持续
8	PQR Contractors	West Wing	Ground Level	2023-05-08	33	23	89	73	Overcast	130mm	25mm	暴雨重现
9	LMN Builders	North Wing	Ground Level	2023-05-09	30	20	85	70	Sunny	100mm	10mm	雨停转晴
10	JKL Developers	South Wing	Ground Level	2023-05-10	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
11	MNO Developers	East Wing	Ground Level	2023-05-11	31	21	87	71	Cloudy	110mm	20mm	阴天持续
12	PQR Contractors	West Wing	Ground Level	2023-05-12	33	23	89	73	Overcast	130mm	25mm	暴雨重现
13	LMN Builders	North Wing	Ground Level	2023-05-13	30	20	85	70	Sunny	100mm	10mm	雨停转晴
14	JKL Developers	South Wing	Ground Level	2023-05-14	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
15	MNO Developers	East Wing	Ground Level	2023-05-15	31	21	87	71	Cloudy	110mm	20mm	阴天持续
16	PQR Contractors	West Wing	Ground Level	2023-05-16	33	23	89	73	Overcast	130mm	25mm	暴雨重现
17	LMN Builders	North Wing	Ground Level	2023-05-17	30	20	85	70	Sunny	100mm	10mm	雨停转晴
18	JKL Developers	South Wing	Ground Level	2023-05-18	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
19	MNO Developers	East Wing	Ground Level	2023-05-19	31	21	87	71	Cloudy	110mm	20mm	阴天持续
20	PQR Contractors	West Wing	Ground Level	2023-05-20	33	23	89	73	Overcast	130mm	25mm	暴雨重现
21	LMN Builders	North Wing	Ground Level	2023-05-21	30	20	85	70	Sunny	100mm	10mm	雨停转晴
22	JKL Developers	South Wing	Ground Level	2023-05-22	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
23	MNO Developers	East Wing	Ground Level	2023-05-23	31	21	87	71	Cloudy	110mm	20mm	阴天持续
24	PQR Contractors	West Wing	Ground Level	2023-05-24	33	23	89	73	Overcast	130mm	25mm	暴雨重现
25	LMN Builders	North Wing	Ground Level	2023-05-25	30	20	85	70	Sunny	100mm	10mm	雨停转晴
26	JKL Developers	South Wing	Ground Level	2023-05-26	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
27	MNO Developers	East Wing	Ground Level	2023-05-27	31	21	87	71	Cloudy	110mm	20mm	阴天持续
28	PQR Contractors	West Wing	Ground Level	2023-05-28	33	23	89	73	Overcast	130mm	25mm	暴雨重现
29	LMN Builders	North Wing	Ground Level	2023-05-29	30	20	85	70	Sunny	100mm	10mm	雨停转晴
30	JKL Developers	South Wing	Ground Level	2023-05-30	32	22	88	72	Partly Cloudy	120mm	15mm	雨量减少
31	MNO Developers	East Wing	Ground Level	2023-05-31	31	21	87	71	Cloudy	110mm	20mm	阴天持续
32	PQR Contractors	West Wing	Ground Level	2023-06-01	33	23	89	73	Overcast	130mm	25mm	暴雨重现

1





Temperature (°C)		Humidity (%)	
Maximum	Minimum	Maximum	Minimum
25	15	80	60
28	18	85	70





Ref No	Sub Contractor	Section	Location
Maximum	Minimum	Maximum	Minimum

Search By Keywords

Sr. No	Subcontractor	Section	Location	Date	Temperature (°C)		Humidity (%)		Weather Condition	Rain Fall	Cumulative Rain Fall from the month	Remarks
					Maximum	Minimum	Maximum	Minimum				
1	Subcon 1	Section A	Location A	2023-09-01	30	20	85	70	Sunny	0.5 mm	0.5 mm	Initial setup completed.

Showing 1 to 10 of 100








Click on a filename to download that file.  
This drop-off will expire in 13 days and 21 hours.

Filename

-  Afcon-ExpenseManagement\_v1.0.0.zip
-  ExpMgmt\_Prod.sql



From:

Amar Kudtarkar - 8501 <8501lm14@afcons.com> Afcons Infrastructure Ltd from IP 0.0.0.17 afconsinfra.com on 2024-12-19 1-

Comments:

Afcons@123

A screenshot of the Microsoft Visual Studio IDE interface. The top menu bar includes File, Edit, View, Git, Project, Build, Debug, Test, Analyze, Tools, Extensions, Window, Help, and a Search dropdown. The title bar shows the project name "Afcons.ExpenseManagement". The toolbar contains icons for file operations like Open, Save, and Print, along with debugging symbols like Continue, Break, and Stop.

The main code editor window displays the file "Afcons.ExpenseManagement.Controllers.IndiviOnBehalfController.cs". The code is a string concatenation of HTML and CSS, primarily used for generating dynamic content. The editor shows line numbers from 2689 to 2721. A status bar at the bottom indicates "90 %".

The Solution Explorer panel on the right lists the solution's packages, including AutoMapper, Excel, FluentValidation, FluentValidation.Mvc, Flurl, Flurl.Http, ICSharpCode.SharpZipLib, itextsharp, itextsharp.xmlworker, log4net, Microsoft.Azure.ActiveDirectory.GraphClient, Microsoft.Azure.KeyVault.Core, Microsoft.Bcl.AsyncInterfaces, Microsoft.CodeDom.Providers.DotNetCompilerPlatform, Microsoft.CSharp, Microsoft.Data.Edm, Microsoft.Data.OData, Microsoft.Data.Services.Client, Microsoft.Graph, Microsoft.Graph.Core, microsoft.identitymodel, Microsoft.IdentityModel.Abstractions, and Microsoft.IdentityModel.Clients.ActiveDirectory. A warning message states: "This solution contains packages with vulnerabilities. Manage NuGet Packages".

The status bar at the bottom also includes links for Call Stack, Breakpoints, Exception Settings, Command Window, Immediate Window, Output, Error List, Autos, Locals, Watch 1, Add to Source Control, Select Repository, and a Ready indicator.

[Home](#)

[Login](#)

[English \(US\)](#)



## Authentication Error


The username or password was incorrect.

If you are a Afcons user, you may login here:


[Login](#)

Avoid having to verify your email address,  
and drop-off files to non-Afcons users.

Anyone may perform the following activities:



Name	VcLastName	VcLoginName	DtDateOfJoining	VcEmployeeStatus	VcG
	Narkar	epm1@prosaressolutions.onmicrosoft.com	2011-05-02 00:00:00.000	0	Mal
	Dias		2010-09-27 00:00:00.000	Permanent	Mal





Error

There was an error running the selected code generator:  
'Install the package  
[Microsoft.VisualStudio.Web.CodeGeneration.Design](#) and try  
again.'

OK



## Error

There was an error running the selected code generator:  
'Install the 8.0.x version of the  
Microsoft.VisualStudio.Web.CodeGeneration.Design  
package.'

The installed package version 9.0.0 is not compatible with  
project target framework 8.0.'

OK

## Scope of Audit

The following aspects were reviewed as part of this audit:


- Vendor Selection and Onboarding
- Processing of Purchase Orders (PO)/Purchase Requisitions (PR) and Payment Terms
- Vendor Master Maintenance
- Vendor Performance Evaluation & Termination
- Risk Control Matrix – Completeness & Effectiveness

**Period covered:**

July 2023 to June 2024

Overview





# Summary of Audit Observations

Audit Observation			
Segregation of duty conflict	Grading	Major	Root Cause Peoples Issue/ Business Process
<b>Management Comments – Recommendations accepted for implementation.</b>			
Roles of Vendor Master+Invoice+Payment, Vendor Master+Invoice and Invoice+Payment are required to be given to same team members given the team size is small overlapping roles are provided. Vendor Master role is only provided to AP managers in the team. Invoice booking & payment while it can be executed by the same person all the bank payments are approved by dual authorizers other than the AP manager.			
We'll undertake the review of roles periodically. This was pending due to global consolidation of our AP team, since this has been completed, we'll assign the vendor master roles to an independent team. The mitigative controls will be updated in RCM.			
For the others we are verifying and will take the corrective action basis on the study carried out. Documentation will be maintained of the decision taken.			
<b>Person responsible:</b> Shrirang Joshi <b>Target Date for Closure:</b> 31st March, 2025.			

## Audit Observation

Segregation of duty conflict	Grading	Major	Root Cause	Peoples Issue/ Business Process

### Management Comments – Recommendations accepted for implementation.

Roles of Vendor Master+Invoice+Payment, Vendor Master+Invoice and Invoice+Payment are required to be given to same team members given the team size is small overlapping roles are provided. Vendor Master role is only provided to AP managers in the team. Invoice booking & payment while it can be executed by the same person all the bank payments are approved by dual authorizers other than the AP manager.

We'll undertake the review of roles periodically. This was pending due to global consolidation of our AP team, since this has been completed, we'll assign the vendor master roles to an independent team. The mitigative controls will be updated in RCM.

For the others we are verifying and will take the corrective action basis on the study carried out. Documentation will be maintained of the decision taken.

**Person responsible:** Shrirang Joshi

**Target Date for Closure:** 31st March, 2025.