2026-10-09 00:57:46 **You**

read the readme file in the folder. there are 4 tasks and each has to be done seperately start with task 1

There is a bug in the game where the outcome is getting evaluated incorrectly. For example, when I pick Rock and the CPU picks Scissors, it says I lose and gives the point to the CPU. Fix this so the normal Rock Paper Scissors rules work correctly. Rock beats Scissors, Scissors beats Paper, Paper beats Rock, and same choices should be a draw. Don't change anything else or work on the other tasks yet.

Claude

I'll read the README and game code, then fix only the win/lose logic.

The rule table has the winners swapped. I'll fix just those six entries.

Task 1 is fixed. The bug was in the `determine_winner` function in `game/game_engine.py`. Its lookup table, which takes (your pick, CPU pick) and returns the winner, had every winner backwards. So Rock vs Scissors was marked as a CPU win.

I changed only those six entries in the table:

```python
rules = {
    ("ROCK", "SCISSORS"): "PLAYER",
    ("SCISSORS", "PAPER"): "PLAYER",
    ("PAPER", "ROCK"): "PLAYER",
    ("SCISSORS", "ROCK"): "CPU",
    ("PAPER", "SCISSORS"): "CPU",
    ("ROCK", "PAPER"): "CPU",
}
```

I checked all 9 possible pairs of picks against the fixed function: each one gives the right winner, and matching picks are a draw. I didn't open the game window to play it, so it's worth a quick round on your side before you record the "after" video. Nothing else in the project was touched.

Tell me when you're ready for Task 2 ("First to X Wins"). Before you record the "after" video for your submission, you'll need a "before" video of the bug. If you haven't recorded it yet, I can temporarily undo this change so you can capture it.

2026-10-09 01:05:01 **You**

now start task 2 from the readme. implement the "First to X Wins" match system. the target score should be configurable, the game should stop once either the player or CPU reaches the target, show a clear end-match message, and allow the player to restart the match. don't work on task 3 or task 4 yet and don't change anything unrelated.

Claude

I'll add a configurable target in `main.py` and the match state, end banner and R-to-restart in the game engine.

Now I'll test it headlessly by playing a full match, checking the restart, and rendering the end screen.

The end screen works, but the dimmed text behind the banner looks cluttered. I'll put the banner on a solid panel.

Task 2 is done: the game now plays to a set number of round wins, then stops and shows a banner with the winner.

What you'll see:

- The top bar shows "**First to 3**" between the two scores.
- When you or the CPU reaches the target, the round result stays visible and a panel appears on top. It says "**YOU WIN THE MATCH!**" in green or "**CPU WINS THE MATCH!**" in red, with the final score and "Press R to play again".
- While the match is over, clicking the buttons does nothing.
- Pressing **R** resets both scores to 0 and starts a new match. This matches the README, which already says to press R to restart.

To change the target score, edit `TARGET_SCORE = 3` near the top of `main.py`. It's passed into `GameEngine`. If you set it below 1, the game uses 1.

What changed:

- **`main.py` :** added the `TARGET_SCORE` setting and pass it to the engine.

- **`game/game_engine.py`:**
  - New `target_score`, `match_over` and `match_winner` settings.
  - A match-over check at the end of `play_round`.
  - A new `reset_match()` method.
  - R-key handling in `handle_event`.
  - `update()` no longer clears the screen once the match is over.
  - The "First to X" label, and a new `render_match_over()` method that draws the end panel.

The win/lose rules from Task 1, the button code and the 1.8-second result timer are unchanged.

Testing: I ran the game off-screen and played random rounds until someone reached 3. Scores never went past 3, a click after the match didn't count, and pressing R reset everything. I also checked screenshots of the end screen and the reset screen. I didn't play it in a real window, so try a match yourself before recording.

Tell me when you're ready for Task 3.

2026-10-09 01:09:42 **You**

now start task 3 from the readme. make the CPU adaptive based on my recent moves, so it can learn my tendencies and bias its next move toward countering what i usually play. keep it simple and make sure the normal game still works. don't work on task 4 yet and don't change anything unrelated.

Claude

I'll add a short memory of your recent moves and have the CPU lean toward the counter when one move dominates.

My first edit stopped before writing anything because one anchor matched twice. The file is untouched, so I'll retry with more specific anchors.

Task 3 is done: the CPU now watches your recent moves and leans toward the counter of whatever you've been playing most.

How it works:

- The game remembers your **last 6 throws**.
- For your first 3 throws the CPU still picks at random.

- After that, if one move makes up **at least half** of those recent throws, the CPU plays the counter to it **75% of the time**. Paper counters Rock, Scissors counters Paper, Rock counters Scissors.
- The other 25% of the time, or when you have no clear favourite, it picks at random as before, so it isn't fully predictable.
- Your move is recorded only after the CPU has made its pick, so it never sees your current choice.
- Pressing R for a new match clears the memory, so each match starts fresh.

All four numbers are near the top of `GameEngine.__init__`, so you can tune them. Raise `adapt_chance` (the 75%) if you want the effect to be more obvious in your video.

What changed: only `game/game_engine.py`.

- The memory and settings in `__init__`.
- A new `choose_cpu_move()` method.
- `play_round` now uses that method instead of `random.choice` and records your move afterwards.
- One line in `reset_match()` clears the memory.

Scoring, the match system, the screen and the timer are untouched.

Testing: I simulated 3,000 rounds off-screen.

- **Always throwing Rock:** the CPU picked Paper about 82% of the time and won about 82% of rounds.
- **Throwing at random:** the CPU's picks and the win/loss/draw split stayed roughly even, at about a third each, so normal play isn't skewed.
- The Task 2 match and restart test still passes.

As before, I tested off-screen rather than in a real window. To see it in your recording, spam Rock for a few rounds and watch the CPU start answering with Paper.

Tell me when you're ready for Task 4.

2026-10-09 01:12:51 **You**

now start task 4 from the readme. add the procedural Rock, Paper and Scissors visual icons and the synchronized countdown/shaking reveal animation described there. keep the existing game functionality and previous tasks working. don't change anything unrelated.

Claude

I'll read the current engine, then add drawn icons and a "Rock… Paper… Scissors…" shake before each reveal.

Now the engine changes: delay scoring until the reveal ends, and draw the icon arena.

The logic tests pass. Next I'll check the frames visually.

I've finished Task 4. The picks now show as drawn icons, and each round starts with a short shake-and-reveal animation. It's saved in your folder.

What you'll see:

- **Arena:** the "Your Pick / CPU Pick" text is replaced by two circles labelled **YOU** and **CPU**, with "VS" between them. Before you pick, each circle shows a "?".
- **Icons:** all three are drawn in code, with no image files:
  - **Rock:** a grey boulder with cracks.
  - **Paper:** a sheet with a folded corner and lines.
  - **Scissors:** two silver blades with red handles.
- **Reveal:** when you click, both sides show a fist and bob up and down together while the text counts **"ROCK… PAPER… SCISSORS…"**. That takes about one second. Then both real picks pop in at the same moment and the result appears.
- **Result colours:** the circle borders turn green for the winner, red for the loser and yellow for a draw.

How the earlier tasks are affected:

- **Scoring:** the score now changes only when the reveal finishes, so it can't spoil the result early. Clicks during the countdown are ignored.
- **Match end (Task 2):** the match-end check runs at that same point, so the banner and the R restart work as before.
- **Adaptive CPU (Task 3):** it still picks its move when you click, without seeing your current move, so it isn't affected.

What changed:

- **New file** `game/icons.py` **:** the icon drawing code.
- `game/game_engine.py` **:**
  - `play_round` now starts the reveal, and the old scoring code moved into a new `resolve_round()` method that runs when the countdown ends.
  - `update()` drives the countdown.
  - A new `render_arena()` method draws the icons.
  - The result line moved down slightly to make room.

`main.py` and `button.py` are untouched. The animation timings (`beat_duration` , `shake_height`) are near the top of `GameEngine.__init__` if you want it slower or bouncier for the video.

Testing: I ran the game off-screen and checked each stage visually: the empty arena, the mid-shake frame, the revealed result and all three icons. I also re-ran the earlier checks with the animation in place:

- **Task 1:** the win rules are correct.
- **Task 2:** a full match ends at 3 and R resets it.
- **Task 3:** always throwing Rock still makes the CPU answer with Paper about 83% of the time.

I didn't play it in a real window, so run `python main.py` once before recording your "after" video.