

DEVOPS EXCHANGE @ MONZO

KEEP CALM AND SECURE  
YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄

.I WEAR DARK  
HOODIES SO I'M  
A LEGIT SECURITY  
ENGINEER



# WHAT IS CYBERSECURITY AND WHY IS IT IMPORTANT?

A dense word cloud centered around the theme of cybersecurity, featuring large words like CYBER, SECURITY, and COMPUTER SYSTEM, surrounded by numerous smaller related terms.

The word cloud includes the following words:

- Computer, Design, Protection, Defense, Power, Level, Well, Loss, Protecting, House, Primary, National, Flaws, Management, Internet, Order, Provide, Network, United.
- Cyber, System, Operating, Bill, Protect, Include, Services.
- Secure, Systems, Assurance, Intrusion, Technology, Main, Infrastructure, Many, Act, Data, Access, Implemented, Air, Issues, Levels.
- Software, Hardware, World, Common, Networks, Known, Critical, Cybercrime, Connected, Policy.
- Vulnerabilities, Legal, Engineering, Application, Attack, Control, Another, Article, File, Design, Networks.
- Security, Code, High, Using, Center.
- Segments, Coding, Techniques, Needed, Use, Communications.

CYBERSECURITY IS THE TECHNIQUES OF  
PROTECTING COMPUTERS, NETWORKS,  
PROGRAMS AND DATA FROM  
UNAUTHORISED ACCESS OR ATTACKS  
THAT ARE AIMED FOR EXPLOITATION

INVESTMENTS IN SECURITY  
MOVED FROM NICE TO  
HAVE TO MUST HAVE

OCT 2016.  
A SERIES OF DDOS ATTACKS WERE  
LAUNCHED AGAINST DNS SERVERS,  
WHICH CAUSED MAJOR WEB SERVICES TO  
STOP WORKING (GITHUB, SPOTIFY,  
PAYPAL, TWITTER...)



Search



No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.

[Contact Support](#) — [GitHub Status](#) — [@githubstatus](#)






# Explore

Discover the Internet using search queries shared by other users.

## Featured Categories



## Top Voted

10,294	<b>Webcam</b> best ip cam search I have found yet.  webcam surveillance cams 2010-03-15
4,089	<b>Cams</b> admin admin  cam webcam 2012-02-06
2,256	<b>Netcam</b> Netcam  netcam 2012-01-13
1,582	<b>default password</b> Finds results with "default password" in the ba...  router default password 2010-01-14
1,087	<b>dreambox</b> dreambox  dreambox 2010-08-13

More popular searches...

## Recently Shared

1	chile  2018-10-08
2	router control panel DD-WRT  routeur 2018-10-08
3	1  2018-10-06
1	Logitech Media Server  2018-10-05
3	sushi  2018-10-05

More recent searches...

[Overview](#)

Repositories 873

Projects 0

Stars 358

Followers 2.9k

Following 28

## Pinned

### [ssbc/ssb-server](#)

The gossip and replication server for Secure Scuttlebutt  
- a distributed social network

JavaScript ★ 1.1k ⚡ 134

### [pull-stream/pull-stream](#)

minimal streams

JavaScript ★ 633 ⚡ 58

### [auditdrivencrypto/secret-handshake](#)

JavaScript ★ 155 ⚡ 22

### [map-filter-reduce](#)

JavaScript ★ 44 ⚡ 6

### [ssbc/patchbay](#)

An alternative Secure Scuttlebutt client interface that is  
fully compatible with Patchwork

JavaScript ★ 223 ⚡ 56


## Dominic Tarr

[dominictarr](#)[Follow](#)[Block or report user](#)[antipodean wandering albatross](#) [Protozoa](#) [New Zealand](#) [<http://protozoa.nz>](#)

## Organizations



2,485 contributions in the last year

[Learn how we count contributions.](#)

Less More

# EVENT STREAM POST MORTEM

- December 2018
  - flatmap-stream was published to npm and added as a dependency to the event-stream package by user right9ctrl
- 8 million downloads
- Applications all over the web were running malicious code in production

# The Secure, Shared Bitcoin Wallet

Secure your bitcoin with the open source,  
**HD-multisignature wallet from BitPay.**

[GET COPAY](#)

# SOCIAL ENGINEERING DEVS



devinus commented on Jul 31, 2015

...

@dominictarr Interesting. Would you accept a `flatMap` patch using this functionality?



devinus commented on Jul 31, 2015

...

I wonder why `mapSync` uses `emit` rather than `queue`.



dominictarr commented on Jul 31, 2015

Owner

...

@devinus ah, it's probably just old. I don't use this module anymore, i now use  
<https://github.com/dominictarr/pull-stream>

If you publish a flatMap module and then make a pr to include it, i'll merge.

This repository has been archived by the owner. It is now read-only.

 dominictarr / event-stream

 Watch 72  Star 2,044  Fork 146

 Code

 Issues 7

 Pull requests 0

 Projects 0

 Wiki

 Insights

EventStream is like functional programming meets IO

 322 commits

 1 branch

 13 releases

 34 contributors

 MIT

Branch: master 

Create new file

Upload files

Find File

Clone or download 

  remove testling from package.json

Latest commit 9a5c52a on Sep 20, 2018

 examples

better pretty.js example

6 months ago

 test

add filter and rewrite flatmap

6 months ago

 .gitignore

initial. first implementation of a map function (takes async callback ...)

8 years ago

 .travis.yml

drop travis support for 0.8

4 years ago

 LICENCE

Clarify licensing

5 years ago

 index.js

add filter and rewrite flatmap

6 months ago

 package-lock.json

update package.json

6 months ago

 package.json

remove testling from package.json

6 months ago

 readme.markdown

add example for flatmap and filter

6 months ago

 readme.markdown

## EventStream

[Streams](#) are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The *EventStream* functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates [0.8 streams](#), which are compatible with [0.10 streams](#).



Overview

Repositories 3

Stars 0

Followers 0

Following 0

## Popular repositories

[node-script](#)

● C

[react](#)

Forked from [facebook/react](#)

A declarative, efficient, and flexible JavaScript library for building user interfaces.

● JavaScript

[event-stream](#)

● JavaScript

北川

right9ctrl

Block or report user

👤 株式会社LIG

📍 東京都

22 contributions in the last year



# fuck Right9ctrl

[Browse files](#)

master (#1)

 geektheripper committed on Dec 23, 2018

1 parent 706ed02

commit cb0f66a328134bc4f0959a99caf347a6670eadb7

 Showing 2 changed files with 19 additions and 70 deletions.

Unified Split

2  package.json

[View file](#)

	@@	-86,7	+86,7	@@
86	86		"gh-pages": "^2.0.0",	
87	87		"jimp": "^0.5.6",	
88	88		"lodash": "^4.17.11",	
89	-		"npm-run-all": "4.1.3",	
89	+		"npm-run-all": "4.1.5",	
90	90		"nyc": "^13.0.1",	
91	91		"opn": "^5.4.0",	
92	92		"opn-cli": "3.1.0",	



# WEB APPLICATION SECURITY



“Web application security is a branch of Information Security that deals specifically with security of websites, web applications and web services.”

-WIKIPEDIA

# SECURE SOFTWARE DEVELOPMENT LIFE CYCLE



Software Development Life Cycle (SDLC) is a framework that defines the process used by the organisations to build an application from its inception to its decommission

## 1 PLANNING

Planning focuses on the scope of the project. The outputs of the planning phase include: project plans, schedules, cost estimations, and procurement requirements.

## 2 REQUIREMENTS

The IT team gathers requirements from business stakeholders and Subject Matter Experts (SMEs). The output of this phase in a Waterfall project is usually a document that lists these requirements. Agile methods, by contrast, may produce a backlog of tasks to be performed.

## 4 SOFTWARE DEVELOPMENT

This phase produces the software under development. This could be in "sprints" (Agile), or a single block effort (Waterfall). The output of this phase is testable, functional software.

## 6 DEPLOYMENT

The deployment phase is, ideally, a highly automated phase. In high-maturity enterprises, this phase is almost invisible; software is deployed the instant it is ready. Enterprises with lower maturity, or in some highly regulated industries, the process involves some manual approvals. The output of this phase is the release to Production of working software.

## 3 DESIGN AND PROTOTYPING

Once requirements are understood, the design process takes place. It makes use of established patterns for application architecture and software development. Architecture frameworks like TOGAF may be used here. Outputs include: design documents that list the patterns and components selected for the project, code produced by spikes, used as a starting point for development.

## 5 TESTING

The testing phase of the SDLC is arguably one of the most important. It is impossible to deliver quality software without testing. Methods for testing can include: code quality, unit testing (functional tests), integration testing, performance testing, security testing. The output of the testing phase is functional software, ready for deployment to a production environment.

## 7 OPERATIONS AND MAINTENANCE

The operations and maintenance phase is the "end of the beginning". Though the SDLC doesn't end here, software must be monitored constantly to ensure proper operation. Bugs and defects discovered in Production must be reported and responded to, which often feeds back into the process. Bug fixes may not flow through the entire cycle, however, at least an abbreviated process is necessary to ensure that the fix does not introduce other problems.

A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS PENETRATION TESTING, CODE REVIEW, AND ARCHITECTURE ANALYSIS ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

- .MORE SECURE SOFTWARE AS SECURITY IS A CONTINUOUS CONCERN
- .AWARENESS OF SECURITY CONSIDERATIONS BY STAKEHOLDERS
- .EARLY DETECTION OF FLAWS & COST REDUCTION AS A RESULT OF EARLY DETECTION AND RESOLUTION OF ISSUES

# HOW DO I GET STARTED?



# OWASP

- Open Web Application Security Project
- Community dedicated to enabling organisations to conceive, develop, acquire, operate and maintain applications that can be trusted
- [www.owasp.org](http://www.owasp.org)





## The OWASP™ Foundation

the free and open software security community



**DONATE**  
OWASP DONATION PORTAL



Home  
About OWASP  
Acknowledgements  
Advertising  
AppSec Events  
Supporting Partners  
Books  
Brand Resources  
Chapters  
Donate to OWASP  
Downloads  
Funding  
Governance  
Initiatives  
Mailing Lists  
Membership  
Merchandise  
Presentations  
Press  
Projects  
Video


Reference  
Activities  
Attacks  
Code Snippets  
Controls  
Glossary  
How To...  
Java Project  
.NET Project  
Principles  
Technologies  
Threat Agents  
Vulnerabilities

Tools  
What links here  
Related changes  
Special pages  
Printable version  
Permanent link  
Page information


[Member Portal](#) • [About](#) • [Searching](#) • [Editing](#) • [New Article](#) • [OWASP Categories](#) • [Contact Us](#)

[Statistics](#) • [Recent Changes](#)

ANNOUNCING GLOBAL APPSEC TEL AVIV 2019!



- Application security tools and standards
- Complete books on application security testing, secure code development, and secure code review
- Cheat sheets on many common topics





## OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks



# OWASP

Application Security Verification Standard 4.0

Final

March 2019

# OWASP PRO ACTIVE CONTROLS



- List of security techniques that should be included in every software development project
- Ordered by order of importance



10 Critical Security Areas That Software Developers Must Be Aware Of

## PROJECT LEADERS

KATY ANTON  
JIM MANICO  
JIM BIRD



# THE TOP 10 PROACTIVE CONTROLS

- C1: Define Security Requirements
- C2: Leverage Security Frameworks and Libraries
- C3: Secure Database Access
- C4: Encode and Escape Data
- C5: Validate All Inputs
- C6: Implement Digital Identity
- C7: Enforce Access Controls
- C8: Protect Data Everywhere
- C9: Implement Security Logging and Monitoring
- C10: Handle All Errors and Exceptions

# C1. DEFINE SECURITY REQUIREMENTS

- Security requirements define new features or additions to existing features to solve a specific security problem or eliminate a potential vulnerability
- Instead of creating a custom approach to security for every application, standard security requirements allow developers to reuse the definition of security controls and best practices
- OWASP ASVS
- User Stories and Abuse Cases

## A2:2017-Broken Authentication

---

*Epic:*

Attackers have access to hundreds of millions of valid username and password combinations for credential stuffing, default administrative account lists, automated brute force, and dictionary attack tools. Session management attacks are well understood, particularly in relation to unexpired session tokens.

*Abuse Case:*

As an attacker, I have access to hundreds of millions of valid username and password combinations for credential stuffing.

*Abuse Case:*

As an attacker, I have default administrative account lists, automated brute force, and dictionary attack tools I use against login areas of the application and support systems.

*Abuse Case:*

As an attacker, I manipulate session tokens using expired and fake tokens to gain access.

## C2. LEVERAGE SECURITY FRAMEWORKS AND LIBRARIES

- Secure coding libraries and software frameworks with embedded security help software developers guard against security-related design and implementation flaws
- A developer writing an application from scratch might not have sufficient knowledge, time, or budget to properly implement or maintain security features

[Watch](#)

6,646

[Star](#)

124,326

[Fork](#)

22,590

[Code](#)[Issues 429](#)[Pull requests 159](#)[Projects 0](#)[Wiki](#)[Insights](#)

A declarative, efficient, and flexible JavaScript library for building user interfaces. <https://reactjs.org>

[javascript](#) [react](#) [frontend](#) [declarative](#) [ui](#) [library](#)[10,726 commits](#)[34 branches](#)[112 releases](#)[1,282 contributors](#)[MIT](#)Branch: [master](#) ▾[New pull request](#)[Create new file](#)[Upload files](#)[Find File](#)[Clone or download](#) ▾[sophiebits](#) and [gaearon](#) [eslint] Wording tweaks (#15078) [...](#)

Latest commit 1204c78 3 hours ago

[.circleci](#) Publish a local release (canary or stable) to NPM (#14260)

4 months ago

[.github](#) Reword issue template

a year ago

[fixtures](#) [eslint] Wording tweaks (#15078)

3 hours ago

[packages](#) [eslint] Wording tweaks (#15078)

3 hours ago

[scripts](#) Run persistent mode tests in CI (#15029)

2 days ago

# react

16.8.4 • Public • Published 8 days ago

Readme

4 Dependencies

36,582 Dependents

194 Versions

# react

React is a JavaScript library for creating user interfaces.

The `react` package contains only the functionality necessary to define React components. It is typically used together with a React renderer like `react-dom` for the web, or `react-native` for the native environments.

**Note:** by default, React will be in development mode. The development version includes extra warnings about common mistakes, whereas the production version includes extra performance optimizations and strips all error messages. Don't forget to use the `production build` when deploying your application.

## Example Usage

```
var React = require('react');
```

## Keywords

react

install

```
> npm i react
```

↳ weekly downloads

5,934,407



version

16.8.4

license

MIT

open issues

429

pull requests

159

homepage

[reactjs.org](http://reactjs.org)

repository

 [github](#)

last publish

8 days ago

collaborators



# OWASP TOP 10-2017

- The primary aim is to educate developers, designers, architects, managers, and organisations about the consequences of the most common and most important web app security weaknesses



## OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks



WHAT CHANGED FROM 2013 TO 2017?

# OWASP TOP 10

OWASP Top 10 - 2013	→	OWASP Top 10 - 2017
A1 – Injection	→	A1:2017-Injection
A2 – Broken Authentication and Session Management	→	A2:2017-Broken Authentication
A3 – Cross-Site Scripting (XSS)	↓	A3:2017-Sensitive Data Exposure
A4 – Insecure Direct Object References [Merged+A7]	U	A4:2017-XML External Entities (XXE) [NEW]
A5 – Security Misconfiguration	↓	A5:2017-Broken Access Control [Merged]
A6 – Sensitive Data Exposure	↗	A6:2017-Security Misconfiguration
A7 – Missing Function Level Access Contr [Merged+A4]	U	A7:2017-Cross-Site Scripting (XSS)
A8 – Cross-Site Request Forgery (CSRF)	X	A8:2017-Insecure Deserialization [NEW, Community]
A9 – Using Components with Known Vulnerabilities	→	A9:2017-Using Components with Known Vulnerabilities
A10 – Unvalidated Redirects and Forwards	X	A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]

# ASVS



OWASP

Application Security Verification Standard 4.0

Final

March 2019

- Provides developers with a list of requirements for secure development
- Authentication, session management, access control, cryptography, API, web services, business logic

# V1. ARCHITECTURE, DESIGN & THREAT MODELLING REQUIREMENTS

## V1.1 Secure Software Development Lifecycle Requirements

#	Description	L1	L2	L3	CWE
<b>1.1.1</b>	Verify the use of a secure software development lifecycle that addresses security in all stages of development. ( <a href="#">C1</a> )		✓	✓	
<b>1.1.2</b>	Verify the use of threat modeling for every design change or sprint planning to identify threats, plan for countermeasures, facilitate appropriate risk responses, and guide security testing.		✓	✓	1053
<b>1.1.3</b>	Verify that all user stories and features contain functional security constraints, such as "As a user, I should be able to view and edit my profile. I should not be able to view or edit anyone else's profile"		✓	✓	1110
<b>1.1.4</b>	Verify documentation and justification of all the application's trust boundaries, components, and significant data flows.		✓	✓	1059
<b>1.1.5</b>	Verify definition and security analysis of the application's high-level architecture and all connected remote services. ( <a href="#">C1</a> )		✓	✓	1059
<b>1.1.6</b>	Verify implementation of centralized, simple (economy of design), vetted, secure, and reusable security controls to avoid duplicate, missing, ineffective, or insecure controls. ( <a href="#">C10</a> )		✓	✓	637
<b>1.1.7</b>	Verify availability of a secure coding checklist, security requirements, guideline, or policy to all developers and testers.		✓	✓	637

PRIDE IN LONDON

# HOW TO SECURE YOUR OPEN SOURCE PROJECT



# Open Source Friday

Open source is made by people just like you. This Friday, invest a few hours contributing to the software you use and love.

[Sign up with GitHub](#)



↔ with ❤ by **GitHub**

# Hacktoberfest

Support open source and earn a limited edition T-shirt.

*En octobre prochain !!*

Hacktoberfest '18 was presented by: **DigitalOcean** · **GitHub** · **twilio**



# Pride in London

[Repositories 3](#)[People 6](#)[Teams 1](#)[Settings](#)[Type: All ▾](#)[Language: All ▾](#)[Customize pins](#)[New](#)

## pride-london-web

Pride In London's New Website

JavaScript MIT Updated 2 days ago



### Top languages

JavaScript

## pride-london-web-old


Forked from MarcelCutts/pride-london-web-gatsby

Pride in London's front end web platform

JavaScript 2 MIT Updated 19 days ago



### People

[Invite someone](#)

## pride-web-webhook

webhook service to help trigger travis builds from contentful



JavaScript MIT Updated on Jun 19, 2018

Saturday 6 July

# Pride in London

The UK's biggest, most diverse pride. A home for every part of London's LGBT+ community

[This years event](#)

## Featured events

View events from across the LGBT+ community.

[View all events](#)

From £19



15 – 22 Jun 2018 • 8am – 5.30pm

**Headline of event**  
card lemon drops pie  
jujubes macaroon

From £19



15 – 22 Jun 2018 • 8am – 5.30pm



**Headline of event**  
card lemon drops pie  
jujubes macaroon

From £19




15 – 22 Jun 2018 • 8am – 5.30pm

**Headline of event**  
card lemon drops pie  
jujubes macaroon



# GitHub Marketplace

Tools to build on and improve your workflow



## Categories

- Chat
- Code quality
- Code review
- Continuous integration
- Dependency management
- Deployment
- Learning
- Localization
- Mobile
- Monitoring
- Project management
- Publishing
- Recently added
- Security
- Support
- Testing
- Utilities

## Filters ▾

## Your items ▾

- Pending orders
- Purchases

## Search for apps


## Featured apps




Zube



codebeat



Renovate



WhiteSource Bolt

## Recently added

The latest tools that help you and your team build software better, together.



**CodeScene**

The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency



**ImgBot**

A GitHub app that optimizes your images



**Pull Reminders**

Slack reminders and metrics for pull requests



**Depfu**

Automated dependency updates keep your app secure and maintainable



**Instabug**

Instabug is a reliable bug reporting and user feedback SDK that enables testers and users to report issues from within the app



**Slack + GitHub**

Connect your code without leaving Slack



**GitKraken Glo Boards**

Free issue/task tracking boards that sync



**CodeFactor**

Automated code review for GitHub

# WHAT IS GITHUB MARKETPLACE

- Contains tools that add functionality and improve your workflow
- Almost 2 years
- 50+ tools





Application

# CircleCI

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Mobile CI](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

Supported languages

C++, Clojure, Go  
and [7 other languages supported](#)

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

## Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI [organization settings](#) for new and existing accounts.

## Build faster. Test more. Fail less.

Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

[Read more...](#)

Builds > facebook > react-native

Build	Status	Message	Time Ago	ID
pull/13848 #119301	Success	Replace Navigator references to with existing components	29m ago	#119301
pull/13840 #119300	Success	More attempts to fix Travis CI runs	29m ago	#119300
pull/13844 #117999	Success	Fix Debugging dev	28m ago	#117999
pull/13843 #117998	Success	Android: Make Linenight accept decimal values	28m ago	#117998
pull/13840 #117997	Success	More attempts to fix Travis CI runs	27m ago	#117997
pull/13840 #117996	Success	More attempts to fix Travis CI runs	27m ago	#117996
pull/13840 #117995	Cancelled	More attempts to fix Travis CI runs	29m ago	#117995
pull/13840 #117954	Success	More attempts to fix Travis CI runs	25m ago	#117954
pull/13748 #117953	Success	Merge branch "master" into fix_library_creation_path	25m ago	#117953
pull/13817 #117957	Success	More attempts to fix Travis CI runs	27m ago	#117957

CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.

The dashboard includes a sidebar with links for 'Builds', 'Projects', 'Jobs', and 'Account Settings'. It also features a 'Follow Project' button and a 'My builds' / 'All builds' filter switch.



circleci



PrideInLondon



Updates

Support



Jobs » PrideInLondon



By project ▾ My branches All branches

My jobs All jobs

Project	Status	Description	Type	Time	SHA
pride-london-web	SUCCESS	PrideInLondon / pride-london-web / master #499 Update README.md file	workflow	14 min ago	01:01 18b726f
dependabot/npm_and_yarn/gatsby-2.3.13	SUCCESS	PrideInLondon / pride-london-web / feature/home-page-announcements #498 Merge branch 'master' into feature/home-page-announcements	workflow	2 days ago	01:01 #284 918e3a8
dependabot/npm_and_yarn/jest-24.7.1	FAILED	PrideInLondon / pride-london-web / feature/blog-details #497 WIP	workflow	2 days ago	00:58 ba8d768
dependabot/npm_and_yarn/react-accessible-accordion-3.0.0	FAILED	PrideInLondon / pride-london-web / feature/blog-details #496 Exemplary Richtext content unpacking	workflow	2 days ago	00:59 34cdf98
dependabot/npm_and_yarn/react-dates-18.0.0	FAILED	PrideInLondon / pride-london-web / feature/blog-details #495 Merge branch 'master' into feature/blog-details	workflow	2 days ago	01:52 f5e8316
feature/blog-details	FAILED	PrideInLondon / pride-london-web / feature/blog-details #494 WIP	workflow	2 days ago	01:40 53688a6
master	SUCCESS	PrideInLondon / pride-london-web / master #493 Footer (#286)	workflow	2 days ago	01:01 dae3d32
refactoring/imageBanner-styles	SUCCESS	PrideInLondon / pride-london-web / feature/footer #492 update snapshots, update netlify robots config, remove pledge redirect	workflow	2 days ago	00:46 #286 fa8e139
spike/production-release	FAILED	PrideInLondon / pride-london-web / feature/footer #491 fix cta link arrow glyph	workflow	2 days ago	00:52 #286 6c38231
	SUCCESS	PrideInLondon / pride-london-web / feature/footer #490 merge in latest master and fix conflicts	workflow	2 days ago	01:00 #286 c1cf484
	SUCCESS	PrideInLondon / pride-london-web / feature/home-page-announcements #489 Merge branch 'master' into feature/home-page-announcements	workflow	2 days ago	01:01 #284 d871d7b
	SUCCESS	PrideInLondon / pride-london-web / master #488 Feature/redirects (#285)	workflow	2 days ago	01:08 18a80c7



circleci

Jobs » PrideInLondon » pride-london-web » master » 188 (build)

2.0

C Rerun workflow



SUCCESS

Finished: Previous: Parallelism: Queued: Resources: Workflow: Context:

1 day ago (00:51) 173

1x out of 4x 00:00 waiting + 00:01 in queue

2CPU/4096MB

workflow

N/A

Triggered by:

Janine Luk (pushed e5d5975)

COMMITS (1)

Sonya Moisset Janine Luk -o e5d5975 Add Netlify badge on README file (#87)

Test Summary

Queue (00:01)

Artifacts

Configuration

Timing

Parameters

Set Up Test Summary

Show containers: All (1) Successful (1) Failed (0)

0  
(0:51)



TEST

Spin up Environment

00:01

Checkout code

00:00

Restoring Cache

00:04

Install Dependencies

00:19

Saving Cache

00:11

yarn lint

00:04

yarn test

00:09



circleci

SUCCESS      Finished: 6 hr ago (01:14)      Previous: 200      Parallelism: 1x out of 4x      Queued: 00:02 waiting + 00:02 in queue      Resources: 2CPU/4096MB      Workflow: workflow      Context: N/A      Triggered by: Unknown (pushed ac70a0f)

COMMITS (2)

Jason -> [3c4e07b](#) add tests for Nav component  
Jason -> [ac70a0f](#) add babel-plugin-styled-components, update snapshots, desktop navitem tests

Test Summary

Queue (00:04)

Artifacts

Configuration

Timing

Parameters

```
1 # Orb 'codecov/codecov@1.0.3' resolved to 'codecov/codecov@1.0.3'
2 version: 2
3 jobs:
4   build:
5     docker:
6       - image: circleci/node:8
7     working_directory: ~/repo
8     steps:
9       - checkout
10      - restore_cache:
11        keys:
12          - v1-npm-deps-{{ checksum "package-lock.json" }}
13          - v1-npm-deps-
14      - run:
15        name: Install Dependencies
16        command: npm install
17      - save_cache:
18        key: v1-npm-deps-{{ checksum "package-lock.json" }}
19        paths:
20          - ./node_modules
21      - run:
22        command: yarn lint
23      - run:
24        command: yarn test
25 workflows:
26   version: 2
27   workflow:
28     jobs:
29       - build
```



circleci

## Environment Variables

### Environment Variables for PridelnLondon/pride-london-web

[Import Variables](#)[Add Variable](#)

Add environment variables to the job. You can add sensitive data (e.g. API keys) here, [rather than placing them in the repository](#).

Name	Value	Remove
CODECOV_TOKEN		×
CONTENTFUL_ID		×
CONTENTFUL_TOKEN		×



Application

# AccessLint

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub  
GitHub confirms that this app meets the [requirements for verification](#).

## Categories

[Continuous integration](#)

[Code review](#)

[Free Trials](#)

[Free](#)

[Paid](#)

## Supported languages

Handlebars, HTML,  
HTML+Django  
and

[3 other languages supported](#)

## Customers



## Developer



[AccessLint](#)

## Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)


[Report abuse](#)

AccessLint brings automated web accessibility testing into your development workflow. When a pull request is opened, AccessLint reviews the changes and comments with any new accessibility issues, giving you quick, timely, and targeted feedback, before code goes live.


AccessLint helps you keep on target with digital accessibility by giving specific, ongoing accessibility feedback to your team. It can catch simple errors that might break your website for your customers with disabilities.

Accessibility guidelines defined in WCAG 2.0 help us build applications that work better for more people. They also give us a rough measure of compliance with legal requirements outlined in the ADA and Section 508. AccessLint runs a growing list of WCAG 2.0 tests, e.g. missing alt attributes that make pages more opaque for screenreader users, positive tabindex values that can create confusion for keyboard users, invalid ARIA, and unlabelled fields.

Use AccessLint to hold on to the hard-earned progress you've made with accessibility, or to inspire your team to start chipping away at issues. That frees you from costly bug-fixes and remediation, and socializes accessibility to your team. That way you'll have fewer bugs and can focus on delivering features.



When you open a Pull Request, AccessLint works quickly to find accessibility issues in your code, and comments with specific, line-by-line feedback.





accesslint bot suggested changes 23 days ago

[View changes](#)

accesslint bot left a comment

+ ...

There are accessibility issues in these changes.

src/components/imageBanner/\_spec.js Outdated

Hide resolved

```
21  20      const wrapper = shallow(<ImageBanner />)
22  21      expect(wrapper.find(BannerSubtitle)).toHaveLength(1)
23  22    })
24  23
25 -   it('should render an <img> if passed an imageSrc prop', () => {
24 +   it('renders an <img> if passed an imageSrc prop', () => {
```



accesslint bot 23 days ago


This image is missing a text alternative ( alt attribute). This is a problem for people using screen readers.



Reply...

[Unresolve conversation](#)

SonyaMoisset marked this conversation as resolved.



Application

# Codecov

i You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets  
the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C#, Go

and [7 other languages supported](#)

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.

1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful coherent report.
3. Get commit statuses, pull request comments and coverage overlay via our browser extension via Sourcegraph.

Are you an enterprise user / desiring an on-premises install? Please out instead to [enterprise@codecov.io](mailto:enterprise@codecov.io)

[Read more...](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

## Code coverage done right.®

Upload reports with one line. *Simply.*

Review reports. *Seamlessly.*

Reports merged. *Flawlessly.*

Proudly serving industry leaders and open source






COVERAGE CHART



COVERAGE SUNBURST

ALL RECENT COMMITS



### Update README.md file

**SonyaMoisset**

18 minutes ago ⌛ master → 10b726f ✓ CI Passed

[Browse Report](#)

### Merge branch 'master' into feature/home-page-announcements

**SonyaMoisset**

2 days ago ⌛ #204 → 918e3a0 ✓ CI Passed

[Browse Report](#)

### Footer (#206)

**laij84**

2 days ago ⌛ feature/home-page-announcements → dae3d32 ✓ CI Passed

[Browse Report](#)

### update snapshots, update netlify robots config, remove pledge redirect

**laij84**

2 days ago ⌛ master → f4ee139 ✓ CI Passed

[Browse Report](#)

### merge in latest master and fix conflicts

**laij84**

2 days ago ⌛ master → c1cf484 ✓ CI Passed

[Browse Report](#)

### Merge branch 'master' into feature/home-page-announcements

**SonyaMoisset**

2 days ago ⌛ #204 → d871d7b ✓ CI Passed

[Browse Report](#)[View all recent commits](#)

File	Line	Coverage
------	------	----------

Files	Line	Coverage
src	633 440 43 150	69.51%
empty-module.js	1 1 0 0	100.00%
Project Totals (75 files)	634 441 43 150	69.55%



Overview

Commits

Branches


Pulls

Compare

Settings

Viewing commits on all branches and pulls. Choose a single branch or pull request to review more details.

## Commits

 Update README.md file	SonyaMoisset	19 minutes ago	→ master	-o 10b726f	CI Passed	 69.55%
 Merge branch 'master' into feature/home-page-announcements	SonyaMoisset	2 days ago	→ #204	-o 918e3a0	CI Passed	 70.17%
 Footer (#206)	laij84	2 days ago	→ feature/home-page-announcements	-o dae3d32	CI Passed	 69.55%
 update snapshots, update netlify robots config, remove pledge redirect	laij84	2 days ago	→ master	-o fa8e139	CI Passed	 69.55%
 merge in latest master and fix conflicts	laij84	2 days ago	→ master	-o clef484	CI Passed	 69.55% < 62.50% >
 Merge branch 'master' into feature/home-page-announcements	SonyaMoisset	2 days ago	→ #204	-o d871d7b	CI Passed	 70.17%
 Feature/redirects (#205)	laij84	2 days ago	→ feature/blog-details	-o 10a80c7	CI Passed	 69.55%
 update invalid redirect	laij84	2 days ago	→ master	-o ce8a261	CI Passed	 69.55%
 remove conflicts	laij84	2 days ago	→ master	-o ad807a0	CI Passed	 69.55%
 merge in latest from master and resolve conflicts	laij84	2 days ago	→ master	-o 5432508	CI Passed	 69.55% < 40.00% >
 update redirects	laij84	2 days ago	→ feature/redirects	-o 8ebb27f	CI Passed	 69.43%
 fix test	Unknown	2 days ago	→ #204	-o 7dde96d	CI Passed	 70.17% (+0.61%)
 Bump gatsby from 2.3.12 to 2.3.13	dependabot-bot	2 days ago	→ #203	-o 53536ef	CI Passed	 69.55%
 Bump react-dates from 16.7.0 to 18.0.0	dependabot-bot	3 days ago	→ #18	-o b0b21df	CI Passed	 69.55%
 Bump jest from 23.6.0 to 24.7.1	dependabot-bot	3 days ago	→ #194	-o c9700cc	CI Passed	 69.37% (-0.19%)
 Bump react-accessible-accordion from 2.4.5 to 3.0.0	dependabot-bot	3 days ago	→ #164	-o albad29	CI Passed	 69.55%
 Feature/stop crawlers (#202)	laij84	3 days ago	→ feature/blog-details	-o 5ee8f54	CI Passed	 69.55%
 Regenerate lock files	SonyaMoisset	3 days ago	→ master	-o 9e724fb	CI Passed	 69.55%




codecov bot commented 2 days ago • edited

+ 😊 ...

## Codecov Report

Merging #204 into master will increase coverage by 0.61%.  
The diff coverage is 100%.



```
@@          Coverage Diff      @@
##        master    #204      +/-   ##
=====+-----+
+ Coverage  69.55%  70.17% +0.61%
=====+-----+
Files       75      79      +4
Lines      634     647     +13
Branches    87      88      +1
=====+-----+
+ Hits      441     454     +13
Misses     150     150
Partials    43      43
```

Impacted Files	Coverage Δ
...s/homepage/components/announcementHeader/styles.js	100% <100%> (s)
...res/homepage/components/announcementCard/styles.js	100% <100%> (s)
...ures/homepage/components/announcementCard/index.js	100% <100%> (s)
...es/homepage/components/announcementHeader/index.js	100% <100%> (s)

Continue to review full report at [Codecov](#).

Legend - [Click here to learn more](#)

Δ = absolute <relative> (impact) , s = not affected , ? = missing data

Powered by [Codecov](#). Last update `dae3d32...918e3a0`. Read the [comment docs](#).



# Application

# Codacy

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

## Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

## Supported languages

Go, Java, JavaScript  
and [7 other languages supported](#)

## Developer



## Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codacy is an automated code analysis/quality tool that helps developers ship better software, faster. With Codacy, you get static analysis, cyclomatic complexity, duplication and code unit test coverage changes in every commit and pull request.


You can use Codacy to enforce your code quality standard, save time in code reviews, enforce security best practices and onboard developers faster. Integrate with your GitHub repositories to get quality analysis of every pull request inside GitHub.

[Read more...](#)

### Track your project quality evolution


Get a code quality glance at your project and track its **quality evolution over time**. Our dashboard answers three main questions:

- What is the state of your projects code quality?
- How is it evolving throughout time?
- What are the hotspots in my code?



### Integrated in your workflow

Get only the updates you need. Integrate comments and status on your pull requests and know exactly what's wrong and where.





C O D A C Y

pride-london-web master

[Badge](#)

## B Project certification

### Quality evolution

[Last 7 days](#)[Last 31 days](#)

### Issues breakdown

74 total issues

#### Category

	Total
Security	0
Error Prone	9
Code Style	53
Compatibility	9
Unused Code	0
Performance	3

[See all issues](#)

### Coverage



Make sure your code is all tested. [Set up your coverage here.](#)

### Hotspots

U Security pattern Prohibit instances of var[var] reported 9 times in pride-london-web

! pride-london-web has 1 open pull request breaking the standards.

### Logs

- Sonya Moisset ignored pattern "ESLint\_react\_jsx-indent-props". 6 days ago
- Sonya Moisset ignored pattern "ESLint\_react\_jsx-indent". 6 days ago
- Sonya Moisset ignored pattern "Require parentheses in arrow function arguments". 18 days ago
- Sonya Moisset ignored pattern "Local Storage". 24 days ago
- Sonya Moisset ignored pattern "A "return", "break", "continue", or "throw" statement should be the last in a block.". 25 days ago
- Sonya Moisset ignored pattern "Avoid adjoining classes". 29 days ago
- Sonya Moisset ignored pattern "Enforce coherent multiline dot". 29 days ago
- Sonya Moisset ignored pattern "Enforce Dangling Commas". 29 days ago
- Sonya Moisset disabled JSHint. about a month ago

### Pull requests status



- Not up to standards 0
- Up to standards 6



C O D A C Y

## Code patterns

CSSLint



💡 ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. [Learn more](#)

ESLint 5.8.0



JSHint



JacksonLinter



Node Security



PMD 6.4.0



PMD (Legacy) 5.8.1



RemarkLint 6.0.2



Stylelint 9.4.0



Not supported ⓘ

## Your rules configuration

### Tool pattern list

Select your rules for analysis from the ESLint default pattern list

OR

### Configuration file

We will scan for a ESLint configuration file in your project root

## ESLint pattern list



### Languages

JSON  
Javascript

### Category

Unused Code	10
Error Prone	141
Compatibility	4
Security	15
Code Style	287

### Active

Enabled	300
Disabled	157

**ESLint-angular-angularelement**

ESLint-angular-angularelement

[Javascript](#) [JSON](#) [Code Style](#)

**ESLint-angular-component-limit**

ESLint-angular-component-limit

[Javascript](#) [JSON](#) [Code Style](#)

**ESLint-angular-component-name**

ESLint-angular-component-name

[Javascript](#) [JSON](#) [Code Style](#)

**ESLint-angular-controller-as**

ESLint-angular-controller-as

[Javascript](#) [JSON](#) [Code Style](#)

**ESLint-angular-controller-as-route**

ESLint-angular-controller-as-route

[Javascript](#) [JSON](#) [Code Style](#)





C O D A C Y



giancarlo88 wants to merge task/blog-page-layout into feature/blog-page March 16

Task/blog page layout

Current Status: Analysed View logs  
View on GitHub

Not up to standards. This pull request quality could be better.

+83

Issues



Duplication



Complexity



Coverage

New Issues Fixed Issues Hotspots New Duplication Fixed Duplication Files Diff Commits

Showing 16 files with new issues

src/components/horizontalRule/index.js

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import styled from 'styled-components'
```

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import styled from 'styled-components'
```

src/features/blog/components/newsCard/index.js

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import React from 'react'
```

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import React from 'react'
```

JSX not allowed in files with extension '.js' (react/jsx-filename-extension)

```
6 const CenterDot = () => <span>-</span>
```

Missing JSX expression container around literal string (react/jsx-no-literals)

```
6 const CenterDot = () => <span>-</span>
```



# codebeat

PrideInLondon has already purchased the Public plan for this app on GitHub Marketplace.

[Set up a new plan](#)
[Edit your plan ▾](#)
[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)
[Code review](#)
[Free](#)
[Paid](#)

Supported languages

Elixir, Go, Java

and [7 other languages supported](#)

Developer



codequest-eu

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Tired of manually scraping your code looking for the smallest issues? Take codebeat for a spin!



codebeat is an automated static code analysis tool supporting multiple languages used by both web and mobile developers worldwide. Now also providing **style analysis for projects written in Swift**

We've integrated SwiftLint, the best linter for Swift in our code review app and fixed you with a [help page](#). about the feature. Enjoy!

[Read more...](#)

## Check your full stack

codebeat offers unified reporting system across all supported languages. It means that all project stakeholders can easily understand what is happening inside a project.

3.68  
GPA[github.com/PrideInLondon/pride-london-...](https://github.com/PrideInLondon/pride-london-web)

10b726fb@master

Last updated: Today, 1:51 pm

60

11

3371

-

complexity issues

duplications

lines of code

code coverage

[Complexity](#) [Styles](#) [Duplications](#) [Security](#)[Quick Wins](#) [Namespaces](#) [Timeline](#) [Settings](#) [Pull Requests](#)

### Don't wait to improve your code. Do it now!

After analysing **pride-london-web** we've found issues with the biggest overall impact on your project's health.

Try to refactor these hot spots first and see how your GPA improves.

- > **Function too long** <src/features/events/components/eventsFilters.js.EventsFilters.<anonymous  
critical 92 lines of code
- > **Function too long** src/components/nav/index.js.Nav  
critical 163 lines of code
- > **Function too long** src/components/icons/genderIcon.js.GenderIcon  
critical 84 lines of code
- > **Function too long** src/pages/support-us/sponsors.js.Sponsors  
critical 102 lines of code
- > **Function too long** src/features/events/components/eventsFilters.js.EventsFilters.render  
critical 98 lines of code

 Mute  Report  Help Mute  Report  Help Mute  Report  Help Mute  Report  Help Mute  Report  Help



Application

# CodeFactor

ⓘ PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.  
To complete this installation, you must [grant this app access to PridelnLondon](#).

[Set up a new plan](#)

[Edit your plan ▾](#)

**Verified by GitHub**

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Recently added](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C#, C++, CSS

and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

## Ensure that your code meets quality standards.

CodeFactor.io seamlessly integrates with GitHub, instantly performs Code Review with every GitHub Commit or PR. Zero setup time. Get actionable feedback within seconds for any branch. Customize rules and ignore irrelevant issues. Get refactoring tips on every issue.


## Multilanguage support.

C, C#, C++, CoffeeScript, CSS, GO, Groovy, Java, JavaScript, Less, PHP, Python, Ruby, Scala, SCSS, TypeScript.

[Read more...](#)

The screenshot shows a detailed view of a GitHub pull request's status. At the top, there's a red circle with a white 'X' and the text "Review required". Below it, a green circle with a white checkmark says "Some checks were not successful". A red box highlights a specific item: "CodeFactor — 1 issue fixed. 2 issues found." This item has a red 'X' icon. To the right of the list are "Details" and "Required" buttons. Other items listed include "ci/bitrise/b811c91a26b1ea80/pr — Failed - Ubuntu Cake" (with a red 'X' and "Required" button), "Cake Develop (Cake) — TeamCity build finished" (green checkmark and "Details" button), "ci/bitrise/7a9d707b00881436/pr — Passed - OSX Cake" (green checkmark and "Required" button), and "continuous-integration/appveyor/pr — AppVeyor build succeeded" (green checkmark and "Required" button). At the bottom, there's a red circle with a white 'X' and the text "Merging is blocked".

Simple statuses within your workflow.





pride-london-web

codefactor A

P master



9.84 grade score

20 issues

149 files

6 pull requests

2 active branches

Commit [10b726f](#) by smoisset about an hour ago

Update README.md file

Commit [dae3d32](#) by laij84 2 days ago

Footer (#206)

Commit [10a80c7](#) by laij84 2 days ago

Feature/redirects (#205)

Commit [5cc8f54](#) by laij84 3 days ago

Feature/stop crawlers (#202)

Commit [02244a9](#) by smoisset 3 days ago

Rollback codecov update dependency

## Hotspots

- D [src\components\navItem\\\_spec.js](#)
- C [src\layouts\index.css](#)
- F [.circleci\config.yml](#)

## Libraries 58

[moment/moment](#) 2.24.0

[@babel/core](#) 7.4.3

[@babel/plugin-syntax-dynamic-import...](#)

[@babel/preset-env](#) 7.4.3

[@babel/preset-react](#) 7.0.0

Show 53 more libraries...





Application

# LGTM

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

✓ Verified by GitHub

GitHub confirms that this app meets  
the [requirements for verification](#).

Categories

[Code quality](#)

[Security](#)

[Free](#)

Supported languages

C, C++, Java  
and [3 other languages supported](#)

Developer

lgtmhq

Developer links

[Support](#)  
[Documentation](#)  
[Privacy Policy](#)

Report abuse

## Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review

LGTM's extensive security analysis is constantly enhanced by findings from our dedicated team of security researchers, and by contributions from security teams at a number of top tech companies who use our technology, including Google, Microsoft and Mozilla.

Integration is easy, at the click of a button you can set up Pull Request analysis, and catch problems before they get merged.

[Read more...](#)

Pull Request Integration

Enable automatic code review to catch problems before they get merged.

amphihml-lgtm-bot commented on 26 Jan Member

This pull request introduces 1 alert - [view on lgtm.com](#)

new alerts:

- 1 for Regular expression injection

Comment posted by [lgtm.com](#)

All checks have passed 6 successful checks Hide all checks

- LGTM analysis: JavaScript — 1 new alert Details
- LGTM analysis: Python — No alert changes Details

This branch has no conflicts with the base branch Only those with [write access](#) to this repository can merge pull requests.

Pull Request Integration: Enable automatic code review to catch problems before they get merged.



[Overview](#)[Alerts 5](#)[Files](#)[Contributors 6](#)[Compare](#)[Dependencies](#)[Integrations](#)

## Alert filters

No filter selected

[Export alerts](#)


Severity

Query

Tag

 Show excluded files Show heatmap

Source root /



Name	Alerts	Lines of code
src	5	5.2k
.eslintrc	0	0
gatsby-browser.js	0	0
gatsby-config.js	0	30
gatsby-node.js	0	95
gatsby-ssr.js	0	0
package.json	0	0

## ← Potentially inconsistent state update

reliability

frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

[Read more](#)

[Open in query console](#)

Source root/src/.../filters/**eventDropdownFilter.js**

1 alert

```
↑ 1-117
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
123   }
124
↓ 125-172
```

Component state update uses potentially inconsistent value.



Source root/src/.../appContext/index.js

1 alert

```
↑ 1-136
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
144   }
```

Component state update uses potentially inconsistent value.



```
145
↓ 146-230
```

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

**Query pack:** com.lgtm/javascript-queries

**Query ID:** js/react/inconsistent-state-update

**Language:** JavaScript

**Severity:** warning

**Tags:** reliability, frameworks/react

**Displayed by default?** Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. [Learn how.](#)

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

## Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

## Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
1  this.setState({  
2    counter: this.state.counter + 1  
3  });
```

Instead, the callback form of `setState` should be used:

```
1  this.setState(prevState => ({  
2    counter: prevState.counter + 1  
3  }));
```

## References

- React Quick Start: [State and Lifecycle](#).

# State and Lifecycle

This page introduces the concept of state and lifecycle in a React component.  
You can find a [detailed component API reference here](#).

Consider the ticking clock example from [one of the previous sections](#). In [Rendering Elements](#), we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}

setInterval(tick, 1000);
```

[Try it on CodePen](#)

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

# PrideInLondon/pride-london-web

JavaScript A

Unfollow

Query this project

Overview

Alerts 5

Files

Contributors 6


Compare

Dependencies

Integrations

A when compared to other JavaScript projects

Language: JavaScript Add a language





Application

# Sonatype DepShield

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Sonatype DepShield is a GitHub App used by developers to identify and remediate vulnerabilities in their open source dependencies.

[Read more...](#)

## Categories

[Dependency management](#)

[Security](#)

[Free](#)

## Supported languages

Java and JavaScript

## Developer



## Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

The screenshot shows a GitHub repository for "whyjustin / WebGoat". A DepShield-generated issue titled "[DepShield] Vulnerability due to usage of commons-fileupload:commons-fileupload:1.2.2 #105" has been created. The issue details a dependency vulnerability: "DepShield reports that this application's usage of commons-fileupload:commons-fileupload:1.2.2 results in the following vulnerability(s):". It lists three specific vulnerabilities with CVSS scores: "(CVSS 9.8) [CVE-2016-1000031] Improper Access Control", "(CVSS 7.5) [CVE-2014-0050] Permissions, Privileges, and Access Controls", and "(CVSS 7.5) [CVE-2016-3092] Improper Input Validation". The issue was opened by "sonatype-depshield bot" 6 days ago. To the right of the issue, there are sections for "Assignees" (No one assigned), "Labels" (None yet), "Projects" (None yet), and "Milestone" (No milestone).

DepShield Generates GitHub Issues for Known Security Vulnerabilities



# [DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

 Open

sonatype-depshield bot opened this issue a day ago · 0 comments



sonatype-deps...

bot

commented a day ago

+  ...

## Vulnerabilities

DepShield reports that this application's usage of [lodash.get:4.4.2](#) results in the following vulnerability(s):

- (CVSS 7.4) [CWE-471: Modification of Assumed-Immutable Data \(MAID\)](#)
- (CVSS 6.5) [\[CVE-2018-3721\] lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...](#)

## Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- [husky:1.3.1](#)
  - └ [cosmiconfig:5.1.0](#)
    - └ [lodash.get:4.4.2](#)

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for [personal](#) and [organization](#) accounts. Please submit questions or feedback about DepShield to the [Sonatype DepShield Community](#).

# Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

**CVSS Score**

7.4: Critical

**CVSS Vector**

CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

**CWE**

[CWE-471](#)

**CVE**

not recorded

## Components

[Sign In](#) to see affected components and versions.

## References

### URL

[https://www.npmjs.com/advisories/577](#)

[https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0](#)

2 references

severity low

## Prototype Pollution

lodash

Advisory

Versions

### Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are '`defaultsDeep`', '`merge`', and '`mergeWith`' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

### Remediation

Update to version 4.17.5 or later.

### Resources

- [HackerOne Report](#)

## Base Score Metrics

### Exploitability Metrics

Attack Vector (AV)\*

Network (AV:N)  Adjacent Network (AV:A)  Local (AV:L)  Physical (AV:P)

Attack Complexity (AC)\*

Low (AC:L)  High (AC:H)

Privileges Required (PR)\*

None (PR:N)  Low (PR:L)  High (PR:H)

User Interaction (UI)\*

None (UI:N)  Required (UI:R)

Scope (S)\*

Unchanged (S:U)  Changed (S:C)

### Impact Metrics

Confidentiality Impact (C)\*

None (C:N)  Low (C:L)  High (C:H)

Integrity Impact (I)\*

None (I:N)  Low (I:L)  High (I:H)

Availability Impact (A)\*

None (A:N)  Low (A:L)  High (A:H)

\* - All base metrics are required to generate a base score.

## Temporal Score Metrics

### Exploitability (E)

Not Defined (E:X)  Unproven that exploit exists (E:U)  Proof of concept code (E:P)  Functional exploit exists (E:F)  High (E:H)

### Remediation Level (RL)

Not Defined (RL:X)  Official fix (RL:O)  Temporary fix (RL:T)  Workaround (RL:W)  Unavailable (RL:U)

### Report Confidence (RC)

Not Defined (RC:X)  Unknown (RC:U)  Reasonable (RC:R)  Confirmed (RC:C)

## Environmental Score Metrics

### Base Modifiers

Attack Vector (AV)

Not Defined (MAV:X)  Network (MAV:N)  Adjacent Network (MAV:A)  
 Local (MAV:L)  Physical (MAV:P)

Attack Complexity (AC)

Not Defined (MAC:X)  Low (MAC:L)  High (MAC:H)

Privileges Required (PR)

### Impact Metrics

Confidentiality Impact (C)

Not Defined (MC:X)  None (MC:N)  Low (MC:L)  
 High (MC:H)

Integrity Impact (I)

Not Defined (MI:X)  None (MI:N)  Low (MI:L)  
 High (MI:H)

### Impact Subscore Modifiers

Confidentiality Requirement (CR)

Not Defined (CR:X)  Low (CR:L)  
 Medium (CR:M)  High (CR:H)

Integrity Requirement (IR)

Not Defined (IR:X)  Low (IR:L)  Medium (IR:M)  
 High (IR:H)

## Application



# Dependabot

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

**Verified by GitHub**

Github confirms that this app meets the [requirements for verification](#).

**Categories**

[Dependency management](#)

[Security](#)

[Free Trials](#)

[Free](#)

[Paid](#)

**Supported languages**

C#, Elixir, F#  
and [7 other languages supported](#)

**Customers**



**Developer**



**Developer links**

[Support](#)

[Status](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Dependabot helps you keep your dependencies up to date. It works with most popular languages - you can see full details of the languages we support [here](#).

Every day, Dependabot checks your dependency files for outdated or insecure requirements and opens individual pull requests for any it finds. You review the PRs, merge them, and get to work on the latest, most secure releases.

[Read more...](#)

### [Security] Bump bower from 1.8.2 to 1.8.8 #80

Merged dependabot merged 1 commit into master from dependabot/npm\_and\_yarn/bower-1.8.8 7 days ago

Conversation 0 Commits 1 Checks 0 Files changed 1

+2 -2



dependabot bot commented 7 days ago

Contributor +1 ...

Bumps [bower](#) from 1.8.2 to 1.8.8. This update includes security fixes.

▼ Vulnerabilities fixed

Sourced from [The Node Security Working Group](#).

Arbitrary File Write Through Archive Extraction

attackers can write arbitrary files when a malicious archive is extracted.

Affected versions: <1.8.7

► Release notes

► Commits

► Maintainer changes

compatibility 88%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting @dependabot rebase .

If all status checks pass Dependabot will automatically merge this pull request.

► Dependabot commands and options

↳ [Security] Bump bower from 1.8.2 to 1.8.8

Verified ✓ e164583

↳ dependabot bot added [dependencies](#) [security](#) labels 7 days ago

**Reviewers**

No reviews

**Assignees**

No one assigned

**Labels**

[dependencies](#)

[security](#)

**Projects**

None yet

**Milestone**

No milestone

**Notifications**

[Subscribe](#)

You're not receiving notifications from this thread.

1 participant



Helpful PRs with release notes, changelogs, and Dependabot compatibility scores



Code

Issues 1

Pull requests 3

Projects 0

Wiki

Insights

Settings

## Bump dotenv from 6.2.0 to 7.0.0 #79

[Open](#) dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`

Conversation 1

Commits 1

Checks 0

Files changed 3



dependabot bot commented 4 hours ago

Contributor + 1 ...

Bumps `dotenv` from 6.2.0 to 7.0.0.

- ▶ Changelog
- ▶ Commits

compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

- ▶ Dependabot commands and options

Bump dotenv from 6.2.0 to 7.0.0 ...

Verified ✓ 788659c

 dependabot bot added the `dependencies` label 4 hours ago


GitHub APP 6:39 AM

Pull request opened by dependabot[bot]

dependabot[bot]

#78 Bump jest from 24.3.1 to 24.4.0

Bumps `jest` from 24.3.1 to 24.4.0.

### Changelog

Sourced from [jest's changelog](#).

### 24.4.0

#### Features

- `[jest-resolve]` Now supports PnP environment without plugins (#8094)

#### Show more

#### Labels

dependencies


#### Comments

1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

All checks have passed

7/7 successful checks





Application

# Snyk

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

✓ Verified by GitHub

GitHub confirms that this app meets  
the [requirements for verification](#).

Categories

Dependency management  
Security **GitHub Enterprise**  
Free

Supported languages

Gradle, Java, JavaScript  
and [4 other languages supported](#)

Developer



Developer links

Support  
Status  
Documentation  
Privacy Policy  
[Terms of Service](#)

[Report abuse](#)

**Snyk** is on a mission to help developers use open source and stay secure.

Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

[Read more...](#)

The screenshot shows the Snyk web interface with a dark header bar. The header includes the Snyk logo, the company name "Canidae Ltd", a dropdown menu, and links for "Vulnerability DB", "Docs", and "My account". Below the header is a navigation bar with "Dashboard", "Projects", and "Settings". A search bar labeled "Search projects" is followed by a "Add projects" button. Under the search bar are filters for "GitHub", "CI/CD", and "Bitbucket", along with "Languages" and "Sort" dropdowns. The main content area displays five project cards:

- canidae/pug**: Includes package.json and Gemfile.lock files. Vulnerabilities: 5 H, 2 M, 14 L. Status: New. Last tested: 1 hour ago.
- flat-coated-retriver**: Includes package.json file. Vulnerabilities: 0 L, 0 M, 0 L. Status: Test weekly. Last tested: 3 days ago.
- canidae/pyrenean-shepherd**: Includes pom.xml file. Vulnerabilities: 1 H, 0 M, 1 L. Status: New. Last tested: 5 days ago.
- canidae/anatolian-shepherd**: Includes Gemfile.lock file. Vulnerabilities: 2 H, 1 M, 7 L. Status: Test weekly. Last tested: 1 week ago.
- canidae/saint-bernard**: No files listed.

A call-to-action "Find: Quickly scan all your repos and get a high level overview on the amount of known vulnerabilities" is displayed below the projects. At the bottom, there are five small screenshots of different parts of the Snyk interface.

**snyk**

## All vulnerable projects

[See all projects](#)

### PrideInLondon/pride-london-web:package.json

0 H 1 M 0 L Updated 3 hours ago

Dependencies: 1555 • Source: [GitHub](#)

[Add more projects](#)

### Current security status

0

HIGH SEVERITY

1

MEDIUM SEVERITY

0

LOW SEVERITY

[Learn about reports](#)

## PrideInLondon/pride-london-web:package.json

[Overview](#) [History](#) [Settings](#)

Snapshot taken [3 hours ago](#).

[Retest now](#)

Vulnerabilities 1 via 1 paths

Dependencies 1555

Source [GitHub](#)

Taken by Web

Tested with package-lock.json, package.json

Repository [pride-london-web](#)

Branch master

Manifest [package.json](#)

NEW  Prioritise vulnerabilities by those introduced at runtime. [Learn more](#)



# snyk

MEDIUM SEVERITY

## 🛡 Denial of Service (DoS)

Vulnerable module: [mem](#)

Introduced through: [gatsby@2.1.31](#)

### Detailed paths and remediation

- Introduced through: pride-london-web@0.1.0 > gatsby@2.1.31 > @gatsbyjs/relay-compiler@2.0.0-printer-fix.z > yargs@9.0.1 > os-locale@2.1.0 > mem@1.1.0

Remediation: No remediation path available.

### Vulnerable functions

`index.module.exports.memoized()`

`index.module.exports.memoized.setData()`

### Overview

[mem](#) is an optimization used to speed up consecutive function calls by caching the result of calls with identical input.

Affected versions of this package are vulnerable to Denial of Service (DoS). Old results were deleted from the cache and could cause a memory leak.

[More about this issue](#)

Create a Jira issue [UPGRADE](#)

Ignore



**snyk-bot** APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.

Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.



**snyk-bot** APP 3:37 PM

### Prototype Pollution

New vulnerability in package `lodash.merge` at the Pride in London organisation.



#### Severity

Low

#### Package

`lodash.merge`

#### Issue ID

[SNYK-JS-LODASHMERGE-173732](#)

### Affected projects:

 [PrideInLondon/pride-london-web:package.json](#)

**Package version:** 4.6.1

[Fix with the CLI wizard](#)



## Incoming WebHooks

[App Info](#) [Settings](#)

This app was made by Slack.

This integration was made by a member of the Slack team to help connect Slack with a third party service; these Slack integrations may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at [feedback@slack.com](mailto:feedback@slack.com).

[Add Configuration](#)

[App Homepage](#)

[App help](#)

[Terms](#)

[Report this app to Slack](#) for inappropriate content or behavior.

### Configurations



Posts to tech-github as **Snyk**  
[Sonya Moisset](#) on Feb 15, 2019



Posts to tech-github as **Codacy**  
[Sonya Moisset](#) on Feb 22, 2019

[Dashboard](#) [Reports](#) [Projects](#) [Integrations](#) [Settings](#)

### Integrations

Stay continuously protected. Connect Snyk to the applications you use daily.

#### Source control



GitHub

[Add projects](#)



GitHub Enterprise

[Contact us to enable](#)



GitLab

[Connect to GitLab](#)



Bitbucket Server

[Contact us to enable](#)



Bitbucket Cloud

[Coming soon!](#)

#### Platform as a Service



Heroku

[Connect to Heroku](#)



Cloud Foundry

[Connect to Cloud Foundry](#)



Pivotal Web Services

[Connect to Pivotal](#)



IBM Cloud

[Connect to IBM Cloud](#)

#### Serverless



AWS Lambda

[Connect to AWS Lambda](#)



Azure Functions BETA

[Connect to Azure Functions](#)



Google Cloud Platform

[Coming soon!](#)

#### Notifications



Slack

[Edit settings](#)



Jira

[Contact us to enable](#)



## New issues and remediations

Hello SonyaMoisset,

We found new vulnerabilities that affect 1 project in the Pride in London organisation.

### Pride in London



**PrideInLondon/pride-london-web:package.json**

[view all project issues](#)

L

[Prototype Pollution](#)

Vulnerability in lodash.merge 4.6.1. No remediation available yet.

[This issue can be fixed via the CLI](#)



## Application Rollbar

ⓘ PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

### Categories

[Monitoring](#)

[Free](#)

[Paid](#)

### Supported languages

C#, Go, Haskell  
and [7 other languages supported](#)

### Developer



### Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

**Rollbar** provides real-time, full-stack exception reporting and debugging tools for developers. Rollbar integrates in moments with apps built in **JavaScript, Ruby, Python, PHP, Node.js, Android, iOS, Go, Java, .NET** and [more](#).

Rollbar integrates with GitHub to link stack traces to the underlying source code, correlate exceptions to code changes, and create GitHub issues so teams can manage errors in their existing workflow.

[Read more...](#)

Learn more about advanced search [Search](#)

SOURCE	ENVIRONMENT	OWNER	STATUS				
Show All	production	Show All	Active				
Learn more about advanced search <a href="#">Search</a>							
Critical	Error	Warning	Info	Debug	Environment	Level	Owner
24hr Trend	Total	IPs	Last 1	Item			
	42,961	4	41 secs	#267076 IndexError: list index out of range		production	Error
	112,360	130	1 min	#187889 ApiNotFoundError: jira - Resource not found in the JIRA API.		production	Error
	655,986	-	1 min	#12197 Raw item with crash report doesn't have trace		production	Error
	14,141	1	3 mins	#303721 ReferenceError: Can't find variable: auto		production	Error
	95,874	-	3 mins	#147056 illegal mix of collations for SELECT FROM person by person_id		production	Error
	148	-	3 mins	#8857 Lost connection to MySQL server from los worker		production	Error
	238	-	5 mins	#145688 OperationalError: (OperationalError) (2013, "Lost connection to MySQL server...")		production	Error
	37	-	5 mins	#147197 OperationalError: (OperationalError) (2013, "Lost connection to MySQL server...")		production	Error
	14,464	-	5 mins	#269482 KeyError: 'names'		production	Error
	7,866	-	6 mins	#183743 Trying to send email without recipients		production	Error
	5,906	-	6 mins	#183812 Giving up on job after max retries ("raw_item_indexer" queue)		production	Error
	37,398	47	7 mins	#277152 ↳ Operational Error - Deadlock		production	Error
	7,784	293	8 mins	#303032 ↳ ReferenceError: Boomerang is not defined		production	Error
	41	-	9 mins	#294703 Incorrect number of args for react error		production	Error

Real-time error stream



development

## #1 TestError: Hello world

Level: Error Status: Active [Resolve](#) Mute [Report overgrouping](#) [Create GitHub Issue](#) Unassigned Not watching 0

First seen: 12 minutes ago Last seen: 11 minutes ago Occurrences: 2 IPs affected: 1

Last 60 Minutes



Last 60 Hours



Last 60 Days



[Traceback](#) [Occurrences](#) [People](#) [Browser/OS](#) [IP Addresses](#) [Suspect Deploy](#) [Similar Items](#) [Co-Occurring Items](#) [Community Solutions](#)

Timestamp (PDT)	browser	os	context	request.url	trace.exception.description	trace.exception.message	client.rn
2019-03-15 04:06 pm				<a href="https://fervent-albattani-72bcb1.netlify.com/">https://fervent-albattani-72bcb1.netlify.com/</a>		TestError: Hello world	Hello world
2019-03-15 04:05 pm				<a href="https://5c8c2f281514740008340117--fervent-albattani-72bcb1.netlify.com/">https://5c8c2f281514740008340117--fervent-albattani-72bcb1.netlify.com/</a>	TestError: Hello world		Hello world

# Feature/redirects #205

[Edit](#)[Merged](#)SonyaMoisset merged 8 commits into [master](#) from [feature/redirects](#) 2 days ago[Conversation 1](#)[Commits 8](#)[Checks 4](#)[Files changed 1](#)

+54 -20



lalj84 commented 2 days ago

Member + 11 ...

No description provided.

lalj84 added some commits 3 days ago

fix generic page layout, add default link style to index.css, fix border

cbb126f

add underline to legal links

bcce408

add redirects, move sponsors page to new url structure

91b7296

Merge branch 'master' into feature/redirects

✓ 8d2b0bb

update redirects

✓ Bebb27f

merge in latest from master and resolve conflicts

✗ 5432508

lalj84 requested a review from SonyaMoisset 2 days ago

pull-request-size bot added the size/M label 2 days ago




codecov bot commented 2 days ago + edited

+ 11 ...

## Codecov Report

Merging #205 into master will not change coverage.

The diff coverage is n/a.



##	Coverage	Diff	##
##	master	#205	+/- ##
<hr/>			
Coverage	69.55%	69.55%	
Files	75	75	
Lines	634	634	
Branches	87	87	
Hits	441	441	
Misses	150	150	
Partials	43	43	

[Continue to review full report at Codecov.](#)Legend - [Click here to learn more](#)

Δ = absolute &lt;relative&gt; (impact), ⚡ = not affected, ? = missing data

Powered by [Codecov](#). Last update 5cc8f54...ce8a261. Read the [comment docs](#).

Reviewers

SonyaMoisset ✓

Assignees

lalj84

Labels

Navigation

New Component

New Feature

size/M

Projects

Done in Pride in London

Milestone

Navigation

Notifications

[Unsubscribe](#)

You're receiving notifications because you modified the open/close state.

2 participants

[Lock conversation](#)



Application

# Pull Request Size

① PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)[Edit your plan](#) ▾[Configure access](#)

ⓘ Not verified by GitHub

Categories

[Code quality](#)[Recently added](#)[Free](#)

Customers



Developer

[Developer links](#)[Support](#)[Documentation](#)[Privacy Policy](#)[Report abuse](#)

We must measure before we can adapt.

Ensure that Pull Request sizes in your organization are trending smaller with the Pull Request Size app. Each Pull Request created will be marked with a label in GitHub based on the lines of code changed.

## Size Determination

The Pull Request labels are applied depending on the total lines of code changed (additions + deletions).

Label	Description
size/XS	Denotes a Pull Request that changes 0-9 lines.
size/S	Denotes a Pull Request that changes 10-29 lines.
size/M	Denotes a Pull Request that changes 30-99 lines.
size/L	Denotes a Pull Request that changes 100-499 lines.
size/XL	Denotes a Pull Request that changes 500-999 lines.
size/XXL	Denotes a Pull Request that changes 1000+ lines.

## Testing Pull Request Size App #5

[Open](#) noqcks wants to merge 1 commit into master from test-pull-request-size

Conversation 0 Commits 0 Checks 0 Files changed 0

[Edit](#)

noqcks commented 16 minutes ago

Owner [+ @](#)

Reviewers

No reviews

Assignees

No one—assign yourself

Labels

sizeM

Projects

None yet

Milestone

No milestone

Notifications

[Unsubscribe](#)

testing pull request size

Verified 614860

pull-request-size [bot] added the sizeM label 16 minutes ago

A build service has not been set up

We have detected a top-level Dockerfile. Pick from apps that can perform automatic builds.

This branch has no conflicts with the base branch

Merging can be performed automatically.

[Squash and merge](#) You can also open this in GitHub Desktop or view command line instructions.

Pull Request Size usage



## All checks have passed

7 successful checks

[Hide all checks](#)



**Codacy/PR Quality Review** — Up to standards. A positive pull request. [Details](#)



**LGTM analysis: JavaScript** — No new or fixed alerts [Details](#)



**ci/circleci: build** — Your tests passed on CircleCI! [Details](#)



**codecov/patch** — Coverage not affected when comparing 1087ffc...78865... [Details](#)



**codecov/project** — 48.11% remains the same compared to 1087ffc [Details](#)



**security/snyk - package.json (Pride in London)** — No new issues [Details](#)



## This branch has no conflicts with the base branch

Merging can be performed automatically.

**Squash and merge**



You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Add more commits by pushing to the **task/blog-page-layout** branch on **PrideInLondon/pride-london-web**.



### Review requested

[Show all reviewers](#)

Review has been requested on this pull request. It is not required to merge. [Learn more](#).



### Some checks were not successful

[Hide all checks](#)

1 errored, 1 failing, and 5 successful checks



**LGMT analysis: JavaScript** — This pull request can't be analyzed because it ...

[Details](#)



**Codacy/PR Quality Review** — Not up to standards. This pull request quality ...

[Details](#)



**AccessLint** — Review complete



**ci/circleci: build** — Your tests passed on CircleCI!

[Details](#)



**codecov/patch** — 82.92% of diff hit (target 51.46%)

[Details](#)



**codecov/project** — 52.4% (+0.94%) compared to ecce520

[Details](#)



### This branch has conflicts that must be resolved

Use the [web editor](#) or the [command line](#) to resolve conflicts.

[Resolve conflicts](#)



Add more commits by pushing to the **dependabot/npm\_and\_yarn/dotenv-7.0.0** branch on **PrideInLondon/pride-london-web**.



## Review required

Show all reviewers

At least 1 approving review is required by reviewers with write access. [Learn more.](#)



## All checks have passed

[Hide all checks](#)

3 neutral and 9 successful checks



AccessLint — Review complete

Required



Codacy/PR Quality Review — Up to standards. A positive pull request.

Required [Details](#)



LGTM analysis: JavaScript — No new or fixed alerts

Required [Details](#)



Mixed content - fervent-albattani-72bcb1 Successful in 1m — No mixed c...

[Details](#)



ci/circleci: build — Your tests passed on CircleCI!

Required [Details](#)



codecov/patch — Coverage not affected when comparing e805b5d...faeef84

Required [Details](#)



## Merging is blocked

Merging can be performed automatically with 1 approving review.

[Update branch](#)



SonyaMoisset approved these changes 2 days ago

[View changes](#)



Pride in London [automation](#) moved this from In progress to Reviewer approved 2 days ago



SonyaMoisset merged commit `dae3d32` into `master` 2 days ago

[Hide details](#)

[Revert](#)

#### 10 checks passed

- ✓ **AccessLint** Review complete [Details](#)
- ✓ **Codacy/PR Quality Review** Up to standards. A positive pull request. [Details](#)
- ✓ **CodeFactor** No issues found. [Details](#)
- ✓ **LGTM analysis: JavaScript** No new or fixed alerts [Details](#)
- ✓ **ci/circleci: build** Your tests passed on CircleCI! [Details](#)
- ✓ **codebeat** no reportable quality changes [Details](#)
- ✓ **codecov/patch** Coverage not affected when comparing `10a80c7..fa8e139` [Details](#)
- ✓ **codecov/project** 69.55% remains the same compared to `10a80c7` [Details](#)
- ✓ **netlify/fervent-albattani-72bcb1/deploy-preview** Deploy preview ready! [Details](#)



Pride in London [automation](#) moved this from Reviewer approved to Done 2 days ago



SonyaMoisset deleted the `feature/footer` branch 2 days ago

[Restore branch](#)



GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

## #65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file  
removing the old link to Marcel repo

### Assignees

SonyaMoisset

### Labels

enhancement

PrideInLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

6 other checks have passed

6/7 successful checks



GitHub APP 12:36 PM

Pull request opened by giancarlo88

giancarlo88

## #69 Task/blog page layout

Preliminary responsive grid layout (similar to Events page) and filtering.

### Comments

2

### Reviewers

codacy-bot

PrideInLondon/pride-london-web | Mar 9th

Codacy/PR Quality Review: Not up to standards. This pull request quality could be better.

6 other checks have passed

6/7 successful checks



## Deploys for fervent-albattani-72bcb1

- <https://fervent-albattani-72bcb1.netlify.com>

Deploys from [github.com/PrideInLondon/pride-london-web](https://github.com/PrideInLondon/pride-london-web), published master@e805b5d.

Auto publishing is on. Deploys from master are published automatically.

[⚙ Deploy settings](#)[⚙ Notifications](#)[Stop auto publishing](#) Search deploys[Trigger deploy ▾](#)

### Deploy Preview #18: dependabot/npm\_and\_yarn/react-... @989d9b2

Bump react-dates from 16.7.0 to 18.0.0

Today at 8:49 AM

Deployed in 1 minute



### Deploy Preview #79: dependabot/npm\_and\_yarn/dotenv...@faeef84

Bump dotenv from 6.2.0 to 7.0.0

Today at 8:49 AM

Deployed in 1 minute



### Production: master@e805b5d PUBLISHED

Update dependencies

Today at 8:46 AM

Deployed in 1 minute



### Deploy Preview #90: dependabot/npm\_and\_yarn/gatsby...@a7f0804

Bump gatsby-plugin-react-helmet from 3.0.9 to 3.0.10

Today at 5:30 AM

Deployed in 1 minute





**Netlify** APP 12:13 PM

Successful deploy of **fervent-albattani-72bcb1**

## Add Netlify badge on README file (#87)

- \* Add Netlify badge on README file
- \* Update naming convention
- \* Move dotenv package to dependency
- \* Add gatsby-source-filesystem
- \* Regenerate lock file
- \* Fix uppercase to lowercase on gatsby-node.js
- \* Remove deploy:ci script
- \* Implement Rollbar agent

Or check out the build log

Using git branch master, commit e5d59759d2f | Yesterday at 12:13 PM

# Pride London Web

---



codebeat A

codefactor A

code quality B

code quality: js/ts A+

lgtm 3 alerts

codecov 69%

vulnerabilities 1

26 labels				Sort ▾
<b>Blog Details</b>	Epic	3 open issues and pull requests	Edit  Delete	
<b>Blog</b>	Epic	8 open issues and pull requests	Edit  Delete	
<b>Bug</b>	Helper		Edit  Delete	
<b>Dependencies</b>	Helper	7 open issues and pull requests	Edit  Delete	
<b>Documentation</b>	Epic	6 open issues and pull requests	Edit  Delete	
<b>Event Details</b>	Epic	1 open issue or pull request	Edit  Delete	
<b>Event</b>	Epic	1 open issue or pull request	Edit  Delete	
<b>Generic Content</b>	Epic		Edit  Delete	
<b>Homepage</b>	Epic	7 open issues and pull requests	Edit  Delete	
<b>Netflix</b>	Helper		Edit  Delete	
<b>Idea</b>	Helper		Edit  Delete	
<b>Improvement</b>	Helper	30 open issues and pull requests	Edit  Delete	
<b>Mobile</b>	Epic	2 open issues and pull requests	Edit  Delete	
<b>Navigation</b>	Epic	6 open issues and pull requests	Edit  Delete	
<b>New Component</b>	Helper	3 open issues and pull requests	Edit  Delete	
<b>New Feature</b>	Helper	10 open issues and pull requests	Edit  Delete	
<b>QA</b>	Epic	14 open issues and pull requests	Edit  Delete	
<b>Refactoring</b>	Helper	3 open issues and pull requests	Edit  Delete	
<b>Security</b>	Epic	6 open issues and pull requests	Edit  Delete	
<b>SEO</b>	Epic	3 open issues and pull requests	Edit  Delete	
<b>size/L</b>		2 open issues and pull requests	Edit  Delete	
<b>size/M</b>		2 open issues and pull requests	Edit  Delete	
<b>size/S</b>		1 open issue or pull request	Edit  Delete	
<b>size/XS</b>			Edit  Delete	
<b>size/XXL</b>			Edit  Delete	
<b>Sponsors</b>	Epic	6 open issues and pull requests	Edit  Delete	

14 Open ✓ 0 Closed				Sort ▾
<b>Homepage</b>	No due date	Last updated 2 days ago	Edit  Close  Delete	
<b>QA</b>	No due date	Last updated 2 days ago	Edit  Close  Delete	
<b>Sponsors</b>	No due date	Last updated 2 days ago	Edit  Close  Delete	
<b>Navigation</b>	No due date	Last updated 2 days ago	Edit  Close  Delete	
<b>Documentation</b>	No due date	Last updated 2 days ago	Edit  Close  Delete	
<b>Security</b>	No due date	Last updated 2 days ago	Edit  Close  Delete	
<b>Refactoring</b>	No due date	Last updated 3 days ago	Edit  Close  Delete	
<b>Generic Content</b>	No due date	Last updated 3 days ago	Edit  Close  Delete	
<b>Blog</b>	No due date	Last updated 6 days ago	Edit  Close  Delete	
<b>Event</b>	No due date	Last updated 14 days ago	Edit  Close  Delete	
<b>Blog Details</b>	No due date	Last updated 16 days ago	Edit  Close  Delete	
<b>Event Details</b>	No due date	Last updated 16 days ago	Edit  Close  Delete	

## Homepage

No due date 61% complete

Homepage Epic

5 Open ✓ 8 Closed
[QA] Volunteer Section - Replace pixelated images    #222 opened 2 days ago by SonyaMoisset
[QA] Volunteer Section - Show more volunteers    #220 opened 2 days ago by SonyaMoisset
Announcements      #204 opened 2 days ago by codedev-exp • Review required
Donate   #108 opened 17 days ago by SonyaMoisset
Announcements   #107 opened 17 days ago by SonyaMoisset

PrideInLondon / pride-london-web > Projects > Pride in London

Filter cards + Add cards X Exit fullscreen Menu

Backlog	QA	In progress	Review in progress	Reviewer approved	Done
[GitHub] Add an open source licence #208 opened by SonyaMoisset Documentation Improvement	[QA] Volunteer Section - Replace pixelated images #222 opened by SonyaMoisset Homepage Improvement QA	Bump gatsby from 2.3.12 to 2.3.13 ✓ #203 opened by dependabot Dependencies Security size/S			Redirects & rewrite rules #177 opened by SonyaMoisset Improvement Navigation
[Netlify] Move back to policy: {[ userAgent: '*' ]} when live #207 opened by SonyaMoisset Navigation Refactoring	[QA] Volunteer Section - Refactor button to match design #221 opened by SonyaMoisset Homepage Improvement QA	Announcements ✗ #204 opened by codedev-exp Homepage New Component New Feature size/L			Footer ✓ #206 opened by laij84 Navigation Refactoring size/S
Donate #108 opened by SonyaMoisset Homepage New Feature	[QA] Volunteer Section - Show more volunteers #220 opened by SonyaMoisset Homepage Improvement QA	Review required			Changes approved
Form #169 opened by SonyaMoisset New Component Sponsors	[QA] Volunteer Section - Shapes should be 2x images #219 opened by SonyaMoisset Homepage Improvement QA	Render static content #133 opened by SonyaMoisset Blog Details New Feature			Feature/redirects ✓ #205 opened by laij84 Navigation New Component New Feature size/M
Configure Blog landing page to query for Views content type #189 opened by giancarlo88 Blog Improvement	[QA] Header - Add duotone image #218 opened by SonyaMoisset Improvement Navigation QA	Blog page content logic #127 opened by SonyaMoisset Blog Details New Feature			Changes approved
Configure Blog landing page article categories to use list of categories predefined from Contentful instead of their own content type #186 opened by giancarlo88 Blog Improvement	[QA] Footer - Company number link #217 opened by SonyaMoisset Improvement Navigation QA	Blog page layout and styling #128 opened by SonyaMoisset Blog Details New Feature			Feature/stop crawlers ✓ #202 opened by laij84 Improvement New Feature size/L
Configure Blog landing page articles to use 'Article' content type #187 opened by giancarlo88 Blog Improvement	[QA] Footer - Add newsletter sign up on events footer #216 opened by SonyaMoisset Improvement Navigation QA	Announcements #107 opened by SonyaMoisset Homepage New Feature			Redirects ● #200 opened by laij84 Navigation New Component New Feature size/M
Configure Blog landing page featured article to use Featured Article content type #188 opened by giancarlo88 Blog Improvement	[QA] Footer - Remove third hashtag #215 opened by SonyaMoisset Improvement Navigation QA	Extract imageBanner styles ✓ #173 opened by SonyaMoisset Improvement Refactoring size/L			Changes approved
Pagination #171 opened by SonyaMoisset Blog New Component	[QA] Footer - Add hover state to links #214 opened by SonyaMoisset Improvement Navigation QA	Review required			[Hotfix] Props name and delete duplicate Home folder #199 opened by codedev-exp Hotfix Refactoring size/L
OG Tags & Twitter cards #170 opened by SonyaMoisset	[QA] Partners Section - Responsive logos (RedBadger style) #213 opened by SonyaMoisset Improvement QA Sponsors	Bump react-accessible-accordion ✗ from 2.4.5 to 3.0.0 #164 opened by dependabot Dependencies Security size/M			Add a Digital section #118 opened by SonyaMoisset New Feature Sponsors
		Review required			Generic Content page styles #123 opened by SonyaMoisset Generic Content Improvement
		Bump react-dates from 16.7.0 to ✓ 18.0.0 #18 opened by dependabot Dependencies Security size/M			Generic pages layout
Automated as To do Manage	Automated as In progress Manage	Automated as In progress Manage	Automated as In progress Manage	Automated as In progress Manage	Automated as Done



# GitLab

	Manage	Plan	Create	Verify	Package	Secure	Release	Configure	Monitor	Defend			
GitLab is a single application for the entire DevOps lifecycle.	Since 2016 GitLab added:	Since 2011 GitLab added:	Since 2011 GitLab added:	Since 2012 GitLab added:	Since 2016 GitLab added:	Since 2017 GitLab added:	Since 2016 GitLab added:	Since 2018 GitLab added:	Since 2016 GitLab added:	Coming in 2019:			
	Cycle Analytics	Project Management	Source Code Management	Continuous Integration (CI)	Container Registry	SAST	Continuous Delivery (CD)	Auto DevOps	Metrics	Runtime Application Self Protection			
	DevOps Score	Kanban Boards	Code Review	Code Quality	Maven Repository	DAST	Release Orchestration	Kubernetes Configuration	Logging	Web Application Firewall			
	Audit Management	Time Tracking	Wiki	Performance Testing	NPM Registry	Dependency Scanning	Pages	ChatOps	Cluster Monitoring	Threat Detection			
	Authentication and Authorization	Agile Portfolio Management	Snippets		Container Scanning	Container Scanning	Review apps	Runbook Configuration	Tracing	Error Tracking			
		Service Desk	Web IDE	Coming in 2019:	Coming in 2019:	License Management	Incremental Rollout	Serverless		Behavior Analytics			
			Coming in 2019:	System Testing	Rubygem Registry	Coming in 2019:	Feature Flags	Coming in 2019:	Coming in 2019:	Vulnerability Management			
	Coming in 2019:	Value Stream Management	Coming in 2019:	Usability Testing	Linux Package Registry	Secret Detection		PaaS	Synthetic Monitoring	Data Loss Prevention			
	Code Analytics	Requirements Management	Design Management	Accessibility Testing	Helm Chart Registry	IAST	Coming in 2019:	Chaos Engineering	Incident Management	Container Network Security			
	Workflow Policies	Quality Management	Live Coding	Compatibility Testing	Dependency Proxy	Fuzzing	Release Governance	Cluster Cost Optimization	Status Page				
GitLab could replace													

WHAT'S NEXT FOR YOU?

BECOME A  
SECURITY  
CHAMPION!



# Security Champions playbook

## Identify teams

- Enumerate products and services
- List teams per each product
- Identify Product manager (responsible for product) and team manager (working directly with developers)
- Write down technologies (programming languages) used by each team

## Define the role

- Measure current security state among the teams and define security goals you plan to achieve in mid-term (e.g. by using OWASP SAMM)
- Identify the places where champions could help (such as verifying security reviews, raising issues for risks in existing code, conducting automated scans etc.)
- Write down clearly defined roles, as these will be the primary tasks for newly nominated champions to work on

## Nominate champions

- Introduce the idea and role descriptions and get approvals on all levels - both from product and engineering managers, as well as from top management
- Together with team leader identify potentially interested candidates
- Officially nominate them as part of your security meta-team

## Comm channels

- Make sure to have an easy way to spread information and get feedback
- While differing from company to company, this usually includes chats (Slack/IRC channel, Yammer group, ...) and separate mailing lists
- Set up periodic sync ups - bi-weekly should be fine to start with

## Knowledge base

- Build a solid internal security knowledge base, which would become the main source of inspiration for the champions
- It should include security meta-team page with defined roles, secure development best practices, descriptions of risks and vulnerabilities and any other relevant info
- Pay special attention to clear and easy-to-follow checklists, as it's usually the simplest way to get the things going

## Maintain interest

- Develop your ways or choose one of the below to keep in touch and maintain the interest of the champions
- Conduct periodic workshops and encourage participation in security conferences
- Share recent appsec news (e.g. Ezine) via communication channels
- Send internal monthly security newsletters with updates, plans and recognitions for the good work
- Create champions corner with security library, conference calendar, and other interesting materials



<https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd>

 Medium

## Keep calm and become a Security Engineer – Sonya Moisset – Medium

One of the many ways to get into the Cybersecurity industry

**Reading time**

8 min read

Mar 5th (366 kB) ▾





LADIES OF LONDON  
HACKING SOCIETY  
APRIL 25 - LOGICALIS UK LTD



OWASP WIA  
APRIL 17 -  
PHOTOBOX



OWASP LONDON  
CHAPTER

# GET SECURE, BE SECURE AND STAY SECURE



Thank  
you!



IF YOU LIKE WHAT YOU'VE SEEN  
WE'RE RECRUITING DEVS & QA  
:)

@SONYAMOISSET    
[SONYAMOISSET@PRIDEINLONDON.ORG](mailto:SONYAMOISSET@PRIDEINLONDON.ORG)