OWASP WIA @ PHOTOBOX

KEEP CALM AND SECURE YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄🌍

@SONYAMOISSET 🦄🌍

.I WEAR DARK HOODIES SO I'M A LEGIT SECURITY ENGINEER

WHAT IS CYBERSECURITY

AND WHY IS IT IMPORTANT?

CYBERSECURITY IS THE TECHNIQUES OF PROTECTING COMPUTERS, NETWORKS, PROGRAMS AND DATA FROM UNAUTHORISED ACCESS OR ATTACKS THAT ARE AIMED FOR EXPLOITATION

INVESTMENTS IN SECURITY MOVED FROM NICE TO HAVE TO MUST HAVE

OCT 2016.
A SERIES OF DDOS ATTACKS WERE LAUNCHED AGAINST DNS SERVERS, WHICH CAUSED MAJOR WEB SERVICES TO STOP WORKING (GITHUB, SPOTIFY, PAYPAL, TWITTER...)

Unicorn! · GitHub

GitHub, Inc. (US) | https://github.com

Search

No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.

Contact Support — GitHub Status — @githubstatus

Explore

Discover the Internet using search queries shared by other users.

Featured Categories



Top Voted

10,294
Webcam
best ip cam search I have found yet.
webcam | surveillance | cams

4,089
Cams
admin admin
cam | webcam

2,256
Netcam
Netcam
netcam

1,582
default password
Finds results with "default password" in the ba...
router | default | password

1,087
dreambox
dreambox
dreambox

More popular searches...

Recently Shared

1
chile

2
router control panel
DD-WRT
Router

3
1

1
Logitech Media Server

3
sushi

More recent searches...



SHODAN
webcam
Explore
Pricing
Enterprise Access
New to Shodan?
Login or Register
Exploits
Maps
Images
TOTAL RESULTS
5,402
TOP COUNTRIES
United States
Korea, Republic of
Germany 495
Poland 331
Italy
TOP SERVICES
HTTP
HTTPS
8083 141
TOP ORGANIZATIONS
Korea Telecom
Deutsche Telekom AG
Spectrum
TOP OPERATING SYSTEMS
Unix 14
Windows 7 or 8
Windows 6.1 4
TOP PRODUCTS
Apache httpd 218
RELATED TAGS:
77.23.232.64
Germany
HTTP/1.1 401 Unauthorized
Content-Length: 0
119.196.110.245
Korea Telecom
Korea, Republic of
SSL Certificate
Issued By:
Common Name: IP Webcam
Issued To:
Common Name: IP Webcam
Supported SSL Versions
HTTP/1.1 401 Unauthorized
83.4.254.176
Orange Polska
Poland
HTTP/1.1 401 Unauthorized
14.49.134.32
Korea Telecom
Korea, Republic of
HTTP/1.1 401 Unauthorized
Content-Length: 0
139.59.28.86
Digital Ocean
India, Bangalore
Accept-Ranges: bytes
Connection: keep-alive

Wana Decrypt0r 2.0

Ooops, your files have been encrypted!

English

Payment will be raised on

1/4/1970 00:00:00

Time Left

00:00:00:00

Your files will be lost on

1/8/1970 00:00:00

Time Left

00:00:00:00

not so enough time.
You can decrypt some of your files for free. Try now by clicking <Decrypt>.
But if you want to decrypt all your files, you need to pay.
You only have 3 days to submit the payment. After that the price will be doubled.
Also, if you don't pay in 7 days, you won't be able to recover your files forever.
We will have free events for users who are so poor that they couldn't pay in 6 months.

How Do I Pay?

Payment is accepted in Bitcoin only. For more information, click <About bitcoin>.
Please check the current price of Bitcoin and buy some bitcoins. For more information, click <How to buy bitcoins>.
And send the correct amount to the address specified in this window.
After your payment, click <Check Payment>. Best time to check: 9:00am - 11:00am GMT from Monday to Friday.
Once the payment is checked, you can start decrypting your files immediately.

Contact

If you need our assistance, send a message by clicking <Contact Us>.

We strongly recommend you to not remove this software, and disable your anti-virus for a while, until you pay and the payment gets processed. If your anti-virus gets updated and removes this software automatically, it will not be able to recover your files even if you pay!

bitcoin ACCEPTED HERE

Send $600 worth of bitcoin to this address:

Copy

About bitcoin

How to buy bitcoins?

Contact Us

Check Payment

Decrypt



re: "[redacted]" Inbox ×

Dirk Saunders <yxpnmjarrettlwq@outlook.com> 12:07 PM (8 minutes ago)

to me

I know, [redacted], is your pass word. you may not know me and you are most likely thinking why you're getting this e-mail, correct?

Well, I installed a malware on the adult video clips (pornography) and you know what, you visited this web site to have fun (you know what I mean). When you were watching video clips, your browser started operating as a Rdp (Remote desktop) that has a key logger which gave me accessibility to your screen and also cam. Just after that, my software program gathered every one of your contacts from messenger, social networks, as well as email.

What exactly did I do?
I created a double-screen video. First part displays the video you were watching (you've got a good taste lol), and 2nd part displays the recording of your web cam.

Exactly what should you do?
Well, I believe, $1200 is a fair price for our little secret. You'll make the payment through Bitcoin (if you don't know this, search "how to buy bitcoin" in google).

BTC ADDRESS: 1JC99fcQMVR4iHdmf3GbHLGHMkPpyFjBu7
(It's CASE sensitive, so copy and paste it carefully)

Note:
You have one day to make the payment. (I've a specific pixel in this message, and right now I know that you've read this e mail). If I do not receive the Bitcoins, I will certainly send out your video recording to all of your contacts including friends and family, colleagues, and so forth. nonetheless, if I receive the payment, I'll destroy the video immediately. If you need proof, reply with "yes!" and I definitely will send your video recording to your 14 friends. It is a non-negotiable one time offer, thus don't ruin my time & yours by responding to this e-mail.

Bitcoin Cash | Adresse

Afficher l'adresse BTC

SUMMARY

USD BCH

Address	qz7ftp295v34u0guwn9wqyfkajhkztmxtgj9537f9g
Number of Transactions	0
Final Balance	0.00000000 BCH
Total Sent	0.00000000 BCH
Total Received	0.00000000 BCH

TRANSACTIONS

USD BCH

Date (timestamp)	Hash de transaction	État	Montant

';--have i been pwned?

Check if you have an account that has been compromised in a data breach

email address pwned?

359	7,840,611,051	93,384	114,064,052
pwned websites	pwned accounts	pastes	paste accounts

Largest breaches

772,904,991	Collection #1 accounts
763,117,241	Verifications.io accounts
711,477,622	Onliner Spambot accounts
593,427,119	Exploit.In accounts
457,962,538	Anti Public Combo List accounts
393,430,309	River City Media Spam List accounts

Recently added breaches

760,561	DataCamp accounts
808,330	Knuddels accounts
52,623	Demon Forums accounts
871,190	Everybody Edits accounts
3,073,409	Intelimost accounts
11,657,763	Whitepages accounts
14,867,999	500px accounts
3,830,916	Bookmate accounts

Dominic Tarr

dominictarr

Follow

Block or report user

antipodean wandering albatross

Protozoa

New Zealand

http://protozoa.nz

Organizations

Pinned

ssbc/ssb-server

The gossip and replication server for Secure Scuttlebutt - a distributed social network

JavaScript ★ 1.1k 134

pull-stream/pull-stream

minimal streams

JavaScript ★ 633 58

auditdrivencrypto/secret-handshake

JavaScript ★ 155 22

map-filter-reduce

JavaScript ★ 44 6

ssbc/patchbay

An alternative Secure Scuttlebutt client interface that is fully compatible with Patchwork

JavaScript ★ 223 56

2,485 contributions in the last year



event-stream

4.0.1 • Public • Published 7 months ago

Readme | 7 Dependencies | 1,638 Dependents | 84 Versions

EventStream

Streams are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The *EventStream* functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates 0.8 streams, which are compatible with 0.10 streams.

> NOTE: I shall use the term *"through stream"* to refer to a stream that is writable *and* readable.

> NOTE for Gulp users: Merge will not work for gulp 4. merge-stream should be used.

simple example:

```
//pretty.js

if(!module.parent) {
  var es = require('event-stream')
```

EVENT STREAM POST MORTEM

- December 2018
  - flatmap-stream was published to npm and added as a dependency to the event-stream package by user right9ctrl
- 8 million downloads
- Applications all over the web were running malicious code in production

Copay

FAQS VIEW THE CODE ISSUE TRACKER

The Secure, Shared Bitcoin Wallet

Secure your bitcoin with the open source, HD-multisignature wallet from BitPay.

GET COPAY

SOCIAL ENGINEERING DEVS

devinus commented on Jul 31, 2015

@dominictarr Interesting. Would you accept a `flatMap` patch using this functionality?

devinus commented on Jul 31, 2015

I wonder why `mapSync` uses `emit` rather than `queue`.

dominictarr commented on Jul 31, 2015 — Owner

@devinus ah, it's probably just old. I don't use this module anymore, i now use https://github.com/dominictarr/pull-stream

If you publish a flatMap module and then make a pr to include it, i'll merge.

This repository has been archived by the owner. It is now read-only.

dominictarr / event-stream

Watch 72 | Star 2,044 | Fork 146

Code | Issues 7 | Pull requests 0 | Projects 0 | Wiki | Insights

EventStream is like functional programming meets IO

322 commits | 1 branch | 13 releases | 34 contributors | MIT

Branch: master | Create new file | Upload files | Find File | Clone or download

北川 remove testling from package.json — Latest commit 9a5c52a on Sep 20, 2018

examples	better pretty.js example	6 months ago
test	add filter and rewrite flatmap	6 months ago
.gitignore	inital. first implementation of a map function (takes async callback ...	8 years ago
.travis.yml	drop travis support for 0.8	4 years ago
LICENCE	Clarify licensing	5 years ago
index.js	add filter and rewrite flatmap	6 months ago
package-lock.json	update package.json	6 months ago
package.json	remove testling from package.json	6 months ago
readme.markdown	add example for flatmap and filter	6 months ago

readme.markdown

EventStream

Streams are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The *EventStream* functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates 0.8 streams, which are compatible with 0.10 streams.

北川
right9ctrl

Block or report user

株式会社LIG
東京都

Overview | Repositories 3 | Stars 0 | Followers 0 | Following 0

Popular repositories

node-scrypt

C

react
Forked from facebook/react

A declarative, efficient, and flexible JavaScript library for building user interfaces.

JavaScript

event-stream

JavaScript

22 contributions in the last year



fuck Right9ctrl

Browse files

master (#1)

geektheripper committed on Dec 23, 2018 — 1 parent 706ed02 — commit cb0f66a328134bc4f0959a99caf347a6670eadb7

Showing **2 changed files** with **19 additions** and **70 deletions.**

Unified | Split

2 ■■□□□ package.json — View file

```
@@ -86,7 +86,7 @@
86  86      "gh-pages": "^2.0.0",
87  87      "jimp": "^0.5.6",
88  88      "lodash": "^4.17.11",
89      -   "npm-run-all": "^4.1.3",
    89  +   "npm-run-all": "^4.1.5",
90  90      "nyc": "^13.0.1",
91  91      "opn": "^5.4.0",
92  92      "opn-cli": "^3.1.0",
```

WEB APPLICATION SECURITY

“Web application security is a branch of Information Security that deals specifically with security of websites, web applications and web services.”

–WIKIPEDIA

SECURE SOFTWARE DEVELOPMENT LIFE CYCLE

Software Development Life Cycle (SDLC) is a framework that defines the process used by the organisations to build an application from its inception to its decommission



1 PLANNING

Planning focuses on the scope of the project. The outputs of the planning phase include: **project plans, schedules, cost estimations, and procurement requirements.**

2 REQUIREMENTS

The IT team gathers requirements from business stakeholders and Subject Matter Experts **(SMEs.)** The output of this phase in a Waterfall project is usually a document that lists these requirements. Agile methods, by contrast, may produce a backlog of tasks to be performed

3 DESIGN AND PROTOTYPING

Once requirements are understood, the design process takes place. It makes use of established patterns for application architecture and software development. Architecture frameworks like TOGAF may be used here. Outputs include: design documents that list the patterns and components selected for the project, code produced by spikes, used as a starting point for development

4 SOFTWARE DEVELOPMENT

This phase produces the software under development. This could be in "sprints" (Agile), or a single block effort (Waterfall). The output of this phase is testable, functional software.

5 TESTING

The testing phase of the SDLC is arguably one of the most important. It is impossible to deliver quality software without testing. Methods for testing can include: code quality, unit testing (functional tests), Integration testing, Performance testing, Security testing. The output of the testing phase is functional software, ready for deployment to a production environment.

6 DEPLOYMENT

The deployment phase is, ideally, a highly automated phase. In high-maturity enterprises, this phase is almost invisible; software is deployed the instant it is ready. Enterprises with lower maturity, or in some highly regulated industries, the process involves some manual approvals. The output of this phase is the release to Production of working software.

7 OPERATIONS AND MAINTENANCE

The operations and maintenance phase is the "end of the beginning.". Though the SDLC doesn't end here. Software must be monitored constantly to ensure proper operation. Bugs and defects discovered in Production must be reported and responded to, which often feeds work back into the process. Bug fixes may not flow through the entire cycle, however, at least an abbreviated process is necessary to ensure that the fix does not introduce other problems

A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS PENETRATION TESTING, CODE REVIEW, AND ARCHITECTURE ANALYSIS ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

.MORE SECURE SOFTWARE AS SECURITY IS A CONTINUOUS CONCERN

.AWARENESS OF SECURITY CONSIDERATIONS BY STAKEHOLDERS

.EARLY DETECTION OF FLAWS & COST REDUCTION AS A RESULT OF EARLY DETECTION AND RESOLUTION OF ISSUES

HOW DO I GET STARTED?

OWASP

- Open Web Application Security Project
- Community dedicated to enabling organisations to conceive, develop, acquire, operate and maintain applications that can be trusted

- www.owasp.org

ANNOUNCING GLOBAL APPSEC TEL AVIV 2019!



Home
About OWASP
Acknowledgements
Advertising
AppSec Events
Supporting Partners
Books
Brand Resources
Chapters
Donate to OWASP
Downloads
Funding
Governance
Initiatives
Mailing Lists
Membership
Merchandise
Presentations
Press
Projects
Video

Reference
Activities
Attacks
Code Snippets
Controls
Glossary
How To...
Java Project
.NET Project
Principles
Technologies
Threat Agents
Vulnerabilities

Tools
What links here
Related changes
Special pages
Printable version
Permanent link
Page information

- Application security tools and standards
- Complete books on application security testing, secure code development, and secure code review
- Cheat sheets on many common topics





OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks

OWASP Pro Active CONTROLS

Application Security Verification Standard 4.0

Final

March 2019

OWASP PRO ACTIVE CONTROLS

- List of security techniques that should be included in every software development project
- Ordered by order of importance

FOR DEVELOPERS

2018 **v 3.0**

10 Critical Security Areas That Software Developers Must Be Aware Of

PROJECT LEADERS

KATY ANTON
JIM MANICO
JIM BIRD

THE TOP 10 PROACTIVE CONTROLS

C1: Define Security Requirements

C2: Leverage Security Frameworks and Libraries

C3: Secure Database Access

C4: Encode and Escape Data

C5: Validate All Inputs

C6: Implement Digital Identity

C7: Enforce Access Controls

C8: Protect Data Everywhere

C9: Implement Security Logging and Monitoring

C10: Handle All Errors and Exceptions

C1. DEFINE SECURITY REQUIREMENTS

- Security requirements define new features or additions to existing features to solve a specific security problem or eliminate a potential vulnerability

- Instead of creating a custom approach to security for every application, standard security requirements allow developers to reuse the definition of security controls and best practices

- OWASP ASVS

- User Stories and Abuse Cases

A2:2017-Broken Authentication

Epic:

Attackers have access to hundreds of millions of valid username and password combinations for credential stuffing, default administrative account lists, automated brute force, and dictionary attack tools. Session management attacks are well understood, particularly in relation to unexpired session tokens.

Abuse Case:

As an attacker, I have access to hundreds of millions of valid username and password combinations for credential stuffing.

Abuse Case:

As an attacker, I have default administrative account lists, automated brute force, and dictionary attack tools I use against login areas of the application and support systems.

Abuse Case:

As an attacker, I manipulate session tokens using expired and fake tokens to gain access.

C2. LEVERAGE SECURITY FRAMEWORKS AND LIBRARIES

- Secure coding libraries and software frameworks with embedded security help software developers guard against security-related design and implementation flaws

- A developer writing an application from scratch might not have sufficient knowledge, time, or budget to properly implement or maintain security features

facebook / react

Watch 6,646 | Star 124,326 | Fork 22,590

Code | Issues 429 | Pull requests 159 | Projects 0 | Wiki | Insights

A declarative, efficient, and flexible JavaScript library for building user interfaces. https://reactjs.org

javascript react frontend declarative ui library

10,726 commits | 34 branches | 112 releases | 1,282 contributors | MIT

Branch: master | New pull request | Create new file | Upload files | Find File | Clone or download

sophiebits and gaearon [eslint] Wording tweaks (#15078) ... Latest commit 1204c78 3 hours ago

.circleci	Publish a local release (canary or stable) to NPM (#14260)	4 months ago
.github	Reword issue template	a year ago
fixtures	[eslint] Wording tweaks (#15078)	3 hours ago
packages	[eslint] Wording tweaks (#15078)	3 hours ago
scripts	Run persistent mode tests in CI (#15029)	2 days ago

react

16.8.4 • Public • Published 8 days ago

Readme | 4 Dependencies | 36,582 Dependents | 194 Versions

react

React is a JavaScript library for creating user interfaces.

The `react` package contains only the functionality necessary to define React components. It is typically used together with a React renderer like `react-dom` for the web, or `react-native` for the native environments.

Note: by default, React will be in development mode. The development version includes extra warnings about common mistakes, whereas the production version includes extra performance optimizations and strips all error messages. Don't forget to use the production build when deploying your application.

Example Usage

```
var React = require('react');
```

Keywords

react

install

```
> npm i react
```

weekly downloads

5,934,407

version	license
16.8.4	MIT

open issues	pull requests
429	159

homepage	repository
reactjs.org	github

last publish

8 days ago

collaborators

IMPLEMENTING BEST PRACTICES

- Use libraries and frameworks from trusted sources that are actively maintained and widely used by many applications

- Create and maintain an inventory catalog of all the third party libraries and components

- Proactively keep libraries and components up to date

OWASP TOP 10-2017

- The primary aim is to educate developers, designers, architects, managers, and organisations about the consequences of the most common and most important web app security weaknesses

https://owasp.org

WHAT CHANGED FROM 2013 TO 2017?

OWASP TOP 10

OWASP Top 10 - 2013		OWASP Top 10 - 2017
A1 – Injection	→	A1:2017-Injection
A2 – Broken Authentication and Session Management	→	A2:2017-Broken Authentication
A3 – Cross-Site Scripting (XSS)	↘	A3:2017-Sensitive Data Exposure
A4 – Insecure Direct Object References [Merged+A7]	U	A4:2017-XML External Entities (XXE) [NEW]
A5 – Security Misconfiguration	↘	A5:2017-Broken Access Control [Merged]
A6 – Sensitive Data Exposure	↗	A6:2017-Security Misconfiguration
A7 – Missing Function Level Access Contr [Merged+A4]	U	A7:2017-Cross-Site Scripting (XSS)
A8 – Cross-Site Request Forgery (CSRF)	☒	A8:2017-Insecure Deserialization [NEW, Community]
A9 – Using Components with Known Vulnerabilities	→	A9:2017-Using Components with Known Vulnerabilities
A10 – Unvalidated Redirects and Forwards	☒	A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]

ATTACKERS CAN USE MANY DIFFERENT PATHS THROUGH YOUR APPLICATION TO DO HARM TO YOUR BUSINESS OR ORGANISATION



ASVS

- Provides developers with a list of requirements for secure development
- Authentication, session management, access control, cryptography, API, web services, business logic

V1. ARCHITECTURE, DESIGN & THREAT MODELLING REQUIREMENTS

V1.1 Secure Software Development Lifecycle Requirements

#	Description	L1	L2	L3	CWE
1.1.1	Verify the use of a secure software development lifecycle that addresses security in all stages of development. (C1)		✓	✓	
1.1.2	Verify the use of threat modeling for every design change or sprint planning to identify threats, plan for countermeasures, facilitate appropriate risk responses, and guide security testing.		✓	✓	1053
1.1.3	Verify that all user stories and features contain functional security constraints, such as "As a user, I should be able to view and edit my profile. I should not be able to view or edit anyone else's profile"		✓	✓	1110
1.1.4	Verify documentation and justification of all the application's trust boundaries, components, and significant data flows.		✓	✓	1059
1.1.5	Verify definition and security analysis of the application's high-level architecture and all connected remote services. (C1)		✓	✓	1059
1.1.6	Verify implementation of centralized, simple (economy of design), vetted, secure, and reusable security controls to avoid duplicate, missing, ineffective, or insecure controls. (C10)		✓	✓	637
1.1.7	Verify availability of a secure coding checklist, security requirements, guideline, or policy to all developers and testers.		✓	✓	637

PRIDE IN LONDON

HOW TO SECURE YOUR OPEN SOURCE PROJECT

Open Source Friday

Open source is made by people just like you. This Friday, invest a few hours contributing to the software you use and love.

Sign up with GitHub

with ♥ by GitHub

Hacktoberfest

Support open source and earn a limited edition T-shirt.

En octobre prochain !!

Hacktoberfest '18 was presented by: DigitalOcean · GitHub · twilio

Pride in London

Repositories 3 | People 6 | Teams 1 | Settings

Find a repository... | Type: All | Language: All | Customize pins | New

pride-london-web

Pride In London's New Website



JavaScript | MIT | Updated 2 days ago

pride-london-web-old

Forked from MarcelCutts/pride-london-web-gatsby

Pride in London's front end web platform

JavaScript | 2 | MIT | Updated 19 days ago

pride-web-webhook

webhook service to help trigger travis builds from contentful

JavaScript | MIT | Updated on Jun 19, 2018

Top languages

JavaScript

People 6 >



Invite someone

PRIDE IN LONDON

Learn Attend Support us Take part Plan Help **Donate**

Saturday 6 July

Pride in London

The UK's biggest, most diverse pride. A home for every part of London's LGBT+ community

This years event

Featured events

View events from across the LGBT+ community.

View all events

From £19

15 – 22 Jun 2018 • 8am – 5.30pm

Headline of event card lemon drops pie jujubes macaroon

From £19

15 – 22 Jun 2018 • 8am – 5.30pm

Headline of event card lemon drops pie jujubes macaroon

From £19

15 – 22 Jun 2018 • 8am – 5.30pm

Headline of event card lemon drops pie jujubes macaroon

contentful

Gatsby

netlify

circleci

Codecov

CODACY

lgtm.com

snyk

Rollbar

GitHub Marketplace

Tools to build on and improve your workflow

Search for apps

Categories

- Chat
- Code quality
- Code review
- Continuous integration
- Dependency management
- Deployment
- Learning
- Localization
- Mobile
- Monitoring
- Project management
- Publishing
- Recently added
- Security
- Support
- Testing
- Utilities

Filters

Your items

- Pending orders
- Purchases

Featured apps





Recently added

The latest tools that help you and your team build software better, together.

CodeScene
The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency

ImgBot
A GitHub app that optimizes your images

Pull Reminders
Slack reminders and metrics for pull requests

Depfu
Automated dependency updates keep your app secure and maintainable

Instabug
Instabug is a reliable bug reporting and user feedback SDK that enables testers and users to report issues from within the app

Slack + GitHub
Connect your code without leaving Slack

GitKraken Glo Boards
Free issue/task tracking boards that sync

CodeFactor
Automated code review for GitHub

WHAT IS GITHUB MARKETPLACE

- Contains tools that add functionality and improve your workflow
- Almost 2 years
- 50+ tools



Categories

API management

Chat

Code quality ×

Code review

Continuous integration

Dependency management

Deployment

IDEs

Learning

Localization

Mobile

Monitoring

Project management

Publishing

Recently added

Security

Support

Testing

Utilities

Filters

Verification

Verified

Unverified

Your items

Pending orders

Purchases

Search for apps

Code quality

Automate your code review with style, quality, security, and test-coverage checks when you need them.

22 results filtered by Code quality ×

codelingo
Your Code, Your Rules - Automate code reviews with your own best practices

codebeat
Code review expert on demand. Automated for mobile and web

TestQuality
Modern, powerful, test plan management

Sider
Automatically analyze pull request against custom per-project rulesets and best practices

Restyled.io
Restyle Pull Requests as they're opened

Pull Request Size
Apply size labels to Pull Requests based on the total lines of code changed

PEP 8 Speaks
A GitHub app to automatically review Python code style over Pull Requests

Lucidchart Connector
Insert a public link to a Lucidchart diagram so team members can quickly understand an issue or pull request

LGTM
Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review

ImgBot
A GitHub app that optimizes your images

GuardRails
GuardRails provides continuous security feedback for modern development teams

GraphQL Inspector
Compare schemas, validate documents, find breaking changes, find similar types, get schema coverage

Datree
Policy enforcement solution for confident and compliant code

Coveralls
Ensure that new code is fully covered, and see coverage trends emerge. Works with any CI service

Commit Lint
Enforce the conventions of commits

Codecov
Group, merge, archive and compare coverage reports

CodeScene
The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency

CodeFactor
Automated code review for GitHub

Code Climate
Automated code review for technical debt and test coverage

Codacy
Automated code reviews to help developers ship better software, faster

Pride in London

Repositories 3 | People 6 | Teams 1 | Settings

Organization settings

- Profile
- Member privileges
- Billing
- Security
- Verified domains
- Audit log
- Webhooks
- **Third-party access**
- Installed GitHub Apps
- Repository topics
- Projects
- Teams

Developer settings

- OAuth Apps
- GitHub Apps

Moderation settings

- Blocked users
- Interaction limits

Third-party application access policy

Policy: **Access restricted** ✓

Only approved applications can access data in this organization. Applications owned by **PrideInLondon** always have access.

Remove restrictions

CircleCI	✓ Approved —
Codacy	✓ Approved —
codebeat	✓ Approved —
Codecov	✓ Approved —
codefactor.io	✓ Approved —
GuardRails	✓ Approved —
LGTM	✓ Approved —
Snyk	✓ Approved —
Travis CI for Open Source	✓ Approved —
codefactor.io	✗ Denied —
Coveralls Pro	✗ Denied —
Greenkeeper	✗ Denied —

When authorized, applications can act on behalf of organization members. Your access policy determines which applications can access data in your organization. Read more about third-party access and organizations.

Pride in London

Repositories 3 | People 6 | Teams 1 | Settings

Organization settings

- Profile
- Member privileges
- Billing
- Security
- Verified domains
- Audit log
- Webhooks
- Third-party access
- Installed GitHub Apps
- Repository topics
- Projects
- Teams

Developer settings

- OAuth Apps
- GitHub Apps

Moderation settings

- Blocked users
- Interaction limits

Installed GitHub Apps

GitHub Apps augment and extend your workflows on GitHub with commercial, open source, and homegrown tools.

AccessLint	Configure
Codecov	Configure
Dependabot	Configure
GuardRails	Configure
Netlify	Configure
Pull Request Size	Configure
Rollbar	Configure
Slack	Configure
Sonatype DepShield	Configure

Pride in London

Repositories 3 | People 6 | Teams 1 | Settings

Organization settings

- Profile
- Member privileges
- Billing
- Security
- Verified domains
- Audit log
- Webhooks
- Third-party access
- **Installed GitHub Apps**
- Repository topics
- Projects
- Teams

Developer settings

- OAuth Apps
- GitHub Apps

Moderation settings

- Blocked users
- Interaction limits

Netlify

Installed 3 months ago | Developed by netlify | https://www.netlify.com

Permissions

- ✓ **Read** access to code
- ✓ **Read** access to metadata
- ✓ **Read and write** access to checks, commit statuses, and pull requests

Repository access

- ○ **All repositories**
  This applies to all current and future repositories.
- ◉ **Only select repositories**

Select repositories

Selected 1 repository

PrideInLondon/**pride-london-web** ×

Save | Cancel

Uninstall Netlify

When you uninstall **Netlify**, it will be removed from this account and will lose access to all of its resources.

Uninstall

Application

CircleCI

You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan | Configure access

Verified by GitHub

GitHub confirms that this app meets the requirements for verification.

Categories

Continuous integration

Mobile CI

GitHub Enterprise | Free

Paid

Supported languages

C++, Clojure, Go
and 7 other languages supported

Customers

Developer

circleci

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI organization settings for new and existing accounts.

Build faster. Test more. Fail less.

Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

Read more...



CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.



circleci

PrideInLondon

Updates

Support

Jobs » PrideInLondon

JOBS

WORKFLOWS

INSIGHTS

ADD PROJECTS

TEAM

SETTINGS

By project

My branches | All branches

My jobs | All jobs

pride-london-web

dependabot/npm_and_yarn/gatsby-2.3.13
2 days ago

dependabot/npm_and_yarn/jest-24.7.1
3 days ago

dependabot/npm_and_yarn/react-accessible-accordion-3.0.0
3 days ago

dependabot/npm_and_yarn/react-dates-18.0.0
3 days ago

feature/blog-details
3 days ago

feature/home-page-announcements
2 days ago

master
13 minutes ago

refactoring/imageBanner-styles
4 days ago

spike/production-release
1 month ago

SUCCESS	PrideInLondon / pride-london-web / master #499 Update README.md file	workflow build	14 min ago	01:01 18b726f
SUCCESS	PrideInLondon / pride-london-web / feature/home-page-announcements #498 Merge branch 'master' into feature/home-page-announcements	workflow build	2 days ago #284	01:01 918d3e0
FAILED	PrideInLondon / pride-london-web / feature/blog-details #497 NiP	workflow build	2 days ago	00:58 ba8d768
FAILED	PrideInLondon / pride-london-web / feature/blog-details #496 Exemplary Richtext content unpacking	workflow build	2 days ago	00:59 34ecf98
FAILED	PrideInLondon / pride-london-web / feature/blog-details #495 Merge branch 'master' into feature/blog-details	workflow build	2 days ago	01:52 f5e2816
FAILED	PrideInLondon / pride-london-web / feature/blog-details #494 NiP	workflow build	2 days ago	01:40 53668a6
SUCCESS	PrideInLondon / pride-london-web / master #493 Footer (#286)	workflow build	2 days ago	01:01 dae9d82
SUCCESS	PrideInLondon / pride-london-web / feature/footer #492 update snapshots, update netlify robots config, remove pledge redirect	workflow build #286	2 days ago	00:46 fa8c789
FAILED	PrideInLondon / pride-london-web / feature/footer #491 fix cta link arrow glyph	workflow build #286	2 days ago	00:52 8c28231
SUCCESS	PrideInLondon / pride-london-web / feature/footer #490 merge in latest master and fix conflicts	workflow build #286	2 days ago	01:20 c1cf484
SUCCESS	PrideInLondon / pride-london-web / feature/home-page-announcements #489 Merge branch 'master' into feature/home-page-announcements	workflow build #284	2 days ago	01:01 d871d7b
SUCCESS	PrideInLondon / pride-london-web / master #488 feature/redirects (#285)	workflow build	2 days ago	01:08 18a86c7

circleci

Jobs » PrideInLondon » pride-london-web » master » 620 (build)

Rebuild

success | Finished: 2 days ago (00:51) | Previous: 609 | Parallelism: 1x out of 4x | Queued: 00:00 waiting + 00:01 in queue | Resources: 2CPU/4096MB | Workflow: workflow | Context: N/A | Triggered by: Sonya Moisset (pushed 0d0acb6)

COMMITS (1)

rgryb Sonya Moisset 0d0acb6 feature/blog/pagination (#255)

Test Summary | Queue (00:02) | Artifacts | Configuration | Timing | Parameters

Set Up Test Summary

Show containers: All (1) Successful (1) Failed (0)

0 (00:50) +

TEST

Spin up Environment	00:02
Checkout code	00:01
Restore Yarn Package Cache	00:06
Install Dependencies	00:10
Save Yarn Package Cache	00:00
yarn lint	00:07
yarn test	00:23

circleci

Jobs » PrideInLondon » pride-london-web » master » 620 (build)

Rebuild

SUCCESS

Finished:	Previous:	Parallelism:	Queued:	Resources:	Workflow:	Context:	Triggered by:
2 days ago (00:51)	609	1x out of 4x	00:00 waiting + 00:01 in queue	2CPU/4096MB	workflow	N/A	Sonya Moisset (pushed 6d8acb6)

COMMITS (1)

ngyb Sonya Moisset 6d8acb6 Feature/blog/pagination (#255)

Test Summary | Queue (00:02) | Artifacts | Configuration | Timing | Parameters

```yaml
# Orb 'codecov/codecov@1.0.3' resolved to 'codecov/codecov@1.0.3'
version: 2
jobs:
  build:
    docker:
    - image: circleci/node:8
    working_directory: ~/repo
    steps:
    - checkout
    - restore_cache:
        name: Restore Yarn Package Cache
        keys:
        - yarn-packages-{{ checksum "yarn.lock" }}
    - run:
        name: Install Dependencies
        command: yarn install --frozen-lockfile
    - save_cache:
        name: Save Yarn Package Cache
        key: yarn-packages-{{ checksum "yarn.lock" }}
        paths:
        - ~/.cache/yarn
    - run:
        command: yarn lint
    - run:
        command: yarn test
workflows:
  version: 2
  workflow:
    jobs:
    - build
```

circleci

Environment Variables

Environment Variables for PrideInLondon/pride-london-web

Import Variables | Add Variable

Add environment variables to the job. You can add sensitive data (e.g. API keys) here, rather than placing them in the repository.

Name	Value	Remove
CODECOV_TOKEN		×
CONTENTFUL_ID		×
CONTENTFUL_TOKEN		×

Application

AccessLint

ⓘ You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan ▾ | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Continuous Integration
Code review
Free Trials
Free
Paid

Supported languages

Handlebars, HTML, HTML+ERB, Jinja and
3 other languages supported

Customers

Developer

AccessLint

Developer links

Support
Documentation
Privacy Policy

Report abuse

AccessLint brings automated web accessibility testing into your development workflow. When a pull request is opened, AccessLint reviews the changes and comments with any new accessibility issues, giving you quick, timely, and targeted feedback, before code goes live.

AccessLint helps you keep on target with digital accessibility by giving specific, ongoing accessibility feedback to your team. It can catch simple errors that might break your website for your customers with disabilities.

Accessibility guidelines defined in WCAG 2.0 help us build applications that work better for more people. They also give us a rough measure of compliance with legal requirements outlined in the ADA and Section 508. AccessLint runs a growing list of WCAG 2.0 tests, e.g. missing `alt` attributes that make pages more opaque for screenreader users, positive `tabindex` values that can create confusion for keyboard users, invalid ARIA, and unlabelled fields.

Use AccessLint to hold on to the hard-earned progress you've made with accessibility, or to inspire your team to start chipping away at issues. That frees you from costly bug-fixes and remediation, and socializes accessibility to your team. That way you'll have fewer bugs and can focus on delivering features.



When you open a Pull Request, AccessLint works quickly to find accessibility issues in your code, and comments with specific, line-by-line feedback.


accesslint bot suggested changes 23 days ago

View changes

accesslint bot left a comment

There are accessibility issues in these changes.

`src/components/imageBanner/_spec.js` Outdated

Hide resolved

```
21  20          const wrapper = shallow(<ImageBanner />)
22  21          expect(wrapper.find(BannerSubtitle)).toHaveLength(1)
23  22        })
24  23
```

```
25      -   it('should render an <img> if passed an imageSrc prop', () => {
        24  +   it('renders an <img> if passed an imageSrc prop', () => {
```

accesslint bot 23 days ago

This image is missing a text alternative (`alt` attribute). This is a problem for people using screen readers.

Reply...

Unresolve conversation

SonyaMoisset marked this conversation as resolved.

Application

Codecov

You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan ▾ | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Code quality | Code review | GitHub Enterprise | Free Trials | Free | Paid

Supported languages

C, C#, Go
and 7 other languages supported

Developer

codecov

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.

1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful coherent report.
3. Get commit statues, pull request comments and coverage overlay via our browser extension via Sourcegraph.

Are you an enterprise user / desiring an on-premises install? Please out instead to enterprise@codecov.io

Read more...



Codecov
Code coverage done right.

COVERAGE CHART



COVERAGE SUNBURST



ALL RECENT COMMITS

Update README.md file — Browse Report
SonyaMoisset
18 minutes ago · master · 13b726f · CI Passed

Merge branch 'master' into feature/home-page-announcements — Browse Report
SonyaMoisset 2 days ago · #204 · 516e3a0 · CI Passed

Footer (#205) — Browse Report
laj84
2 days ago · feature/home-page-announcements · dae3d32 · CI Passed

update snapshots, update netlify robots config, remove pledge redirect — Browse Report
laj84 2 days ago · master · fa8e139 · CI Passed

merge in latest master and fix conflicts — Browse Report
laj84 2 days ago · master · c1cf484 · CI Passed

Merge branch 'master' into feature/home-page-announcements — Browse Report
SonyaMoisset 2 days ago · #204 · d871d7b · CI Passed

View all recent commits

Files					Coverage
src	633	440	43	150	69.51%
empty-module.js	1	1	0	0	100.00%
Project Totals (75 files)	634	441	43	150	69.55%

Codecov
Code coverage done right.

Overview | Commits | Branches | Pulls | Compare | Settings

Viewing commits on all branches and pulls. Choose a single branch or pull request to review more details.

Commits

Update README.md file **SonyaMoisset** 19 minutes ago master 1c07261 CI Passed	69.55%	0	0	
Merge branch 'master' into feature/home-page-announcements **SonyaMoisset** 2 days ago #206 51be3a0 CI Passed	70.17%	0	0	
Footer (#206) **laij84** 2 days ago feature/home-page-announcements daeb4da CI Passed	69.55%	0	0	
update snapshots, update netlify robots config, remove pledge redirect **laij84** 2 days ago master fa8e139 CI Passed	69.55%	0	0	
merge in latest master and fix conflicts **laij84** 2 days ago master e1ef484 CI Passed	69.55%	62.50%	0	
Merge branch 'master' into feature/home-page-announcements **SonyaMoisset** 2 days ago #206 d97dd7c CI Passed	70.17%	0	+0.61%	
Feature/redirects (#205) **laij84** 2 days ago feature/blog-details 1ca3cc7 CI Passed	69.55%	0	0	
update invalid redirect **laij84** 2 days ago master ea8a261 CI Passed	69.55%	0	0	
remove conflicts **laij84** 2 days ago master ad807e8 CI Passed	69.55%	0	0	
merge in latest from master and resolve conflicts **laij84** 2 days ago master 5432308 CI Passed	69.55%	40.00%	0	
update redirects **laij84** 2 days ago feature/redirects 8ebb27f CI Passed	69.43%	0	0	
fix test **Unknown** 2 days ago #204 2ca9ab3 CI Passed	70.17%	0	+0.61%	
Bump gatsby from 2.3.12 to 2.3.13 **dependabot-bot** 2 days ago #203 5353cef CI Passed	69.55%	0	0	
Bump react-dates from 16.7.0 to 18.0.0 **dependabot-bot** 3 days ago #18 b0b21df CI Passed	69.55%	0	0	
Bump jest from 23.6.0 to 24.7.1 **dependabot-bot** 3 days ago #194 e97c6e0 CI Passed	69.37%	0	-0.19%	
Bump react-accessible-accordion from 2.4.5 to 3.0.0 **dependabot-bot** 3 days ago #164 a1bad29 CI Passed	69.55%	0	0	
Feature/stop crawlers (#202) **laij84** 3 days ago feature/blog-details 5ce3f51 CI Passed	69.55%	0	0	
Regenerate lock files **SonyaMoisset** 3 days ago master 9e124f5 CI Passed	69.55%	0	0	

codecov bot commented 2 days ago • edited

Codecov Report

> Merging #204 into master will increase coverage by `0.61%`.
> The diff coverage is `100%`.



```
@@            Coverage Diff             @@
##           master     #204      +/-   ##
==========================================
+ Coverage   69.55%   70.17%   +0.61%
==========================================
  Files          75       79       +4
  Lines         634      647      +13
  Branches       87       88       +1
==========================================
+ Hits          441      454      +13
  Misses        150      150
  Partials       43       43
```

Impacted Files	Coverage Δ	
...s/homepage/components/announcementHeader/styles.js	`100% <100%> (ø)`	
...res/homepage/components/announcementCard/styles.js	`100% <100%> (ø)`	
...ures/homepage/components/announcementCard/index.js	`100% <100%> (ø)`	
...es/homepage/components/announcementHeader/index.js	`100% <100%> (ø)`	

Continue to review full report at Codecov.

> Legend - Click here to learn more
> `Δ = absolute <relative> (impact)`, `ø = not affected`, `? = missing data`
> Powered by Codecov. Last update dae3d32...918e3a0. Read the comment docs.

Application

Codacy

You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Code quality | Code review | GitHub Enterprise | Free | Paid

Supported languages

Go, Java, JavaScript
and 7 other languages supported

Developer

qamine

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

Codacy is an automated code analysis/quality tool that helps developers ship better software, faster. With Codacy, you get static analysis, cyclomatic complexity, duplication and code unit test coverage changes in every commit and pull request.

You can use Codacy to enforce your code quality standard, save time in code reviews, enforce security best practices and onboard developers faster. Integrate with your GitHub repositories to get quality analysis of every pull request inside GitHub.

Read more...





CODACY

pride-london-web master

Badge

Project certification

Quality evolution

Last 7 days | Last 31 days

Issues	Complex Files	Duplicated code	Coverage
11% +179%	0%	5% +2%	-

Issues breakdown

74 total issues

Category	Total
Security	0
Error Prone	9
Code Style	53
Compatibility	9
Unused Code	0
Performance	3

See all issues

Coverage

Make sure your code is all tested. Set up your coverage here.

Hotspots

Security pattern Prohibit instances of var[var] reported 9 times in pride-london-web

pride-london-web has 1 open pull request breaking the standards.

Logs

Sonya Moisset ignored pattern "ESLint_react_jsx-indent-props".
6 days ago

Sonya Moisset ignored pattern "ESLint_react_jsx-indent".
6 days ago

Sonya Moisset ignored pattern "Require parentheses in arrow function arguments".
18 days ago

Sonya Moisset ignored pattern "Local Storage".
24 days ago

Sonya Moisset ignored pattern "A "return", "break", "continue", or "throw" statement should be the last in a block.".
25 days ago

Sonya Moisset ignored pattern "Avoid adjoining classes".
28 days ago

Sonya Moisset ignored pattern "Enforce coherent multiline dot".
29 days ago

Sonya Moisset ignored pattern "Enforce Dangling Commas".
29 days ago

Sonya Moisset disabled JSHint.
about a month ago

Pull requests status

Not up to standards 0

Up to standards 6

CODACY

Code patterns

- CSSLint
- ESLint 5.8.0
- JSHint
- JacksonLinter
- Node Security
- PMD 6.4.0
- PMD (Legacy) 5.8.1
- RemarkLint 6.0.2
- Stylelint 9.4.0

Not supported

ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. Learn more

Your rules configuration

Tool pattern list
Select your rules for analysis from the ESLint default pattern list

OR

Configuration file
We will scan for a ESLint configuration file in your project root

ESLint pattern list

ESLint_angular_angularelement
ESLint_angular_angularelement
Javascript JSON Code Style

ESLint_angular_component-limit
ESLint_angular_component-limit
Javascript JSON Code Style

ESLint_angular_component-name
ESLint_angular_component-name
Javascript JSON Code Style

ESLint_angular_controller-as
ESLint_angular_controller-as
Javascript JSON Code Style

ESLint_angular_controller-as-route
ESLint_angular_controller-as-route
Javascript JSON Code Style

Languages

JSON
Javascript

Category

Unused Code	10
Error Prone	141
Compatibility	4
Security	15
Code Style	287

Active

Enabled	300
Disabled	157

CODACY

giancarlo88 wants to merge task/blog-page-layout into feature/blog-page March 16

Task/blog page layout

Current Status: Analysed View logs

View on GitHub

Not up to standards. This pull request quality could be better.

+83 Issues | = Duplication | - Complexity | - Coverage

New Issues | Fixed Issues | Hotspots | New Duplication | Fixed Duplication | Files | Diff | Commits

Showing 15 files with new issues

src/components/horizontalRule/index.js

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import styled from 'styled-components'
```

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import styled from 'styled-components'
```

src/features/blog/components/newsCard/index.js

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import React from 'react'
```

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import React from 'react'
```

JSX not allowed in files with extension '.js' (react/jsx-filename-extension)

```
6 const CenterDot = () => <span> · </span>
```

Missing JSX expression container around literal string (react/jsx-no-literals)

```
6 const CenterDot = () => <span> · </span>
```

Application

codebeat

ⓘ PrideInLondon has already purchased the Public plan for this app on GitHub Marketplace.

Set up a new plan | Edit your plan ▾ | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Code quality | Code review | Free | Paid

Supported languages

Elixir, Go, Java
and 7 other languages supported

Developer

codequest-eu

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

Tired of manually scraping your code looking for the smallest issues? Take codebeat for a spin! 🚀

codebeat is an automated static code analysis tool supporting multiple languages used by both web and mobile developers worldwide. Now also providing style analysis for projects written in Swift👍 .

We've integrated SwiftLint, the best linter for Swift in our code review app and fixed you with a help page. about the feature. Enjoy!

Read more...



3.68 GPA github.com/PrideInLondon/pride-london-... ☆

10b726fb@master
Last updated: **Today, 1:51 pm**

60	11	3371	-
complexity issues	duplications	lines of code	code coverage

Complexity Styles Duplications Security **Quick Wins** Namespaces Timeline Settings Pull Requests

Don't wait to improve your code. Do it now!

After analysing **pride-london-web** we've found issues with the biggest overall impact on your project's health.
Try to refactor these hot spots first and see how your GPA improves.

Function too long `<src/features/events/components/eventsFilters.js.EventsFilters.<anonymous` — critical 92 lines of code — Mute Report Help

Function too long `src/components/nav/index.js.Nav` — critical 163 lines of code — Mute Report Help

Function too long `src/components/icons/genderIcon.js.GenderIcon` — critical 84 lines of code — Mute Report Help

Function too long `src/pages/support-us/sponsors.js.Sponsors` — critical 102 lines of code — Mute Report Help

Function too long `src/features/events/components/eventsFilters.js.EventsFilters.render` — critical 98 lines of code — Mute Report Help

Application

CodeFactor

ⓘ PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.
To complete this installation, you must grant this app access to PrideInLondon.

Set up a new plan | Edit your plan ▾

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Code quality

Recently added | Free Trials | Free | Paid

Supported languages

C#, C++, CSS
and 7 other languages supported

Developer

codefactor-io

Developer links

Support
Documentation
Privacy Policy
Terms of Service

Report abuse

Ensure that your code meets quality standards.

CodeFactor.io seamlessly integrates with GitHub, instantly performs Code Review with every GitHub Commit or PR. Zero setup time. Get actionable feedback within seconds for any branch. Customize rules and ignore irrelevant issues. Get refactoring tips on every issue.

Multilanguage support.

C, C#, C++, CoffeeScript, CSS, GO, Groovy, Java, JavaScript, Less, PHP, Python, Ruby, Scala, SCSS, TypeScript.

Read more...



Simple statuses within your workflow.

pride-london-web

codefactor A | master

9.84 ^ grade score | 20 issues | 149 files | 6 pull requests | 2 active branches

Commit `10b726f` **by smoisset** about an hour ago — No issues
Update README.md file

Commit `dae3d32` **by laij84** 2 days ago — No issues
Footer (#206)

Commit `10a80c7` **by laij84** 2 days ago — No issues
Feature/redirects (#205)

Commit `5cc8f54` **by laij84** 3 days ago — No issues
Feature/stop crawlers (#202)

Commit `02244a9` **by smoisset** 3 days ago — No issues
Rollback codecov update dependency

Hotspots

D src\components\navItem_spec.js

C src\layouts\index.css

F .circleci\config.yml

Libraries 58

moment/moment 2.24.0	C!
@babel/core 7.4.3	-
@babel/plugin-syntax-dynamic-import...	-
@babel/preset-env 7.4.3	-
@babel/preset-react 7.0.0	-

Show 53 more libraries...

Application

LGTM

ⓘ You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan ▾ | ⚙ Configure access

Verified by GitHub

GitHub confirms that this app meets the requirements for verification.

Categories

Code quality | Security | Free

Supported languages

C, C++, Java
and 3 other languages supported

Developer

lgtmhq

Developer links

Support
Documentation
Privacy Policy

Report abuse

Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review

LGTM's extensive security analysis is constantly enhanced by findings from our dedicated team of security researchers, and by contributions from security teams at a number of top tech companies who use our technology, including Google, Microsoft and Mozilla.

Integration is easy, at the click of a button you can set up Pull Request analysis, and catch problems before they get merged.

Read more...



Pull Request Integration: Enable automatic code review to catch problems before they get merged.

PrideInLondon/pride-london-web

JavaScript

Unfollow | Query this project

Overview | Alerts 5 | Files | Contributors 6 | Compare | Dependencies | Integrations

Alert filters

No filter selected

Export alerts

Severity | Query | Tag | Show excluded files | Show heatmap

Source root/



Name	Alerts	Lines of code
src	5 Alerts	5.2k Lines of code
.eslintrc	0 Alerts	0 Lines of code
gatsby-browser.js	0 Alerts	0 Lines of code
gatsby-config.js	0 Alerts	30 Lines of code
gatsby-node.js	0 Alerts	95 Lines of code
gatsby-ssr.js	0 Alerts	0 Lines of code
package.json	0 Alerts	0 Lines of code

Potentially inconsistent state update

reliability | frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Read more | Open in query console

Source root/src/…/filters/**eventDropdownFilter.js** — 1 alert

↑ 1-117

```
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
```

Component state update uses **potentially inconsistent value**.

```
123   }
124
```

↓ 125-172

Source root/src/…/appContext/**index.js** — 1 alert

↑ 1-136

```
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
```

Component state update uses **potentially inconsistent value**.

```
144   }
145
```

↓ 146-239

Potentially inconsistent state update

Open in query console

Query help | Alerts

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: com.lgtm/javascript-queries

Query ID: js/react/inconsistent-state-update

Language: JavaScript

Severity: warning

Tags: reliability, frameworks/react

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. Learn how.

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
this.setState({
  counter: this.state.counter + 1
});
```

Instead, the callback form of `setState` should be used:

```
this.setState(prevState => ({
  counter: prevState.counter + 1
}));
```

References

- React Quick Start: State and Lifecycle.

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component. You can find a detailed component API reference here.

Consider the ticking clock example from one of the previous sections. In Rendering Elements, we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}

setInterval(tick, 1000);
```

Try it on CodePen

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

PrideInLondon/pride-london-web

JavaScript A+

Unfollow | Query this project

Overview | Alerts 3 | Files | Contributors 8 | Compare | Dependencies | Integrations

A+ when compared to other JavaScript projects

Language: JavaScript Add a language



Application

GuardRails

PrideInLondon has already purchased the Open Source plan for this app on GitHub Marketplace.

Set up a new plan | Edit your plan | Configure access

Not verified by GitHub

Categories

Code quality | Security | Free

Supported languages

Go, Java, JavaScript
and 4 other languages supported

Developer

guardrailsio

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

GuardRails scans new code changes as they occur in your repositories. For pull requests, we will post comments whenever security issues are detected. For branches, you will be able to see reports in your dashboard.

Read more...



GuardRails in effect in a pull requests on GitHub.



fr My Account

SonyaMoisset

fr Organizations

PrideInLondon

fr Missing an organization?

fr Review your fr authorized organizations, fr then fr synchronize.

PrideInLondon / pride-london-web

Branches 1 | Pull Requests

✔ PR #256 codedev-exp	replace background image volunteer	fr No fr Issues 27d1e02	00:46.808 2 days ago
✔ PR #255 rgryb	Feature/blog/pagination	fr No fr Issues 208f1e9	00:48.687 3 days ago
✔ PR #255 rgryb	Feature/blog/pagination	fr No fr Issues 09a530c	00:52.741 3 days ago
✔ PR #255 rgryb	Feature/blog/pagination	fr No fr Issues 306b050	00:48.720 3 days ago
✔ PR #255 rgryb	Feature/blog/pagination	fr No fr Issues 67d1026	00:53.181 3 days ago
✔ PR #255 rgryb	Feature/blog/pagination	fr No fr Issues 2695e45	00:49.681 3 days ago
✔ PR #254 dependabot[bot]	Bump gatsby-source-contentful from 2.0.47 to 2.0.48	fr No fr Issues 6e25d06	00:55.852 3 days ago
✔ PR #253 dependabot[bot]	Bump gatsby from 2.3.17 to 2.3.21	fr No fr Issues 1144d36	00:48.914 3 days ago
✔ PR #250 SonyaMoisset	[QA #240] Partners Section - Banner H2	fr No fr Issues d450f12	00:47.448 3 days ago
✔ PR #252 leedoughty	Improvement/navigation	fr No fr Issues 3916ca7	00:08.234 3 days ago

Application

Sonatype DepShield

ⓘ You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan ▾ | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Sonatype DepShield is a GitHub App used by developers to identify and remediate vulnerabilities in their open source dependencies.

Read more...

DepShield Generates GitHub Issues for Known Security Vulnerabilities

Categories

Dependency management
Security | Free

Supported languages

Java and JavaScript

Developer

DepShield

Developer links

Support
Documentation
Privacy Policy
Terms of Service

Report abuse

[DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

Open **sonatype-depshield** bot opened this issue a day ago · 0 comments

sonatype-deps... bot commented a day ago

Vulnerabilities

DepShield reports that this application's usage of lodash.get:4.4.2 results in the following vulnerability(s):

- (CVSS **7.4**) CWE-471: Modification of Assumed-Immutable Data (MAID)
- (CVSS **6.5**) [CVE-2018-3721] lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...

Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- **husky:1.3.1**
  - cosmiconfig:5.1.0
    - lodash.get:4.4.2

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for personal and organization accounts. Please submit questions or feedback about DepShield to the Sonatype DepShield Community.

Sonatype DepShield

Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

CVSS Score	7.4: Critical
CVSS Vector	CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H
CWE	CWE-471
CVE	not recorded

Components

Sign In to see affected components and versions.

References

URL

https://www.npmjs.com/advisories/577

https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0

2 references

severity low

Prototype Pollution

lodash

Advisory | Versions

Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are 'defaultsDeep', 'merge', and 'mergeWith' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

Remediation

Update to version 4.17.5 or later.

Resources

- HackerOne Report

CVSS v3 Vector

AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

Base Score Metrics

Exploitability Metrics

Attack Vector (AV)*

Network (AV:N) | Adjacent Network (AV:A) | Local (AV:L) | Physical (AV:P)

Attack Complexity (AC)*

Low (AC:L) | High (AC:H)

Privileges Required (PR)*

None (PR:N) | Low (PR:L) | High (PR:H)

User Interaction (UI)*

None (UI:N) | Required (UI:R)

Scope (S)*

Unchanged (S:U) | Changed (S:C)

Impact Metrics

Confidentiality Impact (C)*

None (C:N) | Low (C:L) | High (C:H)

Integrity Impact (I)*

None (I:N) | Low (I:L) | High (I:H)

Availability Impact (A)*

None (A:N) | Low (A:L) | High (A:H)

* - All base metrics are required to generate a base score.

Temporal Score Metrics

Exploitability (E)

Not Defined (E:X) | Unproven that exploit exists (E:U) | Proof of concept code (E:P) | Functional exploit exists (E:F) | High (E:H)

Remediation Level (RL)

Not Defined (RL:X) | Official fix (RL:O) | Temporary fix (RL:T) | Workaround (RL:W) | Unavailable (RL:U)

Report Confidence (RC)

Not Defined (RC:X) | Unknown (RC:U) | Reasonable (RC:R) | Confirmed (RC:C)

Environmental Score Metrics

Base Modifiers

Attack Vector (AV)

Not Defined (MAV:X) | Network (MAV:N) | Adjacent Network (MAV:A) | Local (MAV:L) | Physical (MAV:P)

Attack Complexity (AC)

Not Defined (MAC:X) | Low (MAC:L) | High (MAC:H)

Privileges Required (PR)

Impact Metrics

Confidentiality Impact (C)

Not Defined (MC:X) | None (MC:N) | Low (MC:L) | High (MC:H)

Integrity Impact (I)

Not Defined (MI:X) | None (MI:N) | Low (MI:L) | High (MI:H)

Impact Subscore Modifiers

Confidentiality Requirement (CR)

Not Defined (CR:X) | Low (CR:L) | Medium (CR:M) | High (CR:H)

Integrity Requirement (IR)

Not Defined (IR:X) | Low (IR:L) | Medium (IR:M) | High (IR:H)

Application

Dependabot

You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Dependency management
Security | Free Trials
Free | Paid

Supported languages

C#, Elixir, F#
and 7 other languages supported

Customers

Developer

dependabot

Developer links

Support
Status
Privacy Policy
Terms of Service

Report abuse

Dependabot helps you keep your dependencies up to date. It works with most popular languages - you can see full details of the languages we support here.

Every day, Dependabot checks your dependency files for outdated or insecure requirements and opens individual pull requests for any it finds. You review the PRs, merge them, and get to work on the latest, most secure releases.

Read more...



Helpful PRs with release notes, changelogs, and Dependabot compatibility scores

PrideInLondon / pride-london-web

Watch 2

Code | Issues 1 | Pull requests 3 | Projects 0 | Wiki | Insights | Settings

Bump dotenv from 6.2.0 to 7.0.0 #79

Open dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`

Conversation 1 | Commits 1 | Checks 0 | Files changed 3

dependabot bot commented 4 hours ago — Contributor

Bumps dotenv from 6.2.0 to 7.0.0.

- Changelog
- Commits

compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

- Dependabot commands and options

Bump dotenv from 6.2.0 to 7.0.0 ... — Verified ✓ 788659c

dependabot bot added the dependencies label 4 hours ago

GitHub APP 6:39 AM

Pull request opened by dependabot[bot]

dependabot[bot]

#78 Bump jest from 24.3.1 to 24.4.0

Bumps jest from 24.3.1 to 24.4.0.

Changelog

Sourced from jest's changelog.

> **24.4.0**
> **Features**
>
> - `[jest-resolve]` Now supports PnP environment without plugins (#8094)

Show more

Labels	Comments
dependencies	1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

✅ All checks have passed

7/7 successful checks

Compatibility score for *dotenv*

6.2.0 ... 7.0.0

compatibility 85%

See scores for all releases of dotenv

Dependabot has updated **dotenv** from **6.2.0** to **7.0.0** in **34** projects so far. **85%** of those updates passed CI.

Projects without CI, or without a previously passing test suite, are excluded from the scores.

Dependabot creates pull requests for thousands of organisations to help them keep their dependencies up to date.

Application

Snyk

ⓘ You have already purchased this app on GitHub Marketplace.

Set up a new plan | Edit your plan ▾ | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Categories

Dependency management
Security | GitHub Enterprise
Free

Supported languages

Gradle, Java, JavaScript
and 4 other languages supported

Developer

snyk

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

Snyk is on a mission to help developers use open source and stay secure.
Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

Read more...



Find: Quickly scan all your repos and get a high level overview on the amount of known vulnerabilities

snyk

All vulnerable projects

See all projects

PrideInLondon/pride-london-web:package.json

0 H | 1 M | 0 L Updated 3 hours ago

Dependencies: 1555 • **Source:** GitHub

Add more projects

Current security status

0
HIGH SEVERITY

1
MEDIUM SEVERITY

0
LOW SEVERITY

Learn about reports

PrideInLondon/pride-london-web:package.json

Overview History Settings

Snapshot taken 3 hours ago.

Retest now

Vulnerabilities	1 via 1 paths	**Dependencies**	1555	**Source**	GitHub
Taken by	Web	**Tested with**	package-lock.json,package.json	**Repository**	pride-london-web
Branch	master	**Manifest**	package.json		

NEW Prioritise vulnerabilities by those introduced at runtime. Learn more

snyk

MEDIUM SEVERITY

Denial of Service (DoS)

Vulnerable module: mem

Introduced through: gatsby@2.1.31

Detailed paths and remediation

- **Introduced through:** pride-london-web@0.1.0 › gatsby@2.1.31 › @gatsbyjs/relay-compiler@2.0.0-printer-fix.2 › yargs@9.0.1 › os-locale@2.1.0 › mem@1.1.0

  Remediation: No remediation path available.

Vulnerable functions

```
index.module.exports.memoized()
```

```
index.module.exports.memoized.setData()
```

Overview

mem is an optimization used to speed up consecutive function calls by caching the result of calls with identical input.

Affected versions of this package are vulnerable to Denial of Service (DoS). Old results were deleted from the cache and could cause a memory leak.

More about this issue

Create a Jira issue UPGRADE

Ignore

snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.
Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.

snyk-bot APP 3:37 PM

Prototype Pollution

New vulnerability in package `lodash.merge` at the Pride in London organisation.

Severity
Low

Package
lodash.merge

Issue ID
SNYK-JS-LODASHMERGE-173732

Affected projects:

PrideInLondon/pride-london-web:package.json

Package version: 4.6.1

Fix with the CLI wizard

Incoming WebHooks

App Info | Settings

This app was made by Slack.
This integration was made by a member of the Slack team to help connect Slack with a third party service; these Slack integrations may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at feedback@slack.com.

It only uses data Slack already has access to (view our Privacy Policy to learn more). By enabling and/or using this integration, you may be connecting with a service that is not part of Slack.

Add Configuration

App Homepage

App help

Terms

Report this app to Slack for inappropriate content or behavior.

Configurations

Posts to **tech-github** as **Snyk**
Sonya Moisset on Feb 15, 2019

Posts to **tech-github** as **Codacy**
Sonya Moisset on Feb 22, 2019

Dashboard | Reports | Projects | Integrations | Settings

Integrations

Stay continuously protected. Connect Snyk to the applications you use daily.

Source control

GitHub — Add projects
GitHub Enterprise — Contact us to enable
GitLab — Connect to GitLab
Bitbucket Server — Contact us to enable
Bitbucket Cloud — Coming soon!

Platform as a Service

Heroku — Connect to Heroku
Cloud Foundry — Connect to Cloud Foundry
Pivotal Web Services — Connect to Pivotal
IBM Cloud — Connect to IBM Cloud

Serverless

AWS Lambda — Connect to AWS Lambda
Azure Functions BETA — Connect to Azure Functions
Google Cloud Platform — Coming soon!

Notifications

Slack — Edit settings
Jira — Connect to Jira

New issues and remediations

Hello SonyaMoisset,
We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London

PrideInLondon/pride-london-web:package.json

view all project issues

L

Prototype Pollution
Vulnerability in lodash.merge 4.6.1. No remediation available yet.

This issue can be fixed via the CLI

Application

Rollbar

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

Set up a new plan | Edit your plan | Configure access

Verified by GitHub
GitHub confirms that this app meets the requirements for verification.

Rollbar provides real-time, full-stack exception reporting and debugging tools for developers. Rollbar integrates in moments with apps built in **JavaScript, Ruby, Python, PHP, Node.js, Android, iOS, Go, Java, .NET** and more.

Rollbar integrates with GitHub to link stack traces to the underlying source code, correlate exceptions to code changes, and create GitHub issues so teams can manage errors in their existing workflow.

Read more...



Real-time error stream

Developer

rollbar

Developer links

Support
Status
Documentation
Privacy Policy
Terms of Service

Report abuse

Categories

Monitoring | Free | Paid

Supported languages

C#, Go, Haskell
and 7 other languages supported

Rollbar

Browser JS | development

#1 TestError: Hello world

Level: Error | Status: **Active** | Resolve | Mute | Report overgrouping | Create GitHub Issue | Unassigned | Not watching 0

First seen: 12 minutes ago **Last seen:** 11 minutes ago **Occurrences:** 2 **IPs affected:** 1

Last 60 Minutes



Last 60 Hours

Last 60 Days

Traceback | **Occurrences** | People | Browser/OS | IP Addresses | Suspect Deploy | Similar Items | Co-Occurring Items | Community Solutions

Timestamp (PDT)	browser	os	context	request.url	trace.exception.description	trace.exception.message	client.ru
2019-03-15 04:06 pm				https://fervent-albattani-72bcb1.netlify.com/	TestError: Hello world	Hello world	11172
2019-03-15 04:05 pm				https://5c8c2f28161474000834011?--fervent-albattani-72bcb1.netlify.com/	TestError: Hello world	Hello world	31061

Feature/redirects #205

Edit

Merged SonyaMoisset merged 8 commits into master from feature/redirects 2 days ago

Conversation 1 · Commits 8 · Checks 4 · Files changed 1 · +34 −20

lalj84 commented 2 days ago · Member

No description provided.

lalj84 added some commits 3 days ago

- fix generic page layout, add default link style to index.css, fix bor… — cbb126f
- add underline to legal links — bcce408
- add redirects, move sponsors page to new url structure — 91b7295
- Merge branch 'master' into feature/redirects — 0d2b8bb
- update redirects — 8cbb27f
- merge in latest from master and resolve conflicts — 5497588

lalj84 requested a review from SonyaMoisset 2 days ago

pull-request-size bot added the size/M label 2 days ago

codecov bot commented 2 days ago • edited

Codecov Report

> Merging #205 into master will not change coverage.
> The diff coverage is n/a.



	Coverage Diff		
##	master	#205	+/- ##
Coverage	89.55%	89.55%	
Files	75	75	
Lines	634	634	
Branches	87	87	
Hits	441	441	
Misses	150	150	
Partials	43	43	

Continue to review full report at Codecov.

> Legend - Click here to learn more
> Δ = absolute <relative> (impact), ø = not affected, ? = missing data
> Powered by Codecov. Last update 5cc3f54...ce8a261. Read the comment docs.

Reviewers
SonyaMoisset ✓

Assignees
lalj84

Labels
Navigation
New Component
New Feature
size/M

Projects
Done in Pride in London

Milestone
Navigation

Notifications
Unsubscribe
You're receiving notifications because you modified the open/close state.

2 participants

Lock conversation

Application

Pull Request Size

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

Set up a new plan | Edit your plan | Configure access

Not verified by GitHub

Categories

Code quality | Recently added | Free

Customers

Developer

noqcks

Developer links

Support
Documentation
Privacy Policy

Report abuse

We must measure before we can adapt.

Ensure that Pull Request sizes in your organization are trending smaller with the Pull Request Size app. Each Pull Request created will be marked with a label in GitHub based on the lines of code changed.

Size Determination

The Pull Request labels are applied depending on the total lines of code changed (additions + deletions).

Label	Description
size/XS	Denotes a Pull Request that changes 0-9 lines.
size/S	Denotes a Pull Request that changes 10-29 lines.
size/M	Denotes a Pull Request that changes 30-99 lines.
size/L	Denotes a Pull Request that changes 100-499 lines.
size/XL	Denotes a Pull Request that changes 500-999 lines.
size/XXL	Denotes a Pull Request that changes 1000+ lines.



Pull Request Size usage

All checks have passed

7 successful checks

Hide all checks

Codacy/PR Quality Review — Up to standards. A positive pull request. Details

LGTM analysis: JavaScript — No new or fixed alerts Details

ci/circleci: build — Your tests passed on CircleCI! Details

codecov/patch — Coverage not affected when comparing 1087ffc...78865... Details

codecov/project — 48.11% remains the same compared to 1087ffc Details

security/snyk - package.json (Pride in London) — No new issues Details

This branch has no conflicts with the base branch

Merging can be performed automatically.

Squash and merge ▾ You can also open this in GitHub Desktop or view command line instructions.

Add more commits by pushing to the **task/blog-page-layout** branch on **PrideInLondon/pride-london-web.**

Review requested — Show all reviewers

Review has been requested on this pull request. It is not required to merge. Learn more.

Some checks were not successful — Hide all checks

1 errored, 1 failing, and 5 successful checks

- ✕ **LGTM analysis: JavaScript** — This pull request can't be analyzed because it ... — Details
- ✕ **Codacy/PR Quality Review** — Not up to standards. This pull request quality ... — Details
- ✓ **AccessLint** — Review complete
- ✓ **ci/circleci: build** — Your tests passed on CircleCI! — Details
- ✓ **codecov/patch** — 82.92% of diff hit (target 51.46%) — Details
- ✓ **codecov/project** — 52.4% (+0.94%) compared to ecce520 — Details

This branch has conflicts that must be resolved — Resolve conflicts

Use the web editor or the command line to resolve conflicts.

Add more commits by pushing to the **dependabot/npm_and_yarn/dotenv-7.0.0** branch on **PrideInLondon/pride-london-web**.

Review required — Show all reviewers

At least 1 approving review is required by reviewers with write access. Learn more.

All checks have passed — Hide all checks

3 neutral and 9 successful checks

- ✓ **AccessLint** — Review complete — Required
- ✓ **Codacy/PR Quality Review** — Up to standards. A positive pull request. — Required — Details
- ✓ **LGTM analysis: JavaScript** — No new or fixed alerts — Required — Details
- ✓ **Mixed content - fervent-albattani-72bcb1** Successful in 1m — No mixed c... — Details
- ✓ **ci/circleci: build** — Your tests passed on CircleCI! — Required — Details
- ✓ **codecov/patch** — Coverage not affected when comparing e805b5d...faeef84 — Required — Details

Merging is blocked — Update branch

Merging can be performed automatically with 1 approving review.

SonyaMoisset approved these changes 2 days ago — View changes

Pride in London automation moved this from **In progress** to **Reviewer approved** 2 days ago

SonyaMoisset merged commit **dae3d32** into `master` 2 days ago — Hide details — Revert

10 checks passed

- ✓ **AccessLint** Review complete
- ✓ **Codacy/PR Quality Review** Up to standards. A positive pull request. — Details
- ✓ **CodeFactor** No issues found. — Details
- ✓ **LGTM analysis: JavaScript** No new or fixed alerts — Details
- ✓ **ci/circleci: build** Your tests passed on CircleCI! — Details
- ✓ **codebeat** no reportable quality changes — Details
- ✓ **codecov/patch** Coverage not affected when comparing 10a80c7...fa8e139 — Details
- ✓ **codecov/project** 69.55% remains the same compared to 10a80c7 — Details
- ✓ **netlify/fervent-albattani-72bcb1/deploy-preview** Deploy preview ready! — Details

Pride in London automation moved this from **Reviewer approved** to **Done** 2 days ago

SonyaMoisset deleted the `feature/footer` branch 2 days ago — Restore branch

GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file removing the old link to Marcel repo

Assignees	Labels
SonyaMoisset	enhancement

PrideInLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

✅ 6 other checks have passed

6/7 successful checks

GitHub APP 12:36 PM

Pull request opened by giancarlo88

giancarlo88

#69 Task/blog page layout

Preliminary responsive grid layout (similar to Events page) and filtering.

Comments	Reviewers
2	codacy-bot

PrideInLondon/pride-london-web | Mar 9th

Codacy/PR Quality Review: Not up to standards. This pull request quality could be better.

✅ 6 other checks have passed

6/7 successful checks

netlify

Deploys for fervent-albattani-72bcb1

- https://fervent-albattani-72bcb1.netlify.com

Deploys from github.com/PrideInLondon/pride-london-web, published master@e805b5d.

Auto publishing is on. Deploys from master are published automatically.

Deploy settings | Notifications | Stop auto publishing

Search deploys

Trigger deploy

Deploy Preview #18: dependabot/npm_and_yarn/react-... @989d9b2 Bump react-dates from 16.7.0 to 18.0.0	**Today at 8:49 AM** Deployed in 1 minute
Deploy Preview #79: dependabot/npm_and_yarn/dotenv...@faeef84 Bump dotenv from 6.2.0 to 7.0.0	**Today at 8:49 AM** Deployed in 1 minute
Production: master@e805b5d PUBLISHED Update dependencies	**Today at 8:46 AM** Deployed in 1 minute
Deploy Preview #90: dependabot/npm_and_yarn/gatsby...@a7f0804 Bump gatsby-plugin-react-helmet from 3.0.9 to 3.0.10	**Today at 5:30 AM** Deployed in 1 minute

Netlify APP 12:13 PM

Successful deploy of **fervent-albattani-72bcb1**

Add Netlify badge on README file (#87)

*** Add Netlify badge on README file**

*** Update naming convention**

*** Move dotenv package to dependency**

*** Add gatsby-source-filesystem**

*** Regenerate lock file**

*** Fix uppercase to lowercase on gatsby-node.js**

*** Remove deploy:ci script**

*** Implement Rollbar agent**

Or check out the build log

Using git branch master, commit e5d59759d2f | Yesterday at 12:13 PM

Pride London Web







Homepage

No due date **61%** complete

Homepage Epic



PrideInLondon / pride-london-web > Projects > Pride in London

Filter cards | + Add cards | Exit fullscreen | Menu

23 Backlog

- [GitHub] Add an open source licence
  #208 opened by SonyaMoisset
  Documentation | Improvement
- [Netlify] Move back to policy: [{ userAgent: '*' }] when live
  #207 opened by SonyaMoisset
  Navigation | Refactoring
- Donate
  #106 opened by SonyaMoisset
  Homepage | New Feature
- Form
  #108 opened by SonyaMoisset
  New Component | Sponsors
- Configure Blog landing page to query for Views content type
  #150 opened by giancarlo88
  Blog | Improvement
- Configure Blog landing page article categories to use list of categories predefined from Contentful instead of their own content type
  #155 opened by giancarlo88
  Blog | Improvement
- Configure Blog landing page articles to use 'Article' content type
  #157 opened by giancarlo88
  Blog | Improvement
- Configure Blog landing page featured article to use Featured Article content type
  #160 opened by giancarlo88
  Blog | Improvement
- Pagination
  #171 opened by SonyaMoisset
  Blog | New Component
- OG Tags & Twitter cards

Automated as: To do | Manage

14 QA

- [QA] Volunteer Section - Replace pixelated images
  #222 opened by SonyaMoisset
  Homepage | Improvement | QA
- [QA] Volunteer Section - Refactor button to match design
  #221 opened by SonyaMoisset
  Homepage | Improvement | QA
- [QA] Volunteer Section - Show more volunteers
  #220 opened by SonyaMoisset
  Homepage | Improvement | QA
- [QA] Volunteer Section - Shapes should be 2x images
  #219 opened by SonyaMoisset
  Homepage | Improvement | QA
- [QA] Header - Add duotone image
  #218 opened by SonyaMoisset
  Improvement | Navigation | QA
- [QA] Footer - Company number link
  #217 opened by SonyaMoisset
  Improvement | Navigation | QA
- [QA] Footer - Add newsletter sign up on events footer
  #216 opened by SonyaMoisset
  Improvement | Navigation | QA
- [QA] Footer - Remove third hashtag
  #215 opened by SonyaMoisset
  Improvement | Navigation | QA
- [QA] Footer - Add hover state to links
  #214 opened by SonyaMoisset
  Improvement | Navigation | QA
- [QA] Partners Section - Responsive logos (RedBadger style)
  #213 opened by SonyaMoisset
  Improvement | QA | Sponsors

2 In progress

- Bump gatsby from 2.3.12 to 2.3.13
  #203 opened by dependabot
  Dependencies | Security | size/S
  Review required
- Announcements
  #204 opened by codeclev-exp
  Homepage | New Component | New Feature | size/L
  Review required
- Render static content
  #133 opened by SonyaMoisset
  Blog Details | New Feature
- Blog page content logic
  #127 opened by SonyaMoisset
  Blog Details | New Feature
- Blog page layout and styling
  #128 opened by SonyaMoisset
  Blog Details | New Feature
- Announcements
  #107 opened by SonyaMoisset
  Homepage | New Feature
- Extract ImageBanner styles
  #173 opened by SonyaMoisset
  Improvement | Refactoring | size/L
  Review required
- Bump react-accessible-accordion from 2.4.5 to 3.0.0
  #164 opened by dependabot
  Dependencies | Security | size/M
  Review required
- Bump react-dates from 18.7.0 to 18.8.0
  #10 opened by dependabot
  Dependencies | Security | size/M

Automated as: In progress | Manage

0 Review in progress

Automated as: In progress | Manage

0 Reviewer approved

Automated as: In progress | Manage

77 Done

- Redirects & rewrite rules
  #177 opened by SonyaMoisset
  Improvement | Navigation
- Footer
  #206 opened by lal84
  Navigation | Refactoring | size/S
  Changes approved
- Feature/redirects
  #205 opened by lal84
  Navigation | New Component | New Feature | size/M
  Changes approved
- Feature/stop crawlers
  #202 opened by lal84
  Improvement | New Feature | size/L
  Changes approved
- Redirects
  #200 opened by lal84
  Navigation | New Component | New Feature | size/M
  Changes approved
- [Hotfix] Props name and delete duplicate Home folder
  #199 opened by codeclev-exp
  Hotfix | Refactoring | size/L
  Changes approved
- Add a Digital section
  #118 opened by SonyaMoisset
  New Feature | Sponsors
- Generic Content page styles
  #123 opened by SonyaMoisset
  Generic Content | Improvement
- Generic pages layout

Automated as: Done

GitLab

GitLab is a single application for the entire DevOps lifecycle.

Manage	Plan	Create	Verify	Package	Secure	Release	Configure	Monitor	Defend
Since 2016 GitLab added:	**Since 2011 GitLab added:**	**Since 2011 GitLab added:**	**Since 2012 GitLab added:**	**Since 2016 GitLab added:**	**Since 2017 GitLab added:**	**Since 2016 GitLab added:**	**Since 2018 GitLab added:**	**Since 2016 GitLab added:**	**Coming in 2019:**
Cycle Analytics	Project Management	Source Code Management	Continuous Integration (CI)	Container Registry	SAST	Continuous Delivery (CD)	Auto DevOps	Metrics	Runtime Application Self Protection
DevOps Score	Kanban Boards	Code Review	Code Quality	Maven Repository	DAST	Release Orchestration	Kubernetes Configuration	Logging	Web Application Firewall
Audit Management	Time Tracking	Wiki	Performance Testing	NPM Registry	Dependency Scanning	Pages	ChatOps	Cluster Monitoring	Threat Detection
Authentication and Authorization	Agile Portfolio Management	Snippets			Container Scanning	Review apps	Runbook Configuration	Tracing	Behavior Analytics
	Service Desk	Web IDE	**Coming in 2019:**	**Coming in 2019:**	License Management	Incremental Rollout	Serverless	Error Tracking	Vulnerability Management
Coming in 2019:			System Testing	Rubygem Registry		Feature Flags			Data Loss Prevention
Code Analytics	**Coming in 2019:**	**Coming in 2019:**	Usability Testing	Linux Package Registry	**Coming in 2019:**		**Coming in 2019:**	**Coming in 2019:**	Container Network Security
Workflow Policies	Value Stream Management	Design Management	Accessibility Testing	Helm Chart Registry	Secret Detection	**Coming in 2019:**	PaaS	Synthetic Monitoring	
	Requirements Management	Live Coding	Compatibility Testing	Dependency Proxy	IAST	Release Governance	Chaos Engineering	Incident Management	
	Quality Management				Fuzzing		Cluster Cost Optimization	Status Page	
GitLab could replace	CA technologies	PLUTORA	Gerrit				codefresh	OpsWorks	CA technologies	MICRO FOCUS

MORE TOOLS

ONLINE SCAN

A JS Foundation Project

webhint SCANNER DOCUMENTATION ABOUT GITHUB

Search Documentation

Use webhint to improve your website

webhint is a linting tool that will help you with your site's accessibility, speed, security and more, by checking your code for best practices and common errors. Use the online scanner or the CLI to start checking your site for errors.



TRY THE ONLINE SCANNER

GET STARTED WITH THE CLI

Why use webhint?

FULLY CUSTOMIZABLE

Every site is different. webhint adapts its feedback when you give it more information: ignore 3rd-party code, prioritize *your* users' browsers, and control the results with minimal setup.

USER GUIDE

CREATE YOUR OWN HINTS

With the help of our contributor guide, you can create new hints to suit *your* needs. You can help webhint help even more people like you by contributing your hints back!

HINT DOCUMENTATION

COMMUNITY DRIVEN

webhint welcomes anyone who wants to make the web a better place. Testing, filing issues and feature requests, contributing code, and improving the documentation are just the start!

WEBHINT GITHUB

SCANNING 100% SCAN TIME: 03:00

HINTS
76

URL: https://reactjs.org/

YOUR SCAN RESULT LINK: https://webhint.io/scanner/ce62ad86-c048-4e4d-b5fb-7378ff48b018

DATE: 2019-03-13 13:03

webhint version: 4.4.1 Configuration JSON

Hints

Accessibility

expand all

- axe: 1 hints

Compatibility

expand all

- content-type: 17 hints
- highest-available-document-mode: 1 hints
- meta-charset-utf-8: 1 hints

PWA

expand all

- apple-touch-icons: 1 hints

	HINTS	PASSED
ACCESSIBILITY	1	0/1
COMPATIBILITY	3	4/7
PWA	1	3/4
PERFORMANCE	4	3/7
PITFALLS	0	0/0
SECURITY	5	5/10

Lighthouse

☆ ☆ ☆ ☆ ☆

Lighthouse is an open-source, automated tool for improving the quality of web pages. You can run it against any web page, public or requiring authentication. It has audits for performance, accessibility, progressive web apps, and more.

You can run Lighthouse in Chrome DevTools, from the command line, or as a Node module. You give Lighthouse a URL to audit, it runs a series of audits against the page, and then it generates a report on how well the page did. From there, use the failing audits as indicators on how to improve the page. Each audit has a reference doc explaining why the audit is important, as well as how to fix it.

RUN LIGHTHOUSE IN CHROME DEVTOOLS

FILE AN ISSUE

Check out the video below from Google I/O 2017 to learn more about how to use and contribute to Lighthouse.




Home - SHOP
Secure | https://shop.polymer-project.org
SHOP
Men's Outerwear
SHOP NOW
Elements
Console
Sources
Audits
Audits help you identify and fix common problems that affect your site's performance, accessibility, and user experience. Learn more
Perform an audit...


Men's Outerwear
SHOP NOW
Elements
Console
Sources
Audits
1
shop.polymer-project.org 9/26/2017, 4:59:10 P
100
Progressive Web App
88
Performance
100
Accessibility
85
Best Practices
Progressive Web App
These audits validate the aspects of a Progressive Web App, as specified by the baseline PWA Checklist.
100
0 failed audits
11 Passed Audits
Manual checks to verify
Performance
These encapsulate your app's performance.
88
Metrics
These metrics encapsulate your app's performance across a number of dimensions.

Security Headers
Sponsored by netsparker

Home About

Scan your site now

www.facebook.com Scan

Hide results Follow redirects

Grand Totals

A+	706,238
A	5,067,049
B	1,652,057
C	902,875
D	3,079,011
E	2,050,396
F	14,110,812
R	2,832,408
Total	30,400,846

Recent Scans

proline.physics.ii...	E
yzthundecoc.tk	F
lakeareahomesandra...	F
wlagency.ru	D
wiki.mk7.jp	F
kasp27.ru	D
officeinvoice.com	F
diepriv.helpforski...	F
www.billfishermans...	F

Hall of Fame

www.aupiedleve.org	A
www.dashlane.com	A
console.dashlane.c...	A
iphonesoft.fr	A
rosiefurniture.com	A
www.instagram.com	A
avalon.skynet-corp...	A
www.patreon.com	A
securityheaders.co...	A+

Hall of Shame

lifewordonline.com	F
www.carmax-blows.n...	F
yzthundecoc.tk	F
lakeareahomesandra...	F
wiki.mk7.jp	F
officeinvoice.com	F
diepriv.helpforski...	F
www.billfishermans...	F
pacho.com	F

Security Report Summary

A

Site:	https://www.facebook.com/
IP Address:	2a03:2880:f131:83:face:b00c:0:25de
Report Time:	14 Apr 2019 20:04:31 UTC
Headers:	✔ X-Content-Type-Options ✔ Strict-Transport-Security ✔ Content-Security-Policy ✔ X-Frame-Options ✔ X-XSS-Protection ✘ Referrer-Policy ✘ Feature-Policy
Warning:	Grade capped at A, please see warnings below.

Supported By

Raw Headers

HTTP/1.1	200 OK
Cache-Control	private, no-cache, no-store, must-revalidate
Expires	Sat, 01 Jan 2000 00:00:00 GMT
Vary	Accept-Encoding
X-Content-Type-Options	nosniff
Pragma	no-cache
Strict-Transport-Security	max-age=15552000; preload
content-security-policy	**default-src** * data: blob:;**script-src** *.facebook.com *.fbcdn.net *.facebook.net *.google-analytics.com *.virtualearth.net *.google.com 127.0.0.1:* *.spotilocal.com:* 'unsafe-inline' 'unsafe-eval' blob: data: 'self';**style-src** data: blob: 'unsafe-inline' *;**connect-src** *.facebook.com facebook.com *.fbcdn.net *.facebook.net *.spotilocal.com:* wss://*.facebook.com:* https://fb.scanandcleanlocal.com:* attachment.fbsbx.com ws://localhost:* blob: *.cdninstagram.com 'self' chrome-extension://boadgeojelhgndaghljhdicfkmllpafd chrome-extension://dliochdbjfkdbacpmhlcpmleaejidimm;
X-Frame-Options	DENY
expect-ct	**max-age**=86400, **report-uri**="https://reports.fb.com/expectct/"
X-XSS-Protection	0
Set-Cookie	fr=1xiqvcBUzgHZdFs81..Bcs5JP.cS.AAA.0.0.Bcs5JP.AWUxtF4m; expires=Sat, 13-Jul-2019 20:04:31 GMT; Max-Age=7776000; path=/; domain=.facebook.com; secure; httponly
Set-Cookie	sb=T5KzXB3k41AuBisJ3o187XRx; expires=Tue, 13-Apr-2021 20:04:31 GMT; Max-Age=63072000; path=/; domain=.facebook.com; secure; httponly
Content-Type	text/html; charset="utf-8"
X-FB-Debug	oCQ0ZIM25g3MNJFqpjJ0zfwCsoKvhgDHXPQmjKmljEMULToNsNr3AA1jAQ2Y3oK+NqfIRur2xTtKa+2Lb5Phvw==
Date	Sun, 14 Apr 2019 20:04:31 GMT
Transfer-Encoding	chunked
Connection	keep-alive

WHAT'S NEXT FOR YOU?

BECOME A SECURITY CHAMPION!

Security Champions playbook

Identify teams

- Enumerate products and services
- List teams per each product
- Identify Product manager (responsible for product) and team manager (working directly with developers)
- Write down technologies (programming languages) used by each team

Define the role

- Measure current security state among the teams and define security goals you plan to achieve in mid-term (e.g. by using OWASP SAMM)
- Identify the places where champions could help (such as verifying security reviews, raising issues for risks in existing code, conducting automated scans etc.)
- Write down clearly defined roles, as these will be the primary tasks for newly nominated champions to work on

Nominate champions

- Introduce the idea and role descriptions and get approvals on all levels - both from product and engineering managers, as well as from top management
- Together with team leader identify potentially interested candidates
- Officially nominate them as part of your security meta-team

Comm channels

- Make sure to have an easy way to spread information and get feedback
- While differing from company to company, this usually includes chats (Slack/IRC channel, Yammer group, ...) and separate mailing lists
- Set up periodic sync ups - bi-weelky should be fine to start with

Knowledge base

- Build a solid internal security knowledge base, which would become the main source of inspiration for the champions
- It should include security meta-team page with defined roles, secure development best practices, descriptions of risks and vulnerabilities and any other relevant info
- Pay special attention to clear and easy-to-follow checklists, as it's usually the simplest way to get the things going

Maintain interest

- Develop your ways or choose one of the below to keep in touch and maintain the interest of the champions
- Conduct periodic workshops and encourage participation in security conferences
- Share recent appsec news (e.g. Ezine) via communication channels
- Send internal monthly security newsletters with updates, plans and recognitions for the good work
- Create champions corner with security library, conference calendar, and other interesting materials

https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd

Medium

Keep calm and become a Security Engineer – Sonya Moisset – Medium

One of the many ways to get into the Cybersecurity industry

Reading time

8 min read

Mar 5th (366 kB)

LADIES OF LONDON HACKING SOCIETY

APRIL 25 - LOGICALIS UK LTD

OWASP LONDON CHAPTER

GET SECURE, BE SECURE AND STAY SECURE


Thank
you!

PRIDE IN LONDON

IF YOU LIKE WHAT YOU'VE SEEN

WE'RE RECRUITING DEVS & QA

:)

@SONYAMOISSET 🦄🌍

SONYAMOISSET@PRIDEINLONDON.ORG