

DJUGL @ DARE

KEEP CALM AND SECURE
YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄 🌎

.I WEAR DARK
HOODIES SO I'M
A LEGIT SECURITY
ENGINEER



photoboxgroup
security



WHAT IS CYBERSECURITY


AND WHY IS IT IMPORTANT?



CYBERSECURITY IS THE TECHNIQUES OF
PROTECTING COMPUTERS, NETWORKS,
PROGRAMS AND DATA FROM
UNAUTHORISED ACCESS OR ATTACKS
THAT ARE AIMED FOR EXPLOITATION

INVESTMENTS IN SECURITY
MOVED FROM NICE TO
HAVE TO MUST HAVE

OCT 2016.
A SERIES OF DDOS ATTACKS WERE
LAUNCHED AGAINST DNS SERVERS,
WHICH CAUSED MAJOR WEB SERVICES TO
STOP WORKING (GITHUB, SPOTIFY,
PAYPAL, TWITTER...)



No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.


[Contact Support](#) — [GitHub Status](#) — [@githubstatus](#)



Explore

Discover the Internet using search queries shared by other users.

Featured Categories



Top Voted

| | | | |
|--------|------------------|--|------------|
| 10,294 | Webcam | best ip cam search I have found yet. | 2010-03-15 |
| 4,089 | Cams | admin admin | 2012-02-05 |
| 2,256 | Netcam | Netcam | 2012-01-13 |
| 1,582 | default password | Finds results with "default password" in the ha... | 2010-01-14 |
| 1,087 | dreambox | dreambox | 2010-08-13 |

[More popular searches...](#)

Recently Shared

| | | |
|---|--------------------------------|------------|
| 1 | chile | 2010-10-08 |
| 2 | router control panel DD-WRT | 2010-10-08 |
| 3 | 1 | 2010-10-06 |
| 1 | Logitech Media Server | 2010-10-05 |
| 3 | sushi | 2010-10-05 |

[More recent searches...](#)

Shodan | Developers | Docs | View All... | [Search](#) | [Explore](#) | [Pricing](#) | [Enterprise Access](#)

New to Shodan? | [Login or Register](#)

[Exploits](#) | [Maps](#) | [Images](#)

TOTAL RESULTS
5,402

TOP COUNTRIES

| Country | Count |
|--------------------|-------|
| United States | 866 |
| Korea, Republic of | 698 |
| Germany | 405 |
| Poland | 331 |
| Italy | 297 |

TOP SERVICES

| Service | Count |
|-----------|-------|
| HTTP (80) | 1,803 |
| 8081 | 871 |
| HTTP | 232 |
| HTTPS | 189 |
| 8080 | 141 |

TOP ORGANIZATIONS

| Organization | Count |
|-----------------------|-------|
| Korea Telecom | 235 |
| Deutsche Telekom AG | 199 |
| RCS & RBS Residential | 875 |
| Spectrum | 894 |
| Skynet Sp. Z o.o. | 82 |

TOP OPERATING SYSTEMS

| OS | Count |
|----------------|-------|
| Ubuntu | 14 |
| QTS | 13 |
| Linux 2.6 | 10 |
| Windows 7 or 8 | 8 |
| Windows 6.1 | 4 |

TOP PRODUCTS

| Product | Count |
|----------------------------|-------|
| webcam things | 376 |
| XnView webcam viewer httpd | 365 |
| Apache httpd | 218 |
| darwinian web-cam httpd | 75 |
| Sendmail | 30 |

RELATED TAGS: [urinet](#)

77.23.232.64 [🔗](#)

ip:77.23.232.64 dynamiclabel-deutschland.de
Vodafone Kabel Deutschland
Added on 2019-04-14 16:11:51 GMT
Germany, Wupper

HTTP/1.1 401 Unauthorized
Content-Length: 8
WWW-Authenticate: Digest realm="IP Webcam", nonce="1555285518", op="auth"

119.196.110.245 [🔗](#)

Korea Telecom
Added on 2019-04-14 17:51:11 GMT
Korea, Republic of, Seoul

self-signed

SSL Certificate
Issued By:
- Common Name: IP Webcam
Issued To:
- Common Name: IP Webcam

Supported SSL Versions
TLSv1, TLSv1.1, TLSv1.2

HTTP/1.1 401 Unauthorized
Content-Length: 8
WWW-Authenticate: Digest realm="IP Webcam", nonce="1555284267", op="auth"

83.4.254.176 [🔗](#)

ip:83.4.254.176 orangeplus.aditional.pl
Orange Polska
Added on 2019-04-14 16:03:29 GMT
Poland

HTTP/1.1 401 Unauthorized
Content-Length: 8
WWW-Authenticate: Digest realm="IP Webcam", nonce="1555263127", op="auth"

14.49.134.32 [🔗](#)

Korea Telecom
Added on 2019-04-14 17:52:02 GMT
Korea, Republic of, Seoul

HTTP/1.1 401 Unauthorized
Content-Length: 8
WWW-Authenticate: Digest realm="IP Webcam", nonce="1555264546", op="auth"

139.59.28.86 [🔗](#)

Digital Ocean
Added on 2019-04-14 17:53:29 GMT
India, Bangalore

HTTP/1.1 200 OK
X-Powered-By: Express
Accept-Ranges: bytes
Cache-Control: public, max-age=8
Last-Modified: Wed, 04 Apr 2018 07:09:02 GMT
ETag: W/"F59-1020774870"
Content-Type: text/html; charset=UTF-8
Content-Encoding: gzip
Date: Sun, 14 Apr 2019 17:53:23 GMT
Connection: keep-alive

...
...
...



Ooops, your files have been encrypted!

English

▼

not so enough time.

You can decrypt some of your files for free. Try now by clicking <Decrypt>.

But if you want to decrypt all your files, you need to pay.

You only have 3 days to submit the payment. After that the price will be doubled.

Also, if you don't pay in 7 days, you won't be able to recover your files forever.

We will have free events for users who are so poor that they couldn't pay in 6 months.

Payment will be raised on

1/4/1970 00:00:00

Time Left

00:00:00:00

Your files will be lost on

1/8/1970 00:00:00

Time Left

00:00:00:00

[About bitcoin](#)

[How to buy bitcoins?](#)

[Contact Us](#)

How Do I Pay?

Payment is accepted in Bitcoin only. For more information, click <About bitcoin>.

Please check the current price of Bitcoin and buy some bitcoins. For more information, click <How to buy bitcoins>.

And send the correct amount to the address specified in this window.

After your payment, click <Check Payment>. Best time to check: 9:00am - 11:00am GMT from Monday to Friday.

Once the payment is checked, you can start decrypting your files immediately.

Contact

If you need our assistance, send a message by clicking <Contact Us>.

We strongly recommend you to not remove this software, and disable your anti-virus for a while, until you pay and the payment gets processed. If your anti-virus gets updated and removes this software automatically, it will not be able to recover your files even if you pay!




Send \$600 worth of bitcoin to this address:

Copy

[Check Payment](#)

[Decrypt](#)



re: "██████████"

Inbox x



Dirk Saunders <yxpnmjarrettlwq@outlook.com>

12:07 PM (8 minutes ago)



to me ▾

I know, ██████████, is your pass word. you may not know me and you are most likely thinking why you're getting this e-mail, correct?

Well, I installed a malware on the adult video clips (pornography) and you know what, you visited this web site to have fun (you know what I mean). When you were watching video clips, your browser started operating as a Rdp (Remote desktop) that has a key logger which gave me accessibility to your screen and also cam. Just after that, my software program gathered every one of your contacts from messenger, social networks, as well as email.

What exactly did I do?

I created a double-screen video. First part displays the video you were watching (you've got a good taste lol), and 2nd part displays the recording of your web cam.

Exactly what should you do?

Well, I believe, \$1200 is a fair price for our little secret. You'll make the payment through Bitcoin (if you don't know this, search "how to buy bitcoin" in google).

BTC ADDRESS: 1JC99fcQMVR4iHdmf3GbHLGHMkPpyFjBu7

(It's CASE sensitive, so copy and paste it carefully)

Note:

You have one day to make the payment. (I've a specific pixel in this message, and right now I know that you've read this e mail). If I do not receive the Bitcoins, I will certainly send out your video recording to all of your contacts including friends and family, colleagues, and so forth. nonetheless, if I receive the payment, I'll destroy the video immediately. If you need proof, reply with "yes!" and I definitely will send your video recording to your 14 friends. It is a non-negotiable one time offer, thus don't ruin my time & yours by responding to this e-mail.

**SUMMARY**[USD](#) [BCH](#)

Address

qz7ftpz95v34u0guwn9wqyfkajhkztmxtgj9537f9g

Number of Transactions

0

Final Balance

0.00000000 BCH

Total Sent

0.00000000 BCH

Total Received

0.00000000 BCH

**TRANSACTIONS**[USD](#) [BCH](#)

Date (timestamp)

Hash de transaction

État

Montant



';-have i been pwned?

Check if you have an account that has been compromised in a data breach

check

Generate secure, unique passwords for every account

[Learn more at 1Password.com](#)[Why 1Password?](#)

359
owned websites

7,840,611,051
owned accounts

93,384
pastes

114,064,052
paste accounts

Largest breaches



772,904,991 [Collection #1 accounts](#)




763,117,241 [Verifications.io accounts](#)



711,477,622 [Onliner Spambot accounts](#)



593,427,119 [Exploit.In accounts](#)



457,962,538 [Anti Public Combo List accounts](#)



393,430,309 [River City Media Spam List accounts](#)

250,400,608 [MySpace accounts](#)

Recently added breaches




760,561 [DataCamp accounts](#)



808,330 [Knuddels accounts](#)




52,623 [Demon Forums accounts](#)




871,190 [Everybody Edits accounts](#)



3,073,409 [Intelimost accounts](#)



11,657,763 [Whitepages accounts](#)



14,867,999 [500px accounts](#)



3,830,916 [Bookmate accounts](#)

[Overview](#)

Repositories 873

Projects 0

Stars 358

Followers 2.9k

Following 28

Pinned

[ssbc/ssb-server](#)

The gossip and replication server for Secure Scuttlebutt - a distributed social network

JavaScript ★ 1.1k ⚡ 134

[pull-stream/pull-stream](#)

minimal streams

JavaScript ★ 633 ⚡ 58

[auditdrivencrypto/secret-handshake](#)

JavaScript ★ 155 ⚡ 22

[map-filter-reduce](#)

JavaScript ★ 44 ⚡ 6

[ssbc/patchbay](#)

An alternative Secure Scuttlebutt client interface that is fully compatible with Patchwork

JavaScript ★ 223 ⚡ 56


Dominic Tarr

[dominictarr](#)[Follow](#)[Block or report user](#)[antipodean wandering albatross](#) [Protozoa](#) [New Zealand](#) [<http://protozoa.nz>](#)

Organizations



2,485 contributions in the last year

[Learn how we count contributions.](#)

Less More

Ready to take your JavaScript development to the next level? Meet npm Enterprise - the ultimate in enterprise JavaScript. [Learn more »](#)

event-stream

4.0.1 • [Public](#) • Published 7 months ago

[Readme](#)[7 Dependencies](#)[1,638 Dependents](#)[84 Versions](#)

EventStream

[Streams](#) are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The `EventStream` functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates [0.8 streams](#), which are compatible with [0.10 streams](#).

NOTE: I shall use the term "*through stream*" to refer to a stream that is writable *and* readable.

NOTE for Gulp users: Merge will not work for gulp 4. [merge-stream](#) should be used.

simple example:

```
//pretty.js

if(!module.parent) {
  var es = require('event-stream')
```

[install](#)

```
> npm i event-stream
```

[weekly downloads](#)

1,372,033

[version](#)

4.0.1

[license](#)

MIT

[open issues](#)

7

[pull requests](#)

0

[homepage](#)[github.com](#)[repository](#)[github](#)[last publish](#)

7 months ago

[collaborators](#)[Test with RunKit](#)

EVENT STREAM POST MORTEM

- December 2018
 - flatmap-stream was published to npm and added as a dependency to the event-stream package by user right9ctrl
- 8 million downloads
- Applications all over the web were running malicious code in production



[FAQS](#) [VIEW THE CODE](#) [ISSUE TRACKER](#)

The Secure, Shared Bitcoin Wallet

Secure your bitcoin with the open source,
HD-multisignature wallet from BitPay.

[GET COPAY](#)



SOCIAL ENGINEERING DEVS



devinus commented on Jul 31, 2015

...

@dominictarr Interesting. Would you accept a `flatMap` patch using this functionality?



devinus commented on Jul 31, 2015

...

I wonder why `mapSync` uses `emit` rather than `queue`.



dominictarr commented on Jul 31, 2015

Owner

...

@**devinus** ah, it's probably just old. I don't use this module anymore, i now use
<https://github.com/dominictarr/pull-stream>

If you publish a `flatMap` module and then make a pr to include it, i'll merge.

This repository has been archived by the owner. It is now read-only.

 dominictarr / event-stream

 Watch 72  Star 2,044  Fork 146

 Code  Issues 7  Pull requests 0  Projects 0  Wiki  Insights

EventStream is like functional programming meets IO

 322 commits

 1 branch

 13 releases

 34 contributors

 MIT

Branch: master ▾

[Create new file](#) [Upload files](#) [Find File](#) [Clone or download](#) ▾

| | | |
|---|--|---------------------------------------|
|  db.js | remove testling from package.json | Latest commit 9a5c52a on Sep 20, 2018 |
|  examples | better pretty.js example | 6 months ago |
|  test | add filter and rewrite flatmap | 6 months ago |
|  .gitignore | initial, first implementation of a map function (takes async callback ...) | 8 years ago |
|  .travis.yml | drop travis support for 0.8 | 4 years ago |
|  LICENCE | Clarify licensing | 5 years ago |
|  Index.js | add filter and rewrite flatmap | 6 months ago |
|  package-lock.json | update package.json | 6 months ago |
|  package.json | remove testling from package.json | 6 months ago |
|  readme.markdown | add example for flatmap and filter | 6 months ago |

 [readme.markdown](#)

EventStream


[Streams](#) are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The `EventStream` functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates `0.8 streams`, which are compatible with `0.10 streams`.



Overview

Repositories 3

Stars 0

Followers 0

Following 0

Popular repositories

[node-script](#)

● C

[react](#)

Forked from [facebook/react](#)

A declarative, efficient, and flexible JavaScript library for building user interfaces.

● JavaScript

[event-stream](#)

● JavaScript

北川


right9ctrl

[Block or report user](#)

👤 株式会社LIG

📍 東京都

22 contributions in the last year



fuck Right9ctrl

[Browse files](#)

master (#1)

 geektheripper committed on Dec 23, 2018

1 parent 706ed02

commit cb0f66a328134bc4f0959a99caf347a6670eadb7

 Showing 2 changed files with 19 additions and 70 deletions.

[Unified](#) [Split](#)

2  package.json

[View file](#)

| st | @@ | -86,7 +86,7 @@ |
|----|----|--------------------------|
| 86 | 86 | "gh-pages": "^2.0.0", |
| 87 | 87 | "jimp": "^0.5.6", |
| 88 | 88 | "lodash": "^4.17.11", |
| 89 | - | "npm-run-all": "^4.1.3", |
| 89 | + | "npm-run-all": "^4.1.5", |
| 90 | 90 | "nyc": "^13.0.1", |
| 91 | 91 | "opn": "^5.4.0", |
| 92 | 92 | "opn-cli": "^3.1.0", |

WEB APPLICATION SECURITY



“Web application security is a branch of Information Security that deals specifically with security of websites, web applications and web services.”

-WIKIPEDIA

SECURE SOFTWARE DEVELOPMENT LIFE CYCLE



Software Development Life Cycle (SDLC) is a framework that defines the process used by the organisations to build an application from its inception to its decommission

1 PLANNING

Planning focuses on the scope of the project. The outputs of the planning phase include: project plans, schedules, cost estimations, and procurement requirements.

2 REQUIREMENTS

The IT team gathers requirements from business stakeholders and Subject Matter Experts (SMEs.) The output of this phase in a Waterfall project is usually a document that lists those requirements. Agile methods, by contrast, may produce a backlog of tasks to be performed.

4 SOFTWARE DEVELOPMENT

This phase produces the software under development. This could be in "sprints" (Agile), or a single block effort (Waterfall). The output of this phase is testable, functional software.

6 DEPLOYMENT

The deployment phase is, ideally, a highly automated phase. In high-maturity enterprises, this phase is almost invisible; software is deployed the instant it is ready. Enterprises with lower maturity, or in some highly regulated industries, the process involves some manual approvals. The output of this phase is the release to Production of working software.

3 DESIGN AND PROTOTYPING

Once requirements are understood, the design process takes place. It makes use of established patterns for application architecture and software development. Architecture frameworks like TOGAF may be used here. Outputs include: design documents that list the patterns and components selected for the project; code produced by spikes, used as a starting point for development.

5 TESTING

The testing phase of the SDLC is arguably one of the most important. It is impossible to deliver quality software without testing. Methods for testing can include: code quality, unit testing (functional tests), Integration testing, Performance testing, Security testing. The output of the testing phase is functional software, ready for deployment to a production environment.

7 OPERATIONS AND MAINTENANCE

The operations and maintenance phase is the "end of the beginning". Though the SDLC doesn't end here, Software must be monitored constantly to ensure proper operation. Bugs and defects discovered in Production must be reported and responded to, which often feeds work back into the process. Bug fixes may not flow through the entire cycle, however; at least an abbreviated process is necessary to ensure that the fix does not introduce other problems.

A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS PENETRATION TESTING, CODE REVIEW, AND ARCHITECTURE ANALYSIS ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

- .SECURITY IS A CONTINUOUS CONCERN
- .AWARENESS OF SECURITY CONSIDERATIONS BY STAKEHOLDERS
- .EARLY DETECTION OF FLAWS & COST REDUCTION

HOW DO I GET STARTED?



OWASP

Open Web Application Security Project

Community dedicated to enabling organisations to conceive, develop, acquire, operate and maintain applications that can be trusted



www.owasp.org




The OWASP™ Foundation

the free and open software security community

[Member Portal](#) • [About](#) • [Browsing](#) • [Editing](#) • [New Article](#) • [OWASP Categories](#) • [Contact Us](#)

[Statistics](#) • [Recent Changes](#)

ANNOUNCING GLOBAL APPSEC TEL AVIV 2019!



Home
About OWASP
Acknowledgements
Advertising
AppSec Events
Supporting Partners
Books
Brand Resources
Chapters
Donate to OWASP
Downloads
Funding
Governance
Initiatives
Mailing Lists
Membership
Merchandise
Presentations
Press
Projects
Video




Reference
Activities
Attackers
Code Snippets
Controls
Glossary
How To's
Java Project
.NET Project
Principles
Technologies
Threat Agents
Vulnerabilities

Tools
What links here
Recent changes
Special pages
Printable version
Permanent link
Page information

Application security tools and standards

Complete books on application security testing,
secure code development, and secure code review

Cheat sheets on many common topics






OWASP

OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks



OWASP

Application Security Verification Standard 4.0
Final
March 2019

OWASP PRO ACTIVE CONTROLS



List of security techniques
that should be included in
every software development
project

Ordered by order of
importance

OWASP **PRO** Active CONTROLS



FOR DEVELOPERS
2018 **v 3.0**

10 Critical Security Areas That Software Developers Must Be Aware Of

PROJECT LEADERS

KATY ANTON
JIM MANICO
JIM BIRD



THE TOP 10 PROACTIVE CONTROLS

- C1: Define Security Requirements
- C2: Leverage Security Frameworks and Libraries
- C3: Secure Database Access
- C4: Encode and Escape Data
- C5: Validate All Inputs
- C6: Implement Digital Identity
- C7: Enforce Access Controls
- C8: Protect Data Everywhere
- C9: Implement Security Logging and Monitoring
- C10: Handle All Errors and Exceptions

C1. DEFINE SECURITY REQUIREMENTS

Security requirements define new features or additions to existing features to solve a specific security problem or eliminate a potential vulnerability

OWASP ASVS

User Stories and Abuse Cases

A2:2017-Broken Authentication

Epic:

Attackers have access to hundreds of millions of valid username and password combinations for credential stuffing, default administrative account lists, automated brute force, and dictionary attack tools. Session management attacks are well understood, particularly in relation to unexpired session tokens.

Abuse Case:

As an attacker, I have access to hundreds of millions of valid username and password combinations for credential stuffing.

Abuse Case:

As an attacker, I have default administrative account lists, automated brute force, and dictionary attack tools I use against login areas of the application and support systems.

Abuse Case:

As an attacker, I manipulate session tokens using expired and fake tokens to gain access.

C2. LEVERAGE SECURITY FRAMEWORKS AND LIBRARIES

Secure coding libraries and software frameworks with embedded security help software developers guard against security-related design and implementation flaws

A developer writing an application from scratch might not have sufficient knowledge, time, or budget to properly implement or maintain security features

 facebook / react

 Watch ▾

6,646

 Star

124,326

 Fork

22,590

 Code

 Issues 429

 Pull requests 159

 Projects 0

 Wiki

 Insights

A declarative, efficient, and flexible JavaScript library for building user interfaces. <https://reactjs.org>

 javascript  react  frontend  declarative  ui  library

 10,726 commits

 34 branches

 112 releases

 1,282 contributors

 MIT

Branch: master ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾



sophiebits and **gaearon** [eslint] Wording tweaks (#15078) 

Latest commit 1204c78 3 hours ago

 .circleci

Publish a local release (canary or stable) to NPM (#14260)

4 months ago

 .github

Reword issue template

a year ago

 fixtures

[eslint] Wording tweaks (#15078)

3 hours ago

 packages

[eslint] Wording tweaks (#15078)

3 hours ago

 scripts

Run persistent mode tests in CI (#15029)

2 days ago

react

16.8.4 • Public • Published 8 days ago

Readme

4 Dependencies

36,582 Dependents

194 Versions

react

React is a JavaScript library for creating user interfaces.

The `react` package contains only the functionality necessary to define React components. It is typically used together with a React renderer like `react-dom` for the web, or `react-native` for the native environments.

Note: by default, React will be in development mode. The development version includes extra warnings about common mistakes, whereas the production version includes extra performance optimizations and strips all error messages. Don't forget to use the `production build` when deploying your application.

Example Usage

```
var React = require('react');
```

Keywords

react

install

```
> npm i react
```

↑ weekly downloads

5,934,407



version

16.8.4

license

MIT

open issues

429

pull requests

159

homepage

reactjs.org

repository



last publish

8 days ago

collaborators



ASVS



OWASP

[Application Security Verification Standard 4.0](#)

Final

March 2019

Provides developers with a list of requirements for secure development

Authentication, session management, access control, cryptography, API, web services, business logic

V1. ARCHITECTURE, DESIGN & THREAT MODELLING REQUIREMENTS

V1.1 Secure Software Development Lifecycle Requirements

| # | Description | L1 | L2 | L3 | CWE |
|--------------|--|----|----|----|------|
| 1.1.1 | Verify the use of a secure software development lifecycle that addresses security in all stages of development. (C1) | | ✓ | ✓ | |
| 1.1.2 | Verify the use of threat modeling for every design change or sprint planning to identify threats, plan for countermeasures, facilitate appropriate risk responses, and guide security testing. | | ✓ | ✓ | 1053 |
| 1.1.3 | Verify that all user stories and features contain functional security constraints, such as "As a user, I should be able to view and edit my profile. I should not be able to view or edit anyone else's profile" | | ✓ | ✓ | 1110 |
| 1.1.4 | Verify documentation and justification of all the application's trust boundaries, components, and significant data flows. | | ✓ | ✓ | 1059 |
| 1.1.5 | Verify definition and security analysis of the application's high-level architecture and all connected remote services. (C1) | | ✓ | ✓ | 1059 |
| 1.1.6 | Verify implementation of centralized, simple (economy of design), vetted, secure, and reusable security controls to avoid duplicate, missing, ineffective, or insecure controls. (C10) | | ✓ | ✓ | 637 |
| 1.1.7 | Verify availability of a secure coding checklist, security requirements, guideline, or policy to all developers and testers. | | ✓ | ✓ | 637 |

PRIDE IN LONDON

HOW TO SECURE YOUR OPEN SOURCE PROJECT





Pride in London

[Repositories 3](#)[People 7](#)[Teams 2](#)[Settings](#)[Type: All ▾](#)[Language: All ▾](#)[Customize pins](#)[New](#)

pride-london-web

Pride In London's New Website

[pride](#) [london](#)

JavaScript 4 2 Apache-2.0 Updated 2 days ago

pride-london-web-old

Forked from MarcelCutts/pride-london-web-gatsby

Pride in London's front end web platform

JavaScript 2 MIT Updated on 19 Mar

pride-web-webhook

webhook service to help trigger travis builds from contentful


JavaScript MIT Updated on 19 Jun 2018



Top languages

JavaScript

People

[Invite someone](#)

Saturday 6 July

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

[This year's parade](#)

Featured events

View events from across the LGBT+ community.

[View all events](#)

28 May 2019 • 6:30pm – 8:30pm

Pride in London Open Meeting

9 Jun 2019 • 9:30am – 1pm

Pride in London 10K

9 Jun 2019 • 6:30pm – 10:30pm

Pride's Got Talent Music Final



GitHub Marketplace

Tools to build on and improve your workflow



Categories

- Chat
- Code quality
- Code review
- Continuous integration
- Dependency management
- Deployment
- Learning
- Localization
- Mobile
- Monitoring
- Project management
- Publishing
- Recently added
- Security
- Support
- Testing
- Utilities



Filters ▾

Your items ▾

- Pending orders
- Purchases

Search for apps

Featured apps



Recently added

The latest tools that help you and your team build software better, together.

-  **CodeScene**
The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency
-  **ImgBot**
A GitHub app that optimizes your images

-  **Pull Reminders**
Slack reminders and metrics for pull requests

-  **Depfu**
Automated dependency updates keep your app secure and maintainable

-  **Instabug**
Instabug is a reliable bug reporting and user feedback SDK that enables testers and users to report issues from within the app

-  **Slack + GitHub**
Connect your code without leaving Slack

-  **GitKraken Glo Boards**
Free issue/task tracking boards that sync

-  **CodeFactor**
Automated code review for GitHub

WHAT IS GITHUB MARKETPLACE

- Contains tools that add functionality and improve your workflow
- Almost 2 years
- 50+ tools



[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#)[Filters](#)[Verification](#)[Verified](#)[Unverified](#)[Your items](#)[Pending orders](#)[Purchases](#)

Code quality

Automate your code review with style, quality, security, and test-coverage checks when you need them.

26 results filtered by [Code quality](#)

**codelingo**

Your Code, Your Rules - Automate code reviews with your own best practices

**TestQuality**

Modern, powerful, test plan management

**Restyled.io**

Restyle Pull Requests as they're opened

**Pull Request Size**

Apply size labels to Pull Requests based on the total lines of code changed

**PEP 8 Speaks**

A GitHub app to automatically review Python code style over Pull Requests

**LGTM**

Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review

**GuardRails**

GuardRails provides continuous security feedback for modern development teams

**DeepScan**

Advanced static analysis for automatically finding runtime errors in JavaScript code

**Covrealls**

Ensure that new code is fully covered, and see coverage trends emerge. Works with any CI service

**Codecov**

Group, merge, archive and compare coverage reports

**codebeat**

Code review expert on demand. Automated for mobile and web

**Sider**

Automatically analyze pull request against custom per-project rulesets and best practices

**Report.Ci**

Report unit tests and build logs to github with annotations

**PendingPR**

A GitHub App to help you manage issues in pull requests (PRs) better

**Lucidchart Connector**

Insert a public link to a Lucidchart diagram so team members can quickly understand an issue or pull request

**ImgBot**

A GitHub app that optimizes your images

**GraphQL Inspector**

Compare schemas, validate documents, find breaking changes, find similar types, get schema coverage

**Datree**

Policy enforcement solution for confident and compliant code

**Commit Lint**

Enforce the conventions of commits

**CodeScene**

The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency

[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Mobile CI](#)[Container CI](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#)[Filters](#)[Verification](#)[Verified](#)[Unverified](#)[Your items](#)

Continuous integration

Automatically build and test your code as you push it to GitHub, preventing bugs from being deployed to production.

21 results filtered by [Continuous integration](#)



WhiteSource Bolt

Detect open source vulnerabilities in real time with suggested fixes for quick remediation



Travis CI

Test and deploy with confidence



Semaphore

Test and deploy at the push of a button



Merge Freeze

The code freeze tool to stop unwanted deployments



Google Cloud Build

Build, test, and deploy in a fast, consistent, and secure manner



Codefresh

A modern container-based CI/CD platform, easily assemble and run pipelines with high performance



Cloud 66 Skycap

Skycap is a container native CI/CD tool



CircleCI

Automatically build, test, and deploy your project in minutes



Azure Pipelines

Continuously build, test, and deploy to any platform and cloud



AppVeyor

Cloud service for building, testing and deploying Windows apps



WIP

DO NOT MERGE – as a service



Task list completed

PR check to make sure all tasklists / tick boxes are checked in the PR body



Percy

Automated visual review platform



Hound

Automated code reviews



Flaptastic

Manage flaky unit tests. Click a checkbox to instantly disable any test on all branches. Works with your current test suite



Cloud 66 for Rails

Build, deploy, and maintain your Rails apps on any cloud or server



Cirrus CI

Modern cloud-native CI



Buddy

One-click delivery automation for Web Developers



Auto Merge

Level up your DevOps! Automatically merge your PRs when all reviews and tests have passed



App Center

Continuously build, test, release, and monitor apps for every platform

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)

Third-party access

[Installed GitHub Apps](#)[Repository topics](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Third-party application access policy

Policy: Access restricted ✓

Only approved applications can access data in this organization. Applications owned by PrideInLondon always have access.

[Remove restrictions](#)

| | | |
|---|-----|--|
|  CircleCI | ... | ✓ Approved —  |
|  Codacy | ... | ✓ Approved —  |
|  Codecov | ... | ✓ Approved —  |
|  codefactor.io | ... | ✓ Approved —  |
| CS CodeScene Authentication | ... | ✓ Approved —  |
| CS CodeScene Repositories | ... | ✓ Approved —  |
|  DeepScan | ... | ✓ Approved —  |
|  GuardRails OAuth (Deprecated) | ... | ✓ Approved —  |
|  LGTM | | ✓ Approved —  |
|  Snyk | ... | ✓ Approved —  |
|  Travis CI for Open Source | | ✓ Approved —  |
|  codebeat | ... | ✗ Denied —  |
|  codefactor.io | ... | ✗ Denied —  |
|  Coveralls Pro | | ✗ Denied —  |
|  Greenkeeper | ... | ✗ Denied —  |
|  Percy | | ✗ Denied —  |

② When authorized, applications can act on behalf of organization members. Your access policy determines which applications can access data in your organization. [Read more about third-party access and organizations.](#)

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)[Third-party access](#)

Installed GitHub Apps

[Repository topics](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Installed GitHub Apps

GitHub Apps augment and extend your workflows on GitHub with commercial, open source, and homegrown tools.



AccessLint

[Configure](#)

Codecov

[Configure](#)

Dependabot

[Configure](#)

GuardRails

[Configure](#)

Netlify

[Configure](#)

Pull Request Size

[Configure](#)

Rollbar

[Configure](#)

Slack

[Configure](#)

Sonatype DepShield

[Configure](#)

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)[Third-party access](#)

Installed GitHub Apps

[Repository topics](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Netlify



Installed 3 months ago

Developed by [netlify](#)<https://www.netlify.com>

Permissions

- [Read access to code](#)
- [Read access to metadata](#)
- [Read and write access to checks, commit statuses, and pull requests](#)

Repository access

 All repositories

This applies to all current and future repositories.

 Only select repositories[Select repositories](#) ▾

Selected 1 repository

[PrideInLondon/pride-london-web](#)[Save](#)[Cancel](#)

Uninstall Netlify

When you uninstall Netlify, it will be removed from this account and will lose access to all of its resources.

[Uninstall](#)

Fast in every way that matters

Gatsby is a free and open source framework based on React that helps developers build blazing fast **websites** and **apps**

[Get Started →](#)

How Gatsby works

Pull data from anywhere





Product

Solutions

Customers

Learn


Pricing

Talk to us

Try for free

How enterprises deliver better digital experiences

You don't need another CMS. You need a better way to manage content – unified, structured, and ready to deploy to any digital channel. Finally, something editors and developers can agree on.

[How it works](#)[Request demo](#)

- Presentation Layer
- Content Model
- JSON Data

What can you do with Contentful?



Launch digital products faster

Content infrastructure helps digital teams work better together by unifying content in one hub, so marketers and developers can build simultaneously.



Create compelling experiences

With the freedom to use their favorite tools and frameworks, developers can focus on building leading-edge websites, apps and omnichannel experiences.



Store and edit content in one hub

Editors have full control of content in an intuitive web app. Marketers can test and refine, publishing changes to every platform from one interface.

Content Model

Search for a content type

Add content type

FILTER BY STATUS

| | Name | Description | Fields | Updated | By | Status |
|---------|-----------------------|--|--------|------------|---------------------------|--------|
| All | Accessibility Details | List of accessibility details we may want to communicate more information about. | 3 | 04/02/2019 | Giancarlo Galliani Pochia | ACTIVE |
| Changed | Amenity | Parade day amenities | 2 | 04/02/2019 | Giancarlo Galliani Pochia | ACTIVE |
| Draft | Announcement | An announcement that is featured on the homepage | 3 | 05/03/2019 | Jason Lai | ACTIVE |
| Active | Article | This is used for any News or Views article that should appear on our blog. | 9 | 05/04/2019 | Jason Lai | ACTIVE |
| | Article - Featured | On the news page one article can be featured with a large image. Select that here. | 1 | 04/02/2019 | Kristopher Hamilton | ACTIVE |
| | Author | | 5 | 04/30/2019 | Jason Lai | ACTIVE |
| | Button | A button that can be embedded in rich text | 3 | 04/26/2019 | Jason Lai | ACTIVE |
| | Category | | 2 | 04/02/2019 | Giancarlo Galliani Pochia | ACTIVE |
| | Event | Events and Stages | 25 | 04/13/2019 | Kristopher Hamilton | ACTIVE |
| | Events - Featured | Ordered list of featured events | 2 | 05/03/2019 | Jason Lai | ACTIVE |
| | Generic Content Page | Used to generate basic content pages within the website. | 5 | 05/05/2019 | Kristopher Hamilton | ACTIVE |

Content

Content type: Generic Content Page

Type to search for entries

Filter

Save as view

Add entry

Shared views **My views**

All

24 entries found

| | Name | Updated | Author | Status |
|--|--------------------|---------------------------|---------------------|-----------|
| | Volunteer | Last Friday at 9:50 AM | Kristopher Hamilton | PUBLISHED |
| | Pride's Got Talent | Last Thursday at 3:51 PM | Peter Skoutari | PUBLISHED |
| | Hire a stall | Last Thursday at 10:45 AM | Peter Skoutari | PUBLISHED |
| | Our story | Last Wednesday at 5:57 PM | Kristopher Hamilton | PUBLISHED |
| | Media centre | Last Tuesday at 3:57 PM | Kristopher Hamilton | PUBLISHED |

GENERAL (3)

Category

Generic content page

Header Banner



Fields (25)

JSON preview

| | | | | | |
|--|------------------------------------|----------------|-------------|--------------------------|-----|
| | Ab Name | Short text | Entry title | Settings | ... |
| | Location | Location | | Settings | ... |
| | Ab Address Line 1 | Short text | | Settings | ... |
| | Ab Address Line 2 | Short text | | Settings | ... |
| | Ab City | Short text | | Settings | ... |
| | Ab Postcode | Short text | | Settings | ... |
| | Ab Location Name | Short text | | Settings | ... |
| | 31 Start Time | Date & time | | Settings | ... |
| | 31 End Time | Date & time | | Settings | ... |
| | 4.5 Event Price Low | Decimal number | | Settings | ... |
| | 4.5 Event Price High | Decimal number | | Settings | ... |
| | Event Description | Long text | | Settings | ... |
| | Individual Event Picture | Media | | Settings | ... |
| | Events Lists Picture | Media | | Settings | ... |

[Webhook settings](#)[Activity log](#)

Details

Name (required)

Netlify - Deploy a site

URL (required)

POST

Triggers ▾ [Hide details](#)

Specify for what kind of events this webhook should be triggered.

- Trigger for all events
 Select specific triggering events

| | Create | Save | Autosave | Archive | Unarchive | Publish | Unpublish | Delete |
|---------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------|
| <input type="checkbox"/> Content type | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Entry | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Asset | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Filters

This webhook will trigger only for entities matching the filters defined below.

equals
 [Remove](#)[+ Add filter](#)

| Webhook called at | Call result | Actions |
|--------------------------|---|------------------------------|
| 2019-05-11T12:01:14.551Z | ● HTTP 200 | View details |
| 2019-05-10T18:47:06.726Z | ● HTTP 200 | View details |
| 2019-05-10T18:40:57.965Z | ● HTTP 200 | View details |
| 2019-05-10T12:11:41.541Z | ● HTTP 200 | View details |
| 2019-05-10T11:05:26.086Z | ● HTTP 200 | View details |
| 2019-05-10T11:00:08.242Z | ● HTTP 200 | View details |



Application

CircleCI

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ↗

[Configure access](#)

✓ Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Mobile CI](#)

[GitHub Enterprise](#)


[Free](#)

[Paid](#)

Supported languages

C++, Clojure, Go
and 7 other languages supported

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI [organization settings](#) for new and existing accounts.

Build faster. Test more. Fail less.

Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

[Read more...](#)

The screenshot shows a detailed view of the CircleCI build dashboard. On the left, there's a sidebar with navigation links like 'Builds', 'My branches', 'Attachments', 'Logs', 'Issues', 'Merge', 'Actions', 'Builds', 'Logs', and 'Attachments'. The main area is titled 'Builds > facebook > react-native'. It lists several builds, each with a status indicator (Running, Success, Failed, Canceled, Pending, Aborted), a build ID (e.g., pull/1884 #18801, pull/1884 #18802, etc.), a note about failing Travis CI tests, and a duration. A 'My builds' button is at the top right, and a 'Follow Project' button is on the far right. Below the build list, a descriptive text explains the feature: 'CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.' At the bottom, there are five small screenshots showing different parts of the CircleCI interface: a build log, a terminal window, a chart, a code editor, and another chart.



circleci



PridelnLondon



Updates

Support



Jobs > PridelnLondon



By project

My branches

All branches

My jobs

All jobs

| Branch | Status | Description | Type | Time Ago | ID |
|--|---------|---|----------|------------|-------|
| pride-london-web | success | PridelnLondon / pride-london-web / master #499 Update README.md file | workflow | 14 min ago | 01:01 |
| dependabot/npm_and_yarn/gatsby-2.3.13 | success | PridelnLondon / pride-london-web / feature/home-page-announcements #498 Merge branch 'master' into feature/home-page-announcements | workflow | 2 days ago | 01:01 |
| dependabot/npm_and_yarn/jest-21.7.1 | failed | PridelnLondon / pride-london-web / feature/blog-details #497 N/A | workflow | 2 days ago | 00:58 |
| dependabot/npm_and_yarn/react-accessible-accordion-3.0.0 | failed | PridelnLondon / pride-london-web / feature/blog-details #496 Exemplary RichText content unpacking | workflow | 2 days ago | 00:59 |
| dependabot/npm_and_yarn/react-dates-18.0.0 | failed | PridelnLondon / pride-london-web / feature/blog-details #495 Merge branch 'master' into feature/blog-details | workflow | 2 days ago | 01:52 |
| feature/blog-details | failed | PridelnLondon / pride-london-web / feature/blog-details #494 N/A | workflow | 2 days ago | 01:48 |
| feature/home-page-announcements | success | PridelnLondon / pride-london-web / master #493 Footer (#226) | workflow | 2 days ago | 01:01 |
| master | success | PridelnLondon / pride-london-web / feature/footer #492 update snapshots, update netlify robots config, remove pledge redirect | workflow | 2 days ago | 00:46 |
| refactoring/imagesbanner-styles | failed | PridelnLondon / pride-london-web / feature/footer #491 fix cta link arrow glyph | workflow | 2 days ago | 00:52 |
| spike/production-release | success | PridelnLondon / pride-london-web / feature/footer #490 merge in latest master and fix conflicts | workflow | 2 days ago | 01:00 |
| | success | PridelnLondon / pride-london-web / feature/home-page-announcements #489 Merge branch 'master' into feature/home-page-announcements | workflow | 2 days ago | 01:01 |
| | success | PridelnLondon / pride-london-web / master #488 Feature/redirections (#205) | workflow | 2 days ago | 01:08 |



circleci



PrideInLondon/pride-london-web



Branch: master

MEDIAN JOB

01:03 min

MEDIAN QUEUE

00:03 min

LAST JOB

yesterday



SUCCESS RATE 100.0 %

PARALLELISM 4



circleci

Jobs » PridelnLondon » pride-london-web » master » 1624

Rebuild ▼ ⚙️

SUCCESS Finished: 1 day ago (00:45) Previous: 1623 Parallelism: 1x out of 4x Queued: 00:00 waiting + 00:02 in queue Resources: 2CPU/4096MB Triggered by: API

COMMIT(1)

Sanya Moessel GitHub → 38d718c Implement Security Headers (#438)

Test Summary

Queue (00:02)

Artifacts

Configuration

Timing

Parameters

[Set Up Test Summary](#)

Show containers: All (1) Successful (1) Failed (0)

0
(00:45)

+

TEST

| | |
|------------------------------|-------|
| ▶ Spin up Environment | 00:02 |
| ▶ Checkout code | 00:03 |
| ▶ Restore Yarn Package Cache | 00:04 |
| ▶ Install Dependencies | 00:07 |
| ▶ Save Yarn Package Cache | 00:09 |
| ▶ yarn lint | 00:07 |
| ▶ yarn test | 00:21 |



circleci

Jobs » PridelnLondon » pride-london-web » master » 1624

Rebuild



success

Finished: Previous: Parallelism: Queued: Resources: ⓘ
1 day ago (00:46) 1623 1x out of 4x 00:00 waiting + 00:02 in queue 2CPU/4096MB

Triggered by:

API

COMMIT (1)

Sonya Meissel GitHub → 38d718c Implement Security Headers (#438)

Test Summary

Queue (00:02)

Artifacts

Configuration

Timing

Parameters

```
1 version: 2
2 jobs:
3   build:
4     docker:
5       - image: circleci/nodes:8
6
7     working_directory: ~/repo
8
9     steps:
10      - checkout
11
12      - restore_cache:
13        name: Restore Yarn Package Cache
14        keys:
15          - yarn-packages-{{ checksum "yarn.lock" }}
16
17      - run:
18        name: Install Dependencies
19        command: yarn install --frozen-lockfile
20
21      - save_cache:
22        name: Save Yarn Package Cache
23        key: yarn-packages-{{ checksum "yarn.lock" }}
24        paths:
25          - ~/cache/yarn
26
27      - run:
28        command: yarn lint
29
30      - run:
31        command: yarn test
32
33 workflows:
34   version: 2
35   workflow:
36     job:
37       - build
```



Environment Variables

Environment Variables for PrideInLondon/pride-london-web

[Import Variables](#)[Add Variable](#)

Add environment variables to the job. You can add sensitive data (e.g. API keys) here, [rather than placing them in the repository](#).

| Name | Value | Remove |
|------------------|-------|--------|
| CODECOV_TOKEN | | X |
| CONTENTFUL_ID | | X |
| CONTENTFUL_TOKEN | | X |



Application

AccessLint

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)



Verified by GitHub
GitHub confirms that this app meets
[the requirements for verification](#).

Categories

[Continuous integration](#)

[Code review](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

Handlebars, HTML,
HTML+Django
and [3 other languages supported](#)

Customers



Developer



Developer links


[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Report abuse](#)

[Read more...](#)



When you open a Pull Request, AccessLint works quickly to find accessibility issues in your code, and comments with specific, line-by-line feedback.





accesslint bot suggested changes 23 days ago

[View changes](#)

accesslint bot left a comment

+ ...

There are accessibility issues in these changes.

src/components/imageBanner/_spec.js Outdated

Hide resolved

```
21  20      const wrapper = shallow(<ImageBanner />)
22  21      expect(wrapper.find(BannerSubtitle)).toHaveLength(1)
23  22    })
24  23
25 -   it('should render an <img> if passed an imageSrc prop', () => {
24 +   it('renders an <img> if passed an imageSrc prop', () => {
```



accesslint bot 23 days ago


This image is missing a text alternative (`alt` attribute). This is a problem for people using screen readers.



Reply...

[Unresolve conversation](#)

SonyaMoisset marked this conversation as resolved.



Application

Codecov

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

✓ Verified by GitHub

Github confirms that this app meets
the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C#, Go

and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.

1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful coherent report.
3. Get commit statuses, pull request comments and coverage overlay via our browser extension via Sourcegraph.

Are you an enterprise user / desiring an on-premises install? Please out instead to enterprise@codecov.io

[Read more...](#)

Code coverage done right.[®]


Upload reports with one line. *Simply*.

Review reports. *Seamlessly*.

Reports merged. *Flawlessly*.



Proudly serving industry leaders and open source





COVERAGE CHART

Line Coverage



COVERAGE SUNBURST



ALL RECENT COMMITS

| | | |
|--|---|-------------------------------|
| | Implement Security Headers (#438) | Browse Report |
| | SonyaMoisset 2 days ago master -o- 3ed7e1c ✓ CI Passed | Browse Report |
| | Fix typo in Security headers | Browse Report |
| | SonyaMoisset 2 days ago master -o- eab96bb ✓ CI Passed | Browse Report |
| | Add Security headers | Browse Report |
| | SonyaMoisset 2 days ago master -o- 3ded100 ✓ CI Passed | Browse Report |
| | Update Gatsby dependencies | Browse Report |
| | SonyaMoisset 2 days ago master -o- 736db7c ✓ CI Passed | Browse Report |
| | add redirects and remove greyscale on footer logos (#436) | Browse Report |
| | Iaij84 2 days ago master -o- 4b2b5fa ✓ CI Passed | Browse Report |
| | add redirects and remove greyscale on footer logos | Browse Report |
| | Iaij84 2 days ago master -o- 140a16b ✓ CI Passed | Browse Report |

[View all recent commits](#)

| Files | LOC | Tested | Passed | Skipped | Failed | Coverage |
|----------------------------|-----|--------|--------|---------|--------|----------|
| src | 885 | 658 | 51 | 176 | | 74.35% |
| empty-module.js | 1 | 1 | 0 | 0 | | 100.00% |
| Project Totals (150 files) | 886 | 659 | 51 | 176 | | 74.37% |



Overview

Commits

Branches

Pulls

Compare

Settings

Viewing commits on all branches and pulls. Choose a single branch or pull request to review more details.

Commits

| | | | | | | | | |
|--|----------------|----------------|-----------------------------------|-----------|-------------|--------|-----------|----------|
| Update README.md file | SonyaMoisset | 19 minutes ago | → master | → 10b726f | ✓ CI Passed | 69.55% | | |
| Merge branch 'master' into feature/home-page-announcements | SonyaMoisset | 2 days ago | → #204 | → 519e3af | ✓ CI Passed | 70.17% | | |
| Footer (#206) | laij84 | 2 days ago | → feature/home-page-announcements | → dae1d32 | ✓ CI Passed | 69.55% | | |
| update snapshots, update netlify robots config, remove pledge redirect | laij84 | 2 days ago | → master | → 5a6e139 | ✓ CI Passed | 69.55% | | |
| merge in latest master and fix conflicts | laij84 | 2 days ago | → master | → e1ef484 | ✓ CI Passed | 69.55% | -62.50% > | |
| Merge branch 'master' into feature/home-page-announcements | SonyaMoisset | 2 days ago | → #205 | → d7721fe | ✓ CI Passed | 70.17% | | +0.61% |
| Feature/redirects (#205) | laij84 | 2 days ago | → feature/blog-details | → 1ca38c7 | ✓ CI Passed | 69.55% | | |
| update invalid redirect | laij84 | 2 days ago | → master | → ee8a261 | ✓ CI Passed | 69.55% | | |
| remove conflicts | laij84 | 2 days ago | → master | → ad807ea | ✓ CI Passed | 69.55% | | |
| merge in latest from master and resolve conflicts | laij84 | 2 days ago | → master | → 5632508 | ✓ CI Passed | 69.55% | -40.00% > | |
| update redirects | laij84 | 2 days ago | → feature/redirects | → Boba27E | ✓ CI Passed | 69.43% | | |
| fix test | Unknown | 2 days ago | → #204 | → 1ed9a9d | ✓ CI Passed | 70.17% | | +0.61% |
| Bump gatsby from 2.3.12 to 2.3.13 | dependabot-bot | 2 days ago | → #203 | → 50534ef | ✓ CI Passed | 69.55% | | |
| Bump react-dates from 16.7.0 to 18.0.0 | dependabot-bot | 3 days ago | → #118 | → b0b21ef | ✓ CI Passed | 69.55% | | |
| Bump jest from 23.6.0 to 24.7.1 | dependabot-bot | 3 days ago | → #194 | → c910ace | ✓ CI Passed | 69.37% | | (-0.19%) |
| Bump react-accessible-accordion from 2.4.5 to 3.0.0 | dependabot-bot | 3 days ago | → #164 | → a1bdc29 | ✓ CI Passed | 69.55% | | |
| Feature/stop crawlers (#202) | laij84 | 3 days ago | → feature/blog-details | → 5ce3f51 | ✓ CI Passed | 69.55% | | |
| Regenerate lock files | SonyaMoisset | 3 days ago | → master | → 9a72415 | ✓ CI Passed | 69.55% | | |




codecov bot commented 2 days ago • edited

+ 😊 ...

Codecov Report

Merging #204 into master will increase coverage by 0.61%.
The diff coverage is 100%.



| @@ | Coverage | Diff | @@ |
|------------|----------|--------|--------|
| # | master | #204 | +/- |
| <hr/> | | | |
| + Coverage | 69.55% | 70.17% | +0.61% |
| <hr/> | | | |
| Files | 75 | 79 | +4 |
| Lines | 634 | 647 | +13 |
| Branches | 87 | 88 | +1 |
| <hr/> | | | |
| + Hits | 441 | 454 | +13 |
| Misses | 150 | 150 | |
| Partials | 43 | 43 | |

| Impacted Files | Coverage Δ |
|--|-----------------|
| ...s/homepage/ccmponents/announcementHeader/styles.js | 100% <100%> (ø) |
| ...res/homepage/components/announcementCard/styles.js | 100% <100%> (ø) |
| ...ures/homepage/ccmponents/announcementCard/index.js | 100% <100%> (ø) |
| ...ses/homepage/components/announcementHeader/index.js | 100% <100%> (ø) |

Continue to review full report at [Codecov](#).

Legend - [Click here to learn more](#)

Δ = absolute <relative> (impact), ø = not affected, ? = missing data

Powered by [Codecov](#). Last update [dae3d32...918e3a0](#). Read the [comment docs](#).



Codecov

Code coverage done right.

All files

72.95% Statements 685/911 41.64% Branches 157/377 65.31% Functions 131/201 74.38% Lines 665/886

| File | Statements | Branches | Functions | Lines |
|--|------------|----------|-----------|--------|
| pride-london-web | 100% | 1/1 | 100% | 100% |
| pride-london-web/src/components/appContext | 12.77% | 6/47 | 0% | 14.29% |
| pride-london-web/src/components/banner/bannerData | 100% | 5/5 | 100% | 100% |
| pride-london-web/src/components/banner/bannerImage | 100% | 18/18 | 66.67% | 12/12 |
| pride-london-web/src/components/banner/bannerSubtitle | 100% | 7/7 | 100% | 100% |
| pride-london-web/src/components/banner/bannerTitle | 100% | 5/5 | 100% | 100% |
| pride-london-web/src/components/button | 100% | 17/17 | 83.33% | 17/17 |
| pride-london-web/src/components/checkbox | 100% | 12/13 | 50% | 100% |
| pride-london-web/src/components/checkboxSet | 44.44% | 4/9 | 0% | 44.44% |
| pride-london-web/src/components/chevronRight | 100% | 2/2 | 100% | 100% |
| pride-london-web/src/components/cteLink | 100% | 4/4 | 100% | 100% |
| pride-london-web/src/components/footer | 100% | 30/30 | 100% | 100% |
| pride-london-web/src/components/grid | 100% | 18/18 | 60% | 100% |
| pride-london-web/src/components/icon | 78.05% | 32/41 | 0% | 78.05% |
| pride-london-web/src/components/image | 100% | 5/5 | 100% | 100% |
| pride-london-web/src/components/input | 33.33% | 5/15 | 0% | 33.33% |
| pride-london-web/src/components/navigation/nav | 100% | 23/23 | 100% | 100% |
| pride-london-web/src/components/navigation/navItem | 87.18% | 34/39 | 80% | 87.18% |
| pride-london-web/src/components/navigation_submenu | 82.76% | 24/29 | 56.25% | 82.76% |
| pride-london-web/src/components/newsCardHeader | 100% | 5/5 | 100% | 100% |
| pride-london-web/src/components/newsCategory | 25% | 6/24 | 50% | 25% |
| pride-london-web/src/components/newsMetrics | 87.5% | 7/8 | 50% | 100% |
| pride-london-web/src/configuration | 85.71% | 6/7 | 75% | 85.71% |
| pride-london-web/src/constants | 100% | 3/3 | 100% | 100% |
| pride-london-web/src/features/blog/components/newsCard | 100% | 6/6 | 100% | 100% |
| pride-london-web/src/features/blog/components/newsDate | 100% | 4/4 | 100% | 100% |



Application

Codacy

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

Verified by GitHub

CiHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

Supported languages

Go, Java, JavaScript
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codacy is an automated code analysis/quality tool that helps developers ship better software, faster. With Codacy, you get static analysis, cyclomatic complexity, duplication and code unit test coverage changes in every commit and pull request.

You can use Codacy to enforce your code quality standard, save time in code reviews, enforce security best practices and onboard developers faster. Integrate with your GitHub repositories to get quality analysis of every pull request inside GitHub.

[Read more...](#)

Track your project quality evolution

Get a code quality glance at your project and track its quality evolution over time.


Our dashboard answers three main questions:

What is the state of your projects code quality?
How is it evolving throughout time?
What are the hotspots in my code?



Integrated in your workflow

Get only the updates you need.
Integrate comments and status on your pull requests and know exactly what's wrong and where.





C O D A C Y

pride-london-web master

[Badge](#)

B Project certification


Quality evolution

Issues 11% 178%

Complex files 0%

Duplicated code 5% -2%


Coverage -

[Last 7 days](#)[Last 31 days](#)

Issues breakdown

74 total issues

Category



Coverage



Make sure your code is all tested. [Set up your coverage here.](#)

Hotspots

⚠ Security pattern Prohibit instances of var[var] reported 9 times in pride-london-web

⚠ pride-london-web has 1 open pull request breaking the standards.

Logs

- Sonya Molisset ignored pattern "ESLint_react_jsx-indent-preps". 6 days ago
- Sonya Molisset ignored pattern "ESLint_react_jsx-indent". 6 days ago
- Sonya Molisset ignored pattern "Require parentheses in arrow function arguments". 18 days ago
- Sonya Molisset ignored pattern "LocalStorage". 24 days ago
- Sonya Molisset ignored pattern "A 'return', 'break', 'continue', or 'throw' statement should be the last in a block.". 25 days ago
- Sonya Molisset ignored pattern "Avoid adjoining classes". 28 days ago
- Sonya Molisset ignored pattern "Enforce coherent multiline dot". 29 days ago
- Sonya Molisset ignored pattern "Enforce Dangling Commas". 29 days ago
- Sonya Molisset disabled JSHint. about a month ago

Pull requests status



- Not up to standards 0
- Up to standards 6



C O D A C Y

pride-london-web master

A Project certification


Quality evolution



Issues breakdown

74 total issues

Category

[See all issues](#)

Coverage



Hotspots

⚠ Security pattern Prohibit instances of var[ver] reported 9 times in pride-london-web

❗ pride-london-web has 1 open pull request breaking the standards.

Logs



Analysis logs will show up here as soon as there are changes. [Learn more about logs](#)

Pull requests status



- Not up to standards 0
- Up to standards 3

[See all pull requests](#)



C O D A C Y

Code patterns

| | |
|--------------------|-------------------------------------|
| CSSLint | <input checked="" type="checkbox"/> |
| ESLint 5.8.0 | <input checked="" type="checkbox"/> |
| JSHint | <input type="checkbox"/> |
| JacksonLinter | <input checked="" type="checkbox"/> |
| Node Security | <input checked="" type="checkbox"/> |
| PMD 8.4.0 | <input type="checkbox"/> |
| PMD (Legacy) 5.8.1 | <input checked="" type="checkbox"/> |
| RemarkLint 6.0.2 | <input checked="" type="checkbox"/> |
| Stylelint 9.4.0 | <input checked="" type="checkbox"/> |

Not supported

💡 ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. [Learn more](#)

Your rules configuration

Tool pattern list OR Configuration file

Select your rules for analysis from the ESLint default pattern list We will scan for a ESLint configuration file in your project root

ESLint pattern list

| | | Languages | Category |
|--------------------------|--|--------------------|---------------|
| <input type="checkbox"/> | ESLint-angular_element ESLint-angular_element <small>JavaScript JSON Code Style</small> | JSON JavaScript | Unused Code |
| <input type="checkbox"/> | ESLint-angular_component-limit ESLint-angular-component-limit <small>JavaScript JSON Code Style</small> | JSON JavaScript | Error Prone |
| <input type="checkbox"/> | ESLint-angular_component-name ESLint-angular-component-name <small>JavaScript JSON Code Style</small> | JSON JavaScript | Compatibility |
| <input type="checkbox"/> | ESLint-angular_controller-as ESLint-angular-controller-as <small>JavaScript JSON Code Style</small> | JSON JavaScript | Security |
| <input type="checkbox"/> | ESLint-angular_controller-as-route ESLint-angular-controller-as-route <small>JavaScript JSON Code Style</small> | JSON JavaScript | Code Style |
| | | Enabled | 10 |
| | | Disabled | 141 |
| | | Active | 4 |
| | | Enabled | 15 |
| | | Disabled | 287 |





C O D A C Y



glancarlo88 wants to merge task/blog-page-layout into feature/blog-page · March 16

Task/blog page layout

Current Status: Analyzed View logs
View on GitHub

Not up to standards. This pull request quality could be better.

+83

Issues



Duplication

Complexity (0)

Coverage

New Issues Fixed Issues Hotspots New Duplication Fixed Duplication Files Diff Commits

Showing 16 files with new issues

src/components/horizontalRule/index.js

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import styled from 'styled-components'
```

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import styled from 'styled-components'
```

src/features/blog/components/newsCard/index.js

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import React from 'react'
```

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import React from 'react'
```

JSX not allowed in files with extension '.js' (react/jsx-filename-extension)

```
0 const CenterDot = () => <span></span>
```

Missing JSX expression container around literal string (react/jsx-no-literals)

```
0 const CenterDot = () => <span></span>
```



CodeFactor

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.
To complete this installation, you must [grant this app access to PrideInLondon](#).

[Set up a new plan](#)
[Edit your plan ▾](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)
[Recently added](#)
[Free Trials](#)
[Free](#)
[Paid](#)

Supported languages

C#, C++, CSS

and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Ensure that your code meets quality standards.

CodeFactor.io seamlessly integrates with GitHub, instantly performs Code Review with every GitHub Commit or PR. Zero setup time. Get actionable feedback within seconds for any branch. Customize rules and ignore irrelevant issues. Get refactoring tips on every issue.

Multilanguage support.

C, C#, C++, CoffeeScript, CSS, GO, Groovy, Java, JavaScript, Less, PHP, Python, Ruby, Scala, SCSS, TypeScript.

[Read more...](#)

The screenshot shows a detailed view of a GitHub pull request's status. At the top, there's a red circular icon with a white 'X' and the text "Review required". Below it, a green circular icon with a white checkmark and the text "Some checks were not successful". A red rounded rectangle highlights the first item: "CodeFactor — 1 issue fixed. 2 issues found." This item has a small "Details" link to its right. Below this, there are several other status items: "ci/bitrise/b811e91a28b1ea80/pr — Failed - Ubuntu Cake" (red 'X', "Required" status), "Cake Develop (Cake) — TeamCity build finished" (green checkmark, "Details"), "ci/bitrise/7a9d707b000881436/pr — Passed - OSX Cake" (green checkmark, "Required" status), and "continuous-integration/appveyor/pr — AppVeyor build succeeded" (green checkmark, "Required" status). At the bottom, there's a red circular icon with a white 'X' and the text "Merging is blocked", followed by the explanatory text "Merging can be performed automatically with one approved review."

Simple statuses within your workflow.



9.89 🔴 grade score

17 issues

257 files

3 pull requests

1 active branch

Commit [38d718c](#) by Sonya Moisset a day ago No issues
Implement Security Headers (#438)

Commit [739db7c](#) by Sonya Moisset 2 days ago No issues
Update Gatsby dependencies

Commit [4b2b5fa](#) by laij84 2 days ago No issues
add redirects and remove greyscale on footer logos (#436)

Commit [73b375e](#) by laij84 4 days ago No issues
add footer contact link (#431)

Commit [ab74610](#) by Giancarlo Galliani 4 days ago No issues
Change blog => news-and-views on homepage (#430)

Commit [4a1c302](#) by laij84 5 days ago No issues
Redirects fix (#429)

Commit [a168b42](#) by laij84 5 days ago No issues
Navigation external urls (#428)

Commit [6c91540](#) by Giancarlo Galliani 5 days ago No issues
Add link to partnership packages doc (#427)

Commit [f609568](#) by laij84 5 days ago 2 new issues 1 fixed issue
Fix featured events (#426)

Hotspots

B src\pages\privacy.js

Libraries 64

moment/moment 2.24.0 C+

@babel/core 7.4.4 -

@babel/plugin-syntax-dynamic-import... -

@babel/preset-env 7.4.4 -

@babel/preset-react 7.0.0 -

Show 59 more libraries...



All 17

Complexity 1 ▾

Duplication 11 ▾

Performance 3 ▾

Maintainability 2 ▾

Ignored 599

⚠ Duplicate Code (lines of code = 11)

laij84 - 13 days ago

Inappropriate code duplication may increase maintenance costs by making code difficult to change and hard to understand. It may also be indicative of a sloppy design. We strongly encourage you to look into various refactoring techniques to resolve this issue.

Refactorings

- Extract Method
- Extract Class
- Form Template Method
- Pull Up Method
- Pull Up Field
- Substitute Algorithm

Found in

[src\pages\privacy.js:747-757](#)
[src\pages\privacy.js:760-770](#)

| | |
|-----|---|
| 747 | </td> |
| 748 | <td> |
| 749 | <p> |
| 750 | Google advertising cookie used for user tracking and advert |
| 751 | targeting purposes |

| | |
|-----|---|
| 747 | </td> |
| 748 | <td> |
| 749 | <p> |
| 750 | Google advertising cookie used for user tracking and advert |
| 751 | targeting purposes |

[View more](#)**⚠ Duplicate Code** (lines of code = 11)

Found in

[src\pages\privacy.js:408-418](#)
[src\pages\privacy.js:434-444](#)

| | |
|-----|---|
| 408 | </p> |
| 409 | </td> |
| 410 | <td> |
| 411 | <ul style={{ listStyleType: 'lower-alpha' }}> |
| 412 | Identity |

| | |
|-----|---|
| 408 | </p> |
| 409 | </td> |
| 410 | <td> |
| 411 | <ul style={{ listStyleType: 'lower-alpha' }}> |
| 412 | Identity |

[View more](#)



Application

CodeScene

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)



GitHub confirms that this app meets the requirements for verification.

Categories

[Code quality](#)

[Recently added](#)

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)


CodeScene identifies and prioritizes technical debt based on how the organization works with the code. Using CodeScene you can:

- Prioritize a small part of your codebase – typically 2-4% – that identifies the most likely return on any code quality investments.
- Explore the efficiency of your organization with respect to Conway's Law.
- Detect sub-systems with low team autonomy that become productivity bottlenecks.
- Measure the technical risk when a key developer leaves the project.

[Read more...](#)



CodeScene's machine learning intelligence prioritizes your technical debt so you get a return on your investments in improvements.




Hotspots

Refactoring Targets

Code Age

Defects

Programming Language



Refactoring Targets

Prioritize improvements to these files since they have the highest technical debt interest rate.


- pride-london-web/src/pages/index.js
- pride-london-web/src/pages/support-us/partners.js
- pride-london-web/src/components/footer/index.js
- pride-london-web/src/pages/blog.js
- pride-london-web/src/pages/events/shots-on.js
- pride-london-web/src/socialy-react.js
- pride-london-web/src/features/blog/components/rimeCard/index.js
- pride-london-web/src/layouts/index.js
- pride-london-web/src/features/blog/components/rimeContainer/index.js
- pride-london-web/src/features/blog/components/rimeCard_spa.js
- pride-london-web/src/features/blog/components/newsContainer/index.js
- pride-london-web/src/features/events/components/eventInfoCard.js
- pride-london-web/src/components/navigation/nav/index.js
- pride-london-web/src/templates/event.js
- pride-london-web/src/features/events/components/eventsFilter.js

Identify the primary developers behind the code to coordinate and support onboarding.

Owners

Knowledge Loss

Coordination Needs



Evaluate how well your team structure aligns with the architecture.

Owners

Knowledge Loss

Coordination Needs





Application

DeepScan

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[Recently added](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

JavaScript, JSX, TypeScript
and [1 other languages supported](#)

Developer



[deepscan](#)

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Tired of the troubles with JavaScript? DeepScan can help you.

DeepScan is an advanced static analysis tool engineered to support JavaScript, TypeScript, React, and Vue.js.

You can use DeepScan to find possible runtime errors and quality issues instead of coding conventions. Integrate with your GitHub repositories to get quality insight into your web project.

[Read more...](#)

The screenshot shows a code editor with a sidebar. The sidebar displays analysis results for a file named 'src/station/index.tsx'. It includes sections for 'Unexpected token, expected' and 'Condition 'station' is always taken.' with specific line numbers and descriptions. The main code area shows a snippet of TypeScript code:

```
sortBy = (station: Station) => {
  if (!station) {
    return;
  }
  const stationLabel = station.title;
  if (station) {
    Condition 'station' is always true at this point because the else branch of the condition 'station' at Line 92 has been taken
    titleStore.changeTitle(stationLabel);
  } else {
    titleStore.resetTitle();
  }
  this.context.router.push(`/${stationLabel.replace('/', '$SLASH$')}`);
}
handleUrlfav = () => {
  const [ selectedStation ] = this.props;
  if (selectedStation) {
    unfav(selectedStation.id);
  }
}
handleFav = () => {
  const [ selectedStation ] = this.props;
  if (selectedStation) {
    fav(selectedStation.id);
  }
}
getOne = () => {
```



Summary

Sonya Moisset committed Implement Security Headers (#438) 2 days ago

Success

Last Analyzed
2 days ago

13,263

Lines Of Code
Total lines: 14,594

256

Analyzed Files

Issues

4

Unresolved Issues
Error: 2 / Code Quality: 2

0

Newly Detected Since
2 days ago

0

Fixed

Trends



Branch

master

Grade

GOOD

High and Medium impact issues:



Low impact issues:



Badge

To add a badge to your project, copy and paste it into your repository's README file.

[Markdown](#) [HTML](#)

[\[!DeepScan grade\]\(https://deep](#)

Share



Share on email

Callback function for 'Array.prototype.map()' should return a value. Consider using 'Array.prototype.forEach()' when the newly created array is not needed.

May 4, 2019

Open



[src/components/appContext/index.js](#) (53:28-81:3)

ARRAY_CALLBACK_RETURN_MISSING

```
50      // Generate all recurrences of events
51      const allEventOccurrences = []
52      // Map over events
53      nextProps.events.map(event => {
54        if (!event.node.recurrenceDates) {
55          allEventOccurrences.push(event)
56        } else {
57          const recurrenceDates = sanitizeDates([
58            moment(event.node.startTime).format(dateFormat),
59            ...event.node.recurrenceDates,
60          ])
61          const time = moment(event.node.startTime).format('HH:mm')
62          const duration = getDuration(event.node.startTime, event.node.endTime)
63
64          recurrenceDates.forEach(date => {
65            // Deep clone event
66            const copy = JSON.parse(JSON.stringify(event))
67
68            // Modify start time and end time
69            copy.node.startTime = moment(
70              `${date} ${time}`,
71              'DD/MM/YYYY hh:mm'
72            ).format()
73            copy.node.endTime = moment(copy.node.startTime)
74              .add(duration, 'milliseconds')
75              .format()
76            copy.node.id = `${event.node.id}-${date.split('/').join('')}`
77
78            allEventOccurrences.push(copy)
79          })
80        }
81      })
82      return { events: allEventOccurrences.filter(filterPastEvents) }
```

Rule: ARRAY_CALLBACK_RETURN_MISSING

✓ Code Quality ⚡ Medium 📋 No tags

Callback function argument of `Array` functions should have `return` statement

This rule applies when a callback function argument of the following `Array` functions does not have `return` statement.

1. `Array.from()`
2. `Array.prototype.every()`
3. `Array.prototype.filter()`
4. `Array.prototype.find()`
5. `Array.prototype.findIndex()`
6. `Array.prototype.map()`
7. `Array.prototype.reduce()`
8. `Array.prototype.reduceRight()`
9. `Array.prototype.some()`
10. `Array.prototype.sort()`

Return value of the above functions with missing `return` statement is always the same (an array filled with `undefined` in the case of `Array.from` or `Array.prototype.map` functions), and it is not likely to be a programmer's intent.

When the return value is not needed, it is recommended to use `Array.prototype.forEach` function which does not make a new array as a return value.

Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    memo[curval] = index;
});
console.log(ret1); // 'ret1' is filled with undefined.

var ret2 = Array.from([1, 2, 3], function (x) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    x = x + 3;
});
console.log(ret2); // 'ret2' is filled with undefined.
```

Revised Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) {
    memo[curval] = index;
    return memo[curval];
});
```



Application

Pull Request Size

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)[Edit your plan](#) ▾[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#)[Recently added](#)[Free](#)

Customers



Developer

[noqcks](#)

Developer links

[Support](#)[Documentation](#)[Privacy Policy](#)

Report abuse

Ensure that Pull Request sizes in your organization are trending smaller with the Pull Request Size app. Each Pull Request created will be marked with a label in GitHub based on the lines of code changed.

Size Determination

The Pull Request labels are applied depending on the total lines of code changed (additions + deletions).

| Label | Description |
|--------------------------|--|
| size/XS | Denotes a Pull Request that changes 0-9 lines. |
| size/S | Denotes a Pull Request that changes 10-29 lines. |
| size/M | Denotes a Pull Request that changes 30-99 lines. |
| size/L | Denotes a Pull Request that changes 100-499 lines. |
| size/XL | Denotes a Pull Request that changes 500-999 lines. |
| size/XXL | Denotes a Pull Request that changes 1000+ lines. |

Testing Pull Request Size App #45

Open noqcks wants to merge 1 commit into master from test-pull-request-size

Conversation 0 Commits 1 Checks 0 Files changed 1

edit

+0 -43



noqcks commented 16 minutes ago

Testing pull request size

Owner ...

Reviewers

No reviews

Assignees

No one—assign yourself!

Labels

sizeM

Add more commits by pushing to the test-pull-request-size branch on noqcks/test-pull-request-size.



Application

LGTM

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) -

[Configure access](#)

✓ Verified by GitHub

GithHub confirms that this app meets the requirements for verification.

Categories

[Code quality](#)

[Security](#)

[Free](#)

Supported languages

C, C++, Java
and [3 other languages supported](#)

Developer

[lgtmhq](#)

Developer links

[Support](#)
[Documentation](#)
[Privacy Policy](#)


[Report abuse](#)

Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review


LGTM's extensive security analysis is constantly enhanced by findings from our dedicated team of security researchers, and by contributions from security teams at a number of top tech companies who use our technology, including Google, Microsoft and Mozilla.

Integration is easy, at the click of a button you can set up Pull Request analysis, and catch problems before they get merged.

[Read more...](#)



Pull Request Integration: Enable automatic code review to catch problems before they get merged.




JavaScript A+[Overview](#)[Alerts 5](#)[Files](#)[Contributors 10](#)[Compare](#)[Dependencies](#)[Integrations](#)[Queries](#)

Alert filters

[No filter selected](#)[Export alerts](#) [Severity](#)[Query](#)[Tag](#) Show excluded files Show heatmap

Source root /



| Name | Alerts | Lines of code |
|-------------------|--------|---------------|
| src | 5 | 12.1k |
| .eslintrc | 0 | 0 |
| empty-module.js | 0 | 1 |
| gatsby-browser.js | 0 | 0 |
| gatsby-config.js | 0 | 96 |
| gatsby-node.js | 0 | 110 |
| gatsby-ssr.js | 0 | 0 |
| package.json | 0 | 0 |

← Potentially inconsistent state update

reliability

frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

[Read more](#)

[Open in query console](#)

Source root/src/.../filters/**eventDropdownFilter.js**

1 alert

```
↑ 1-117
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
123   }
124
↓ 125-172
```

Component state update uses potentially inconsistent value.



Source root/src/.../appContext/index.js

1 alert

```
↑ 1-136
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
144   }
145
↓ 146-239
```

Component state update uses potentially inconsistent value.



Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: com.igtm/javascript-queries

Query ID: js/react/inconsistent-state-update

Language: JavaScript

Severity: warning

Tags: reliability, frameworks/react

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. [Learn how.](#)

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
1  this.setState({
2    counter: this.state.counter + 1
3  });
```

Instead, the callback form of `setState` should be used:

```
1  this.setState(prevState => ({
2    counter: prevState.counter + 1
3  }));
```

References

- React Quick Start: [State and Lifecycle](#).

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component.
You can find a [detailed component API reference here](#).

Consider the ticking clock example from [one of the previous sections](#). In [Rendering Elements](#), we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}

setInterval(tick, 1000);
```

[Try it on CodePen](#)

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

PrideInLondon/pride-london-web

JavaScript A+

Unfollow

Query this project

Overview

Alerts 3

Files

Contributors 8


Compare

Dependencies

Integrations

A+ when compared to other JavaScript projects

Language: JavaScript Add a language





Application Datree

PridelnLondon has already purchased the Individuals & Small Teams plan for this app on GitHub Marketplace.

[Set up a new plan](#)[Edit your plan ▾](#)[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#) [Code review](#)
[Recently added](#) [Free Trials](#)
[Free](#) [Paid](#)

Supported languages

C#, Java, JavaScript
and 2 other languages supported

Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

Report abuse

Datree connects with GitHub pull requests to provide automatic policy compliance checks and insights for every code change. Create and enforce custom or built-in policies, in the context of your dev stack.

[Read more...](#)

The screenshot shows the Datree dashboard with the following sections:

- Catalog Overview:** Displays 30 People, 390 Code Components, and 90 Repositories.
- Policy Summary:** A table showing audit results for various policies across repositories. Policies include:
 - Separate secret credentials from source code (3/30 Repositories Failed)
 - Separate dependencies from source code (2/30 Repositories Failed)
 - Separate personal config from source code (2/30 Repositories Failed)
 - Ensure .gitignore file is included in projects (20/90 Repositories Failed)
 - Ensure CODEOWNERS defined in projects (63/90 Repositories Failed)
 - Block unrecognized committers and authors (11/30 Repositories Failed)
 - Look packages (major version in manifest) (3/30 Repositories Failed)
 - Block out-of-date pullrequests (0/90 Repositories Failed)
- audit report for best practices**: A section showing five preview cards of audit reports.

Catalog Overview



12

People



72

Code Components



1

Repositories

Policy Summary

| Rule | Repositories | Open Pull Requests | Last Update |
|--|---------------------------|--------------------|---------------|
| Separate secret credentials from source code | ✓ | ✓ | ⌚ 18 days ago |
| Separate dependencies from source code | ✓ | ✓ | ⌚ 18 days ago |
| Separate personal config files from source code | ✓ | ✓ | ⌚ 18 days ago |
| Ensure a .gitignore file is included in projects | ✓ | ✓ | ⌚ 18 days ago |
| Ensure CODEOWNERS defined in projects | ✓ | ✓ | ⌚ 18 days ago |
| Block unrecognized committers and authors | 1 / 1 Repositories Failed | ✓ | ⌚ 2 days ago |
| Lock packages (major) version in manifest | ✓ | ✓ | ⌚ 18 days ago |



Catalog overview

Separate secret credentials from source code

Check Passed - congrats!

Separate dependencies from source code

Separate personal config files from source code

Ensure a .gitignore file is included in projects

Ensure CODEOWNERS defined in projects

Block unrecognized committers and authors

Lock packages (major) version in manifest

Datreo's policy check is required

New commits dismiss pull request approval

Require code review for every pull request

Protect the main branches from direct commits

Archive dead repositories

Inactive Members in Organization

Align packages versioning

Separate secret credentials from source code

Check Passed - great job!

Separate dependencies from source code

Check Passed - awesome!

Ensure a .gitignore file is included in projects

Check Passed - well done!

Ensure CODEOWNERS defined in projects

Check Passed - impressive!



Application

GuardRails

i PrideInLondon has already purchased the Open Source plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#)

[Security](#)

[Free](#)

Supported languages

Go, Java, JavaScript
and [4 other languages supported](#)

Developer

[guardrailsio](#)

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

[Read more...](#)

GuardRails scans new code changes as they occur in your repositories. For pull requests, we will post comments whenever security issues are detected. For branches, you will be able to see reports in [your dashboard](#).

[Read more...](#)

The screenshot shows a GitHub pull request titled "Add users management feature #77" merged by "kytwb". A comment from "guardrails/scan" indicates that "All checks have failed" due to "3 new security issues" found in "guardrails.txt". The issues listed are: Hard-Coded Secrets (1), Insecure Use of SQL Queries (1), and Vulnerable Libraries (1). A message at the bottom encourages users to provide feedback. On the right side of the pull request interface, there are sections for Labels (None yet), Projects (None yet), Milestone (No milestone), and Notifications (Unsubscribe). The pull request has 2 participants and 4 other comments.

GUARDRAILS

Add users management feature #77
kytwb merged 1 commit into master from Feat/add_users_management on Jan 11

All checks have failed
1 failing check

guardrails/scan — detected 3 new security issues

We detected security issues in this pull request:

- Hard-Coded Secrets (1)
- Insecure Use of SQL Queries (1)
- Vulnerable Libraries (1)

Happy with the results? Give your [feedback](#).

kytwb approved these changes on Jan 11

View changes

4 other comments

2 participants

Labels: None yet

Projects: None yet

Milestone: No milestone

Notifications: Unsubscribe

GuardRails in effect in a pull requests on GitHub.

The bottom section of the screenshot displays three smaller windows illustrating GuardRails integration. From left to right: 1) A GitHub repository page showing a "GuardRails" status badge. 2) A Slack channel interface where GuardRails posts security analysis results. 3) A custom web application dashboard showing detailed security reports and metrics for various projects.

Accounts

PrideInLondon

Click here to install GuardRails on
more accounts!

PrideInLondon / pride-london-web



Branches

Pull Requests

CLI Requests

| | | | |
|---------|---|--------------------------------|-----------------------------|
| PR #438 | Implement Security Headers | fr No fr Issues git 6a0b9bb | ⌚ 00:52.839 📅 2 days ago |
| PR #438 | Add Security headers | fr No fr Issues git 3ded700 | ⌚ 00:58.515 📅 2 days ago |
| PR #436 | add redirects and remove greyscale on footer logos | fr No fr Issues git 140a16b | ⌚ 01:00.132 📅 2 days ago |
| PR #434 | Bump gatsby-plugin-sharp from 2.0.36 to 2.0.37 | fr No fr Issues git 612a51d | ⌚ 01:06.219 📅 3 days ago |
| PR #435 | Bump gatsby-source-contentful from 2.0.55 to 2.0.56 | fr No fr Issues git 186ca09 | ⌚ 00:54.538 📅 3 days ago |
| PR #433 | Bump gatsby from 2.4.2 to 2.4.3 | fr No fr Issues git bbaed78 | ⌚ 00:54.410 📅 3 days ago |
| PR #418 | Bump jest from 23.6.0 to 24.8.0 | fr No fr Issues git a0f40a2 | ⌚ 00:58.755 📅 3 days ago |
| PR #432 | Bump codecov from 3.3.0 to 3.4.0 | fr No fr Issues git 4455f7d | ⌚ 00:57.618 📅 4 days ago |
| PR #431 | add footer contact link | fr No fr Issues git 0ca12b5 | ⌚ 01:00.813 📅 4 days ago |
| PR #430 | hotfix Change blog => news-and-views on homepage | fr No fr Issues git d0e1e34 | ⌚ 01:05.604 📅 4 days ago |
| PR #429 | Redirects fix | fr No fr Issues git eb5c2ae | ⌚ 00:51.002 📅 5 days ago |



Application

Sonatype DepShield

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Sonatype DepShield is a GitHub App used by developers to identify and remediate vulnerabilities in their open source dependencies.

[Read more...](#)

Categories

[Dependency management](#)

[Security](#)

[Free](#)

Supported languages

Java and JavaScript

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)


[Report abuse](#)

The screenshot shows a GitHub issue page for the repository `whyjustin/WebGoat`. The issue is titled `[DepShield] Vulnerability due to usage of commons-fileupload:commons-fileupload:1.2.2 #105`. It was opened by `sonatype-depshield bot` 6 days ago. The issue body contains a message from `sonatype-depshield bot` stating: "DepShield reports that this application's usage of commons-fileupload:commons-fileupload:1.2.2 results in the following vulnerability(s):". A bulleted list follows, detailing three specific vulnerabilities:

- (CVSS 9.8) [CVE-2016-100031] Improper Access Control
- (CVSS 7.5) [CVE-2014-0050] Permissions, Privileges, and Access Controls
- (CVSS 7.5) [CVE-2016-3092] Improper Input: Validation

On the right side of the issue page, there are sections for **Assignees** (No one assigned), **Labels** (None yet), **Projects** (None yet), and **Milestone** (No milestone).

DepShield Generates GitHub Issues for Known Security Vulnerabilities



[DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

 Open

sonatype-depshield bot opened this issue a day ago · 0 comments



sonatype-deps... bot commented a day ago

+ ...

Vulnerabilities

DepShield reports that this application's usage of [lodash.get:4.4.2](#) results in the following vulnerability(s):

- (CVSS 7.4) [CWE-471: Modification of Assumed-Immutable Data \(MAID\)](#)
- (CVSS 6.5) [\[CVE-2018-3721\] lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...](#)

Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- [husky:1.3.1](#)
 - └ [cosmiconfig:5.1.0](#)
 - └ [lodash.get:4.4.2](#)

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for personal and organization accounts. Please submit questions or feedback about DepShield to the [Sonatype DepShield Community](#).

Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

CVSS Score

7.4: Critical

CVSS Vector

CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

CWE

CWE-471

CVE

not recorded

Components

 [Sign In](#) to see affected components and versions.

References

URL

<https://www.npmjs.com/advisories/577>

<https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0>

2 references

severity low

Prototype Pollution

`lodash`

[Advisory](#)

[Versions](#)

Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are '`defaultsDeep`', '`merge`', and '`mergeWith`' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

Remediation

Update to version 4.17.5 or later.

Resources

- [HackerOne Report](#)

[Code](#) [Issues 1](#) [Pull requests 3](#) [Projects 0](#) [Wiki](#) [Insights](#) [Settings](#)

Bump dotenv from 6.2.0 to 7.0.0 #79

[Open](#) dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`

[Conversation 1](#) [Commits 1](#) [Checks 0](#) [Files changed 3](#)

dependabot bot commented 4 hours ago

Contributor · ...

Bumps `dotenv` from 6.2.0 to 7.0.0.

- ▶ Changelog
- ▶ Commits

 compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

▶ Dependabot commands and options

↳  Bump dotenv from 6.2.0 to 7.0.0 ...

Verified ✓ 788659c

 dependabot bot added the `dependencies` label 4 hours ago

 GitHub APP 6:39 AM

Pull request opened by `dependabot[bot]`

 dependabot[bot]

[#78 Bump jest from 24.3.1 to 24.4.0](#)

Bumps `jest` from 24.3.1 to 24.4.0.

Changelog

Sourced from `jest's changelog`.

24.4.0

Features

-  `[jest-resolve]` Now supports PnP environment without plugins (#8094)

[Show more](#)

Labels


dependencies

Comments 1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

 All checks have passed

7/7 successful checks





Application

Snyk

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Categories

Dependency management
Security **GitHub Enterprise**
Free

Supported languages

Gradle, Java, JavaScript and [4 other languages supported](#)

Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

[Report abuse](#)

Snyk is on a mission to help developers use open source and stay secure.

Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

[Read more...](#)

The screenshot displays the Snyk web interface. At the top, there's a navigation bar with the Snyk logo, company name, and links for Vulnerability DB, Docs, and My account. Below the navigation is a search bar labeled "Search projects" and a button "Add projects". The main area is a grid of project cards. Each card contains the project name, a file list (e.g., package.json, Gemfile.lock), a severity summary (e.g., 5 H, 2 M, 14 L), a "View report and fix" button, a "Test weekly" dropdown, and a timestamp indicating when it was last tested. Below the projects is a search bar with placeholder text "Find: Quickly scan all your repos and get a high level overview on the amount of known vulnerabilities". At the bottom, there are five small screenshots of different parts of the Snyk interface, likely representing different tools or features.

**snyk**

All vulnerable projects

[See all projects](#)

PrideInLondon/pride-london-web:package.json

0 H 1 M 0 L Updated 3 hours ago

Dependencies: 1555 • Source: GitHub

[Add more projects](#)

Current security status

0

HIGH SEVERITY

1

MEDIUM SEVERITY

0

LOW SEVERITY

[Learn about reports](#)

PrideInLondon/pride-london-web:package.json

[Overview](#) [History](#) [Settings](#)Snapshot taken [3 hours ago](#).[Retest now](#)

| | |
|-----------------|---------------|
| Vulnerabilities | 1 via 1 paths |
| Taken by | Web |
| Branch | master |

| | |
|--------------|---------------------------------|
| Dependencies | 1555 |
| Tested with | package-lock.json, package.json |
| Manifest | package.json |

| | |
|------------|----------------------------------|
| Source | GitHub |
| Repository | pride-london-web |

NEW Prioritise vulnerabilities by those introduced at runtime. [Learn more](#)



snyk

MEDIUM SEVERITY

🛡 Denial of Service (DoS)

Vulnerable module: [mem](#)

Introduced through: [gatsby@2.1.31](#)

Detailed paths and remediation

- Introduced through: `pride-london-web@0.1.0 > gatsby@2.1.31 > @gatsbyjs/relay-compiler@2.0.0-printer-fix.2 > yargs@9.0.1 > os-locale@2.1.0 > mem@1.1.0`

Remediation: No remediation path available.

Vulnerable functions

`index.module.exports.memoized()`

`index.module.exports.memoized.setData()`

Overview

[mem](#) is an optimization used to speed up consecutive function calls by caching the result of calls with identical input.

Affected versions of this package are vulnerable to Denial of Service (DoS). Old results were deleted from the cache and could cause a memory leak.

[More about this issue](#)

Create a Jira issue [UPGRADE](#)

Ignore



snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.

Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.



snyk-bot APP 3:37 PM

Prototype Pollution

New vulnerability in package **lodash.merge** at the Pride in London organisation.

Severity

Low

Package

lodash.merge

Issue ID

SNYK-JS-LODASHMERGE-173732



Affected projects:

[PrideInLondon/pride-london-web:package.json](#)

Package version: 4.6.1

[Fix with the CLI wizard](#)



New issues and remediations

Hello SonyaMoisset,

We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London



PrideInLondon/pride-london-web:package.json

[view all project issues](#)

L



[Prototype Pollution](#)

Vulnerability in lodash.merge 4.6.1. No remediation available yet.

[This issue can be fixed via the CLI](#)

Introducing: Netlify Dev. Run our entire platform right on your laptop. [Learn more →](#)

Build, deploy, and manage modern web projects

An all-in-one workflow that combines global deployment, continuous integration, and automatic HTTPS. And that's just the beginning.

[Get started for free](#)



Deploy your site in seconds*

1 Connect your repository

GitHub

GitLab

Bitbucket

2 Add your build settings

Branch

master

Command

yarn build

Directory

public

3 Deploy your website

2:30:40 PM git clone git@github.com:...

2:30:40 PM Preparing Git Repo...

2:30:40 PM Starting to deploy...

2:30:40 PM Starting post pro...

2:30:41 PM Post processing...

2:30:41 PM Site is live



netlify

pride-in-london's team > prideinlondon-production


S

Overview Deploys Functions Identity Forms Large Media Split Testing Settings

prideinlondon-production

• <https://prideinlondon.org>

Deploys from GitHub. Last published on May 11.



Site settings

Domain settings

Production deploys

Production: master@HEAD PUBLISHED

May 11: Deploy triggered by hook: master_hook

Production: master@38d718c

May 11: Implement Security Headers (#438)

Production: master@HEAD

May 10: Deploy triggered by hook: master_hook

Production: master@HEAD

May 10: Deploy triggered by hook: master_hook

Deploy Previews

Deploy Preview #438: improvemen... @6a0b9bb

May 10: Implement Security Headers

Deploy Preview #438: improvemen... @3dcd700

May 10: Add Security headers

Deploy Preview #436: hotfix/redire... @140a16b

May 10: add redirects and remove greyscale on footer logos

Deploy Preview #435: dependabot... @186ca09

May 10: Bump gatsby-source-contentful from 2.0.55 to 2.0.56



netlify

[Deploy log](#)

[Preview](#) [Copy to clipboard](#) [↑](#)

Deploy summary

i 153 new files uploaded

146 generated pages and 7 assets changed.

i 138 redirect rules processed

All redirect rules deployed without errors.

i 1 header rule processed

All header rules deployed without errors.

i All linked resources are secure

Congratulations! No insecure mixed content found in your files.

```
1:01:14 PM: Build ready to start
1:01:22 PM: build-image version: 9e0f207a27642d0115b1ca97cd5e8cebbe492f63
1:01:22 PM: build-image tag: v3.3.2
1:01:22 PM: buildbot version: 75cd99f62ada9e21edea53200e0ba00eab05a045
1:01:22 PM: Fetching cached dependencies
1:01:22 PM: Starting to download cache of 152.5MB
1:01:23 PM: Finished downloading cache in 863.400291ms
1:01:23 PM: Starting to extract cache
1:01:29 PM: Finished extracting cache in 6.571988952s
1:01:29 PM: Finished fetching cache in 7.559570025s
1:01:29 PM: Starting to prepare the repo for build
1:01:30 PM: Preparing Git Reference refs/heads/master
1:01:30 PM: Starting build script
1:01:30 PM: Installing dependencies
1:01:31 PM: Started restoring cached node version
1:01:34 PM: Finished restoring cached node version
1:01:34 PM: Attempting node version '8.11.2' from .nvmrc
1:01:35 PM: v8.11.2 is already installed.
1:01:36 PM: Now using node v8.11.2 (npm v5.6.0)
1:01:36 PM: Attempting ruby version 2.6.2, read from environment
1:01:38 PM: Using ruby version 2.6.2
1:01:38 PM: Using PHP version 5.6
1:01:38 PM: Started restoring cached node modules
1:01:38 PM: Finished restoring cached node modules
1:01:38 PM: Started restoring cached yarn cache
1:01:38 PM: Finished restoring cached yarn cache
1:01:39 PM: Installing NPM modules using Yarn version 1.13.0
1:01:40 PM: yarn install v1.13.0
1:01:40 PM: [1/4] Resolving packages...
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: success Already up-to-date.
1:01:41 PM: Done in 1.25s.
1:01:41 PM: NPM modules installed using Yarn
1:01:41 PM: Started restoring cached go cache
1:01:41 PM: Finished restoring cached go cache
1:01:41 PM: unset GOOS;
1:01:41 PM: unset GOARCH;
1:01:41 PM: export GOROOT='/opt/buildhome/.ginme/versions/go1.12.linux.amd64';
1:01:41 PM: export PATH="/opt/buildhome/.ginme/versions/go1.12.linux.amd64/bin:${PATH}";
1:01:41 PM: go version >=2;
1:01:41 PM: export GINME_ENV='/opt/buildhome/.ginme/env/go1.12.linux.amd64.env';
1:01:41 PM: go version go1.12.linux/amd64
1:01:41 PM: Installing missing commands
1:01:41 PM: Verify run directory
1:01:41 PM: Executing user command: yarn build
```


RQL Console

Run arbitrary queries on your Rollbar data · [Read Docs](#)

Query

```
1
```

[Execute](#)

Quick Reference

Show standard columns for the most recent occurrences of item #1:

```
SELECT *
FROM item_occurrence
WHERE item.counter = 1
ORDER BY timestamp DESC
```

For all occurrences of item #840 in the last 24 hours, group by request.user_ip; then show the total count, number that have server.host set, average value of body.message.seconds, and most recent timestamp; order by total count descending; and limit to the top 100 rows:

```
SELECT request.user_ip, count(*), count(server.host), avg(body.message.seconds), max(timestamp)
FROM item_occurrence
WHERE item.counter = 840
AND timestamp > unix_timestamp() - 60 * 60 * 24
GROUP BY request.user_ip
ORDER BY count(*) DESC
LIMIT 100
```




All checks have passed

7 successful checks

[Hide all checks](#)



Codacy/PR Quality Review — Up to standards. A positive pull request.

[Details](#)



LGTM analysis: JavaScript — No new or fixed alerts

[Details](#)



ci/circleci: build — Your tests passed on CircleCI!

[Details](#)



codecov/patch — Coverage not affected when comparing 1087ffc...78865...

[Details](#)



codecov/project — 48.11% remains the same compared to 1087ffc

[Details](#)



security/snyk - package.json (Pride in London) — No new issues

[Details](#)



This branch has no conflicts with the base branch

Merging can be performed automatically.

[Squash and merge](#)



You can also open this in [GitHub Desktop](#) or view [command line instructions](#).



Add more commits by pushing to the **task/blog-page-layout** branch on **PrideInLondon/pride-london-web**.



Review requested

[Show all reviewers](#)

Review has been requested on this pull request. It is not required to merge. [Learn more](#).



Some checks were not successful

[Hide all checks](#)

1 errored, 1 failing, and 5 successful checks



LGTM analysis: JavaScript — This pull request can't be analyzed because it ...

[Details](#)



Codacy/PR Quality Review — Not up to standards. This pull request quality ...

[Details](#)



AccessLint — Review complete



ci/circleci: build — Your tests passed on CircleCI!

[Details](#)



codecov/patch — 82.92% of diff hit (target 51.46%)

[Details](#)



codecov/project — 52.4% (+0.94%) compared to ecce520

[Details](#)



This branch has conflicts that must be resolved

Use the [web editor](#) or the [command line](#) to resolve conflicts.

[Resolve conflicts](#)



Code owner review required

Show all reviewers

Waiting on code owner review from SonyaMoisset. [Learn more.](#)



All checks have passed

[Hide all checks](#)

1 neutral and 15 successful checks

■ Pages changed - prideinlondon-production Completed in 3m — 306 new fil... Required [Details](#)

✓ AccessLint — Review complete Required

✓ Codacy/PR Quality Review — Up to standards. A positive pull request. Required [Details](#)

✓ CodeFactor Successful in 2s — No issues found. Required [Details](#)

✓ Datree insights Successful in 5s — datreeio insights events Required [Details](#)

✓ DeepScan — 0 new and 0 fixed issues Required [Details](#)



Merging is blocked

Merging can be performed automatically with 1 approving review.

[Update branch](#)

As an administrator, you may still merge this pull request.

[Squash and merge](#)



You can also [open this in GitHub Desktop](#) or view command line instructions.



SonyaMoisset approved these changes 2 days ago

[View changes](#)



Pride in London [automation](#) moved this from In progress to Reviewer approved 2 days ago



SonyaMoisset merged commit `dae3d32` into `master` 2 days ago

[Hide details](#)

[Revert](#)

10 checks passed

- ✓ [AccessLint Review complete](#) [Details](#)
- ✓ [Codacy/PR Quality Review](#) Up to standards. A positive pull request. [Details](#)
- ✓ [CodeFactor](#) No issues found. [Details](#)
- ✓ [LGTM analysis: JavaScript](#) No new or fixed alerts [Details](#)
- ✓ [ci/circleci: build](#) Your tests passed on CircleCI! [Details](#)
- ✓ [codebeat](#) no reportable quality changes [Details](#)
- ✓ [codecov/patch](#) Coverage not affected when comparing `10a80c7...fa8e139` [Details](#)
- ✓ [codecov/project](#) 69.55% remains the same compared to `10a80c7` [Details](#)
- ✓ [netlify/fervent-albattani-72bcb1/deploy-preview](#) Deploy preview ready! [Details](#)



Pride in London [automation](#) moved this from Reviewer approved to Done 2 days ago



SonyaMoisset deleted the `feature/footer` branch 2 days ago

[Restore branch](#)

Implement Security Headers #438

Merged SonyaMoisset merged 2 commits into `master` from `improvement/security-headers` 2 days ago

Conversation 2

Commits 2

Checks 7

Files changed 1

Fix typo in Security headers



Succeeded — 2 days ago



Queued 2 days ago

[Re-run all checks](#)

[Re-run failed checks](#)



Queued 2 days ago

[Re-run all checks](#)

[Re-run failed checks](#)



Succeeded — 2 days ago



Neutral 2 days ago



Succeeded — 2 days ago

Pages changed - prideinlondon-production

Neutral

ran 2 days ago in 1 minute

6a0b9bb by @SonyaMoisset

improvement/security-headers

All files already uploaded

All files already uploaded by a previous deploy with the same commits.

[View more details on Netlify](#)

Datree insights

✓ Success

⌚ ran 2 days ago in less than 5 seconds

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

datreeio insights events

⌚ We don't have additional insights for this pull request

DETAILS

LGTM analysis: JavaScript

■ Neutral

⌚ ran 2 days ago in half a minute

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

No code changes detected

LGTM.com did not detect changes to any JavaScript files when merging 6a0b9bb into an error then click the "analyze language" button on [LGTM.com](#) to start analysis for J

Datree Insights



Insights

72 code components and 10 people found in the repository

- Last commit to the default branch by SonyaMoisset 3 hours ago
- Latest commit by SonyaMoisset to default branch 3 hours ago
- Commit percentage to the repository by SonyaMoisset: 51 %

| Categories | Events |
|-------------------------|--------------|
| New Code Components | 0 New Events |
| Version Changes | 0 New Events |
| Removed Code Components | 0 New Events |

Header rules - prideinlondon-production

✓ Success

⌚ ran 2 days ago in 1 minute

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

1 header rule processed

All header rules processed without errors.

CodeFactor

✓ Success

⌚ ran 2 days ago in less than 5 seconds

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

No issues found.

- 🔒 tech-circle-ci
- 🔒 tech-codacy
- 🔒 tech-github
- 🔒 tech-guardrails
- 🔒 tech-incidents
- 🔒 tech-netlify
- 🔒 tech-rollbar
- 🔒 tech-snyk

-  **CircleCI** APP 9:03 PM
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#)) (739db7c)
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#))
- Add Security headers ([3dcd700](#) by SonyaMoisset)
-  **CircleCI** APP 9:22 PM
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#))
- Fix typo in Security headers ([6a0b9bb](#) by SonyaMoisset)

-  **Netlify** APP 6:12 PM
There is a new deploy in process for [prideinlondon-production](#)
Update Gatsby dependencies
Using git branch master, commit 739db7c85a6 | May 10th
Successful deploy of [prideinlondon-production](#)
Update Gatsby dependencies
Or check out the [build log](#)
Using git branch master, commit 739db7c85a6 | May 10th

-  **GuardRails** APP 7:30 AM
Scan of bbaed78@[PrideInLondon/pride-london-web](#)
no new security issues detected
Scan of 186ca09@[PrideInLondon/pride-london-web](#)
no new security issues detected
Scan of 612a51d@[PrideInLondon/pride-london-web](#)
no new security issues detected

-  **Rollbar** APP 11:35 AM
#10 10th error: Error: Missing resources for /
✖ Pride-in-London in development
[Resolve](#) [Mute](#) [error](#) [▼](#) [Assign to user](#) [▼](#)

-  **Rollbar** APP 5:40 PM
#17 New error: SyntaxError: The string did not match the expected pattern.
✖ Pride-in-London in development
[Resolve](#) [Mute](#) [error](#) [▼](#) [Assign to user](#) [▼](#)



GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file
removing the old link to Marcel repo

Assignees

SonyaMoisset

Labels

enhancement

PridelnLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

6 other checks have passed

6/7 successful checks



GitHub APP 12:36 PM

Pull request opened by giancarlo88

giancarlo88

#69 Task/blog page layout

Preliminary responsive grid layout (similar to Events page) and filtering.

Comments

2

Reviewers

codacy-bot


PridelnLondon/pride-london-web | Mar 9th

Codacy/PR Quality Review: Not up to standards. This pull request quality could be better.

6 other checks have passed

6/7 successful checks

Pride in London - Website



| 27 labels | | | Sort ▾ |
|------------------------|--------|----------------------------------|---|
| Blog Details | Epic | 1 open issue or pull request | |
| Blog | Epic | 2 open issues and pull requests | 93% complete 6 open 81 closed Edit Close Delete |
| Bug | Helper | | |
| Dependencies | Helper | 6 open issues and pull requests | 100% complete 0 open 21 closed Edit Close Delete |
| Documentation | Epic | 3 open issues and pull requests | |
| Event Details | Epic | 1 open issue or pull request | |
| Event | Epic | 1 open issue or pull request | 75% complete 2 open 6 closed Edit Close Delete |
| Generic Content | Epic | 2 open issues and pull requests | |
| Homepage | Epic | 1 open issue or pull request | 100% complete 0 open 15 closed Edit Close Delete |
| Hotfix | Helper | | |
| Idea | Helper | | |
| Improvement | Helper | 14 open issues and pull requests | 85% complete 1 open 6 closed Edit Close Delete |
| Mobile | Epic | 9 open issues and pull requests | |
| Navigation | Epic | 2 open issues and pull requests | 89% complete 4 open 33 closed Edit Close Delete |
| New Component | Helper | 1 open issue or pull request | |
| New Feature | Helper | 3 open issues and pull requests | 57% complete 3 open 4 closed Edit Close Delete |
| QA | Epic | 12 open issues and pull requests | 93% complete 8 open 109 closed Edit Close Delete |
| Refactoring | Helper | 9 open issues and pull requests | |
| Security | Epic | 6 open issues and pull requests | |
| SEO | Epic | 2 open issues and pull requests | |
| size/L | Helper | 1 open issue or pull request | |
| size/M | Helper | | |
| size/S | Helper | 1 open issue or pull request | 91% complete 2 open 21 closed Edit Close Delete |
| size/XL | Helper | | |
| size/XS | Helper | | |
| size/XXL | Helper | 1 open issue or pull request | 100% complete 0 open 5 closed Edit Close Delete |

Security

No due date 93% complete

Security Epic

0 Open ✓ 81 Closed

Bump polished from 3.2.0 to 3.3.0 ✓ Dependencies Security size/S

#415 opened 7 days ago by dependabot bot • Review required

Bump jest-environment-jsdom from 24.7.1 to 24.8.0 ✓ Dependencies Security

size/L
#417 opened 7 days ago by dependabot bot • Review required

Bump jest from 23.6.0 to 24.8.0 ✗ Dependencies Security size/XXL

#418 opened 7 days ago by dependabot bot • Review required

[DepShield] [CVSS 7.4] Vulnerability due to usage of lodash.debounce:4.0.8

Dependencies Security
#190 opened on 3 Apr by sonatype-depshield bot

[DepShield] [CVSS 7.4] Vulnerability due to usage of lodash.debounce:4.0.8

Dependencies Security
#88 opened on 15 Mar by sonatype-depshield bot

[DepShield] [CVSS 7.4] Vulnerability due to usage of lodash.debounce:4.0.8

Dependencies Security
#11 opened on 15 Feb by sonatype-depshield bot

QA

No due date 93% complete

0 Open ✓ 109 Closed

[QA2] Homepage Homepage QA Refactoring

#400 opened 9 days ago by SonyaMoisset 3 of 17

[QA2] Footer Navigation QA Refactoring

#396 opened 9 days ago by SonyaMoisset 0 of 6

[QA] Partners Section - Grey background QA Refactoring Sponsors

#313 opened 23 days ago by SonyaMoisset

[QA] Blog Details - Note to editors Blog Details QA Refactoring

#307 opened 23 days ago by SonyaMoisset

[MVP] Menu - Muted navigation bar Navigation QA Refactoring

#283 opened 24 days ago by SonyaMoisset

[QA] Generic Content Page - Implement Google Maps Generic Content Improvement

CA #228 opened on 8 Apr by SonyaMoisset

[QA] Generic Content Page - Divider line is missing Generic Content Improvement

CA #229 opened on 8 Apr by SonyaMoisset

[QA] Partners Section - Responsive logos (RedBadger style) Improvement

Sponsors #213 opened on 5 Apr by SonyaMoisset

Two-factor authentication

Requiring an additional authentication method adds another level of security for your organization.

Require two-factor authentication for everyone in the Pride in London organization.

Members, billing managers, and outside collaborators who do not have two-factor authentication enabled for their personal account will be removed from the organization and will receive an email notifying them about the change.

[Save](#)

| <input type="checkbox"/> Select all | | 2FA | Role | |
|-------------------------------------|-------------------------------------|-------|---------|------------------|
| <input type="checkbox"/> | Giancarlo Galliani giancarlo88 | 2FA ✓ | Private | Member 1 team |
| <input type="checkbox"/> | Zed Spencer-Milnes GingerGeek | 2FA ✓ | Private | Member 1 team |
| <input type="checkbox"/> | Janine Luk ja9-look | 2FA ✓ | Private | Member 1 team |
| <input type="checkbox"/> | Kristof Hamilton kristofhamilton | 2FA ✓ | Private | Owner 1 team |
| <input type="checkbox"/> | lalj84 | 2FA ✓ | Public | Member 1 team |
| <input type="checkbox"/> | Lee Doughty leedoughty | 2FA ✓ | Private | Member 1 team |
| <input type="checkbox"/> | Sonya Moisset SonyaMoisset | 2FA ✓ | Public | Owner 2 teams |



#StayCurious, #KeepOnHacking & #Makethappen

Sonya Moisset
SonyaMoisset

[Edit profile](#)



Senior Security Engineer

@photobox | Tech Lead/DevSecOps

@PrideInLondon | Tech Advocate

& Pride in London

London, UK

sonya.moisset@gmail.com

sonyamoisset.github.io/

Organizations



Member repository permissions

Base permissions

Base permissions to the organization's repositories apply to all members and excludes outside collaborators. Since organization members can have permissions from multiple sources, members and collaborators who have been granted a higher level of access than the base permissions will retain their higher permission privileges.

None ▾

| <input type="checkbox"/> Select all | Visibility ▾ | Members ▾ |
|---|---|----------------------|
| <input type="checkbox"/> PiL Administrators |  | 2 members 0 teams |
| <input type="checkbox"/> PiL Core Devs Pride in London Core Developers |  | 6 members 0 teams |



PiL Core Devs

@PrideInLondon/pil-core-devs

Pride in London Core Developers - Edit

6 members



Select all

[PrideInLondon/pride-london-web](#) updated 2 days ago

Write



[PrideInLondon/pride-london-web-old](#) updated on 12 Jan

Write



[PrideInLondon/pride-web-webhook](#) updated on 19 Jun 2018

Write



Teams

+ Create new team

PiL Core Devs

Pride in London Core Developers

6 members

Write

X

PiL Administrators

2 members

Admin

X

Add a team

Collaborators

CodeDev Przemo
codedev-exp

Write

X

rgryb

Write

X


MORE TOOLS

ONLINE SCAN



Use webhint to improve your website

webhint is a linting tool that will help you with your site's accessibility, speed, security and more, by checking your code for best practices and common errors. Use the online scanner or the CLI to start checking your site for errors.

[TRY THE ONLINE SCANNER](#)[GET STARTED WITH THE CLI](#)

Why use webhint?



FULLY CUSTOMIZABLE

Every site is different. webhint adapts its feedback when you give it more information: [ignore 3rd-party code](#), [prioritize your users' browsers](#), and [control the results](#) with minimal setup.



CREATE YOUR OWN HINTS

With the help of our [contributor guide](#), you can [create new hints](#) to suit your needs. You can help webhint help even more people like you by contributing your hints back!



COMMUNITY DRIVEN

webhint welcomes anyone who wants to make the web a better place. Testing, [filling issues](#) and [feature requests](#), [contributing code](#), and [improving the documentation](#) are just the start!

[USER GUIDE](#)[HINT DOCUMENTATION](#)[WEBHINT GITHUB](#)

HINTS

URL: <https://prideinlondon.org/>

DATE: 2019-05-11 10:03

174

YOUR SCAN RESULT LINK: <https://webhint.io/scanner/6616d896-6c00-409c-8c5a-58a7ee4be187>

webhint version: 4.5.0 Configuration JSON

Hints

Accessibility

expand all

axe: 16 hints

ACCESSIBILITY

HINTS
1PASSED
0/1

Compatibility

expand all

content-type: 18 hints

COMPATIBILITY

HINTS
2PASSED
5/7

highest-available-document-mode: 1 hints

PWA

HINTS
1PASSED
3/4

PWA

expand all

apple-touch-icons: 8 hints

PITFALLS

HINTS
0PASSED
0/0

Performance

expand all

http-cache: 37 hints

SECURITY

HINTS
3PASSED
7/10

http-compression: 18 hints

[Overview](#)[Scoring Guides](#)[Lighthouse v3 Migration Guide](#)[Audit References](#)[Performance](#)[Progressive Web App](#)[Accessibility](#)[Best Practices](#)[SEO](#)

Lighthouse




Lighthouse is an [open-source](#), automated tool for improving the quality of web pages. You can run it against any web page, public or requiring authentication. It has audits for performance, accessibility, progressive web apps, and more.

You can run Lighthouse in Chrome DevTools, from the command line, or as a Node module. You give Lighthouse a URL to audit, it runs a series of audits against the page, and then it generates a report on how well the page did. From there, use the failing audits as indicators on how to improve the page. Each audit has a reference doc explaining why the audit is important, as well as how to fix it.

[RUN LIGHTHOUSE IN CHROME DEVTOOLS](#)[FILE AN ISSUE](#)

Check out the video below from Google I/O 2017 to learn more about how to use and contribute to Lighthouse.

[Sommaire](#)[Get started](#)[Run Lighthouse in Chrome DevTools](#)[Install and run the Node command line tool](#)[Run Lighthouse as a Chrome Extension](#)[Share and view reports online](#)[Share reports as JSON](#)[Share reports as GitHub Gists](#)[Contribute to Lighthouse](#)

Saturday 6 July

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

[This year's parade](#)[Network](#) [Performance](#) [Memory](#) [Application](#) [Security](#) [Audits](#) [Adblock Plus](#) [React](#)

75

Performance

94

Accessibility

86

Best Practices

100

SEO

PWA

Progressive Web App

Score scale: ■ 90-100 ■ 50-89 ■ 0-49

Performance

Metrics

First Contentful Paint

2.9 s ✗

First Meaningful Paint

4.7 s ✗

Speed Index

3.1 s ✓

First CPU Idle

4.8 s ✗

Time to Interactive

5.8 s ✗

Estimated Input Latency

80 ms ✗[View Trace](#)

Values are estimated and may vary.





<https://prideinlondon.org/>

— 0-49 — 50-89 — 90-100 ⓘ

Données de champ — Le rapport d'expérience utilisateur Chrome [ne contient pas assez de données réelles sur la vitesse](#) pour cette page.



Origin Summary — Le rapport d'expérience utilisateur Chrome [ne contient pas assez de données réelles sur la vitesse](#) pour cette origine.

Données de laboratoire



| | | | |
|-----------------------------|-------|------------------------------|--------|
| ● First Contentful Paint | 0,8 s | ■ First Meaningful Paint | 1,5 s |
| ● Indice de vitesse | 0,9 s | ● Premier processeur inactif | 1,5 s |
| ● Délai avant interactivité | 1,8 s | ▲ FID potentiel maximal | 450 ms |



Opportunités — Ces optimisations peuvent accélérer le chargement de votre page.

Opportunité

Estimation des économies

| | |
|---|--------|
| ■ Diffusez des images aux formats nouvelle génération | 0,48 s |
| ■ Dimensionnez correctement les images | 0,36 s |

WHAT'S NEXT FOR YOU?

BECOME A
SECURITY
CHAMPION!



Security Champions playbook

Identify teams

- Enumerate products and services
- List teams per each product
- Identify Product manager (responsible for product) and team manager (working directly with developers)
- Write down technologies (programming languages) used by each team

Define the role

- Measure current security state among the teams and define security goals you plan to achieve in mid-term (e.g. by using OWASP SAMM)
- Identify the places where champions could help (such as verifying security reviews, raising issues for risks in existing code, conducting automated scans etc.)
- Write down clearly defined roles, as these will be the primary tasks for newly nominated champions to work on

Nominate champions

- Introduce the idea and role descriptions and get approvals on all levels - both from product and engineering managers, as well as from top management
- Together with team leader identify potentially interested candidates
- Officially nominate them as part of your security meta-team

Comm channels

- Make sure to have an easy way to spread information and get feedback
- While differing from company to company, this usually includes chats (Slack/IRC channel, Yammer group, ...) and separate mailing lists
- Set up periodic sync ups - bi-weekly should be fine to start with

Knowledge base

- Build a solid internal security knowledge base, which would become the main source of inspiration for the champions
- It should include security meta-team page with defined roles, secure development best practices, descriptions of risks and vulnerabilities and any other relevant info
- Pay special attention to clear and easy-to-follow checklists, as it's usually the simplest way to get the things going

Maintain interest

- Develop your ways or choose one of the below to keep in touch and maintain the interest of the champions
- Conduct periodic workshops and encourage participation in security conferences
- Share recent appsec news (e.g. Ezine) via communication channels
- Send internal monthly security newsletters with updates, plans and recognitions for the good work
- Create champions corner with security library, conference calendar, and other interesting materials



<https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd>

 Medium

[Keep calm and become a Security Engineer – Sonya Moisset – Medium](#)

One of the many ways to get into the Cybersecurity industry

Reading time

8 min read

Mar 5th (366 kB) ▾





LADIES OF LONDON
HACKING SOCIETY



OWASP WIA



OWASP LONDON
CHAPTER

GET SECURE, BE SECURE AND STAY SECURE



Thank
you!



IF YOU LIKE WHAT YOU'VE SEEN
WE'RE RECRUITING DEVS & QA
:)

@SONYAMOISSET  
SONYAMOISSET@PRIDEINLONDON.ORG