

LLHS @ HSBC

KEEP CALM AND SECURE
YOUR CI/CD PIPELINE


@SONYAMOISSET 🦄🌐

.I WEAR DARK
HOODIES (AND I LISTEN TO SYNTHWAVE
MUSIC) SO I'M A LEGIT
SECURITY ENGINEER



DISCLAIMER.

THE PERFECT CI/CD PIPELINE DOESN'T EXIST... SORRY :(




WHAT IS A CI/CD PIPELINE

AND WHY IS IT IMPORTANT?




CONTINUOUS INTEGRATION IS A
SET OF PRACTICES THAT DRIVE
DEVELOPMENT TEAMS TO
IMPLEMENT SMALL CHANGES AND CHECK IN CODE
TO VERSION CONTROL REPOSITORIES
FREQUENTLY



CONTINUOUS INTEGRATION ESTABLISHES A CONSISTENT AND AUTOMATED WAY TO **BUILD**, **PACKAGE**, AND **TEST** APPLICATIONS WITH CONSISTENCY IN THE INTEGRATION PROCESS IN PLACE, TEAMS COMMIT CODE CHANGES FREQUENTLY, WHICH LEADS TO BETTER COLLABORATION AND SOFTWARE QUALITY


CONTINUOUS DELIVERY PICKS UP WHERE CONTINUOUS INTEGRATION ENDS

IT **AUTOMATES** THE DELIVERY OF APPLICATIONS
TO **DIFFERENT INFRASTRUCTURE
ENVIRONMENTS**



TEAMS WORK WITH **MULTIPLE ENVIRONMENTS** SUCH AS
PRODUCTION,
DEVELOPMENT
AND **TESTING** ENVIRONMENTS

CD ENSURES THERE IS AN **AUTOMATED WAY TO PUSH CODE CHANGES** TO THEM



CONTINUOUS DELIVERY AUTOMATION

PERFORMS ANY NECESSARY SERVICES CALLS TO

WEB SERVERS,

DATABASES,


AND **OTHER SERVICES** NEEDED WHEN

APPLICATIONS ARE DEPLOYED

CI AND CD REQUIRES **CONTINUOUS
TESTING**

THE OBJECTIVE IS TO **DELIVER QUALITY
APPLICATIONS AND CODE** TO USERS





WHAT CAN GO WRONG?

CREDENTIALS/TOKENS/ENV. VARIABLES



DEV TEAMS MUST MAKE SURE **ENV VARIABLES**
ARE CONFIGURED OUTSIDE THE APP

CI/CD TOOLS ALLOW **SETTING THESE**
VARIABLES AND **CONFIGURING THEM AT**
TIME OF DEPLOYMENT FOR THE TARGET
ENVIRONMENT

**GITHUB IS HOUSING
THOUSANDS OF PUBLICLY
ACCESSIBLE KEYS/
TOKENS/PASSWORDS**



Repositories	166
Code	154K
Commits	48K
Issues	2K
Packages	0
Marketplace	0
Topics	1
Wikis	226
Users	3

Showing 43,507 available commit results [?](#)

Sort: Best match ▾

- sdurusphp/microfinanceapi
[apikeys table](#)
sdurusphp committed 11 days ago
- JayOneTheSk8/equiBite
[chore\(apiKeys\): add README](#) [...](#)
Jay Cox authored and Jay Cox committed on 12 Nov
- denzelb5/personal-bio-site
[setup apiKeys](#)
denzelb5 committed 12 days ago
- erinepolley/Front-End-Capstone
[added APIKeys to gitignore](#)
erinepolley committed 10 days ago
- DesertBot/DesertBot
[Correct path for APIKeys decryption](#)
HubbeKing authored and StarlitGhost committed 14 days ago
- sarenord/sweeps
[Merge branch 'apikeys'](#)
sarenord committed 11 days ago
- sucresware/ping
[Add new apiKeys](#)
mgkprod committed 11 days ago ✓
- nss-evening-cohort-10/nutshell-star-destroyer
[Merge pull request #40 from nss-evening-cohort-10/jt-apiKeys](#) [...](#)
jhelman committed on 16 Nov
- denrus99/place
[Add work only with valid apikeys](#)
denrus99 committed 5 days ago

▼ 13 resources/js/components/UptimeCards.vue [diff](#) [...](#)

18 00 -9,13 +9,16 00	9	data() {
19 return {	10	data() {
20 apiKeys: [11	return {
21 'm783344445-2d45813eb1c52ff73623ffd8',	12	apiKeys: [
22 'm78259854-61c7a7827d02435fc3e95c53',	13	'm783344445-2d46ff13eb1c528f73623ffd8', // 2Sucres
23 'a782365297-aab72a63b2a06300da20aa2a',	14	'm78259854-61c7a7827d02435fc3e95c53', // 4Sucres
24 'm783365392-2ee93da6adc136239c78e2e',	15	'a782365297-f2f2148503049616749ec321', // Onch4
25 'm783382164-8585d4852dd4bf6b4ebe674',	16	'm783365392-2ee6f3da6adc136239c78e2e', // AveNcel
26 'm783382164-8586d4852dd4bf6b4ebe674',	17	'm783382164-8586d4852dd4bf6b4ebe674', // VocalBank
27 'm78337183-270fa1f6d5f70fe29078876', // RisiBank	18	'm783417183-270fa1f6d5f70fe29078876', // RisiBank
28 'm783417095-569187ce159810fe7870', // RisiIndex	19	'm783417095-569187ce159810fe7870', // RisiIndex
29],	20	'm783913698-68d1ae9828ad2f14c6952885', // AveShack
30 monitors: [],	21	'm783913671-7381b9aeedf87578a6762e9', // 4shack
31 uptime_ratio: '30',	22	'm783913673-a32f8069bf358316abef1567', // RisiShack

```
v 16  awskey.cfg 16
...
... 00 -1,15 +1,15 @@ 16
1 [capstone]
2 - AWS_ACCESS_KEY_ID=AKIAZQGE3WUGX3AMHJF1
3 - AWS_SECRET_ACCESS_KEY=JS870kkcdroiq86nQINC173+E7MvcdVsHcrmvGR
4
5 [redshift]
6 - CAPSTONE_REDSHIFT_USER=capstoneuser
7 - CAPSTONE_REDSHIFT_PASSWORD=Micity123
8 - CAPSTONE_HOST=redshift-cluster-1.ozx4zpjxmb.us-west-2.redshift.amazonaws.com
9 - CAPSTONE_PORT=5439
10 - CAPSTONE_DB=dev
11
12 [AirFlow]
13 Conn_Id=aws_conn
14 Conn_Type=53
15 - Extra={"aws_access_key_id": "AKIAZQGE3WUGX3AMHJF1", "aws_secret_access_key": "JS870kkcdroiq86nQINC173+E7MvcdVsHcrmvGR", "aws_iam_role": "arn:aws:sagemaker:633247884597:role/capstoneRedshiftRole"} <-
1 [capstone]
2 + AWS_ACCESS_KEY_ID=xxxxxx
3 + AWS_SECRET_ACCESS_KEY=xxxxxx
4
5 [redshift]
6 + CAPSTONE_REDSHIFT_USER=xxxxxx
7 + CAPSTONE_REDSHIFT_PASSWORD=xxxxxx
8 + CAPSTONE_HOST=xxxxxx
9 + CAPSTONE_PORT=xxxxxx
10 + CAPSTONE_DB=xxxxxx
11
12 [AirFlow]
13 Conn_Id=aws_conn
14 Conn_Type=53
15 + Extra={"aws_access_key_id": "xxxx", "aws_secret_access_key": "xxxx", "aws_iam_role": "xxxx"}  
"JS870kkcdroiq86nQINC173+E7MvcdVsHcrmvGR", "aws_iam_role": "arn:aws:sagemaker:633247884597:role/capstoneRedshiftRole"} <-
```

```
v 4  src/environments/awskey.ts 4
...
... @@ -1,4 +0,0 @@
1 - export const AWSKEYS = {
2 -   access_key_id: 'AKIA6L04KFI40N5NE0Q',
3 -   secret_access_key: 'plYIL2DqCMjLm+hTQcr5xZIEmGrU/PGqR07EK1xn'
4 - }
```

```
v 6  Utils/multer/awskey.js 6
...
... 00 -1,5 +1,5 @@ 6
1 const aws={
2 -   secretAccessKey:'H0NrrRcvNbBec57Y3w/2V1PT88Lrt5Bkx7HEY9R',
3 -   accessKeyId:'AKTAIT5Z5B2CE70BPMM4'
4 }
5 - module.exports= aws: 6
1 const aws={
2 +   secretAccessKey:'',
3 +   accessKeyId:''
4 }
5 + module.exports= aws;
```

KEYS FOR SERVICES INCLUDING

- .GOOGLE
- .TWITTER
- .AWS
- .FACEBOOK
- .MAILCHIMP
- .TWILIO
- .STRIPE

```
... @@ -1,7 +0,0 @@
1 - Consumer Key (API Key) 6FTxb0c0aIwX1yzDCo4kJdxvt
2 - Consumer Secret (API Secret) UHdnHVRSRwCbhXrGWExy1poVNP9buNo5KpeRiOsAK8C80mcRkc
3 -
4 - Access Token 2439402091-TWGdQR1e0qPELxEigMs7de4RPXiT0aWg7ovuWfm
5 - Access Token Secret iGsKk33zlp0jZ3oIIInf7gvM0mIc8rZeG5sUCfnY3MyhR5
6 -
7 -
```

src/html/camping.html

```
@@ -18,7 +19,6 @@
40     period:1,
41     showAllAccom:true,
42     showList:false,
43 -     showLocationFilters:false
44   },
45   gadgetSelector = '.js-region-gadget',
46   locationFilter = ['Innes National Park'];
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
```

app/utils/global_params.js

```
@@ -120,8 +120,7 @@
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
```



Application

Nightfall Radar

[Set up a plan](#) [Not verified by GitHub](#)

Categories

[Security](#) [Free](#) [Utilities](#)[AI Assisted](#)

Developer

[Developer links](#)[Support](#)[Privacy Policy](#)[Report abuse](#)

Nightfall Radar (formerly known as Watchtower Radar) is a machine learning based API you can use to scan GitHub repositories for sensitive credentials & secrets, like API keys for a broad range of services like AWS, GCP, Twilio, Stripe, etc.

- Nightfall's detectors are built via machine learning, so you'll receive more accurate, less noisy results than traditional approaches like regular expressions or high-entropy string detection.
- There's also no need to specify what exact types of keys or credentials you're looking for - Nightfall will discover a very broad set of secrets.
- All scan results are also accessible in our dashboard UI, in case you'd prefer to access results visually rather than programmatically.
- Nightfall does not store or track sensitive findings.
- Nightfall scans both public and private repos.
- Nightfall scans the full commit history for repos that have 1000 unique commits or fewer. For larger repos, Nightfall scans the current working directory (i.e. the latest version of the files in the default branch).



GitHub Action
Secret Scan

1.0.0 [Latest version](#)

[Use latest version](#)

Secret Scan for GitHub Actions

Scan your repo for secrets. AWS tokens, keys, this has you covered.

Example

```
workflow "Find Secrets" {
  on = "push"
  resolves = ["max/secret-scan"]
}

action "max/secret-scan" {
  uses = "max/secret-scan@master"
}
```

Stars

[★ Star 21](#)

Contributors



Categories

[Security](#) [Code quality](#)

Links


[max/secret-scan](#)[Open issues](#)[Pull requests](#)[Report abuse](#)

Secret Scan is not certified by GitHub. It is provided by a third party and is governed by separate terms of service, privacy policy, and support documentation.

PRIDE IN LONDON



HOW TO **SECURE** YOUR **OPEN SOURCE** **PROJECT**





Pride in London

Repositories 5

Packages

People 13

Teams 3

Settings

Find a repository...

Type: All ▾

Language: All ▾

Customize pins

New

pride-london-web

Pride In London's New Website

pride london

JavaScript Apache-2.0 5 8 14 6 Updated 2 hours ago



pride-london-app-keys

Private

0 0 0 0 Updated 13 days ago

pride-london-app

Pride In London's New Application


0 0 0 0 Updated 13 days ago

Top languages

JavaScript

People

13 >



Invite someone



About Parade day Events Support us Explore London News & views

Donate

Saturday 27 June 2020

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

Keep Pride free for everyone

We rely on your support to keep Pride free and accessible to all. Please consider making a small donation to keep our community marching!

Make a single donation


£5


£10

£20

OR

Choose your own amount





Extend GitHub

Add tools to help you build and grow

[Explore apps](#)

Types

[Apps](#)[Actions](#)

Categories


[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#) Search for apps and actions

Introducing GitHub Actions

An entirely new way to automate your development workflow.

[Explore Actions](#)

Recommended for you

[Stale](#)[Code Climate](#)[CodeFactor](#)[Zube](#)

Trending

[Flaptastic](#)

Manage flaky unit tests. Click a checkbox to instantly disable any test on all branches. Works with your current test suite.

[Check Run Reporter](#)

The reporting tool you wish your CI service had built

[Apps](#)[Actions](#)

Categories

[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#)

Filters ▾

Verification

[Verified](#)[Unverified](#)

Your items ▾

[Pending orders](#)[Pending installations](#)[Purchases](#)

Security

Find, fix, and prevent security vulnerabilities before they can be exploited.

59 results filtered by [Security](#) [x](#)



Dependabot Preview

Automated dependency updates for Ruby, JavaScript, Python, Go, PHP, Elixir, Rust, Java and .NET



Renovate

Keep dependencies up-to-date with automated Pull Requests



LGTM

Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review



WhiteSource Bolt

Detect open source vulnerabilities in real time with suggested fixes for quick remediation



fuzzIt.dev

Continuous Fuzzing for C/C++/Java/GoLang/Rust and Swift integrated with your current CI/CD workflow



Extant DevSecOps

Speed up your remediation cycles for security vulnerabilities with Extant DevSecOps pipeline tools



nexploit.app

NexPloit is a Dynamic Application Security scanner powered by Machine learning and modern scanning technologies



Repository Visibility SMS Alert

By bitovi

Notifies active organization owners that a repository has been made public and allows them to react via SMS
7 stars



action-accesscontrol

By ludseus

Check if the invoker has access defined access level



Metrian Scanner

By MetrianHQ

Scan a Java repository for vulnerabilities
3 stars



Snyk

Find, fix (and prevent!) known vulnerabilities in your code



BackHub

Reliable GitHub repository backup, set up in minutes



Sonatype DepShield

Monitor your open source components for security vulnerabilities - goodbye mude, hello kaizen



GuardRails

GuardRails provides continuous security feedback for modern development teams



Nightfall Radar

Detect credentials and secrets in GitHub repos via machine learning. Formerly known as Watchtower Radar



ODIN

Audit your smart contract files automatically within a blink



Snyk CLI Action

By clarkio

Run the Snyk CLI
17 stars



Secret Scan

By max

Scan your repository for secrets
20 stars



gitleaks-action

By eshork

checks your source for embedded key leaks, using gitleaks
13 stars



Shellcheck Action

By feerphege

Wraps the shellcheck CLI
4 stars

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)[Third-party access](#)[Installed GitHub Apps](#)[Repository topics](#)[Repository labels](#)[Deleted repositories](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Third-party application access policy

Policy: Access restricted ✓

Only approved applications can access data in this organization. Applications owned by PrideInLondon always have access.

[Remove restrictions](#)

 Atlassian Cloud	✓ Approved — ⚡
 CircleCI	✓ Approved — ⚡
 Codacy Login	✓ Approved — ⚡
 Codecov	✓ Approved — ⚡
 codefactor.io	✓ Approved — ⚡
 CodeScene Authentication	✓ Approved — ⚡
 CodeScene Repositories	✓ Approved — ⚡
 DeepScan	✓ Approved — ⚡
 GuardRails OAuth (Deprecated)	✓ Approved — ⚡
 LGTM	✓ Approved — ⚡
 reshift	✓ Approved — ⚡
 Snyk	✓ Approved — ⚡
 Travis CI for Open Source	✓ Approved — ⚡
 codebeat	✗ Denied — ⚡
 codefactor.io	✗ Denied — ⚡
 Coveralls Pro	✗ Denied — ⚡
 Coverity Scan	✗ Denied — ⚡
 Greenkeeper	✗ Denied — ⚡
 Nightfall DLP	✗ Denied — ⚡
 Percy	✗ Denied — ⚡
 Test Quality	✗ Denied — ⚡

① When authorized, applications can act on behalf of organization members. Your access policy determines which applications can access data in your organization. [Read more about third-party access and organizations](#).

Organization settings

Profile

Member privileges

Billing

Security

Verified domains

Audit log

Webhooks

Third-party access

Installed GitHub Apps

Repository topics

Repository labels

Deleted repositories

Projects

Teams

Developer settings

OAuth Apps

GitHub Apps

Moderation settings

Blocked users

Interaction limits

Installed GitHub Apps

GitHub Apps augment and extend your workflows on GitHub with commercial, open source, and homegrown tools.



AccessLint

Configure



Codecov

Configure



codefactor.io

Configure



datreeio

Configure



Dependabot Preview

Configure



GuardRails

Configure



Jira

Configure



LGTM.com

Configure



Netlify

Configure



Pull Request Size

Configure



Rollbar

Configure



Slack

Configure



SonarCloud

Configure



Sonatype DepShield

Configure

Organization settings

Profile

Member privileges

Billing

Security

Verified domains

Audit log

Webhooks

Third-party access

Installed GitHub Apps

Repository topics

Repository labels

Deleted repositories

Projects

Teams

Developer settings

OAuth Apps

GitHub Apps

Moderation settings

Blocked users

Interaction limits

SonarCloud



Installed 7 months ago

Developed by sonarcloud

<http://sonarcloud.io>

SonarCloud is the leading product for Continuous Code Quality online, totally free for open-source projects. It supports all major programming languages, including Java, JavaScript, TypeScript, C#, C/C++ and many more. If your code is closed source, SonarCloud also offers a paid plan to run private analyses.

This SonarCloud GitHub application makes it simpler than ever to onboard new code repositories in SonarCloud, get your pull requests decorated with detected quality issues, and invite your team members to collaborate.

To get started in a few minutes, simply follow [the official documentation on SonarCloud](#).

Permissions

- Read access to code
- Read access to members and metadata
- Read and write access to checks, commit statuses, and pull requests

Repository access

 All repositories

This applies to all current and future repositories.

 Only select repositories[Select repositories](#)

Selected 1 repository

 [PrideInLondon/pride-london-web](#)[Save](#)[Cancel](#)

Uninstall SonarCloud

When you uninstall SonarCloud, it will be removed from this account and will lose access to all of its resources.

[Uninstall](#)

Fast in every way that matters

Gatsby is a free and open source framework based on React that helps developers build blazing fast **websites** and **apps**

[Get Started →](#)

How Gatsby works

Pull data from anywhere





Product ▾

Solutions ▾

Customers

Learn ▾


Pricing

Contact sales

Get started

How enterprises deliver better digital experiences

You don't need another CMS. You need a better way to manage content – unified, structured, and ready to deploy to any digital channel. Finally, something editors and developers can agree on.

[Get started](#)[How it works](#)

- Presentation Layer
- Content Model
- JSON Data

What can you do with Contentful?



Launch digital products
faster



Create compelling
experiences



Store and edit content in
one hub

Content Model

Search for a content type

Add content type

FILTER BY STATUS

	Name	Description	Fields	Updated	By	Status
All	Accessibility Details	List of accessibility details we may want to communicate more information about.	3	04/02/2019	Giancarlo Galliani Pochia	ACTIVE
Changed	Amenity	Parade day amenities	2	04/02/2019	Giancarlo Galliani Pochia	ACTIVE
Draft	Announcement	An announcement that is featured on the homepage	3	05/03/2019	Jason Lai	ACTIVE
Active	Article	This is used for any News or Views article that should appear on our blog.	9	05/04/2019	Jason Lai	ACTIVE
	Article - Featured	On the news page one article can be featured with a large image. Select that here.	1	04/02/2019	Kristopher Hamilton	ACTIVE
	Author		5	04/30/2019	Jason Lai	ACTIVE
	Button	A button that can be embedded in rich text	3	04/26/2019	Jason Lai	ACTIVE
	Category		2	04/02/2019	Giancarlo Galliani Pochia	ACTIVE
	Event	Events and Stages	25	04/13/2019	Kristopher Hamilton	ACTIVE
	Events - Featured	Ordered list of featured events	2	05/03/2019	Jason Lai	ACTIVE
	Generic Content Page	Used to generate basic content pages within the website.	5	05/05/2019	Kristopher Hamilton	ACTIVE

Content

Content type: Generic Content Page

Type to search for entries

Filter

Save as view

Add entry

Shared views **My views**

All

24 entries found

	Name	Updated	Author	Status
	Volunteer	Last Friday at 9:50 AM	Kristopher Hamilton	PUBLISHED
	Pride's Got Talent	Last Thursday at 3:51 PM	Peter Skoutari	PUBLISHED
	Hire a stall	Last Thursday at 10:45 AM	Peter Skoutari	PUBLISHED
	Our story	Last Wednesday at 5:57 PM	Kristopher Hamilton	PUBLISHED
	Media centre	Last Tuesday at 3:57 PM	Kristopher Hamilton	PUBLISHED

GENERAL (3)

Category

Generic content page

Header Banner



Fields (25)

[JSON preview](#)

	Ab Name	Short text	Entry title	Settings	...
	Location	Location		Settings	...
	Ab Address Line 1	Short text		Settings	...
	Ab Address Line 2	Short text		Settings	...
	Ab City	Short text		Settings	...
	Ab Postcode	Short text		Settings	...
	Ab Location Name	Short text		Settings	...
	31 Start Time	Date & time		Settings	...
	31 End Time	Date & time		Settings	...
	4.5 Event Price Low	Decimal number		Settings	...
	4.5 Event Price High	Decimal number		Settings	...
	Event Description	Long text		Settings	...
	Individual Event Picture	Media		Settings	...
	Events Lists Picture	Media		Settings	...

[Webhook settings](#)[Activity log](#)

Details

Name (required)

Netlify - Deploy a site

URL (required)

POST

Triggers ▾ [Hide details](#)

Specify for what kind of events this webhook should be triggered.

- Trigger for all events
 Select specific triggering events

	Create	Save	Autosave	Archive	Unarchive	Publish	Unpublish	Delete
<input type="checkbox"/> Content type	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/> Entry	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/> Asset	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				

Filters

This webhook will trigger only for entities matching the filters defined below.

▼ ▼ [Remove](#)[+ Add filter](#)

Webhook called at	Call result	Actions
2019-05-11T12:01:14.551Z	● HTTP 200	View details
2019-05-10T18:47:06.726Z	● HTTP 200	View details
2019-05-10T18:40:57.965Z	● HTTP 200	View details
2019-05-10T12:11:41.541Z	● HTTP 200	View details
2019-05-10T11:05:26.086Z	● HTTP 200	View details
2019-05-10T11:00:08.242Z	● HTTP 200	View details

Introducing: Netlify Dev. Run our entire platform right on your laptop. [Learn more →](#)

Build, deploy, and manage modern web projects

An all-in-one workflow that combines global deployment, continuous integration, and automatic HTTPS. And that's just the beginning.

[Get started for free](#)



Deploy your site in seconds*

1 Connect your repository

GitHub

GitLab

Bitbucket

2 Add your build settings

Branch

master

Command

yarn build

Directory

public

3 Deploy your website

2:30:40 PM git clone git@github.com:...

2:30:40 PM Preparing Git Repo...

2:30:40 PM Starting to deploy...

2:30:40 PM Starting post process...

2:30:41 PM Post processing...

2:30:41 PM Site is live



prideinlondon-production

• <https://prideinlondon.org>

Deploys from GitHub. Last published on Dec 13.



[Site settings](#)

[Domain settings](#)

-o Production deploys

Production: master@5bce5a3 [Published](#)

Dec 13: WER-40 update pre commit to include markdown formatter (#1210)

Production: master@a7969bf

Dec 13: WER-38 :sparkles: Added functionality to toggle between prod/previ...

Production: master@74560d3

Dec 12: :arrow_up: Update dependencies

Production: master@HEAD

Dec 12: Deploy triggered by hook: master_hook

↑↑ Deploy Previews

Deploy Preview #1194: feature/WER...@a922aff

7:08 PM: WER-9: Storybook

Deploy Preview #1212: dependabot... @268a4a4

10:28 AM: fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8

Deploy Preview #1211: dependabot... @957c888

Dec 15: fix(deps): bump gatsby from 2.18.11 to 2.18.12

Deploy Preview #1191: SEO-08/upd...@d64643d

Dec 14: SEO-6: Patch for update tiles and description in listed sub tickets



netlify

[Deploy log](#)

[Preview](#) [Copy to clipboard](#) [↑](#)

Deploy summary

i 153 new files uploaded

146 generated pages and 7 assets changed.

i 138 redirect rules processed

All redirect rules deployed without errors.

i 1 header rule processed

All header rules deployed without errors.

i All linked resources are secure

Congratulations! No insecure mixed content found in your files.

```
1:01:14 PM: Build ready to start
1:01:22 PM: build-image version: 9e0f207a27642d8115b1ca97cd5e8cebbe492f63
1:01:22 PM: build-image tag: v3.3.2
1:01:22 PM: buildbot version: 75cd99f62ada9e21edea53200e0ba00eab05a045
1:01:22 PM: Fetching cached dependencies
1:01:22 PM: Starting to download cache of 152.5MB
1:01:23 PM: Finished downloading cache in 863.400291ms
1:01:23 PM: Starting to extract cache
1:01:29 PM: Finished extracting cache in 6.571988952s
1:01:29 PM: Finished fetching cache in 7.559570025s
1:01:29 PM: Starting to prepare the repo for build
1:01:30 PM: Preparing Git Reference refs/heads/master
1:01:30 PM: Starting build script
1:01:30 PM: Installing dependencies
1:01:31 PM: Started restoring cached node version
1:01:34 PM: Finished restoring cached node version
1:01:34 PM: Attempting node version '8.11.2' from .nvmrc
1:01:35 PM: v8.11.2 is already installed.
1:01:36 PM: Now using node v8.11.2 (npm v5.6.0)
1:01:36 PM: Attempting ruby version 2.6.2, read from environment
1:01:38 PM: Using ruby version 2.6.2
1:01:38 PM: Using PHP version 5.6
1:01:38 PM: Started restoring cached node modules
1:01:38 PM: Finished restoring cached node modules
1:01:38 PM: Started restoring cached yarn cache
1:01:38 PM: Finished restoring cached yarn cache
1:01:39 PM: Installing NPM modules using Yarn version 1.13.0
1:01:40 PM: yarn install v1.13.0
1:01:40 PM: [1/4] Resolving packages...
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: success Already up-to-date.
1:01:41 PM: Done in 1.25s.
1:01:41 PM: NPM modules installed using Yarn
1:01:41 PM: Started restoring cached go cache
1:01:41 PM: Finished restoring cached go cache
1:01:41 PM: unset GOOS;
1:01:41 PM: unset GOARCH;
1:01:41 PM: export GOROOT='/opt/buildhome/.ginme/versions/go1.12.linux.amd64';
1:01:41 PM: export PATH="/opt/buildhome/.ginme/versions/go1.12.linux.amd64/bin:${PATH}";
1:01:41 PM: go version >=2;
1:01:41 PM: export GINME_ENV='/opt/buildhome/.ginme/env/go1.12.linux.amd64.env';
1:01:41 PM: go version go1.12.linux/amd64
1:01:41 PM: Installing missing commands
1:01:41 PM: Verify run directory
1:01:41 PM: Executing user command: yarn build
```



Application

CircleCI

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Mobile CI](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

Supported languages

C++, Clojure, Go
and [7 other languages supported](#)

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI [organization settings](#) for new and existing accounts.

Build faster. Test more. Fail less.

Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

[Read more...](#)

The screenshot shows a list of recent builds for the project 'facebook/react-native'. The builds are listed in descending order of creation time. Each build entry includes the build ID, status (e.g., SUCCESS, FAILURE), commit hash, and a brief log message. The dashboard also features a sidebar with navigation links for 'Builds', 'Insights', 'Projects', 'Team', 'Accounts', and 'Help'.

Build ID	Status	Commit Hash	Log Message
pull/1384 #18001	SUCCESS	pull/1384 #18001	Replace Navigator reference to with existing components
pull/1384 #18000	SUCCESS	pull/1384 #18000	More attempts to fix Travis CI name
pull/1384 #17999	SUCCESS	pull/1384 #17999	Fix debugging dev
pull/1384 #17998	SUCCESS	pull/1384 #17998	ANALYSIS: Take ownership of first include header
pull/1384 #17997	FAILURE	pull/1384 #17997	More attempts to fix Travis CI name
pull/1384 #17996	SUCCESS	pull/1384 #17996	More attempts to fix Travis CI name
pull/1384 #17995	FAILURE	pull/1384 #17995	More attempts to fix Travis CI name
pull/1384 #17994	SUCCESS	pull/1384 #17994	More attempts to fix Travis CI name
pull/1374 #17992	SUCCESS	pull/1374 #17992	Merge branch 'master' into fix_library_creation_path
pull/1384 #17993	FAILURE	pull/1384 #17993	More attempts to fix Travis CI name

CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.



circleci



PridelnLondon



Updates

Support



Jobs > PridelnLondon



By project

My branches

All branches

My jobs

All jobs



PridelnLondon / pride-london-web / feature/WER-9-storybook #6994	workflow	2 hr ago	02:41
resolve yarn.lock conflicts	build	#1194	8922aff
PridelnLondon / pride-london-web / EVE-6/new-event-card #6993	workflow	4 hr ago	01:58
EVE-6 :sparkles: Added complex date display logic	build	#1193	f031ebe
PridelnLondon / pride-london-web / EVE-6/new-event-card #6992	workflow	4 hr ago	01:03
EVE-6 :sparkles: Added complex date display logic	build	#1192	12dd1df
PridelnLondon / pride-london-web / dependabot/npm_and_yarn/master/gatsby-plugin-sharp-2.3.8 #6..	workflow	11 hr ago	01:51
Fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	build	#1191	26fa4d4
PridelnLondon / pride-london-web / feature/EVE-2-events-banner #6990	workflow	22 hr ago	01:32
Finish banner styles, fix grid styles	build	#1190	054483b
PridelnLondon / pride-london-web / feature/EVE-2-events-banner #6989	workflow	1 day ago	01:37
replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner v2.0	build	#1189	fbaef24
PridelnLondon / pride-london-web / EVE-6/new-event-card #6988	workflow	1 day ago	01:08
EVE-6 :recycle: Refactored event card to new design	build	#1188	a821f5d
PridelnLondon / pride-london-web / dependabot/npm_and_yarn/master/gatsby-2.18.12 #6987	workflow	2 days ago	01:26
fix(deps): bump gatsby from 2.18.11 to 2.18.12	build	#1187	957e888
PridelnLondon / pride-london-web / SEO-08/update-metadata/about-us #6986	workflow	2 days ago	01:16
connect: Relaunch Component	build	#1186	c64643d
PridelnLondon / pride-london-web / master #6985	workflow	3 days ago	01:14
WER-48: update pre commit to include markdown formatter (#1210)	build	#1185	56ce5a3
PridelnLondon / pride-london-web / EVE-9/remove-if-remove #6984	workflow	3 days ago	02:10
add ternary to groupEventCards	build	#1184	7160420
PridelnLondon / pride-london-web / WER-40/update-pre-commit #6963	workflow	3 days ago	01:15
	build	#1163	a3b4755
PridelnLondon / pride-london-web / WER-40/update-pre-commit #6982	workflow	3 days ago	01:14
Revert "WER-38 :sparkles: Added functionality to toggle between prod/preview content on local"	build	#1182	c4cf238



circleci



PrideInLondon/pride-london-web



Branch: master

MEDIAN JOB

01:26 min

MEDIAN QUEUE

00:04 min

LAST JOB

Dec 13



SUCCESS RATE 100.0 %

PARALLELISM 4



circleci

Pipelines / workflow / build (6993)

build SUCCESS

Rerun Workflow



Settings



Duration 1m 58s

Finished 3 hours ago

8c42418, b54e319, 2560ea1, b067dec, fa31ece

EVE-6/new-event-card

Em McDonald

STEPS TESTS ARTIFACTS

Spin up Environment	10s		
Checkout code	1s		
Restore Yarn Package Cache	23s		
Install Dependencies	45s		
Save Yarn Package Cache	0s		
yarn lint	16s		
yarn test	21s		



circleci

pride-london-web config.yml

Source Compiled

```
1 version: 2
2 jobs:
3   build:
4     docker:
5       - image: circleci/node:10
6
7     working_directory: ~/repo
8
9     steps:
10      - checkout
11
12      - restore_cache:
13        name: Restore Yarn Package Cache
14        keys:
15          - yarn-packages-{{ checksum "yarn.lock" }}
16
17      - run:
18        name: Install Dependencies
19        command: yarn install --frozen-lockfile
20
21      - save_cache:
22        name: Save Yarn Package Cache
23        key: yarn-packages-{{ checksum "yarn.lock" }}
24        paths:
25          - ~/.cache/yarn
26
27      - run:
28        command: yarn lint
29
30      - run:
31        command: yarn test
32
33 workflows:
34   version: 2
35   workflow:
36     jobs:
37       - build
```




Environment Variables for PrideInLondon/pride-london-web

[Import Variables](#)[Add Variable](#)

Add environment variables to the job. You can add sensitive data (e.g. API keys) here, [rather than placing them in the repository](#).

Name	Value	Remove
ACCESS_TOKEN	xxxx6df3	×
CODECOV_TOKEN	xxxxfd4d	×
GATSBY_PARADE_MAP_ID	xxxxelxi	×
GTM_ID	xxxxPWZ6	×
INTERCOM_ID	xxxx2bg1	×
PROBELY_API_KEY	xxxxhYuç	×
SPACE_ID	xxxx4i9n	×



Application

Codecov

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

✓ Verified by GitHub

Github confirms that this app meets
the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C#, Go
and [7 other languages supported](#)

Developer



[Developer links](#)

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.



1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful, coherent report.
3. See this data overlaid via our browser extension with Sourcegraph.

Are you desiring an on-prem install? Please see <https://codecov.io/enterprise>

Do you have fewer than 5 users in your org + private repos? You can sign up for free at <https://codecov.io/>

[Read more...](#)

The banner features the text "Code coverage done right." in large white font. Below it are three sub-headings: "Upload reports with one line. Simply.", "Review reports. Seamlessly.", and "Reports merged. Flawlessly.". It includes icons of mobile devices and a cartoon character holding a pink umbrella. Logos for Google Cloud Platform, docker, YAHOO!, and facebook are displayed at the bottom. A small screenshot of the Codecov interface is shown at the very bottom.



ALL RECENT COMMITS




Author	Commit Message	Time Ago	PR #	CI Status	View
laij84	resolve yarn.lock conflicts	2 hours ago	#1194	CI Passed	Browse Report
egmcdonald	EVE-6:sparkles: Added complex date display logic	4 hours ago	#EVE-6/new-event-card	CI Failed	Browse Report
egmcdonald	EVE-6:sparkles: Added complex date display logic	4 hours ago	#EVE-6/new-event-card	CI Passed	Browse Report
Unknown	fix(deps): bump gatsby plugin-sharp from 2.3.7 to 2.3.8	11 hours ago	#1212	CI Passed	Browse Report
laij84	finish banner styles, fix grid styles	a day ago	# feature/EVE-2-events-banner	CI Passed	Browse Report
laij84	replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip	a day ago	# feature/EVE-2-events-banner	CI Passed	Browse Report

[View all recent commits](#)

File Coverage

Files	LOC	Tested	Skipped	Uncovered	Coverage
src	1,221	1,043	40	138	85.42%
empty-module.js	1	1	0	0	100.00%
Project Totals (171 files)	1,222	1,044	40	138	85.43%

Commits

 resolve yarn.lock conflicts	 laijB4 2 hours ago  #1194 -o- e322eff ✓ CI Passed	 85.43% +0.00%
 EVE-6 sparkles: Added complex date display logic	 egmcdonald 4 hours ago  Eve-6-new-event-card -o- f4f4eac ✓ CI Passed	 85.54% +0.11%
 EVE-6 sparkles: Added complex date display logic	 egmcdonald 4 hours ago  Eve-6-new-event-card -o- 12de1d8 ✓ CI Passed	 85.54% +0.18%
 fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	 Unknown 11 hours ago  #1212 -o- 258a644 ✓ CI Passed	 85.43% +0.00%
 finish banner styles, fix grid styles	 laijB4 a day ago  feature/EVE-2-events-banner -o- 054433b ✓ CI Passed	 85.36% +100.00%
 replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip	 laijB4 a day ago  feature/EVE-2-events-banner -o- eb00c24 ✓ CI Passed	 85.36% +95.00% (-0.07%)
 EVE-6 recycles: Refactored event card to new design	 egmcdonald a day ago  Eve-6-new-event-card -o- e621edc ✓ CI Passed	 85.37% +0.00% (-0.07%)
 fix(deps): bump gatsby from 2.18.11 to 2.18.12	 Unknown 2 days ago  #1211 -o- 957c000 ✓ CI Passed	 85.43% +0.00%
 correct HelmetComponent	 dubhcait 2 days ago  #1191 -o- 9846a3c ✓ CI Passed	 85.48% +0.05%
 WER-40 Update pre-commit to include markdown formatter (#1210)	 egmcdonald 3 days ago  feature/WER-3-storybook -o- 58ee5a2 ✓ CI Passed	 85.43% +0.00%
 add ternary to groupEventCards	 dubhcait 3 days ago  #1209 -o- 7468a28 ✓ CI Passed	 85.55% +100.00% +0.15%
 WER-40 :art: Ran remark on existing md files	 egmcdonald 3 days ago  master -o- e5b1755 ✓ CI Passed	 85.43% +0.00%
 WER-38 :sparkles: Added functionality to toggle between prod/preview content on local (#1204)	 egmcdonald 3 days ago  feature/WER-3-storybook -o- 87969bf ✓ CI Passed	 85.43% +0.00%
 Merge branch 'master' into WER-38/preview-contentful-config	 SonyaMoisset 3 days ago  master -o- 22734ae ✓ CI Passed	 85.43% +0.00%
 WER-40 :art: Ran remark on existing md files	 egmcdonald 4 days ago  WER-40/update-pre-commit -o- 0a220c1 ✓ CI Passed	 85.43% +0.00%
 arrow_up: Update dependencies	 SonyaMoisset 4 days ago  feature/WER-3-storybook -o- 1458003 ✓ CI Passed	 85.43% +0.00%
 EVE-9: remove react-flic move dependency	 dubhcait 4 days ago  #1209 -o- bf11fbk ✓ CI Passed	 85.40% (-0.03%)
 EVE-3: Update Events Page Header Content (#1167)	 laijB4 4 days ago  feature/WER-3-storybook -o- 21a21ca ✓ CI Passed	 85.43% +0.00%
 :sparkles: Add event link back on the menu	 SonyaMoisset 4 days ago  master -o- 126981t ✓ CI Passed	 85.43% +0.00%
 Merge branch 'master' into feature/EVE-3-events-page-banner	SonyaMoisset 4 days ago master -o- f1c7000 ✓ CI Passed	 85.43% +100.00% +0.17%






codecov bot commented 5 days ago • edited

+ 😊 ...

Codecov Report

Merging #1209 into master will increase coverage by 0.11%.
The diff coverage is 94.73%.



@@	Coverage	Diff	@@
##	master	#1209	+/- ##
=====			
+ Coverage	85.43%	85.55%	+0.11%
=====			
Files	171	172	+1
Lines	1222	1239	+17
Branches	149	152	+3
=====			
+ Hits	1044	1060	+16
- Misses	138	139	+1
Partials	40	40	

Impacted Files	Coverage Δ	
src/components/grid/index.js	100% <100%> (ø)	⬆
...rc/features/events/components/groupedEventsCard.js	91.66% <91.66%> (ø)	

[Continue to review full report at Codecov.](#)

Legend - Click here to learn more

Δ = absolute <relative> (impact) , ø = not affected , ? = missing data

Powered by [Codecov](#). Last update 21a21ca...7468428. Read the [comment docs](#).

yarn test

```
$ #!/bin/bash -eo pipefail
yarn test

yarn run v1.15.2
$ yarn jest --runInBand && codecov
$ /home/circleci/repo/node_modules/.bin/jest --runInBand
PASS  src/components/navigation/navItem/_spec.js
PASS  src/components/banner/bannerImage/_spec.js
PASS  src/features/events/tests/eventsYouMayLike_spec.js
PASS  src/components/checkbox/_spec.js
PASS  src/components/ctaLink/_spec.js
PASS  src/components/navigation/nav/_spec.js
PASS  src/components/button/_spec.js
PASS  src/features/genericContentPage/_spec.js
PASS  src/components/banner/bannerSubtitle/_spec.js
PASS  src/features/homepage/components/latestNews/_spec.js
PASS  src/components/footer/_spec.js
PASS  src/features/blog/containers/viewsContainer/_spec.js
PASS  src/components/banner/bannerTitle/_spec.js
PASS  src/features/sponsors/components/sponsorSubsection/_spec.js
PASS  src/features/events/tests/eventTagList_spec.js
PASS  src/features/blog/components/viewsCard/_spec.js
PASS  src/features/homepage/components/featuredEvents/_spec.js
PASS  src/features/blogDetails/containers/pageContent/_spec.js
PASS  src/components/banner/bannerDate/_spec.js
PASS  src/features/blog/components/newsCard/_spec.js
PASS  src/features/events/helpers/_spec.js
PASS  src/components/navigation/submenu/_spec.js
PASS  src/features/blogDetails/components/blogHeader/_spec.js
PASS  src/components/checkboxSet/_spec.js
PASS  src/features/blog/containers/newsCards/_spec.js
PASS  src/features/genericContentPage/components/figure/_spec.js
PASS  src/features/blogDetails/components/author/_spec.js
PASS  src/features/blog/components/newsFilter/_spec.js
PASS  src/components/newsCardHeader/_spec.js
PASS  src/features/sponsors/components/sponsorBadge/_spec.js
PASS  src/features/genericContentPage/components/video/_spec.js
PASS  src/features/blogDetails/containers/otherArticles/_spec.js
PASS  src/features/blogDetails/containers/pageHeader/_spec.js
PASS  src/features/homepage/components/announcementCard/_spec.js
PASS  src/components/image/_spec.js
PASS  src/components/newsMetrics/_spec.js
PASS  src/components/newsCategory/_spec.js
PASS  src/features/blogDetails/components/blogContent/List/_spec.js
PASS  src/features/blogDetails/components/blogContent/Carousel/_spec.js
```

Test Suites: 1 skipped 59 passed 59 of 60 total

Tests: 3 skinned, 100 passed, 105 total.

Snapshots: 66 passed, 66 total.

Time: 19.2958

Run all test suites.

www.ijerpi.org | 10

— 1 —

— — — — —

— 1 —

1000

2. $\lambda \in (\lambda_0 - 1)$

1000-10000

www.PatentLaw.GT

Circle CI Detector

» Configuration

Endorsing: https://

Document ID: 1386718-004

[View Details](#)

week one: "node-x3d"

File Building [file name]

ANSWER

*... especially good
at finding themselves*

⇒ Screening for teno

... looking for repeat
+ /box/citoleci/

• [Home](#) / [About](#)

==> Unloading reports

Suppose!

View report at: [http://www.fcc.gov](#)

Page 18 of 21

卷之三



Codecov

Code coverage done right.

All files

72.95% Statements 685/911 41.64% Branches 157/377 65.31% Functions 131/271 74.38% Lines 665/896

...

File	Statements	Branches	Functions	Lines
pride-london-web	100%	1/1	100%	100%
pride-london-web/src/components/appContext	12.77%	6/47	0%	14.29%
pride-london-web/src/components/banner/bannerData	100%	5/5	100%	100%
pride-london-web/src/components/banner/bannerImage	100%	18/18	66.67%	12/12
pride-london-web/src/components/banner/bannerSubtitle	100%	7/7	100%	100%
pride-london-web/src/components/banner/bannerTitle	100%	5/5	100%	100%
pride-london-web/src/components/button	100%	17/17	83.33%	17/17
pride-london-web/src/components/checkbox	100%	12/13	50%	100%
pride-london-web/src/components/checkboxSet	44.44%	4/9	100%	44.44%
pride-london-web/src/components/chevronRight	100%	2/2	100%	100%
pride-london-web/src/components/cteLink	100%	4/4	100%	100%
pride-london-web/src/components/footer	100%	30/30	100%	100%
pride-london-web/src/components/grid	100%	18/18	60%	100%
pride-london-web/src/components/icon	78.05%	32/41	100%	78.05%
pride-london-web/src/components/image	100%	5/5	100%	100%
pride-london-web/src/components/input	33.33%	5/15	0%	33.33%
pride-london-web/src/components/navigation/nav	100%	23/23	100%	100%
pride-london-web/src/components/navigation/navItem	87.18%	34/39	80%	87.18%
pride-london-web/src/components/navigation_submenu	82.76%	24/29	56.25%	82.76%
pride-london-web/src/components/newsCardHeader	100%	5/5	100%	100%
pride-london-web/src/components/newsCategory	25%	6/24	50%	25%
pride-london-web/src/components/newsMetrics	87.5%	7/8	50%	100%
pride-london-web/src/configuration	85.71%	6/7	75%	85.71%
pride-london-web/src/constants	100%	3/3	100%	100%
pride-london-web/src/features/blog/components/newsCard	100%	6/6	100%	100%
pride-london-web/src/features/blog/components/newsDate	100%	4/4	100%	100%



Application

Codacy

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)



Verified by GitHub
GitHub confirms that this app meets
the [requirements for verification](#).

Categories

[Code quality](#) [Code review](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

Supported languages

Go, Java, JavaScript
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codacy is an automated code analysis/quality tool that helps developers ship better software, faster. With Codacy, you get static analysis, cyclomatic complexity, duplication and code unit test coverage changes in every commit and pull request.

You can use Codacy to enforce your code quality standard, save time in code reviews, enforce security best practices and onboard developers faster. Integrate with your GitHub repositories to get quality analysis of every pull request inside GitHub.

[Read more...](#)

Track your project quality evolution

Get a code quality glance at your project and track its quality evolution over time. Our dashboard answers three main questions:

What is the state of your project's code quality?
How is it evolving throughout time?
What are the hotspots in my code?

Integrated in your workflow

Get only the updates you need. Integrate comments and status on your pull requests and know exactly what's wrong and where.



C O D A C Y

pride-london-web master

[@ Badge](#)[Share](#)

A Repository certification

Quality evolution

[Last 7 days](#)[Last 31 days](#)

Issues breakdown

78 total issues

Category	Total
Security	0
Error Prone	13
Code Style	53
Compatibility	9
Unused Code	0
Performance	3

[See all issues](#)

Coverage



Make sure your code is all tested. Set up your coverage here.



C O D A C Y

Code patterns

CSSLint	<input checked="" type="checkbox"/>
ESLint 5.8.0	<input checked="" type="checkbox"/>
JSHint	<input type="checkbox"/>
JacksonLinter	<input checked="" type="checkbox"/>
Node Security	<input checked="" type="checkbox"/>
PMD 8.4.0	<input type="checkbox"/>
PMD (Legacy) 5.8.1	<input checked="" type="checkbox"/>
RemarkLint 6.0.2	<input checked="" type="checkbox"/>
Stylelint 9.4.0	<input checked="" type="checkbox"/>

Not supported

💡 ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. [Learn more](#)

Your rules configuration

Tool pattern list

Select your rules for analysis from the ESLint default pattern list

OR

Configuration file

We will scan for a ESLint configuration file in your project root

ESLint pattern list

ESLint-angular_element

ESLint-angular_element
JavaScript JSON Code Style

ESLint-angular_component-limit

ESLint-angular-component-limit
JavaScript JSON Code Style

ESLint-angular_component-name

ESLint-angular-component-name
JavaScript JSON Code Style

ESLint-angular_controller-as

ESLint-angular-controller-as
JavaScript JSON Code Style

ESLint-angular_controller-as-route

ESLint-angular-controller-as-route
JavaScript JSON Code Style

Languages

JSON
JavaScript

Category

Unused Code	10
Error Prone	141
Compatibility	4
Security	15
Code Style	287

Active

Enabled	300
Disabled	157





C O D A C Y

Em McDonald committed to [Sbce5a3](#) December 13
WER>40 update pre commit to include markdown formatter (#1210)

Current Status: Analyzed [View logs](#) 3 Warnings
[View on GitHub](#)

Up to standards. A positive commit.

≡
Issues

≡
Duplication

≡
Complexity

≡
Coverage

New Issues Fixed Issues Non Duplication Fixed Duplication Files Diff

Found 4 possible fixed issues ~①

README.md

[list-item-indent] Incorrect list-item indent: add 1 space

36 1. Copy the `./env.example` file to a new file (also at the root of the project) called `'env.development'`

[list-item-indent] Incorrect list-item indent: add 1 space

42 2. Replace the values on the right of the `'= '` signs to be the API details from Contentful's `'Pride' web` space

[list-item-indent] Incorrect list-item indent: add 2 spaces

50 - ensure you have closed all running app instances between `config` changes

[list-item-indent] Incorrect list-item indent: add 2 spaces

51 - delete your local Contentful cache via the command `'gatsby clean'`



Application

DeepScan

ⓘ PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

✓ Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#) [Code review](#)
[Recently added](#) [Free Trials](#)
[Free](#) [Paid](#)

Tired of the troubles with JavaScript? DeepScan can help you.

DeepScan is an advanced static analysis tool engineered to support JavaScript, TypeScript, React, and Vue.js.

You can use DeepScan to find possible runtime errors and quality issues instead of coding conventions. Integrate with your GitHub repositories to get quality insight into your web project.

[Read more...](#)

Supported languages

JavaScript, JSX, TypeScript
and [1 other languages supported](#)

Developer



deepscan

Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)


[Report abuse](#)

The screenshot shows a code editor interface for a file named 'src/Components/Toolbar.js'. The code uses flow-typed/nom/axios.v0. It highlights several errors:

- Line 92: 'Condition 'station' is always true at this point because the else branch of the condition '!station' at line 92 has been taken.'
- Line 96: 'Condition 'css' is always true been taken.'
- Line 97: 'Condition 'station' is always taken.'

The interface includes a sidebar with navigation links like 'Dashboard', 'Code Quality', 'Code Review', 'Recent', 'Free Trials', 'Free', and 'Paid'.

Better Understand Your JavaScript



Branch master

[Badge](#)[Share](#)[WES-40 update pre-commit to include markdown formatter \(#1210\) 3 days ago by Em McDonald](#)

Analyzed 3 days ago

Grade

GOOD

Issues

3

Newly detected: 0 / Fixed: 0

Lines of Code

17,149

Total lines: 18,944

Analyzed Files

316

Issues

Issues Trends

[last 1 month](#) [last 2 months](#) [last 3 months](#)

Issues Impacts



Issues Category



Callback function for 'Array.prototype.map()' should return a value. Consider using 'Array.prototype.forEach()' when the newly created array is not needed.

May 4, 2019

Open



[src/components/appContext/index.js](#) (53:28-81:3)

ARRAY_CALLBACK_RETURN_MISSING

```
50      // Generate all recurrences of events
51      const allEventOccurrences = []
52      // Map over events
53      nextProps.events.map(event => {
54        if (!event.node.recurrenceDates) {
55          allEventOccurrences.push(event)
56        } else {
57          const recurrenceDates = sanitizeDates([
58            moment(event.node.startTime).format(dateFormat),
59            ...event.node.recurrenceDates,
60          ])
61          const time = moment(event.node.startTime).format('HH:mm')
62          const duration = getDuration(event.node.startTime, event.node.endTime)
63
64          recurrenceDates.forEach(date => {
65            // Deep clone event
66            const copy = JSON.parse(JSON.stringify(event))
67
68            // Modify start time and end time
69            copy.node.startTime = moment(
70              `${date} ${time}`,
71              'DD/MM/YYYY hh:mm'
72            ).format()
73            copy.node.endTime = moment(copy.node.startTime)
74              .add(duration, 'milliseconds')
75              .format()
76            copy.node.id = `${event.node.id}-${date.split('/').join('')}`
77
78            allEventOccurrences.push(copy)
79          })
80        }
81      })
82      return { events: allEventOccurrences.filter(filterPastEvents) }
```

Rule: ARRAY_CALLBACK_RETURN_MISSING

✓ Code Quality ⚡ Medium 🗂 No tags

Callback function argument of `Array` functions should have `return` statement

This rule applies when a callback function argument of the following `Array` functions does not have `return` statement.

1. `Array.from()`
2. `Array.prototype.every()`
3. `Array.prototype.filter()`
4. `Array.prototype.find()`
5. `Array.prototype.findIndex()`
6. `Array.prototype.map()`
7. `Array.prototype.reduce()`
8. `Array.prototype.reduceRight()`
9. `Array.prototype.some()`
10. `Array.prototype.sort()`

Return value of the above functions with missing `return` statement is always the same (an array filled with `undefined` in the case of `Array.from` or `Array.prototype.map` functions), and it is not likely to be a programmer's intent.

When the return value is not needed, it is recommended to use `Array.prototype.forEach` function which does not make a new array as a return value.

Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    memo[curval] = index;
});
console.log(ret1); // 'ret1' is filled with undefined.

var ret2 = Array.from([1, 2, 3], function (x) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    x = x + 3;
});
console.log(ret2); // 'ret2' is filled with undefined.
```

Revised Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) {
    memo[curval] = index;
    return memo[curval];
});
```



Application

LGTM

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) •

[Configure access](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#) [Security](#)
[Free](#)

Supported languages

C, C++, Java
and [3 other languages supported](#)

Developer

[Semmle](#)

Developer Links

[Support](#)
[Documentation](#)
[Privacy Policy](#)

[Report abuse](#)

Continuous security analysis

LGTM is a code analysis platform for identifying vulnerabilities and preventing them from reaching production.

LGTM automatically runs 1800+ standard analyses contributed by researchers from the [Semmle Security Research Team](#) and our customer community, including Microsoft, Google, Uber and Mozilla.


Quickly refine and run custom QL queries to find variants of known issues and prevent them from being re-introduced into your codebase.

[Read more...](#)

Pull Request Integration

Enable automatic code review to catch problems before they get merged.

LGTM can be configured to comment when there are new alerts



Merge fixes from feature branch v2.2 #160

LGTM analysis: JavaScript

Success

Run a day ago in 10 minutes.

Created by robert

v2.2

3 new alerts

This pull request introduces 3 alerts when merging [master](#) into [v2.2](#). View on LGTM.com


New alerts:

- 1 for Regular expression injection
- 1 for Incomplete string encoding or decoding
- 1 for Write the write using zip extraction ('Zip Slip')

View on LGTM.com

Pull Request Integration: Enable automatic code review to catch problems before they get merged.





Name	Alerts	Lines of code
config	0	17
src	0	14.2k
.eslintrc.js	0	97
empty-module.js	0	1
gatsby-browser.js	0	0
gatsby-config.js	0	99
gatsby-node.js	0	142
gatsby-ssr.js	0	0
jest.config.js	0	16
package.json	0	0
stylelint.config.js	0	19

← Potentially inconsistent state update

reliability

frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

[Read more](#)

[Open in query console](#)

Source root/src/.../filters/**eventDropdownFilter.js**

1 alert

```
↑ 1-117
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
123   }
124
↓ 125-172
```

Component state update uses potentially inconsistent value.

🔗 ⓘ 🗑

Source root/src/.../appContext/index.js

1 alert

```
↑ 1-136
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
144   }
145
↓ 146-239
```

Component state update uses potentially inconsistent value.

🔗 ⓘ 🗑

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: com.igtm/javascript-queries

Query ID: js/react/inconsistent-state-update

Language: JavaScript

Severity: warning

Tags: reliability, frameworks/react

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. [Learn how.](#)

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
1  this.setState({  
2      counter: this.state.counter + 1  
3  });
```

Instead, the callback form of `setState` should be used:

```
1  this.setState(prevState => ({  
2      counter: prevState.counter + 1  
3  }));
```

References

- React Quick Start: [State and Lifecycle](#).

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component.
You can find a [detailed component API reference here](#).

Consider the ticking clock example from [one of the previous sections](#). In [Rendering Elements](#), we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}


setInterval(tick, 1000);
```

[Try it on CodePen](#)

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

A when compared to other JavaScript projects [?](#)

Language: JavaScript [Add a language](#)





Application

Datree

i PrideInLondon has already purchased the Individuals & Small Teams plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#) [Code review](#)

[Recently added](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C#, Java, JavaScript
and [2 other languages supported](#)

Developer



[datreeio](#)

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Datree is a git-based policy engine.

It allows engineering teams to automatically enforce coding standards and security policies directly within their git workflow.

Datree connects with GitHub pull requests to provide automatic policy compliance checks and insights for every code change. Create and enforce custom or built-in policies, in the context of your dev stack.

[Read more...](#)

The screenshot shows the Datree dashboard. On the left is a sidebar with navigation links for POLICY (Report, Policy Management, Policy Testbed, Notifications) and SECURITY (Code Components, People, Repositories, Code Component Registry). The main area has a header "Datree - Dashboard". Below it is a "Catalog Overview" section with three cards: 30 People, 390 Code Components, and 90 Repositories. The "Policy Summary" section lists eight rules with their status (e.g., 3/90 Repositories Failed, 2/90 Repositories Failed, etc.) and last update times. At the bottom is an "audit report for best practices" section with five small preview cards.

Catalog Overview

 12
People 72
Code Components 1
Repositories

Policy Summary

Rule	Repositories	Open Pull Requests	Last Update
Separate secret credentials from source code	✓	✓	⌚ 18 days ago
Separate dependencies from source code	✓	✓	⌚ 18 days ago
Separate personal config files from source code	✓	✓	⌚ 18 days ago
Ensure a .gitignore file is included in projects	✓	✓	⌚ 18 days ago
Ensure CODEOWNERS defined in projects	✓	✓	⌚ 18 days ago
Block unrecognized committers and authors	1 / 1 Repositories Failed	✓	⌚ 2 days ago
Lock packages (major) version in manifest	✓	✓	⌚ 18 days ago



Catalog overview

Separate secret credentials from source code

 Check Passed - congrats!

Separate dependencies from source code

Separate personal config files from source code

Ensure a .gitignore file is included in projects

 Check Passed - great job!

Ensure CODEOWNERS defined in projects

Block unrecognized committers and authors

Lock packages (major) version in manifest

 Check Passed - awesome!

Datreo's policy check is required

New commits dismiss pull request approval

 Ensure a .gitignore file is included in projects

Require code review for every pull request

 Check Passed - well done!

Protect the main branches from direct commits

Archive dead repositories

 Ensure CODEOWNERS defined in projects

Inactive Members in Organization

Align packages versioning

 Check Passed - impressive!

Separate secret credentials from source code

 Check Passed - congrats!

Separate dependencies from source code

 Check Passed - great job!

Separate personal config files from source code

 Check Passed - awesome!

 Ensure a .gitignore file is included in projects

 Check Passed - well done!

 Ensure CODEOWNERS defined in projects

 Check Passed - impressive!



Application

GuardRails

ⓘ PridelnLondon has already purchased the Open Source plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Security](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C++, Elixir
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

[Read more...](#)

GuardRails scans new code changes as they occur in your repositories. For pull requests, we will post comments whenever security issues are detected. For branches, you will be able to see reports in [your dashboard](#).

[Read more...](#)

The screenshot shows a GitHub pull request interface. At the top, there's a banner for 'GUARDRAILS'. Below it, a comment from the 'guardrails' bot is visible, stating: 'guardrails/scan — detected 3 new security issues'. The comment details three findings: 'Hard-Coded Secrets (1)', 'Insecure Use of SQL Queries (1)', and 'Vulnerable Libraries (1)'. A note at the bottom of the comment says, 'Happy with the results? Give your [feedback](#).'. On the right side of the pull request page, there are sections for 'Labels', 'Projects', 'Milestone', and 'Notifications', all currently set to 'None yet'. At the bottom, it shows '4 other comments' and 'View changes'.

GuardRails results in a pull requests on GitHub.

The bottom section displays three smaller screenshots of the GuardRails application interface, showing various reports and analysis tools.




Export

Branches

Pull Requests

CLI Requests

PR #1194 	WER-9: Storybook	No Issues 	⌚ 01m 05.155s 🕒 3 hours ago
PR #1212 	fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	No Issues 	⌚ 00m 41.562s 🕒 11 hours ago
PR #1211 	fix(deps): bump gatsby from 2.18.11 to 2.18.12	No Issues 	⌚ 00m 46.928s 🕒 2 days ago
PR #1191 	SEO-6: Patch for update tiles and description in listed sub tickets	No Issues 	⌚ 00m 51.638s 🕒 2 days ago
PR #1209 	EVE-9: removal of flipmove	No Issues 	⌚ 00m 40.082s 🕒 3 days ago
PR #1210 	WER-40 update pre commit to include markdown formatter	No Issues 	⌚ 00m 37.690s 🕒 3 days ago
PR #1210 	WER-40 update pre commit to include markdown formatter	No Issues 	⌚ 00m 45.092s 🕒 3 days ago
PR #1191 	SEO-6: Patch for update tiles and description in listed sub tickets	No Issues 	⌚ 00m 42.190s 🕒 3 days ago
PR #1204 	WER-38 Added functionality to toggle between prod/preview content on local	No Issues 	⌚ 00m 38.093s 🕒 3 days ago
PR #1210 	WER-40 update pre commit to include markdown formatter	No Issues 	⌚ 00m 37.774s 🕒 4 days ago
PR #1210 	WER-40 update pre commit to include markdown formatter	No Issues 	⌚ 00m 56.233s 🕒 4 days ago



Dependabot Preview

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

By GitHub

GitHub owns and operates this app.

Categories

[Dependency management](#)

[Security](#)

[Free](#)

[GitHub Created](#)

Supported languages

C#, Elixir, F#

and 7 other languages supported

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Dependabot helps you keep your dependencies up to date. It works with most popular languages.

Every day, Dependabot checks your dependency files for outdated requirements and opens individual pull requests for any it finds. You review the PRs, merge them, and get to work on the latest, most secure releases.

Dependabot is owned and maintained by GitHub. Dependabot Preview is a public beta for functionality that we are integrating directly into GitHub.

[Read more...](#)

[Security] Bump bower from 1.8.2 to 1.8.8 #80

dependabot merged 1 commit into master from dependabot/npm_and_yarn/bower-1.8.8 7 days ago

0 Conversation 0 4 Commits 0 0 Checks 0 0 Files changed 0

42 2 0 0 0



dependabot bot commented 7 days ago

Contributor

Bump bower from 1.8.2 to 1.8.8. This update includes security fixes.

▼ Vulnerabilities fixed

Sourced from The Node Security Working Group.

Arbitrary File Write Through Archive Extraction

attackers can write arbitrary files when a malicious archive is extracted.

Affected versions: <1.8.7

[Release notes](#)

[Commits](#)

[Maintainer changes](#)

[compatibility 88%](#)

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `dependabot rebase`.

If all status checks pass Dependabot will automatically merge this pull request.

[Dependabot commands and options](#)

Reviewers

No reviews

Assignees

No one assigned

Labels

[dependencies](#)

[security](#)

Projects

None yet

Milestone

No milestone

Notifications

[Subscribe](#)

You're not receiving notifications from this thread.

Participant



Helpful PRs with release notes, change logs, and Dependabot compatibility scores



[Code](#) [Issues 1](#) [Pull requests 3](#) [Projects 0](#) [Wiki](#) [Insights](#) [Settings](#)

Bump dotenv from 6.2.0 to 7.0.0 #79

[Open](#) dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`

[Conversation 1](#) [Commits 1](#) [Checks 0](#) [Files changed 3](#)

dependabot bot commented 4 hours ago

Contributor · ...

Bumps `dotenv` from 6.2.0 to 7.0.0.

- ▶ Changelog
- ▶ Commits

 compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

▶ Dependabot commands and options

↳  Bump dotenv from 6.2.0 to 7.0.0 ...

Verified ✓ 788659c

 dependabot bot added the `dependencies` label 4 hours ago

 GitHub APP 6:39 AM

Pull request opened by `dependabot[bot]`

 dependabot[bot]

[#78 Bump jest from 24.3.1 to 24.4.0](#)

Bumps `jest` from 24.3.1 to 24.4.0.

Changelog

Sourced from `jest's changelog`.

24.4.0

Features

-  `[jest-resolve]` Now supports PnP environment without plugins (#8094)

[Show more](#)

Labels


dependencies

Comments 1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

 All checks have passed

7/7 successful checks





Application

Snyk

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) -

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Dependency management](#)

[Security](#)

[GitHub Enterprise](#)

[Free](#)

Supported languages

Gradle, Java, JavaScript
and 4 other languages supported

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Snyk is on a mission to help developers use open source and stay secure.

Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

[Read more...](#)

The screenshot shows the Snyk dashboard interface. At the top, there's a navigation bar with 'snyk' and 'Canidae Ltd.' on the left, and 'Vulnerability DB', 'Docs', and 'My account' on the right. Below the navigation is a search bar labeled 'Search projects' and a 'Add projects' button. Underneath, there are several project cards. Each card displays a repository name, file type (e.g., package.json or Gemfile.lock), a color-coded severity matrix (red for high, yellow for medium, green for low), and a 'View report and fix' button. The projects listed are: 'canidae/pug' (Gemfile.lock), 'canidae/pyrenean-shepherd' (pom.xml), 'canidae/anatolian-shepherd' (Gemfile.lock), and 'canidae/saint-bernard' (Gemfile.lock). Below the projects, a section titled 'Find' is described as 'Quickly scan all your repos and get a high level overview on the amount of known vulnerabilities'. At the bottom, there are five small screenshots showing different parts of the Snyk interface.



snyk

HIGH SEVERITY

NEW

警惕 Cross-site Scripting (XSS)

Vulnerable module: `serialize-javascript`

Introduced through: `gatsby@2.18.13` and `@types/storybook__addon-info@5.2.1`

Exploit maturity: No known exploit

Fixed in: 2.1.1

Detailed paths

- Introduced through: `pride-london-web@0.1.0` > `gatsby@2.18.13` > `webpack@4.41.2` > `terser-webpack-plugin@1.4.1` > `serialize-javascript@1.9.1`

Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.

- Introduced through: `pride-london-web@0.1.0` > `@types/storybook__addon-info@5.2.1` > `@storybook/react@5.2.8` > `webpack@4.41.2` > `terser-webpack-plugin@1.4.1` > `serialize-javascript@1.9.1`

Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.

- Introduced through: `pride-london-web@0.1.0` > `@types/storybook__addon-info@5.2.1` > `@storybook/react@5.2.8` > `@storybook/core@5.2.8` > `terser-webpack-plugin@1.4.1` > `serialize-javascript@1.9.1`

Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.

- Introduced through: `pride-london-web@0.1.0` > `@types/storybook__addon-info@5.2.1` > `@storybook/react@5.2.8` > `@storybook/core@5.2.8` > `webpack@4.41.2` > `terser-webpack-plugin@1.4.1` > `serialize-javascript@1.9.1`

Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.

- Introduced through: `pride-london-web@0.1.0` > `@types/storybook__addon-info@5.2.1` > `@storybook/react@5.2.8` > `@storybook/core@5.2.8` > `corejs-upgrade-webpack-plugin@2.2.0` > `webpack@4.41.2` > `terser-webpack-plugin@1.4.1` > `serialize-javascript@1.9.1`

Remediation: Your dependencies are out of date, otherwise you would be using a newer `serialize-javascript` than `serialize-javascript@1.9.1`. Try relocking your lockfile or deleting `node_modules`, reinstalling and running `snyk wizard`. If the problem persists, one of your dependencies may be bundling outdated modules.

Overview

`serialize-javascript` is a package to serialize JavaScript to a superset of JSON that includes regular expressions and functions.

Affected versions of this package are vulnerable to Cross-site Scripting (XSS). It does not properly sanitize against unsafe characters in serialized regular expressions. This vulnerability is not affected on Node.js environment since Node.js's implementation of `RegExp.prototype.toString()` backslash-escapes all forward slashes in regular expressions.

More about this issue



snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.

Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.



snyk-bot APP 6:49 PM

Cross-site Scripting (XSS)

New vulnerability in package `serialize-javascript` at the Pride in London organization.



Severity

High

Package

serialize-javascript

Issue ID

SNYK-JS-SERIALIZEJAVASCRIPT-
536840

Affected projects:



[PrideInLondon/pride-london-web:package.json](#)

Package version: 1.9.1

[Fix with the CLI wizard](#)

Incoming WebHooks



[App Info](#) [Settings](#)

This app was made by Slack.

This app was made by a member of the Slack team to help connect Slack with a third-party service; these apps may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at feedback@slack.com.

It only uses data Slack already has access to (view our [Privacy Policy](#) to learn more). By enabling and/or using this app, you may be connecting with a service that is not part of Slack.

[Add to Slack](#)

[App help](#)

[Terms](#)

[Report this app to Slack for inappropriate content or behavior.](#)

Configurations

 Posts to tech-snyk as Snyk Sonya Molisset on Feb 15, 2019	
 Posts to tech-codacy as Codacy Sonya Molisset on Feb 22, 2019	Dashboard Reports Projects Integrations Settings
 Posts to tech-netlify as Netlify Sonya Molisset on Mar 15, 2019	
 Posts to tech-guardrails as GuardRails Sonya Molisset on May 10, 2019	
 Posts to tech-circle-ci as CircleCI Sonya Molisset on May 10, 2019	

Integrations

Say continuously protected. Connect Snyk to the applications you use daily.

Source control

 GitHub Add projects	 GitHub Enterprise Contact us to enable	 GitLab Connect to GitLab	 Bitbucket Server Contact us to enable	 Bitbucket Cloud Coming soon!
--	---	---	--	---

Platform as a Service

 Heroku Connect to Heroku	 Cloud Foundry Connect to Cloud Foundry	 Pivotal Web Services Connect to Pivotal	 IBM Cloud Connect to IBM Cloud
---	---	--	---

Serverless

 AWS Lambda Connect to AWS Lambda	 Azure Functions <small>RTFA</small> Connect to Azure Functions	 Google Cloud Platform Coming soon!
---	---	---

Notifications

 Slack Edit settings	 Jira Contact us to enable
--	--



New issues and remediations

Hello SonyaMoisset,

We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London



PrideInLondon/pride-london-web:package.json

[view all project issues](#)

H

[Cross-site Scripting \(XSS\)](#)

Vulnerability in serialize-javascript 1.9.1. No remediation available yet.

[This issue can be fixed via the CLI](#)

Stay secure!

The Snyk team

HOW DOES IT
WORK ON
GITHUB?





EVE-9: removal of flipmove #1209

[Edit](#)[Open](#)dubhcait wants to merge 8 commits into **master** from [EVE-9-remove-flipmove](#)[Conversation](#)[Commits](#)[Checks](#)[Files changed](#)

+3,285 -2,623



dubhcait commented 5 days ago

Member [+20](#) ...

Closes ticket:

- EVE-9

dubhcait added the **Refactoring** label 5 days ago

dubhcait requested review from egmcdonald, SonyaMolaset and laij84 5 days ago

dubhcait added this to In progress in Pride in London via automation 5 days ago




codecov bot commented 5 days ago • edited

+20 ...

Codecov Report

Merging [#1209](#) into [master](#) will increase coverage by [+0.11%](#).
The diff coverage is [94.73%](#).



94	Coverage	Diff	00
94	master	#1209	+/- 00
<hr/>			
+ Coverage	85.43%	85.55%	+0.11%
Files	171	172	+1
Lines	1222	1239	+17
Branches	149	152	+3
<hr/>			
+ Hits	1844	1868	+14
- Misses	138	139	+1
Partials	48	49	

Impacted Files	Coverage Δ
src/components/grid/index.js	100% <100% [a]
...rc/features/events/components/groupedEventsCard.js	91.66% <91.66% [a]

[Continue to review full report at Codecov.](#)Legend - [Click here to learn more](#)

Δ = absolute <relative> (impact), a = not affected, ? = missing data

Powered by [Codecov](#). Last update [21a21ca...7468428](#). Read the [comment docs](#).

Reviewers

egmcdonald

SonyaMolaset

laij84

Requested changes must be addressed to merge this pull request.

Assignees

dubhcait

Labels

Event

Refactoring

Projects

Pride in London

Reviewer in progress *

Milestone

Event

Notifications

Customize

[Unsubscribe](#)

You're receiving notifications
because you're watching this
repository.

3 participants

[Lock conversation](#)



Changes requested
1 review requesting changes by reviewers with write access. [Learn more.](#)

1 change requested

3 pending reviewers

All checks have passed
1 neutral and 16 successful checks

- Pages changed - prideinlondon-production Completed
- AccessLint — Review complete
- Codacy/PR Quality Review — Up to standards. A positive review was provided by Codacy.
- CodeFactor Successful in 7s — No issues found.
- Datree insights Successful in 10s — datreeio insights engine detected no security or performance issues.
- DeepScan — 0 new and 0 fixed issues

This branch is out-of-date with the base branch
Merge the latest changes from `master` into this branch.

As an administrator, you may still merge this pull request.

Squash and merge ▾ You can also open this in GitHub Desktop

Changes requested
1 review requesting changes by reviewers with write access. [Learn more.](#)

1 change requested

3 pending reviewers

All checks have passed
1 neutral and 16 successful checks

- SonarCloud Code Analysis Successful in 25s — Quality Gate passed [Details](#)
- ci/circleci: build — Your tests passed on CircleCI! [Required Details](#)
- codecov/patch — 94.73% of diff hit (target 85.43%) [Required Details](#)
- codecov/project — 85.55% (+0.11%) compared to 21a21ca [Required Details](#)
- guardrails/scan — no new security issues detected (in 00m49s) [Required Details](#)
- netlify/prideinlondon-production/deploy-preview — Deploy preview ready [Required Details](#)

This branch is out-of-date with the base branch
Merge the latest changes from `master` into this branch. [Update branch](#)

As an administrator, you may still merge this pull request.

Squash and merge ▾ You can also open this in GitHub Desktop or view [command line instructions](#).

EVE-9: removal of flipmove #1209

[Open](#) dubhcait wants to merge 8 commits into [master](#) from [EVE-9/remove-flipmove](#)

Conversation 7

Commits 8

Checks 8

Files changed 17



add ternary to groupEventCards 7468428 ▾

▼ Netlify

- Pages changed - pridein...
- ✓ Header rules - prideinlo...
- ✓ Mixed content - prideinl...
- ✓ Redirect rules - prideinl...

▼ datreeio

- ✓ Datree insights

▼ LGTM.com

- ✓ LGTM analysis: JavaScript

▼ codefactor.io

- ✓ CodeFactor

▼ SonarCloud

- ✓ SonarCloud Code Analy...

SonarCloud / SonarCloud Code Analysis

succeeded 3 days ago in 25s

Quality Gate passed

Passed

Additional information

The following metrics might not affect the Quality Gate status but improving them will improve your project code quality.

1 Issue

A 0 Bugs

A 0 Vulnerabilities (and 0 Security Hotspots to review)

A 1 Code Smell

Coverage and Duplications

No Coverage information

0.0% Duplication (1.9% Estimated after merge)

View more details on SonarCloud

Datree insights

✓ Success

⌚ ran 2 days ago in less than 5 seconds

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

datreeio insights events

⌚ We don't have additional insights for this pull request

DETAILS

LGTM analysis: JavaScript

■ Neutral

⌚ ran 2 days ago in half a minute

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

No code changes detected

LGTM.com did not detect changes to any JavaScript files when merging 6a0b9bb into an error then click the "analyze language" button on [LGTM.com](#) to start analysis for J

Datree Insights



Insights

72 code components and 10 people found in the repository

- Last commit to the default branch by SonyaMoisset 3 hours ago
- Latest commit by SonyaMoisset to default branch 3 hours ago
- Commit percentage to the repository by SonyaMoisset: 51 %

Categories	Events
New Code Components	0 New Events
Version Changes	0 New Events
Removed Code Components	0 New Events

Header rules - prideinlondon-production

✓ Success

⌚ ran 2 days ago in 1 minute

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

1 header rule processed

All header rules processed without errors.

CodeFactor

✓ Success

⌚ ran 2 days ago in less than 5 seconds

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

No issues found.

- 🔒 tech-circle-ci
- 🔒 tech-codacy
- 🔒 tech-github
- 🔒 tech-guardrails
- 🔒 tech-incidents
- 🔒 tech-netlify
- 🔒 tech-rollbar
- 🔒 tech-snyk

-  **CircleCI** APP 9:03 PM
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#)) (739db7c)
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#))
- Add Security headers ([3dcd700](#) by SonyaMoisset)
-  **CircleCI** APP 9:22 PM
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#))
- Fix typo in Security headers ([6a0b9bb](#) by SonyaMoisset)

-  **Netlify** APP 6:12 PM
There is a new deploy in process for [prideinlondon-production](#)
Update Gatsby dependencies
Using git branch master, commit 739db7c85a6 | May 10th
Successful deploy of [prideinlondon-production](#)
Update Gatsby dependencies
Or check out the [build log](#)
Using git branch master, commit 739db7c85a6 | May 10th

-  **GuardRails** APP 7:30 AM
Scan of bbaed78@[PrideInLondon/pride-london-web](#)
no new security issues detected
Scan of 186ca09@[PrideInLondon/pride-london-web](#)
no new security issues detected
Scan of 612a51d@[PrideInLondon/pride-london-web](#)
no new security issues detected

-  **Rollbar** APP 11:35 AM
#10 10th error: Error: Missing resources for /
✖ Pride-in-London in development
[Resolve](#) [Mute](#) [error](#) [▼](#) [Assign to user](#) [▼](#)

-  **Rollbar** APP 5:40 PM
#17 New error: SyntaxError: The string did not match the expected pattern.
✖ Pride-in-London in development
[Resolve](#) [Mute](#) [error](#) [▼](#) [Assign to user](#) [▼](#)



GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file
removing the old link to Marcel repo

Assignees

SonyaMoisset

Labels

enhancement

PridelnLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

6 other checks have passed

6/7 successful checks



GitHub APP 12:36 PM

Pull request opened by giancarlo88

giancarlo88

#69 Task/blog page layout

Preliminary responsive grid layout (similar to Events page) and filtering.

Comments

2

Reviewers

codacy-bot

PridelnLondon/pride-london-web | Mar 9th

Codacy/PR Quality Review: Not up to standards. This pull request quality could be better.

6 other checks have passed

6/7 successful checks

Pride in London

◆ netlify **Success**

🕒 PASSED

codefactor **A** code quality **A** deepscan **Good**

👀 code quality: js/ts **A+** lgtm **0 alerts**

codecov **85%**

cloudci **passed**

Two-factor authentication

Requiring an additional authentication method adds another level of security for your organization.

Require two-factor authentication for everyone in the Pride in London organization.

Members, billing managers, and outside collaborators who do not have two-factor authentication enabled for their personal account will be removed from the organization and will receive an email notifying them about the change.

Save

<input type="checkbox"/>	<input type="checkbox"/> Select all		2FA	Role			
<input type="checkbox"/>	 Kate dubhealt		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Em McDonald egmcdonald		2FA ✘	<input type="checkbox"/> Public	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Zed Spenoer-Milnes GingerGeek		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Helen Boyo helengithubihelen		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Janine Luk ja9-lock		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Jan Teichmann jantleichmann		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Kristof Hamilton kristofhamilton		2FA ✘	<input type="checkbox"/> Private	Owner	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 laj84		2FA ✓	<input type="checkbox"/> Public	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Lee Doughty leedoughty		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 miaoshen		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Sahela SahelaR		2FA ✘	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>
<input type="checkbox"/>	 Sonya Molaset SonyaMolaset		2FA ✘	<input type="checkbox"/> Public	Owner	2 teams	<input type="button" value=""/>
<input type="checkbox"/>	 vanessa vibee		2FA ✓	<input type="checkbox"/> Private	Member	1 team	<input type="button" value=""/>

Member repository permissions

Base permissions

Base permissions to the organization's repositories apply to all members and excludes outside collaborators. Since organization members can have permissions from multiple sources, members and collaborators who have been granted a higher level of access than the base permissions will retain their higher permission privileges.

None ▾

<input type="checkbox"/> Select all		Visibility ▾	Members ▾
<input type="checkbox"/>	PiL Administrators		2 members 0 teams
<input type="checkbox"/>	PiL Core Devs Pride in London Core Developers	 ...	10 members 0 teams
<input type="checkbox"/>	PiL Squad		2 members 0 teams




PiL Core Devs

@PrideInLondon/pil-core-devs

Pride in London Core Developers - Edit

10 members



Teams	
PiL Core Devs	+ Create new team
Pride in London Core Developers	Write
6 members	X
PiL Administrators	Add a team
2 members	Admin
	X

Collaborators	
CodeDev Przemo	Write
codedev-exp	X
rgryb	Write
	X

<input type="checkbox"/> Select all	
<input type="checkbox"/> Pridelondon/pride-london-web	updated 3 days ago
<input type="checkbox"/> Pridelondon/pride-london-web-old	updated on 12 Jan
<input type="checkbox"/> Pridelondon/pride-web-webhook	updated on 19 Jun 2018

Reviewers



egmcdonald



SonyaMoisset



laij84



Branch protection rules

Add rule

Define branch protection rules to disable force pushing, prevent branches from being deleted, and optionally require status checks before merging. New to branch protection rules? [Learn more](#).

master

Currently applies to 1 branch

Edit

Delete

Require branches to be up to date before merging

This ensures pull requests targeting a matching branch have been tested with the latest code. This setting will not take effect unless at least one status check is enabled (see below).

Status checks found in the last week for this repository

AccessLint

Required

Codacy/PR Quality Review

Required

CodeFactor

Required

Datree insights

Required

DeepScan

Required

Header rules - prideinlondon-production


Required

LGTM analysis: JavaScript

Required

KEY TAKEAWAYS

DON'T PUSH
YOUR KEYS ON
GITHUB! 😠 😠 😠



GET SECURE, BE SECURE AND STAY SECURE

