REACTJS GIRLS LONDON @ YLD

KEEP CALM AND SECURE YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄🌍

@SONYAMOISSET 🦄🌍

.I WEAR DARK HOODIES SO I'M A LEGIT SECURITY ENGINEER

WHAT IS CYBERSECURITY

AND WHY IS IT IMPORTANT?

CYBERSECURITY IS THE TECHNIQUES OF PROTECTING COMPUTERS, NETWORKS, PROGRAMS AND DATA FROM UNAUTHORISED ACCESS OR ATTACKS THAT ARE AIMED FOR EXPLOITATION

INVESTMENTS IN SECURITY MOVED FROM NICE TO HAVE TO MUST HAVE

OCT 2016.
A SERIES OF DDOS ATTACKS WERE LAUNCHED AGAINST DNS SERVERS, WHICH CAUSED MAJOR WEB SERVICES TO STOP WORKING (GITHUB, SPOTIFY, PAYPAL, TWITTER...)

Unicorn! · GitHub

GitHub, Inc. (US) | https://github.com

Search

No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.

Contact Support — GitHub Status — @githubstatus

Explore

Discover the Internet using search queries shared by other users.

Featured Categories



Top Voted

10,294
Webcam
best ip cam search I have found yet.
webcam surveillance cams 2010-03-15

4,089
Cams
admin admin
cam webcam 2012-02-06

2,256
Netcam
Netcam
netcam 2012-01-13

1,582
default password
Finds results with "default password" in the ba...
router default password 2010-01-14

1,087
dreambox
dreambox
dreambox 2010-08-13

More popular searches...

Recently Shared

1
chile
2018-10-08

2
router control panel
DD-WRT
routeur 2018-10-08

3
1
2018-10-06

1
Logitech Media Server
2018-10-05

3
sushi
2018-10-05

More recent searches...

© 2013-2018, All Rights Reserved - Shodan®

Wana Decrypt0r 2.0

Ooops, your files have been encrypted!

English

Payment will be raised on

1/4/1970 00:00:00

Time Left

00:00:00:00

Your files will be lost on

1/8/1970 00:00:00

Time Left

00:00:00:00

not so enough time.
You can decrypt some of your files for free. Try now by clicking <Decrypt>.
But if you want to decrypt all your files, you need to pay.
You only have 3 days to submit the payment. After that the price will be doubled.
Also, if you don't pay in 7 days, you won't be able to recover your files forever.
We will have free events for users who are so poor that they couldn't pay in 6 months.

How Do I Pay?

Payment is accepted in Bitcoin only. For more information, click <About bitcoin>.
Please check the current price of Bitcoin and buy some bitcoins. For more information, click <How to buy bitcoins>.
And send the correct amount to the address specified in this window.
After your payment, click <Check Payment>. Best time to check: 9:00am - 11:00am GMT from Monday to Friday.
Once the payment is checked, you can start decrypting your files immediately.

Contact

If you need our assistance, send a message by clicking <Contact Us>.

We strongly recommend you to not remove this software, and disable your anti-virus for a while, until you pay and the payment gets processed. If your anti-virus gets updated and removes this software automatically, it will not be able to recover your files even if you pay!

About bitcoin

How to buy bitcoins?

Contact Us

bitcoin ACCEPTED HERE

Send $600 worth of bitcoin to this address:

Copy

Check Payment

Decrypt



Dominic Tarr

dominictarr

Follow

Block or report user

antipodean wandering albatross

Protozoa

New Zealand

http://protozoa.nz

Organizations

Pinned

ssbc/ssb-server

The gossip and replication server for Secure Scuttlebutt - a distributed social network

JavaScript ★ 1.1k 134

pull-stream/pull-stream

minimal streams

JavaScript ★ 633 58

auditdrivencrypto/secret-handshake

JavaScript ★ 155 22

map-filter-reduce

JavaScript ★ 44 6

ssbc/patchbay

An alternative Secure Scuttlebutt client interface that is fully compatible with Patchwork

JavaScript ★ 223 56

2,485 contributions in the last year



EVENT STREAM POST MORTEM

- December 2018
  - flatmap-stream was published to npm and added as a dependency to the event-stream package by user right9ctrl
- 8 million downloads
- Applications all over the web were running malicious code in production

Copay

FAQS VIEW THE CODE ISSUE TRACKER

The Secure, Shared Bitcoin Wallet

Secure your bitcoin with the open source, HD-multisignature wallet from BitPay.

GET COPAY

WHAT IS THE EVENT-STREAM PACKAGE?

- Toolkit that provides utilities to create and manage streams

- Authored by Dominic Tarr

- One of the 432 packages he owns on npmjs

- Received contributions from 33 different contributors

- 2000 stars

SOCIAL ENGINEERING DEVS

devinus commented on Jul 31, 2015

@dominictarr Interesting. Would you accept a `flatMap` patch using this functionality?

devinus commented on Jul 31, 2015

I wonder why `mapSync` uses `emit` rather than `queue`.

dominictarr commented on Jul 31, 2015 Owner

@devinus ah, it's probably just old. I don't use this module anymore, i now use https://github.com/dominictarr/pull-stream

If you publish a flatMap module and then make a pr to include it, i'll merge.

TIMELINE OF EVENTS

snyk

December 7, 2011
event-stream package created

October 16, 2015
event-stream enters maintenance* mode.

August 5, 2018
Antonio Macias** published non-malicious package flatmap-stream to npm.

September 9, 2018
released event-stream@3.3.6, that uses flatmap-stream.

October 5th, 2018
An infected version of flatmap-stream@0.1.1 was released to the ecosystem. All new installs of event-stream will pick this version up.

November 20, 2018:
FallingSnow opens the issue against event-stream

November 26, 2018
HackerNews post appears

November 26, 2018
flatmap-stream package removed from npm

November 26, 2018
Multiple users report the issue to Snyk which is added to Snyk Vuln DB on the same day.

November 26, 2018
Danny Grander from Snyk reported the issue to the Node.js Foundation Security WG

2011 2015 2018

* Releases are less frequent. Only minor fixes being issued. ** This is the pen name which was given by the user on npm.

This repository has been archived by the owner. It is now read-only.

dominictarr / event-stream

Watch 72 | Star 2,044 | Fork 146

Code | Issues 7 | Pull requests 0 | Projects 0 | Wiki | Insights

EventStream is like functional programming meets IO

322 commits | 1 branch | 13 releases | 34 contributors | MIT

Branch: master | Create new file | Upload files | Find File | Clone or download

北川 remove testling from package.json — Latest commit 9a5c52a on Sep 20, 2018

examples	better pretty.js example	6 months ago
test	add filter and rewrite flatmap	6 months ago
.gitignore	inital. first implementation of a map function (takes async callback ...	8 years ago
.travis.yml	drop travis support for 0.8	4 years ago
LICENCE	Clarify licensing	5 years ago
index.js	add filter and rewrite flatmap	6 months ago
package-lock.json	update package.json	6 months ago
package.json	remove testling from package.json	6 months ago
readme.markdown	add example for flatmap and filter	6 months ago

readme.markdown

EventStream

Streams are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The *EventStream* functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates 0.8 streams, which are compatible with 0.10 streams.

北川
right9ctrl

Block or report user

株式会社LIG
東京都

Overview | Repositories 3 | Stars 0 | Followers 0 | Following 0

Popular repositories

node-scrypt

C

react
Forked from facebook/react

A declarative, efficient, and flexible JavaScript library for building user interfaces.

JavaScript

event-stream

JavaScript

22 contributions in the last year



fuck Right9ctrl

Browse files

master (#1)

geektheripper committed on Dec 23, 2018 — 1 parent 706ed02 — commit cb0f66a328134bc4f0959a99caf347a6670eadb7

Showing 2 changed files with **19 additions** and **70 deletions.**

Unified | Split

2 ■■□□□ package.json — View file

```
@@ -86,7 +86,7 @@
86  86        "gh-pages": "^2.0.0",
87  87        "jimp": "^0.5.6",
88  88        "lodash": "^4.17.11",
89      -     "npm-run-all": "^4.1.3",
    89  +     "npm-run-all": "^4.1.5",
90  90        "nyc": "^13.0.1",
91  91        "opn": "^5.4.0",
92  92        "opn-cli": "^3.1.0",
```

WEB APPLICATION SECURITY

“Web application security is a branch of Information Security that deals specifically with security of websites, web applications and web services.”

–WIKIPEDIA

SECURE SOFTWARE DEVELOPMENT LIFE CYCLE

Software Development Life Cycle (SDLC) is a framework that defines the process used by the organisations to build an application from its inception to its decommission



1 PLANNING

Planning focuses on the scope of the project. The outputs of the planning phase include: **project plans, schedules, cost estimations, and procurement requirements.**

2 REQUIREMENTS

The IT team gathers requirements from business stakeholders and Subject Matter Experts **(SMEs.)** The output of this phase in a Waterfall project is usually a document that lists these requirements. Agile methods, by contrast, may produce a backlog of tasks to be performed

3 DESIGN AND PROTOTYPING

Once requirements are understood, the design process takes place. It makes use of established patterns for application architecture and software development. Architecture frameworks like TOGAF may be used here. Outputs include: design documents that list the patterns and components selected for the project, code produced by spikes, used as a starting point for development

4 SOFTWARE DEVELOPMENT

This phase produces the software under development. This could be in "sprints" (Agile), or a single block effort (Waterfall). The output of this phase is testable, functional software.

5 TESTING

The testing phase of the SDLC is arguably one of the most important. It is impossible to deliver quality software without testing. Methods for testing can include: code quality, unit testing (functional tests), integration testing, Performance testing, Security testing. The output of the testing phase is functional software, ready for deployment to a production environment.

6 DEPLOYMENT

The deployment phase is, ideally, a highly automated phase. In high-maturity enterprises, this phase is almost invisible; software is deployed the instant it is ready. Enterprises with lower maturity, or in some highly regulated industries, the process involves some manual approvals. The output of this phase is the release to Production of working software.

7 OPERATIONS AND MAINTENANCE

The operations and maintenance phase is the "end of the beginning.". Though the SDLC doesn't end here. Software must be monitored constantly to ensure proper operation. Bugs and defects discovered in Production must be reported and responded to, which often feeds work back into the process. Bug fixes may not flow through the entire cycle, however, at least an abbreviated process is necessary to ensure that the fix does not introduce other problems

A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS PENETRATION TESTING, CODE REVIEW, AND ARCHITECTURE ANALYSIS ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

.MORE SECURE SOFTWARE AS SECURITY IS A CONTINUOUS CONCERN

.AWARENESS OF SECURITY CONSIDERATIONS BY STAKEHOLDERS

.EARLY DETECTION OF FLAWS & COST REDUCTION AS A RESULT OF EARLY DETECTION AND RESOLUTION OF ISSUES

HOW DO I GET STARTED?



OWASP

- Open Web Application Security Project
- Community dedicated to enabling organisations to conceive, develop, acquire, operate and maintain applications that can be trusted

- www.owasp.org

Home
About OWASP
Acknowledgements
Advertising
AppSec Events
Supporting Partners
Books
Brand Resources
Chapters
Donate to OWASP
Downloads
Funding
Governance
Initiatives
Mailing Lists
Membership
Merchandise
Presentations
Press
Projects
Video

Reference
Activities
Attacks
Code Snippets
Controls
Glossary
How To...
Java Project
.NET Project
Principles
Technologies
Threat Agents
Vulnerabilities

Tools
What links here
Related changes
Special pages
Printable version
Permanent link
Page information

ANNOUNCING GLOBAL APPSEC TEL AVIV 2019!



- Application security tools and standards
- Complete books on application security testing, secure code development, and secure code review
- Cheat sheets on many common topics



OWASP

OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks

https://owasp.org

This work is licensed under a
Creative Commons Attribution-ShareAlike 4.0 International License

OWASP Pro Active CONTROLS

OWASP

Application Security Verification Standard 4.0

Final

March 2019

OWASP PRO ACTIVE CONTROLS

- List of security techniques that should be included in every software development project
- Ordered by order of importance

THE TOP 10 PROACTIVE CONTROLS

C1: Define Security Requirements

C2: Leverage Security Frameworks and Libraries

C3: Secure Database Access

C4: Encode and Escape Data

C5: Validate All Inputs

C6: Implement Digital Identity

C7: Enforce Access Controls

C8: Protect Data Everywhere

C9: Implement Security Logging and Monitoring

C10: Handle All Errors and Exceptions

C1. DEFINE SECURITY REQUIREMENTS

- Security requirements define new features or additions to existing features to solve a specific security problem or eliminate a potential vulnerability

- Instead of creating a custom approach to security for every application, standard security requirements allow developers to reuse the definition of security controls and best practices

- OWASP ASVS

- User Stories and Abuse Cases

Description of the business feature by the business *(Business analyst)*

Enumeration of the possible attacks against the feature *(Pentester or AppSec)*

Risk rating on all possible attacks identified *(Risk analyst)*

Definition of the list of abuse cases for a feature

Filtering of the attacks based on risk rating *(Consensus between all)*

A2:2017-Broken Authentication

Epic:

Attackers have access to hundreds of millions of valid username and password combinations for credential stuffing, default administrative account lists, automated brute force, and dictionary attack tools. Session management attacks are well understood, particularly in relation to unexpired session tokens.

Abuse Case:

As an attacker, I have access to hundreds of millions of valid username and password combinations for credential stuffing.

Abuse Case:

As an attacker, I have default administrative account lists, automated brute force, and dictionary attack tools I use against login areas of the application and support systems.

Abuse Case:

As an attacker, I manipulate session tokens using expired and fake tokens to gain access.

A6:2017-Security Misconfiguration

Epic:

Attackers will often attempt to exploit unpatched flaws or access default accounts, unused pages, unprotected files and directories, etc to gain unauthorized access or knowledge of the system.

Abuse Case:

As an attacker, I find and exploit missing appropriate security hardening configurations on any part of the application stack, or improperly configured permissions on cloud services.

Abuse Case:

As an attacker, I find unnecessary features which are enabled or installed (e.g. unnecessary ports, services, pages, accounts, or privileges) and attack or exploit the weakness.

Abuse Case:

As an attacker, I use default accounts and their passwords to access systems, interfaces, or perform actions on components which I should not be able to.

Abuse Case:

As an attacker, I find areas of the application where error handling reveals stack traces or other overly informative error messages I can use for further exploitation.

Abuse Case:

As an attacker, I find areas where upgraded systems, latest security features are disabled or not configured securely.

Abuse Case:

As an attacker, I find security settings in the application servers, application frameworks (e.g. Struts, Spring, ASP.NET), libraries, databases, etc. not set to secure values.

Abuse Case:

As an attacker, I find the server does not send security headers or directives or they are not set to secure values.

C2. LEVERAGE SECURITY FRAMEWORKS AND LIBRARIES

- Secure coding libraries and software frameworks with embedded security help software developers guard against security-related design and implementation flaws

- A developer writing an application from scratch might not have sufficient knowledge, time, or budget to properly implement or maintain security features

facebook / react

Watch 6,646 | Star 124,326 | Fork 22,590

Code | Issues 429 | Pull requests 159 | Projects 0 | Wiki | Insights

A declarative, efficient, and flexible JavaScript library for building user interfaces. https://reactjs.org

javascript react frontend declarative ui library

10,726 commits | **34** branches | **112** releases | **1,282** contributors | MIT

Branch: **master** | **New pull request** | **Create new file** | **Upload files** | **Find File** | **Clone or download**

sophiebits and **gaearon** [eslint] Wording tweaks (#15078) ... Latest commit `1204c78` 3 hours ago

.circleci	Publish a local release (canary or stable) to NPM (#14260)	4 months ago
.github	Reword issue template	a year ago
fixtures	[eslint] Wording tweaks (#15078)	3 hours ago
packages	[eslint] Wording tweaks (#15078)	3 hours ago
scripts	Run persistent mode tests in CI (#15029)	2 days ago

react

16.8.4 • Public • Published 8 days ago

Readme | 4 Dependencies | 36,582 Dependents | 194 Versions

react

React is a JavaScript library for creating user interfaces.

The `react` package contains only the functionality necessary to define React components. It is typically used together with a React renderer like `react-dom` for the web, or `react-native` for the native environments.

Note: by default, React will be in development mode. The development version includes extra warnings about common mistakes, whereas the production version includes extra performance optimizations and strips all error messages. Don't forget to use the production build when deploying your application.

Example Usage

```
var React = require('react');
```

Keywords

react

install

```
> npm i react
```

weekly downloads

5,934,407

version	license
16.8.4	MIT

open issues	pull requests
429	159

homepage	repository
reactjs.org	github

last publish

8 days ago

collaborators

jest

24.5.0 • Public • Published 5 days ago

Readme | 2 Dependencies | 4,379 Dependents | 216 Versions

Jest

🃏 Delightful JavaScript Testing

- 👩💻 **Developer Ready**: Complete and ready to set-up JavaScript testing solution. Works out of the box for any React project.
- 🏃 **Instant Feedback**: Failed tests run first. Fast interactive mode can switch between running all tests or only test files related to changed files.
- 📸 **Snapshot Testing**: Jest can capture snapshots of React trees or other serializable values to simplify UI testing.

Read More: https://jestjs.io/

Keywords

ava babel coverage easy expect facebook immersive instant jasmine jest jsdom mocha mocking painless qunit runner sandboxed snapshot tap tape test testing typescript watch

install

```
> npm i jest
```

weekly downloads

4,681,533

version	license
24.5.0	MIT

open issues	pull requests
520	69

homepage	repository
jestjs.io	github

last publish

5 days ago

collaborators

gatsby

2.1.37 • Public • Published a day ago

Readme | 122 Dependencies | 140 Dependents | 1,051 Versions

Gatsby v2

:rocket:

Blazing fast modern site generator for React

Go beyond static sites: build blogs, ecommerce sites, full-blown apps, and more with Gatsby.

Quickstart · Tutorial · Plugins · Starters · Showcase · Contribute · **Support:** Spectrum & Discord

Gatsby is a modern framework for blazing fast websites.

- **Go Beyond Static Websites.** Get all the benefits of static websites with none of the limitations. Gatsby sites are fully functional React apps, so you can create high-quality, dynamic web apps, from blogs to ecommerce sites to user dashboards.
- **Use a Modern Stack for Every Site.** No matter where the data comes from, Gatsby sites are built using React and GraphQL. Build a uniform workflow for you and your team, regardless of whether the data is coming from the same backend.
- **Load Data From Anywhere.** Gatsby pulls in data from any data source, whether it's Markdown files, a headless CMS like Contentful or WordPress, or a REST or GraphQL API. Use source plugins to load your data, then develop using Gatsby's uniform GraphQL interface.
- **Performance Is Baked In.** Ace your performance audits by default. Gatsby automates code splitting, image optimization, inlining critical styles, lazy-loading and prefetching resources, and more to ensure your site is fast — no manual tuning required.

install

```
> npm i gatsby
```

↓ weekly downloads

406,896

version	license
2.1.37	MIT

open issues	pull requests
386	123

homepage	repository
github.com	github

last publish

a day ago

collaborators



Test with RunKit

Report a vulnerability

IMPLEMENTING BEST PRACTICES

- Use libraries and frameworks from trusted sources that are actively maintained and widely used by many applications

- Create and maintain an inventory catalog of all the third party libraries and components

- Proactively keep libraries and components up to date

OWASP TOP 10-2017

- The primary aim is to educate developers, designers, architects, managers, and organisations about the consequences of the most common and most important web app security weaknesses

https://owasp.org

This work is licensed under a
Creative Commons Attribution-ShareAlike 4.0 International License

WHAT CHANGED FROM 2013 TO 2017?

OWASP TOP 10

OWASP Top 10 - 2013	→	OWASP Top 10 - 2017
A1 – Injection	→	A1:2017-Injection
A2 – Broken Authentication and Session Management	→	A2:2017-Broken Authentication
A3 – Cross-Site Scripting (XSS)	↘	A3:2017-Sensitive Data Exposure
A4 – Insecure Direct Object References [Merged+A7]	U	A4:2017-XML External Entities (XXE) [NEW]
A5 – Security Misconfiguration	↘	A5:2017-Broken Access Control [Merged]
A6 – Sensitive Data Exposure	↗	A6:2017-Security Misconfiguration
A7 – Missing Function Level Access Contr [Merged+A4]	U	A7:2017-Cross-Site Scripting (XSS)
A8 – Cross-Site Request Forgery (CSRF)	☒	A8:2017-Insecure Deserialization [NEW, Community]
A9 – Using Components with Known Vulnerabilities	→	A9:2017-Using Components with Known Vulnerabilities
A10 – Unvalidated Redirects and Forwards	☒	A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]

ATTACKERS CAN USE MANY DIFFERENT PATHS THROUGH YOUR APPLICATION TO DO HARM TO YOUR BUSINESS OR ORGANISATION



.DON’T STOP AT 10

.CONSTANT CHANGE

.PUSH LEFT, RIGHT, AND EVERYWHERE

ASVS

- Provides developers with a list of requirements for secure development
- Authentication, session management, access control, cryptography, API, web services, business logic

V1. ARCHITECTURE, DESIGN & THREAT MODELLING REQUIREMENTS

V1.1 Secure Software Development Lifecycle Requirements

#	Description	L1	L2	L3	CWE
1.1.1	Verify the use of a secure software development lifecycle that addresses security in all stages of development. (C1)		✓	✓	
1.1.2	Verify the use of threat modeling for every design change or sprint planning to identify threats, plan for countermeasures, facilitate appropriate risk responses, and guide security testing.		✓	✓	1053
1.1.3	Verify that all user stories and features contain functional security constraints, such as "As a user, I should be able to view and edit my profile. I should not be able to view or edit anyone else's profile"		✓	✓	1110
1.1.4	Verify documentation and justification of all the application's trust boundaries, components, and significant data flows.		✓	✓	1059
1.1.5	Verify definition and security analysis of the application's high-level architecture and all connected remote services. (C1)		✓	✓	1059
1.1.6	Verify implementation of centralized, simple (economy of design), vetted, secure, and reusable security controls to avoid duplicate, missing, ineffective, or insecure controls. (C10)		✓	✓	637
1.1.7	Verify availability of a secure coding checklist, security requirements, guideline, or policy to all developers and testers.		✓	✓	637

PRIDE IN LONDON

HOW TO SECURE YOUR OPEN SOURCE PROJECT

Open Source Friday

Open source is made by people just like you. This Friday, invest a few hours contributing to the software you use and love.

Sign up with GitHub

<> with ♥ by GitHub

Hacktoberfest

Support open source and earn a limited edition T-shirt.

En octobre prochain !!

Hacktoberfest '18 was presented by: DigitalOcean · GitHub · twilio

Pride in London

Repositories 3 | People 6 | Teams 1 | Projects 0 | Settings

Find a repository... | Type: All | Language: All | Customize pins | New

pride-london-web

Pride In London's New Website

JavaScript | MIT | Updated 2 hours ago

pride-london-web-old

Forked from MarcelCutts/pride-london-web-gatsby

Pride in London's front end web platform

JavaScript | 2 | MIT | Updated 16 days ago

pride-web-webhook

webhook service to help trigger travis builds from contentful

JavaScript | MIT | Updated on Jun 19, 2018

Top languages

JavaScript

People 6 >



Invite someone

PRIDE IN LONDON

Learn Attend Support us Take part Plan Help Donate

Saturday 6 July

Pride in London

The UK's biggest, most diverse pride. A home for every part of London's LGBT+ community

This years event

Featured events

View events from across the LGBT+ community.

View all events

From £19

15 – 22 Jun 2018 • 8am – 5.30pm

Headline of event card lemon drops pie jujubes macaroon

From £19

15 – 22 Jun 2018 • 8am – 5.30pm

Headline of event card lemon drops pie jujubes macaroon

From £19

15 – 22 Jun 2018 • 8am – 5.30pm

Headline of event card lemon drops pie jujubes macaroon

contentful

Gatsby

netlify

circleci

Codecov
Code coverage done right.

snyk

CODACY

lgtm.com
by Semmle

Sonatype
DepShield

Rollbar

GitHub Marketplace

Tools to build on and improve your workflow

Search for apps

Categories

- Chat
- Code quality
- Code review
- Continuous integration
- Dependency management
- Deployment
- Learning
- Localization
- Mobile
- Monitoring
- Project management
- Publishing
- Recently added
- Security
- Support
- Testing
- Utilities

Filters

Your items

- Pending orders
- Purchases

Featured apps





Recently added

The latest tools that help you and your team build software better, together.

CodeScene
The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency

ImgBot
A GitHub app that optimizes your images

Pull Reminders
Slack reminders and metrics for pull requests

Depfu
Automated dependency updates keep your app secure and maintainable

Instabug
Instabug is a reliable bug reporting and user feedback SDK that enables testers and users to report issues from within the app

Slack + GitHub
Connect your code without leaving Slack

GitKraken Glo Boards
Free issue/task tracking boards that sync

CodeFactor
Automated code review for GitHub

WHAT IS GITHUB MARKETPLACE

- Contains tools that add functionality and improve your workflow

- Almost 2 years

- 50+ tools

circleci

PrideInLondon

Updates Support

JOBS
WORKFLOWS
INSIGHTS
ADD PROJECTS
TEAM
SETTINGS

Workflows » PrideInLondon » pride-london-web » master

By project | My branches | All branches

Showing 1–30

pride-london-web

- dependabot/npm_and_yarn/dotenv-7.0.0 — 2 days ago
- dependabot/npm_and_yarn/react-dates-18.0.0 — 1 day ago
- feature/blog-page — 1 day ago
- feature/navigation — 3 hours ago
- feature/sponsors — 26 days ago
- master — 1 day ago
- spike/production-release — 15 days ago
- task/blog-page-layout — 1 day ago
- task/dynamic-blogs — 1 day ago

SUCCEEDED Rerun	master / workflow Add Netlify badge on README file (#87)	1 day ago	00:54 e5d5975
SUCCEEDED Rerun	master / workflow Bump gatsby from 2.1.32 to 2.1.34 (#86)	2 days ago	00:54 49de821
SUCCEEDED Rerun	master / workflow Update dependencies	3 days ago	00:46 fd9b99e
SUCCEEDED Rerun	master / workflow Update dependencies	5 days ago	00:49 48da787
SUCCEEDED Rerun	master / workflow Update dependencies	5 days ago	01:00 1087ffc
SUCCEEDED Rerun	master / workflow Update dependencies	6 days ago	00:49 cb2d455
SUCCEEDED Rerun	master / workflow Update dependencies	1 week ago	00:55 853084b

circleci

Jobs » PrideInLondon » pride-london-web » master » 188 (build)

2.0 | Rerun workflow

SUCCESS

Finished:	Previous:	Parallelism:	Queued:	Resources:	Workflow:	Context:
1 day ago (00:51)	173	1x out of 4x	00:00 waiting + 00:01 in queue	2CPU/4096MB	workflow	N/A

Triggered by: Janine Luk (pushed e5d5975)

COMMITS (1)

Sonya Moisset Janine Luk e5d5975 Add Netlify badge on README file (#87)

Test Summary | Queue (00:01) | Artifacts | Configuration | Timing | Parameters

Set Up Test Summary

Show containers: All (1) Successful (1) Failed (0)

0 (00:51) +

TEST

Spin up Environment	00:01
Checkout code	00:00
Restoring Cache	00:04
Install Dependencies	00:19
Saving Cache	00:11
yarn lint	00:04
yarn test	00:09

circleci

SUCCESS

Finished:	Previous:	Parallelism:	Queued:	Resources:	Workflow:	Context:
6 hr ago (01:14)	200	1x out of 4x	00:02 waiting + 00:02 in queue	2CPU/4096MB	workflow	N/A

Triggered by:
Unknown (pushed ac70a0f)

COMMITS (2)

Jason 3c4e07b add tests for Nav component
Jason ac70a0f add babel-plugin-styled-components, update snapshots, desktop navitem tests

Test Summary | Queue (00:04) | Artifacts | **Configuration** | Timing | Parameters

```yaml
# Orb 'codecov/codecov@1.0.3' resolved to 'codecov/codecov@1.0.3'
version: 2
jobs:
  build:
    docker:
    - image: circleci/node:8
    working_directory: ~/repo
    steps:
    - checkout
    - restore_cache:
        keys:
        - v1-npm-deps-{{ checksum "package-lock.json" }}
        - v1-npm-deps-
    - run:
        name: Install Dependencies
        command: npm install
    - save_cache:
        key: v1-npm-deps-{{ checksum "package-lock.json" }}
        paths:
        - ./node_modules
    - run:
        command: yarn lint
    - run:
        command: yarn test
workflows:
  version: 2
  workflow:
    jobs:
    - build
```

circleci

Environment Variables

Environment Variables for PrideInLondon/pride-london-web

Import Variables | Add Variable

Add environment variables to the job. You can add sensitive data (e.g. API keys) here, rather than placing them in the repository.

Name	Value	Remove
CODECOV_TOKEN		×
CONTENTFUL_ID		×
CONTENTFUL_TOKEN		×

accesslint bot suggested changes 23 days ago

View changes

accesslint bot left a comment

There are accessibility issues in these changes.

`src/components/imageBanner/_spec.js` Outdated

Hide resolved

```
21  20          const wrapper = shallow(<ImageBanner />)
22  21          expect(wrapper.find(BannerSubtitle)).toHaveLength(1)
23  22        })
24  23
25      -     it('should render an <img> if passed an imageSrc prop', () => {
    24    +     it('renders an <img> if passed an imageSrc prop', () => {
```

accesslint bot 23 days ago

This image is missing a text alternative (`alt` attribute). This is a problem for people using screen readers.

Reply...

Unresolve conversation

SonyaMoisset marked this conversation as resolved.

Overview | Commits | Branches | Pulls | Compare | Settings

Showing min per day coverage for the last 6 months

COVERAGE CHART

COVERAGE SUNBURST



ALL RECENT COMMITS

Fix tests — Browse Report
giancarlo88
a day ago | task/dynamic-blogs | 2e31e63 | CI Passed

remove shortid — Browse Report
laij84
a day ago | feature/navigation | 2efeac1 | CI Passed

remove no-scroll package, finish nav styles — Browse Report
laij84
a day ago | feature/navigation | 40186d5 | CI Passed

Bump react-dates from 16.7.0 to 18.0.0 — Browse Report
dependabot-bot
a day ago | #18 | fa7c35f | CI Passed

Add Netlify badge on README file (#87) — Browse Report
SonyaMoisset
a day ago | master | e5d5975 | CI Passed

Fix jest-jsdom version — Browse Report
giancarlo88 a day ago | #69 | 9e81077 | CI Passed

View all recent commits

Files					Coverage	
src	318	153	28	137		48.11%
Project Totals (23 files)	318	153	28	137		48.11%

Codecov
Code coverage done right.

Overview | **Commits** | Branches | Pulls | Compare | Settings

Viewing commits on all branches and pulls. Choose a single branch or pull request to review more details.

Commits

Fix tests

giancarlo88 a day ago `task/dynamic-blogs` `2e31e63` ✔ CI Passed

51.57% | ø | ø

remove shortid

laij84 a day ago `feature/navigation` `2efeac1` ✔ CI Passed

49.81% | ø | ø

remove no-scroll package, finish nav styles

laij84 a day ago `feature/navigation` `40186d5` ✔ CI Passed

49.81% | ø | ø

Bump react-dates from 16.7.0 to 18.0.0

dependabot-bot a day ago `#18` `fa7c35f` ✔ CI Passed

48.11% | ø | ø

Add Netlify badge on README file (#87)

SonyaMoisset a day ago `master` `e5d5975` ✔ CI Passed

48.11% | ø | ø

Fix jest-jsdom version

giancarlo88 a day ago `#69` `9e81077` ✔ CI Passed

52.40% | ø | (+0.40%)

Implement Rollbar agent

SonyaMoisset 2 days ago `master` `77fb7fa` ✔ CI Passed

48.11% | ø | ø

Remove deploy:ci script

SonyaMoisset 2 days ago `master` `1989363` ✔ CI Passed

48.11% | ø | ø

CODACY

pride-london-web master

Badge

Project certification

Quality evolution

Last 7 days | Last 31 days

Issues	Complex Files	Duplicated code	Coverage
190% ~190%	-	3% =	-



Issues breakdown

1487 total issues

Category	Total
Security	9
Error Prone	1163
Code Style	304
Compatibility	9
Unused Code	0
Performance	2

See all issues

Coverage

Make sure your code is all tested. Set up your coverage here.

Project

Hotspots

pride-london-web **has decreased 37%** in quality in the last 7 days.

Security pattern **Prohibit instances of var[var] reported 10 times** in **pride-london-web**

pride-london-web has 1 open **pull request breaking the standards.**

Logs

Sonya Moisset ignored pattern **"Local Storage"**.
3 days ago

Sonya Moisset ignored pattern **"A "return", "break", "continue", or "throw" statement should be the last in a block."**.
4 days ago

Sonya Moisset ignored pattern **"Avoid adjoining classes"**.
8 days ago

Sonya Moisset ignored pattern **"Enforce coherent multiline dot"**.
8 days ago

Sonya Moisset ignored pattern **"Enforce Dangling Commas"**.
8 days ago

Sonya Moisset disabled **JSHint**.
20 days ago

Pull requests status



Not up to standards 1

Up to standards 2

CODACY

Code patterns

- CSSLint
- **ESLint 5.8.0**
- JSHint
- JacksonLinter
- Node Security
- PMD 6.4.0
- PMD (Legacy) 5.8.1
- RemarkLint 6.0.2
- Stylelint 9.4.0

Not supported

ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. Learn more

Your rules configuration

Tool pattern list
Select your rules for analysis from the ESLint default pattern list

OR

Configuration file
We will scan for a ESLint configuration file in your project root

ESLint pattern list

ESLint_angular_angularelement
ESLint_angular_angularelement
Javascript JSON Code Style

ESLint_angular_component-limit
ESLint_angular_component-limit
Javascript JSON Code Style

ESLint_angular_component-name
ESLint_angular_component-name
Javascript JSON Code Style

ESLint_angular_controller-as
ESLint_angular_controller-as
Javascript JSON Code Style

ESLint_angular_controller-as-route
ESLint_angular_controller-as-route
Javascript JSON Code Style

Languages

JSON
Javascript

Category

Unused Code	10
Error Prone	141
Compatibility	4
Security	15
Code Style	287

Active

Enabled	300
Disabled	157

CODACY

giancarlo88 wants to merge **task/blog-page-layout** into **feature/blog-page** March 16

Task/blog page layout

Current Status: Analysed View logs

View on GitHub

Not up to standards. This pull request quality could be better.

+83 Issues | = Duplication | - Complexity | - Coverage

New Issues | Fixed Issues | Hotspots | New Duplication | Fixed Duplication | Files | Diff | Commits

Showing 16 files with new issues

src/components/horizontalRule/index.js

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import styled from 'styled-components'
```

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import styled from 'styled-components'
```

src/features/blog/components/newsCard/index.js

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import React from 'react'
```

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import React from 'react'
```

JSX not allowed in files with extension '.js' (react/jsx-filename-extension)

```
6 const CenterDot = () => <span>·</span>
```

Missing JSX expression container around literal string (react/jsx-no-literals)

```
6 const CenterDot = () => <span>·</span>
```

PrideInLondon/pride-london-web

JavaScript A

Unfollow | Query this project

Overview | Alerts 5 | Files | Contributors 6 | Compare | Dependencies | Integrations

Alert filters

No filter selected

Export alerts

Severity | Query | Tag | Show excluded files | Show heatmap

Source root/



Name	Alerts	Lines of code
src	5 Alerts	5.2k Lines of code
.eslintrc	0 Alerts	0 Lines of code
gatsby-browser.js	0 Alerts	0 Lines of code
gatsby-config.js	0 Alerts	30 Lines of code
gatsby-node.js	0 Alerts	95 Lines of code
gatsby-ssr.js	0 Alerts	0 Lines of code
package.json	0 Alerts	0 Lines of code

Potentially inconsistent state update

reliability | frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Read more | Open in query console

Source root/src/…/filters/**eventDropdownFilter.js** 1 alert

↑ 1-117

```
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
```

Component state update uses `potentially inconsistent value`.

```
123   }
124
```

↓ 125-172

Source root/src/…/appContext/**index.js** 1 alert

↑ 1-136

```
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
```

Component state update uses `potentially inconsistent value`.

```
144   }
145
```

↓ 146-230

Potentially inconsistent state update

Open in query console

Query help | Alerts

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: `com.lgtm/javascript-queries`

Query ID: `js/react/inconsistent-state-update`

Language: JavaScript

Severity: warning

Tags: reliability, frameworks/react

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. Learn how.

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
this.setState({
  counter: this.state.counter + 1
});
```

Instead, the callback form of `setState` should be used:

```
this.setState(prevState => ({
  counter: prevState.counter + 1
}));
```

References

- React Quick Start: State and Lifecycle.

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component. You can find a detailed component API reference here.

Consider the ticking clock example from one of the previous sections. In Rendering Elements, we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}

setInterval(tick, 1000);
```

Try it on CodePen

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

PrideInLondon/pride-london-web

JavaScript A

Unfollow | Query this project

Overview | Alerts 5 | Files | Contributors 6 | Compare | Dependencies | Integrations

A when compared to other JavaScript projects

Language: JavaScript Add a language



[DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

Open **sonatype-depshield** bot opened this issue a day ago · 0 comments

sonatype-deps... bot commented a day ago

Vulnerabilities

DepShield reports that this application's usage of lodash.get:4.4.2 results in the following vulnerability(s):

- (CVSS **7.4**) CWE-471: Modification of Assumed-Immutable Data (MAID)
- (CVSS **6.5**) [CVE-2018-3721] lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...

Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- **husky:1.3.1**
  - cosmiconfig:5.1.0
    - lodash.get:4.4.2

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for personal and organization accounts. Please submit questions or feedback about DepShield to the Sonatype DepShield Community.

Sonatype DepShield

Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

CVSS Score	7.4: Critical
CVSS Vector	CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H
CWE	CWE-471
CVE	not recorded

Components

Sign In to see affected components and versions.

References

URL
https://www.npmjs.com/advisories/577
https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0

2 references

severity low

Prototype Pollution

lodash

Advisory | Versions

Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are 'defaultsDeep', 'merge', and 'mergeWith' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

Remediation

Update to version 4.17.5 or later.

Resources

- HackerOne Report

CVSS v3 Vector

AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

Base Score Metrics

Exploitability Metrics

Attack Vector (AV)*

Network (AV:N) | Adjacent Network (AV:A) | Local (AV:L) | Physical (AV:P)

Attack Complexity (AC)*

Low (AC:L) | High (AC:H)

Privileges Required (PR)*

None (PR:N) | Low (PR:L) | High (PR:H)

User Interaction (UI)*

None (UI:N) | Required (UI:R)

Scope (S)*

Unchanged (S:U) | Changed (S:C)

Impact Metrics

Confidentiality Impact (C)*

None (C:N) | Low (C:L) | High (C:H)

Integrity Impact (I)*

None (I:N) | Low (I:L) | High (I:H)

Availability Impact (A)*

None (A:N) | Low (A:L) | High (A:H)

* - All base metrics are required to generate a base score.

Temporal Score Metrics

Exploitability (E)

Not Defined (E:X) | Unproven that exploit exists (E:U) | Proof of concept code (E:P) | Functional exploit exists (E:F) | High (E:H)

Remediation Level (RL)

Not Defined (RL:X) | Official fix (RL:O) | Temporary fix (RL:T) | Workaround (RL:W) | Unavailable (RL:U)

Report Confidence (RC)

Not Defined (RC:X) | Unknown (RC:U) | Reasonable (RC:R) | Confirmed (RC:C)

Environmental Score Metrics

Base Modifiers

Attack Vector (AV)

Not Defined (MAV:X) | Network (MAV:N) | Adjacent Network (MAV:A) | Local (MAV:L) | Physical (MAV:P)

Attack Complexity (AC)

Not Defined (MAC:X) | Low (MAC:L) | High (MAC:H)

Privileges Required (PR)

Impact Metrics

Confidentiality Impact (C)

Not Defined (MC:X) | None (MC:N) | Low (MC:L) | High (MC:H)

Integrity Impact (I)

Not Defined (MI:X) | None (MI:N) | Low (MI:L) | High (MI:H)

Impact Subscore Modifiers

Confidentiality Requirement (CR)

Not Defined (CR:X) | Low (CR:L) | Medium (CR:M) | High (CR:H)

Integrity Requirement (IR)

Not Defined (IR:X) | Low (IR:L) | Medium (IR:M) | High (IR:H)

PrideInLondon / pride-london-web

Watch 2

Code | Issues 1 | Pull requests 3 | Projects 0 | Wiki | Insights | Settings

Bump dotenv from 6.2.0 to 7.0.0 #79

Open dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`

Conversation 1 | Commits 1 | Checks 0 | Files changed 3

dependabot bot commented 4 hours ago — Contributor

Bumps dotenv from 6.2.0 to 7.0.0.

▸ Changelog
▸ Commits

compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

▸ Dependabot commands and options

`Bump dotenv from 6.2.0 to 7.0.0` ··· Verified ✓ 788659c

dependabot bot added the dependencies label 4 hours ago

GitHub APP 6:39 AM

Pull request opened by dependabot[bot]

dependabot[bot]

#78 Bump jest from 24.3.1 to 24.4.0

Bumps jest from 24.3.1 to 24.4.0.

Changelog

Sourced from jest's changelog.

> **24.4.0**
> **Features**
>
> - `[jest-resolve]` Now supports PnP environment without plugins (#8094)

Show more

Labels	Comments
dependencies	1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

✅ All checks have passed

7/7 successful checks

Compatibility score for *dotenv*

6.2.0 ... 7.0.0

compatibility 85%

See scores for all releases of dotenv

Dependabot has updated **dotenv** from **6.2.0** to **7.0.0** in **34** projects so far. **85%** of those updates passed CI.

Projects without CI, or without a previously passing test suite, are excluded from the scores.

Dependabot creates pull requests for thousands of organisations to help them keep their dependencies up to date.

snyk

All vulnerable projects

See all projects

PrideInLondon/pride-london-web:package.json

0 H | 1 M | 0 L Updated 3 hours ago

Dependencies: 1555 • **Source:** GitHub

Add more projects

Current security status

0
HIGH SEVERITY

1
MEDIUM SEVERITY

0
LOW SEVERITY

Learn about reports

PrideInLondon/pride-london-web:package.json

Overview | History | Settings

Snapshot taken 3 hours ago.

Retest now

Vulnerabilities	1 via 1 paths	**Dependencies**	1555	**Source**	GitHub
Taken by	Web	**Tested with**	package-lock.json,package.json	**Repository**	pride-london-web
Branch	master	**Manifest**	package.json		

NEW Prioritise vulnerabilities by those introduced at runtime. Learn more

snyk

MEDIUM SEVERITY

Denial of Service (DoS)

Vulnerable module: mem

Introduced through: gatsby@2.1.31

Detailed paths and remediation

- **Introduced through**: pride-london-web@0.1.0 › gatsby@2.1.31 › @gatsbyjs/relay-compiler@2.0.0-printer-fix.2 › yargs@9.0.1 › os-locale@2.1.0 › mem@1.1.0

  Remediation: No remediation path available.

Vulnerable functions

`index.module.exports.memoized()`

`index.module.exports.memoized.setData()`

Overview

mem is an optimization used to speed up consecutive function calls by caching the result of calls with identical input.

Affected versions of this package are vulnerable to Denial of Service (DoS). Old results were deleted from the cache and could cause a memory leak.

More about this issue

Create a Jira issue UPGRADE

Ignore

snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.
Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.

snyk-bot APP 3:37 PM

Prototype Pollution

New vulnerability in package `lodash.merge` at the Pride in London organisation.

Severity
Low

Package
lodash.merge

Issue ID
SNYK-JS-LODASHMERGE-173732

Affected projects:

PrideInLondon/pride-london-web:package.json

Package version: 4.6.1

Fix with the CLI wizard

Incoming WebHooks

App Info | **Settings**

This app was made by Slack.
This integration was made by a member of the Slack team to help connect Slack with a third party service; these Slack integrations may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at feedback@slack.com.

It only uses data Slack already has access to (view our Privacy Policy to learn more). By enabling and/or using this integration, you may be connecting with a service that is not part of Slack.

Add Configuration

App Homepage

App help

Terms

Report this app to Slack for inappropriate content or behavior.

Configurations

Posts to **tech-github** as **Snyk**
Sonya Moisset on Feb 15, 2019

Posts to **tech-github** as **Codacy**
Sonya Moisset on Feb 22, 2019

Dashboard | Reports | Projects | **Integrations** | Settings

Integrations

Stay continuously protected. Connect Snyk to the applications you use daily.

Source control

GitHub	GitHub Enterprise	GitLab	Bitbucket Server	Bitbucket Cloud
Add projects	Contact us to enable	Connect to GitLab	Contact us to enable	Coming soon!

Platform as a Service

Heroku	Cloud Foundry	Pivotal Web Services	IBM Cloud
Connect to Heroku	Connect to Cloud Foundry	Connect to Pivotal	Connect to IBM Cloud

Serverless

AWS Lambda	Azure Functions BETA	Google Cloud Platform
Connect to AWS Lambda	Connect to Azure Functions	Coming soon!

Notifications

Slack	Jira
Edit settings	Contact us to enable

New issues and remediations

Hello SonyaMoisset,
We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London

PrideInLondon/pride-london-web:package.json

view all project issues

L

Prototype Pollution
Vulnerability in lodash.merge 4.6.1. No remediation available yet.

This issue can be fixed via the CLI

Rollbar

Browser JS | development

#1 TestError: Hello world

Level: Error | Status: **Active** | Resolve | Mute | Report overgrouping | Create GitHub Issue | Unassigned | Not watching 0

First seen: 12 minutes ago **Last seen:** 11 minutes ago **Occurrences:** 2 **IPs affected:** 1

Last 60 Minutes

Last 60 Hours

Last 60 Days

Traceback | **Occurrences** | People | Browser/OS | IP Addresses | Suspect Deploy | Similar Items | Co-Occurring Items | Community Solutions

Timestamp (PDT)	browser	os	context	request.url	trace.exception.description	trace.exception.message	client.ru
2019-03-15 04:06 pm				https://fervent-albattani-72bcb1.netlify.com/	TestError: Hello world	Hello world	11172
2019-03-15 04:05 pm				https://5c8c2f281514740008340117--fervent-albattani-72bcb1.netlify.com/	TestError: Hello world	Hello world	31051

Add Netlify badge on README file #87

Edit

Merged ja9-look merged 10 commits into `master` from `test/deployment` a day ago

Conversation 1 · Commits 10 · Checks 4 · Files changed 7 · +1,482 −1,356

SonyaMoisset commented 2 days ago • edited — Member

Testing Netlify deployment settings

- Add Netlify badge on README file
- Update environment variables naming convention
- Move dotenv package to dependency
- Add gatsby-source-filesystem
- Fix uppercase to lowercase on gatsby-node.js
- Remove deploy:ci script
- Implement Rollbar agent

Add Netlify badge on README file — bb9223d

codecov bot commented 2 days ago • edited

Codecov Report

Merging #87 into master will not change coverage.
The diff coverage is `n/a`.

@@	Coverage Diff			@@
##	master	#87	+/-	##
Coverage	48.11%	48.11%		
Files	23	23		
Lines	318	318		
Branches	34	34		
Hits	153	153		
Misses	137	137		
Partials	28	28		

Reviewers
ja9-look ✓

Assignees
No one—assign yourself

Labels
enhancement

Projects
None yet

Milestone
No milestone

Notifications
Unsubscribe
You're receiving notifications because you authored the thread.

2 participants

Lock conversation

PrideInLondon / pride-london-web

Watch 2 | Star 0 | Fork 0

Code | Issues 2 | Pull requests 3 | Projects 0 | Wiki | Insights | Settings

Add Netlify badge on README file #87

Edit

Merged ja9-look merged 10 commits into `master` from `test/deployment` a day ago

Conversation 1 | Commits 10 | Checks 4 | Files changed 7 | +1,482 −1,356

77fb7fa — Implement Rollbar agent

3 neutral, and 1 successful checks

Netlify
Succeeded — 2 days ago

- Header rules - fervent-albattani...
- Pages changed - fervent-albatt...
- Redirect rules - fervent-albatta...
- ✓ Mixed content - fervent-albatt...

Sonatype DepShield
Queued 2 days ago
Re-run all checks
Re-run failed checks

Codecov
Queued 2 days ago
Re-run all checks
Re-run failed checks

Mixed content - fervent-albattani-72bcb1

✓ Success

ran **2 days ago** in **2 minutes**

77fb7fa by **@SonyaMoisset**

test/deployment

No mixed content detected

All content is secure!

View more details on Netlify

All checks have passed

7 successful checks

Hide all checks

Codacy/PR Quality Review — Up to standards. A positive pull request. Details

LGTM analysis: JavaScript — No new or fixed alerts Details

ci/circleci: build — Your tests passed on CircleCI! Details

codecov/patch — Coverage not affected when comparing 1087ffc...78865... Details

codecov/project — 48.11% remains the same compared to 1087ffc Details

security/snyk - package.json (Pride in London) — No new issues Details

This branch has no conflicts with the base branch

Merging can be performed automatically.

Squash and merge ▾ You can also open this in GitHub Desktop or view command line instructions.

Add more commits by pushing to the **task/blog-page-layout** branch on **PrideInLondon/pride-london-web**.

Review requested — Show all reviewers

Review has been requested on this pull request. It is not required to merge. Learn more.

Some checks were not successful — Hide all checks

1 errored, 1 failing, and 5 successful checks

- ✕ **LGTM analysis: JavaScript** — This pull request can't be analyzed because it ... — Details
- ✕ **Codacy/PR Quality Review** — Not up to standards. This pull request quality ... — Details
- ✓ **AccessLint** — Review complete
- ✓ **ci/circleci: build** — Your tests passed on CircleCI! — Details
- ✓ **codecov/patch** — 82.92% of diff hit (target 51.46%) — Details
- ✓ **codecov/project** — 52.4% (+0.94%) compared to ecce520 — Details

This branch has conflicts that must be resolved — Resolve conflicts

Use the web editor or the command line to resolve conflicts.

Add more commits by pushing to the **dependabot/npm_and_yarn/dotenv-7.0.0** branch on **PrideInLondon/pride-london-web**.

Review required
At least 1 approving review is required by reviewers with write access. Learn more.

Show all reviewers

All checks have passed
3 neutral and 9 successful checks

Hide all checks

- ✓ **AccessLint** — Review complete — Required
- ✓ **Codacy/PR Quality Review** — Up to standards. A positive pull request. — Required — Details
- ✓ **LGTM analysis: JavaScript** — No new or fixed alerts — Required — Details
- ✓ **Mixed content - fervent-albattani-72bcb1** Successful in 1m — No mixed c... — Details
- ✓ **ci/circleci: build** — Your tests passed on CircleCI! — Required — Details
- ✓ **codecov/patch** — Coverage not affected when comparing e805b5d...faeef84 — Required — Details

Merging is blocked
Merging can be performed automatically with 1 approving review.

Update branch

ja9-look approved these changes a day ago

View changes

ja9-look merged commit `e5d5975` into `master` a day ago

Hide details | Revert

8 checks passed

- ✓ **AccessLint** Review complete
- ✓ **Codacy/PR Quality Review** Up to standards. A positive pull request. Details
- ✓ **LGTM analysis: JavaScript** No new or fixed alerts Details
- ✓ **ci/circleci: build** Your tests passed on CircleCI! Details
- ✓ **codecov/patch** Coverage not affected when comparing 49de821...77fb7fa Details
- ✓ **codecov/project** 48.11% remains the same compared to 49de821 Details
- ✓ **netlify/fervent-albattani-72bcb1/deploy-preview** Deploy preview ready! Details
- ✓ **security/snyk - package.json (Pride in London)** No new issues Details

ja9-look deleted the `test/deployment` branch a day ago

Restore branch

GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file removing the old link to Marcel repo

Assignees	Labels
SonyaMoisset	enhancement

PrideInLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

✅ 6 other checks have passed

6/7 successful checks

GitHub APP 12:36 PM

Pull request opened by giancarlo88

giancarlo88

#69 Task/blog page layout

Preliminary responsive grid layout (similar to Events page) and filtering.

Comments	Reviewers
2	codacy-bot

PrideInLondon/pride-london-web | Mar 9th

Codacy/PR Quality Review: Not up to standards. This pull request quality could be better.

✅ 6 other checks have passed

6/7 successful checks

netlify

Deploys for fervent-albattani-72bcb1

- https://fervent-albattani-72bcb1.netlify.com

Deploys from github.com/PrideInLondon/pride-london-web, published master@e805b5d.

Auto publishing is on. Deploys from master are published automatically.

Deploy settings | Notifications | Stop auto publishing

Search deploys

Trigger deploy

Deploy Preview #18: dependabot/npm_and_yarn/react-... @989d9b2 Bump react-dates from 16.7.0 to 18.0.0	**Today at 8:49 AM** Deployed in 1 minute
Deploy Preview #79: dependabot/npm_and_yarn/dotenv...@faeef84 Bump dotenv from 6.2.0 to 7.0.0	**Today at 8:49 AM** Deployed in 1 minute
Production: master@e805b5d PUBLISHED Update dependencies	**Today at 8:46 AM** Deployed in 1 minute
Deploy Preview #90: dependabot/npm_and_yarn/gatsby...@a7f0804 Bump gatsby-plugin-react-helmet from 3.0.9 to 3.0.10	**Today at 5:30 AM** Deployed in 1 minute

Netlify APP 12:13 PM

Successful deploy of **fervent-albattani-72bcb1**

Add Netlify badge on README file (#87)

*** Add Netlify badge on README file**

*** Update naming convention**

*** Move dotenv package to dependency**

*** Add gatsby-source-filesystem**

*** Regenerate lock file**

*** Fix uppercase to lowercase on gatsby-node.js**

*** Remove deploy:ci script**

*** Implement Rollbar agent**

Or check out the build log

Using git branch master, commit e5d59759d2f | Yesterday at 12:13 PM

Pride London Web



MORE TOOLS

ONLINE SCAN

WEBHINT

- Previously Sonarwhal
- Linting tool for the web, with a strong focus on the developer experience: easy to configure, develop, and well documented
- Microsoft Edge Team, now a JS Foundation project
- webhint.io



SCANNING 100% SCAN TIME: 03:00

HINTS
76

URL: https://reactjs.org/

DATE: 2019-03-13 13:03

YOUR SCAN RESULT LINK: https://webhint.io/scanner/ce62ad86-c048-4e4d-b5fb-7378ff48b018

webhint version: 4.4.1 Configuration JSON

Hints

Accessibility

expand all

- axe: 1 hints

Compatibility

expand all

- content-type: 17 hints
- highest-available-document-mode: 1 hints
- meta-charset-utf-8: 1 hints

PWA

expand all

- apple-touch-icons: 1 hints

	HINTS	PASSED
ACCESSIBILITY	1	0 / 1
COMPATIBILITY	3	4 / 7
PWA	1	3 / 4
PERFORMANCE	4	3 / 7
PITFALLS	0	0 / 0
SECURITY	5	5 / 10

Lighthouse
Version: 2.8.0

Results for: https://www.tesco.com/direct/?source=others
Feb 1, 2018, 9:48 AM GMT • Runtime settings

Performance	Progressive Web App	Accessibility	Best Practices	SEO
44	55	60	69	90

Performance
These encapsulate your web app's current performance and opportunities to improve it.

44

Metrics
These metrics encapsulate your web app's performance across a number of dimensions.

- First meaningful paint 6,640 ms
- First Interactive (beta) 6,640 ms
- Consistently Interactive (beta) 12,510 ms
- Perceptual Speed Index: 8,136 — 29
- Estimated Input Latency: 16 ms — 100

Opportunities
These are opportunities to speed up your application by optimizing the following resources.

- Serve images in next-gen formats — 2,070 ms, 429 KB
- Reduce render-blocking stylesheets — 1,920 ms
- Reduce render-blocking scripts — 1,460 ms
- Unused CSS rules — 1,260 ms, 261 KB

Security Headers
Sponsored by SOPHOS

Home About

Scan your site now

https://facebook.com Scan

Hide results Follow redirects

Security Report Summary

A

Site:	https://www.facebook.com/
IP Address:	2a03:2880:f131:83:face:b00c:0:25de
Report Time:	08 Oct 2018 23:03:04 UTC
Headers:	✔ X-XSS-Protection ✔ Content-Security-Policy ✔ X-Frame-Options ✔ Strict-Transport-Security ✔ X-Content-Type-Options ✘ Referrer-Policy ✘ Feature-Policy
Warning:	Grade capped at A, please see warnings below.

Raw Headers

HTTP/1.1	200 OK
X-XSS-Protection	0
Pragma	no-cache
content-security-policy	**default-src** * data: blob:;**script-src** *.facebook.com *.fbcdn.net *.facebook.net *.google-analytics.com *.virtualearth.net *.google.com 127.0.0.1:* *.spotilocal.com:* *'unsafe-inline'* *'unsafe-eval'* *.atlassolutions.com blob: data: *'self'*;**style-src** data: blob: *'unsafe-inline'* *;**connect-src** *.facebook.com facebook.com *.fbcdn.net *.facebook.net *.spotilocal.com:* wss://*.facebook.com:* https://fb.scanandcleanlocal.com:* *.atlassolutions.com attachment.fbsbx.com ws://localhost:* blob: *.cdninstagram.com *'self'* chrome-extension://boadgeojelhgndaghljhdicfkmllpafd chrome-extension://dliochdbjfkdbacpmhlcpmleaejidimm;
Cache-Control	private, no-cache, no-store, must-revalidate
X-Frame-Options	DENY
Strict-Transport-Security	max-age=15552000; preload
X-Content-Type-Options	nosniff
Expires	Sat, 01 Jan 2000 00:00:00 GMT
Set-Cookie	fr=1wkGGucUxlWFzfy3F..Bbu-In.pD.AAA.0.0.Bbu-In.AWX6X0CU; expires=Sun, 06-Jan-2019 23:03:03 GMT; Max-Age=7776000; path=/; domain=.facebook.com; secure; httponly
Set-Cookie	sb=J-K7W2EWdZ47v6zcJUflge-y; expires=Wed, 07-Oct-2020 23:03:03 GMT; Max-Age=63072000; path=/; domain=.facebook.com; secure; httponly
Vary	Accept-Encoding
Content-Type	text/html; charset="utf-8"
X-FB-Debug	6l9wPmZxPR1sQZM0sln8HEM3IPpp1dGlLwpRtrXkkJm2hjCO9pRQwIm+Zen4XbSMhFG8mMW/0mpgHXFQW4787Q==
Date	Mon, 08 Oct 2018 23:03:03 GMT
Transfer-Encoding	chunked
Connection	keep-alive

WHAT'S NEXT?

SECURITY CHAMPIONS

Security Champions playbook

Identify teams

- Enumerate products and services
- List teams per each product
- Identify Product manager (responsible for product) and team manager (working directly with developers)
- Write down technologies (programming languages) used by each team

Define the role

- Measure current security state among the teams and define security goals you plan to achieve in mid-term (e.g. by using OWASP SAMM)
- Identify the places where champions could help (such as verifying security reviews, raising issues for risks in existing code, conducting automated scans etc.)
- Write down clearly defined roles, as these will be the primary tasks for newly nominated champions to work on

Nominate champions

- Introduce the idea and role descriptions and get approvals on all levels - both from product and engineering managers, as well as from top management
- Together with team leader identify potentially interested candidates
- Officially nominate them as part of your security meta-team

Comm channels

- Make sure to have an easy way to spread information and get feedback
- While differing from company to company, this usually includes chats (Slack/IRC channel, Yammer group, ...) and separate mailing lists
- Set up periodic sync ups - bi-weelky should be fine to start with

Knowledge base

- Build a solid internal security knowledge base, which would become the main source of inspiration for the champions
- It should include security meta-team page with defined roles, secure development best practices, descriptions of risks and vulnerabilities and any other relevant info
- Pay special attention to clear and easy-to-follow checklists, as it's usually the simplest way to get the things going

Maintain interest

- Develop your ways or choose one of the below to keep in touch and maintain the interest of the champions
- Conduct periodic workshops and encourage participation in security conferences
- Share recent appsec news (e.g. Ezine) via communication channels
- Send internal monthly security newsletters with updates, plans and recognitions for the good work
- Create champions corner with security library, conference calendar, and other interesting materials

https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd

Medium

Keep calm and become a Security Engineer – Sonya Moisset – Medium

One of the many ways to get into the Cybersecurity industry

Reading time

8 min read

Mar 5th (366 kB)


OWASP
CHEAT SHEET
SERIES PROJECT
Life is too short · AppSec is tough · Cheat!


CIS Controls™
V7
Basic
1 Inventory and Control of Hardware Assets
2 Inventory and Control of Software Assets
3 Continuous Vulnerability Management
4 Controlled Use of Administrative Privileges
5 Secure Configuration for Hardware and Software on Mobile Devices, Laptops, Workstations and Servers
6 Maintenance, Monitoring and Analysis of Audit Logs
Foundational
7 Email and Web Browser Protections
8 Malware Defenses
9 Limitation and Control of Network Ports, Protocols, and Services
10 Data Recovery Capabilities
11 Secure Configuration for Network Devices, such as Firewalls, Routers and Switches
12 Boundary Defense
13 Data Protection
14 Controlled Access Based on the Need to Know
15 Wireless Access Control
16 Account Monitoring and Control
Organizational
17 Implement a Security Awareness and Training Program
18 Application Software Security
19 Incident Response and Management
20 Penetration Tests and Red Team Exercises


MITRE ATT&CK
Matrices
Tactics
Techniques
Groups
Software
Resources
Blog
Contact
Search site
ATT&CK Matrix for Enterprise


HOME
WORKSHOPS
SPEAKING
MEDIA
ABOUT
CONTACT
SPONSOR
Troy Hunt
Hi, I'm Troy Hunt, I write this blog, create courses for Pluralsight and am a Microsoft Regional Director and MVP who travels the world speaking at events and training technology professionals →
Weekly Update 129
Heaps of stuff going on this week with all sorts of different bits and pieces. I bought a massive new stash of HIBP stickers (ok ought last... a few weeks?), I'll be giving them out at a heap of upcoming events, I was on the Darknet Diaries podcast (which is epic!) plus there's more insights into the ShareThis data breach and the ginormous verifications.io incident. Oh - and Udemy is still pirating my content, here's the tweet if you'd like to let them know how you feel about that: Disgusted that @udemy is still pirating courses from @daleneredith and myself. Seriously guys, this has been going on for years, there's obviously no checks on this whatsoever. Herek... →
WEEKLY UPDATE
Upcoming Events
I usually run private workshops around these, here's the upcoming public events I'll be at:
NDC Meetup: 12 Mar, Melbourne (Australia)
SnowFROC: 14 Mar, Denver (USA)
Microsoft MVP Summit: 17 to 22 Mar, Seattle (USA)
Akamai Security Summit World Tour: 28 Mar, Sydney (Australia)
NDC Meetup: 28 Mar, Sydney (Australia)
NDC Security: 29 Apr to 1 May, Gold Coast (Australia)

LADIES OF LONDON
HACKING SOCIETY

OWASP LONDON
CHAPTER

GET SECURE, BE SECURE AND STAY SECURE


Thank
you!

IS RECRUITING DEVS :)

@SONYAMOISSET 🦄🌍