

DEVSECOPS LONDON GATHERING @ KOBALT MUSIC
KEEP CALM AND SECURE
YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄 🌎

.I WEAR DARK
HOODIES SO I'M
A LEGIT SECURITY
ENGINEER



photoboxgroup
security




WHAT IS CYBERSECURITY AND WHY IS IT IMPORTANT?



CYBERSECURITY IS THE TECHNIQUES OF
PROTECTING COMPUTERS, NETWORKS,
PROGRAMS AND DATA FROM
UNAUTHORISED ACCESS OR ATTACKS
THAT ARE AIMED FOR EXPLOITATION

INVESTMENTS IN SECURITY
MOVED FROM NICE TO
HAVE TO MUST HAVE

OCT 2016.
A SERIES OF DDOS ATTACKS WERE
LAUNCHED AGAINST DNS SERVERS,
WHICH CAUSED MAJOR WEB SERVICES TO
STOP WORKING (GITHUB, SPOTIFY,
PAYPAL, TWITTER...)



No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.


[Contact Support](#) — [GitHub Status](#) — [@githubstatus](#)



Explore

Discover the Internet using search queries shared by other users.

Featured Categories



Top Voted

10,294	Webcam	best ip cam search I have found yet.	2010-03-15
4,089	Cams	admin admin	2012-02-05
2,256	Netcam	Netcam	2012-01-13
1,582	default password	Finds results with "default password" in the ha...	2010-01-14
1,087	dreambox	dreambox	2010-08-13

[More popular searches...](#)

Recently Shared

1	chile	2010-10-08
2	router control panel DD-WRT	2010-10-08
3	1	2010-10-06
1	Logitech Media Server	2010-10-05
3	sushi	2010-10-05

[More recent searches...](#)



Ooops, your files have been encrypted!

English

▼

not so enough time.

You can decrypt some of your files for free. Try now by clicking <Decrypt>.

But if you want to decrypt all your files, you need to pay.

You only have 3 days to submit the payment. After that the price will be doubled.

Also, if you don't pay in 7 days, you won't be able to recover your files forever.

We will have free events for users who are so poor that they couldn't pay in 6 months.

Payment will be raised on

1/4/1970 00:00:00

Time Left

00:00:00:00

Your files will be lost on

1/8/1970 00:00:00

Time Left

00:00:00:00

[About bitcoin](#)

[How to buy bitcoins?](#)

[Contact Us](#)

How Do I Pay?

Payment is accepted in Bitcoin only. For more information, click <About bitcoin>.

Please check the current price of Bitcoin and buy some bitcoins. For more information, click <How to buy bitcoins>.

And send the correct amount to the address specified in this window.

After your payment, click <Check Payment>. Best time to check: 9:00am - 11:00am GMT from Monday to Friday.

Once the payment is checked, you can start decrypting your files immediately.

Contact

If you need our assistance, send a message by clicking <Contact Us>.

We strongly recommend you to not remove this software, and disable your anti-virus for a while, until you pay and the payment gets processed. If your anti-virus gets updated and removes this software automatically, it will not be able to recover your files even if you pay!




Send \$600 worth of bitcoin to this address:

Copy

[Check Payment](#)

[Decrypt](#)



re: "██████████"

Inbox x



Dirk Saunders <yxpnmjarrettlwq@outlook.com>

12:07 PM (8 minutes ago)



to me ▾

I know, ██████████, is your pass word. you may not know me and you are most likely thinking why you're getting this e-mail, correct?

Well, I installed a malware on the adult video clips (pornography) and you know what, you visited this web site to have fun (you know what I mean). When you were watching video clips, your browser started operating as a Rdp (Remote desktop) that has a key logger which gave me accessibility to your screen and also cam. Just after that, my software program gathered every one of your contacts from messenger, social networks, as well as email.

What exactly did I do?

I created a double-screen video. First part displays the video you were watching (you've got a good taste lol), and 2nd part displays the recording of your web cam.

Exactly what should you do?

Well, I believe, \$1200 is a fair price for our little secret. You'll make the payment through Bitcoin (if you don't know this, search "how to buy bitcoin" in google).

BTC ADDRESS: 1JC99fcQMVR4iHdmf3GbHLGHMkPpyFjBu7

(It's CASE sensitive, so copy and paste it carefully)

Note:

You have one day to make the payment. (I've a specific pixel in this message, and right now I know that you've read this e mail). If I do not receive the Bitcoins, I will certainly send out your video recording to all of your contacts including friends and family, colleagues, and so forth. nonetheless, if I receive the payment, I'll destroy the video immediately. If you need proof, reply with "yes!" and I definitely will send your video recording to your 14 friends. It is a non-negotiable one time offer, thus don't ruin my time & yours by responding to this e-mail.

**SUMMARY**[USD](#) [BCH](#)

Address

qz7ftpz95v34u0guwn9wqyfkajhkztmxtgj9537f9g

Number of Transactions

0

Final Balance

0.00000000 BCH

Total Sent

0.00000000 BCH

Total Received

0.00000000 BCH

**TRANSACTIONS**[USD](#) [BCH](#)

Date (timestamp)

Hash de transaction

État

Montant



';-have i been pwned?

Check if you have an account that has been compromised in a data breach

check

Generate secure, unique passwords for every account

[Learn more at 1Password.com](#)[Why 1Password?](#)

359
owned websites

7,840,611,051
owned accounts

93,384
pastes

114,064,052
paste accounts

Largest breaches



772,904,991 [Collection #1 accounts](#)




763,117,241 [Verifications.io accounts](#)



711,477,622 [Onliner Spambot accounts](#)



593,427,119 [Exploit.In accounts](#)



457,962,538 [Anti Public Combo List accounts](#)



393,430,309 [River City Media Spam List accounts](#)

250,400,608 [MySpace accounts](#)

Recently added breaches



760,561 [DataCamp accounts](#)



808,330 [Knuddels accounts](#)




52,623 [Demon Forums accounts](#)



871,190 [Everybody Edits accounts](#)



3,073,409 [Intelimost accounts](#)



11,657,763 [Whitepages accounts](#)



14,867,999 [500px accounts](#)



3,830,916 [Bookmate accounts](#)

[Overview](#)

Repositories 873

Projects 0

Stars 358

Followers 2.9k

Following 28

Pinned

[ssbc/ssb-server](#)

The gossip and replication server for Secure Scuttlebutt - a distributed social network

JavaScript ★ 1.1k ⚡ 134

[pull-stream/pull-stream](#)

minimal streams

JavaScript ★ 633 ⚡ 58

[auditdrivencrypto/secret-handshake](#)

JavaScript ★ 155 ⚡ 22

[map-filter-reduce](#)

JavaScript ★ 44 ⚡ 6

[ssbc/patchbay](#)

An alternative Secure Scuttlebutt client interface that is fully compatible with Patchwork

JavaScript ★ 223 ⚡ 56


Dominic Tarr

[dominictarr](#)[Follow](#)[Block or report user](#)[antipodean wandering albatross](#) [Protozoa](#) [New Zealand](#) [<http://protozoa.nz>](#)

Organizations



2,485 contributions in the last year

[Learn how we count contributions.](#)

Less More

Ready to take your JavaScript development to the next level? Meet npm Enterprise - the ultimate in enterprise JavaScript. [Learn more »](#)

event-stream

4.0.1 • [Public](#) • Published 7 months ago

[Readme](#)[7 Dependencies](#)[1,638 Dependents](#)[84 Versions](#)

EventStream

[Streams](#) are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The `EventStream` functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates [0.8 streams](#), which are compatible with [0.10 streams](#).

NOTE: I shall use the term "*through stream*" to refer to a stream that is writable *and* readable.

NOTE for Gulp users: Merge will not work for gulp 4. [merge-stream](#) should be used.

simple example:

```
//pretty.js

if(!module.parent) {
  var es = require('event-stream')
```

[install](#)

```
> npm i event-stream
```

[weekly downloads](#)

1,372,033

[version](#)

4.0.1

[license](#)

MIT

[open issues](#)

7

[pull requests](#)

0

[homepage](#)

github.com

[repository](#)[last publish](#)

7 months ago

[collaborators](#)[Test with RunKit](#)

EVENT STREAM POST MORTEM

- December 2018
 - flatmap-stream was published to npm and added as a dependency to the event-stream package by user right9ctrl
- 8 million downloads
- Applications all over the web were running malicious code in production



[FAQS](#) [VIEW THE CODE](#) [ISSUE TRACKER](#)

The Secure, Shared Bitcoin Wallet

Secure your bitcoin with the open source,
HD-multisignature wallet from BitPay.

[GET COPAY](#)



SOCIAL ENGINEERING DEVS



devinus commented on Jul 31, 2015

...

@dominictarr Interesting. Would you accept a `flatMap` patch using this functionality?



devinus commented on Jul 31, 2015

...

I wonder why `mapSync` uses `emit` rather than `queue`.



dominictarr commented on Jul 31, 2015

Owner

...

@**devinus** ah, it's probably just old. I don't use this module anymore, i now use
<https://github.com/dominictarr/pull-stream>

If you publish a `flatMap` module and then make a pr to include it, i'll merge.

This repository has been archived by the owner. It is now read-only.

 dominictarr / event-stream

 Watch 72  Star 2,044  Fork 146

 Code  Issues 7  Pull requests 0  Projects 0  Wiki  Insights

EventStream is like functional programming meets IO

 322 commits

 1 branch

 13 releases

 34 contributors

 MIT

Branch: master ▾

[Create new file](#) [Upload files](#) [Find File](#) [Clone or download](#) ▾

 db.js	remove testling from package.json	Latest commit 9a5c52a on Sep 20, 2018
 examples	better pretty.js example	6 months ago
 test	add filter and rewrite flatmap	6 months ago
 .gitignore	initial, first implementation of a map function (takes async callback ...)	8 years ago
 .travis.yml	drop travis support for 0.8	4 years ago
 LICENCE	Clarify licensing	5 years ago
 Index.js	add filter and rewrite flatmap	6 months ago
 package-lock.json	update package.json	6 months ago
 package.json	remove testling from package.json	6 months ago
 readme.markdown	add example for flatmap and filter	6 months ago

 [readme.markdown](#)

EventStream


[Streams](#) are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The `EventStream` functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates `0.8 streams`, which are compatible with `0.10 streams`.



Overview

Repositories 3

Stars 0

Followers 0

Following 0

Popular repositories

[node-script](#)

● C

[react](#)

Forked from [facebook/react](#)

A declarative, efficient, and flexible JavaScript library for building user interfaces.

● JavaScript

[event-stream](#)

● JavaScript

北川


right9ctrl

[Block or report user](#)

👤 株式会社LIG

📍 東京都

22 contributions in the last year



fuck Right9ctrl

[Browse files](#)

master (#1)

 geektheripper committed on Dec 23, 2018

1 parent 706ed02 commit cb0f66a328134bc4f0959a99caf347a6670eadb7

 Showing 2 changed files with 19 additions and 70 deletions.

[Unified](#) [Split](#)

2  package.json

[View file](#) 

stx	@@	-86,7 +86,7 @@
86	86	"gh-pages": "^2.0.0",
87	87	"jimp": "^0.5.6",
88	88	"lodash": "^4.17.11",
89	-	"npm-run-all": "^4.1.3",
89	+	"npm-run-all": "^4.1.5",
90	90	"nyc": "^13.0.1",
91	91	"opn": "^5.4.0",
92	92	"opn-cli": "^3.1.0",

WEB APPLICATION SECURITY



“Web application security is a branch of Information Security that deals specifically with security of websites, web applications and web services.”

-WIKIPEDIA

SECURE SOFTWARE DEVELOPMENT LIFE CYCLE



Software Development Life Cycle (SDLC) is a framework that defines the process used by the organisations to build an application from its inception to its decommission

1 PLANNING

Planning focuses on the scope of the project. The outputs of the planning phase include: project plans, schedules, cost estimations, and procurement requirements.

3 DESIGN AND PROTOTYPING

Once requirements are understood, the design process takes place. It makes use of established patterns for application architecture and software development. Architecture frameworks like TOGAF may be used here. Outputs include: design documents that list the patterns and components selected for the project; code produced by spikes, used as a starting point for development.

5 TESTING

The testing phase of the SDLC is arguably one of the most important. It is impossible to deliver quality software without testing. Methods for testing can include: code quality, unit testing (functional tests), integration testing, performance testing, security testing. The output of the testing phase is functional software, ready for deployment to a production environment.

7 OPERATIONS AND MAINTENANCE

The operations and maintenance phase is the "end of the beginning". Though the SDLC doesn't end here, software must be monitored constantly to ensure proper operation. Bugs and defects discovered in Production must be reported and responded to, which often feeds work back into the process. Bug fixes may not flow through the entire cycle, however; at least an abbreviated process is necessary to ensure that the fix does not introduce other problems.

4

SOFTWARE DEVELOPMENT

This phase produces the software under development. This could be in "sprints" (Agile), or a single block effort (Waterfall). The output of this phase is testable, functional software.

6

DEPLOYMENT

The deployment phase is, ideally, a highly automated phase. In high-maturity enterprises, this phase is almost invisible; software is deployed the instant it is ready. Enterprises with lower maturity, or in some highly regulated industries, the process involves some manual approvals. The output of this phase is the release to Production of working software.

2 REQUIREMENTS

The IT team gathers requirements from business stakeholders and Subject Matter Experts (SMEs.) The output of this phase in a Waterfall project is usually a document that lists those requirements. Agile methods, by contrast, may produce a backlog of tasks to be performed.

A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS PENETRATION TESTING, CODE REVIEW, AND ARCHITECTURE ANALYSIS ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

- .SECURITY IS A CONTINUOUS CONCERN
- .AWARENESS OF SECURITY CONSIDERATIONS BY STAKEHOLDERS
- .EARLY DETECTION OF FLAWS & COST REDUCTION

HOW DO I GET STARTED?



OWASP

Open Web Application Security Project

Community dedicated to enabling organisations to conceive, develop, acquire, operate and maintain applications that can be trusted



www.owasp.org




The OWASP™ Foundation

the free and open software security community

[Member Portal](#) • [About](#) • [Browsing](#) • [Editing](#) • [New Article](#) • [OWASP Categories](#) • [Contact Us](#)

[Statistics](#) • [Recent Changes](#)

ANNOUNCING GLOBAL APPSEC TEL AVIV 2019!



Home
About OWASP
Acknowledgements
Advertising
AppSec Events
Supporting Partners
Books
Brand Resources
Chapters
Donate to OWASP
Downloads
Funding
Governance
Initiatives
Mailing Lists
Membership
Merchandise
Presentations
Press
Projects
Video




Reference
Activities
Attackers
Code Snippets
Controls
Glossary
How To's
Java Project
.NET Project
Principles
Technologies
Threat Agents
Vulnerabilities

Tools
[What links here](#)
[Recent changes](#)
[Special pages](#)
[Printable version](#)
[Permanent link](#)
[Page information](#)

Application security tools and standards

Complete books on application security testing,
secure code development, and secure code review

Cheat sheets on many common topics






OWASP

OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks



OWASP

Application Security Verification Standard 4.0
Final
March 2019

OWASP PRO ACTIVE CONTROLS



- List of security techniques that should be included in every software development project
- Ordered by order of importance



10 Critical Security Areas That Software Developers Must Be Aware Of

PROJECT LEADERS

KATY ANTON
JIM MANICO
JIM BIRD



THE TOP 10 PROACTIVE CONTROLS

- C1: Define Security Requirements
- C2: Leverage Security Frameworks and Libraries
- C3: Secure Database Access
- C4: Encode and Escape Data
- C5: Validate All Inputs
- C6: Implement Digital Identity
- C7: Enforce Access Controls
- C8: Protect Data Everywhere
- C9: Implement Security Logging and Monitoring
- C10: Handle All Errors and Exceptions

C1. DEFINE SECURITY REQUIREMENTS

- Security requirements define new features or additions to existing features to solve a specific security problem or eliminate a potential vulnerability
- Instead of creating a custom approach to security for every application, standard security requirements allow developers to reuse the definition of security controls and best practices
- OWASP ASVS
- User Stories and Abuse Cases

A2:2017-Broken Authentication

Epic:

Attackers have access to hundreds of millions of valid username and password combinations for credential stuffing, default administrative account lists, automated brute force, and dictionary attack tools. Session management attacks are well understood, particularly in relation to unexpired session tokens.

Abuse Case:

As an attacker, I have access to hundreds of millions of valid username and password combinations for credential stuffing.

Abuse Case:

As an attacker, I have default administrative account lists, automated brute force, and dictionary attack tools I use against login areas of the application and support systems.

Abuse Case:

As an attacker, I manipulate session tokens using expired and fake tokens to gain access.

C2. LEVERAGE SECURITY FRAMEWORKS AND LIBRARIES

- Secure coding libraries and software frameworks with embedded security help software developers guard against security-related design and implementation flaws
- A developer writing an application from scratch might not have sufficient knowledge, time, or budget to properly implement or maintain security features

 facebook / react

 Watch ▾

6,646

 Star

124,326

 Fork

22,590

 Code

 Issues 429

 Pull requests 159

 Projects 0

 Wiki

 Insights

A declarative, efficient, and flexible JavaScript library for building user interfaces. <https://reactjs.org>

 javascript  react  frontend  declarative  ui  library

 10,726 commits

 34 branches

 112 releases

 1,282 contributors

 MIT

Branch: master ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾



sophiebits and **gaearon** [eslint] Wording tweaks (#15078) 

Latest commit 1204c78 3 hours ago

 .circleci

Publish a local release (canary or stable) to NPM (#14260)

4 months ago

 .github

Reword issue template

a year ago

 fixtures

[eslint] Wording tweaks (#15078)

3 hours ago

 packages

[eslint] Wording tweaks (#15078)

3 hours ago

 scripts

Run persistent mode tests in CI (#15029)

2 days ago

react

16.8.4 • Public • Published 8 days ago

Readme

4 Dependencies

36,582 Dependents

194 Versions

react

React is a JavaScript library for creating user interfaces.

The `react` package contains only the functionality necessary to define React components. It is typically used together with a React renderer like `react-dom` for the web, or `react-native` for the native environments.

Note: by default, React will be in development mode. The development version includes extra warnings about common mistakes, whereas the production version includes extra performance optimizations and strips all error messages. Don't forget to use the `production build` when deploying your application.

Example Usage

```
var React = require('react');
```

Keywords

react

install

```
> npm i react
```

↑ weekly downloads

5,934,407



version

16.8.4

license

MIT

open issues

429

pull requests

159

homepage

reactjs.org

repository

 [github](#)

last publish

8 days ago

collaborators



IMPLEMENTING BEST PRACTICES

- Use libraries and frameworks from trusted sources that are actively maintained and widely used by many applications
- Create and maintain an inventory catalog of all the third party libraries and components
- Proactively keep libraries and components up to date

OWASP TOP 10-2017

The primary aim is to educate developers, designers, architects, managers, and organisations about the consequences of the most common and most important web app security weaknesses



OWASP

OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks




WHAT CHANGED FROM 2013 TO 2017?

OWASP TOP 10

OWASP Top 10 - 2013	→	OWASP Top 10 - 2017
A1 – Injection	→	A1:2017-Injection
A2 – Broken Authentication and Session Management	→	A2:2017-Broken Authentication
A3 – Cross-Site Scripting (XSS)	↓	A3:2017-Sensitive Data Exposure
A4 – Insecure Direct Object References [Merged+A7]	↑	A4:2017-XML External Entities (XXE) [NEW]
A5 – Security Misconfiguration	↙	A5:2017-Broken Access Control [Merged]
A6 – Sensitive Data Exposure	↗	A6:2017-Security Misconfiguration
A7 – Missing Function Level Access Contr [Merged+A4]	↑	A7:2017-Cross-Site Scripting (XSS)
A8 – Cross-Site Request Forgery (CSRF)	☒	A8:2017-Insecure Deserialization [NEW, Community]
A9 – Using Components with Known Vulnerabilities	→	A9:2017-Using Components with Known Vulnerabilities
A10 – Unvalidated Redirects and Forwards	☒	A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]

WHAT ARE APPLICATION SECURITY RISKS?

ATTACKERS CAN USE MANY DIFFERENT PATHS THROUGH YOUR APPLICATION TO DO HARM TO YOUR BUSINESS OR ORGANISATION



ASVS



OWASP

[Application Security Verification Standard 4.0](#)

Final

March 2019

Provides developers with a list of requirements for secure development

Authentication, session management, access control, cryptography, API, web services, business logic

V1. ARCHITECTURE, DESIGN & THREAT MODELLING REQUIREMENTS

V1.1 Secure Software Development Lifecycle Requirements

#	Description	L1	L2	L3	CWE
1.1.1	Verify the use of a secure software development lifecycle that addresses security in all stages of development. (C1)		✓	✓	
1.1.2	Verify the use of threat modeling for every design change or sprint planning to identify threats, plan for countermeasures, facilitate appropriate risk responses, and guide security testing.		✓	✓	1053
1.1.3	Verify that all user stories and features contain functional security constraints, such as "As a user, I should be able to view and edit my profile. I should not be able to view or edit anyone else's profile"		✓	✓	1110
1.1.4	Verify documentation and justification of all the application's trust boundaries, components, and significant data flows.		✓	✓	1059
1.1.5	Verify definition and security analysis of the application's high-level architecture and all connected remote services. (C1)		✓	✓	1059
1.1.6	Verify implementation of centralized, simple (economy of design), vetted, secure, and reusable security controls to avoid duplicate, missing, ineffective, or insecure controls. (C10)		✓	✓	637
1.1.7	Verify availability of a secure coding checklist, security requirements, guideline, or policy to all developers and testers.		✓	✓	637

PRIDE IN LONDON

HOW TO SECURE YOUR OPEN SOURCE PROJECT



Open Source Friday

Open source is made by people just like you. This Friday, invest a few hours contributing to the software you use and love.

[Sign up with GitHub](#)



↔ with ❤ by **GitHub**

Hacktoberfest

Support open source and earn a limited edition T-shirt.

En octobre prochain !!

Hacktoberfest '18 was presented by: **DigitalOcean** · **GitHub** · **twilio**



Pride in London

[Repositories 3](#)[People 7](#)[Teams 2](#)[Settings](#)[Type: All ▾](#)[Language: All ▾](#)[Customize pins](#)[New](#)

pride-london-web

Pride In London's New Website

[pride](#) [london](#)

JavaScript 4 2 Apache-2.0 Updated 2 days ago

pride-london-web-old

Forked from MarcelCutts/pride-london-web-gatsby

Pride in London's front end web platform

JavaScript 2 MIT Updated on 19 Mar

pride-web-webhook

webhook service to help trigger travis builds from contentful


JavaScript MIT Updated on 19 Jun 2018



Top languages

JavaScript

People

[Invite someone](#)

Saturday 6 July

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

[This year's parade](#)

Featured events

View events from across the LGBT+ community.

[View all events](#)

Free



28 May 2019 • 6:30pm – 8:30pm

Pride in London Open Meeting

from £16



9 Jun 2019 • 9:30am – 1pm

Pride in London 10K

from £11.5



9 Jun 2019 • 6:30pm – 10:30pm

Pride's Got Talent Music Final

What's on


LGBT+ events happening in and around London



Filter events by

Category Start Date → End Date Area of London Time of day

Age group Venue options Accessibility Show only free events




20 May 2019 - 6:30pm - 8:30pm

Pride in London Open Meeting



30 May 2019 - 8pm - 11pm


Wilma's Ballsdropping Pride Bingo!



5 Jun 2019 - 6pm - 8pm

Pride Queen Competition

News



Featured 9 May 2019

Pride's Got Talent finalists compete to be crowned UK's next biggest LGBT+ act

[All Articles](#) [Events](#) [Fundraising](#) [General](#) [Partnerships](#) [Research](#)

Event 9 May 2019

Pride's Got Talent finalists compete to be crowned UK's next biggest LGBT+ act

General 29 Apr 2019

Pride in London joins 17-24-30 NationalHCAW to mark 20 years since Admiral Duncan bombing

Fundraising 12 Apr 2019

Munroe Bergdorf announced as keynote speaker for Pride in London 2019 Gala Dinner

General 8 Apr 2019

50 years on from the Stonewall Uprising it's time for our Pride Jubilee

General 5 Apr 2019

Pride in London sees record number of applications for parade

General 31 Mar 2019

A Pride without Hate



GitHub Marketplace

Tools to build on and improve your workflow



Categories

- Chat
- Code quality
- Code review
- Continuous integration
- Dependency management
- Deployment
- Learning
- Localization
- Mobile
- Monitoring
- Project management
- Publishing
- Recently added
- Security
- Support
- Testing
- Utilities



Filters ▾

Your items ▾

- Pending orders
- Purchases

Search for apps

Featured apps



Recently added

The latest tools that help you and your team build software better, together.



CodeScene

The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency



ImgBot

A GitHub app that optimizes your images



Pull Reminders

Slack reminders and metrics for pull requests



Depfu

Automated dependency updates keep your app secure and maintainable



Instabug

Instabug is a reliable bug reporting and user feedback SDK that enables testers and users to report issues from within the app



Slack + GitHub

Connect your code without leaving Slack



GitKraken Glo Boards

Free issue/task tracking boards that sync



CodeFactor

Automated code review for GitHub

WHAT IS GITHUB MARKETPLACE

- Contains tools that add functionality and improve your workflow
- Almost 2 years
- 50+ tools



[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#)[Filters](#)[Verification](#)[Verified](#)[Unverified](#)[Your items](#)[Pending orders](#)[Purchases](#)

Code quality

Automate your code review with style, quality, security, and test-coverage checks when you need them.

26 results filtered by [Code quality](#)

-  **codelingo** ⭐
Your Code, Your Rules - Automate code reviews with your own best practices
-  **codebeat** ⭐
Code review expert on demand. Automated for mobile and web
-  **Sider** ⭐
Automatically analyze pull request against custom per-project rulesets and best practices
-  **Report.Ci** ⭐
Report unit tests and build logs to github with annotations
-  **PendingPR** ⭐
A GitHub App to help you manage issues in pull requests (PRs) better
-  **Lucidchart Connector** ⭐
Insert a public link to a Lucidchart diagram so team members can quickly understand an issue or pull request
-  **ImgBot** ⭐
A GitHub app that optimizes your images
-  **GraphQL Inspector** ⭐
Compare schemas, validate documents, find breaking changes, find similar types, get schema coverage
-  **Datree** ⭐
Policy enforcement solution for confident and compliant code
-  **Commit Lint** ⭐
Enforce the conventions of commits
-  **Codecov** ⭐
Group, merge, archive and compare coverage reports
-  **CodeScene** ⭐
The analysis tool to identify and prioritize technical debt and evaluate your organizational efficiency

[API management](#)[Chat](#)[Code quality](#)[Code review](#)[Continuous integration](#)[Mobile CI](#)[Container CI](#)[Dependency management](#)[Deployment](#)[IDEs](#)[Learning](#)[Localization](#)[Mobile](#)[Monitoring](#)[Project management](#)[Publishing](#)[Recently added](#)[Security](#)[Support](#)[Testing](#)[Utilities](#)[Filters](#)[Verification](#)[Verified](#)[Unverified](#)[Your items](#)

Continuous integration

Automatically build and test your code as you push it to GitHub, preventing bugs from being deployed to production.

21 results filtered by [Continuous integration](#)



WhiteSource Bolt

Detect open source vulnerabilities in real time with suggested fixes for quick remediation



WIP

DO NOT MERGE – as a service



Travis CI

Test and deploy with confidence



Task list completed

PR check to make sure all tasklists / tick boxes are checked in the PR body



Semaphore

Test and deploy at the push of a button



Percy

Automated visual review platform



Merge Freeze

The code freeze tool to stop unwanted deployments



Hound

Automated code reviews



Google Cloud Build

Build, test, and deploy in a fast, consistent, and secure manner



Flaptastic

Manage flaky unit tests. Click a checkbox to instantly disable any test on all branches. Works with your current test suite



Codefresh

A modern container-based CI/CD platform, easily assemble and run pipelines with high performance



Cloud 66 for Rails

Build, deploy, and maintain your Rails apps on any cloud or server



Cloud 66 Skycap

Skycap is a container native CI/CD tool



Cirrus CI

Modern cloud-native CI



CircleCI

Automatically build, test, and deploy your project in minutes



Buddy

One-click delivery automation for Web Developers



Azure Pipelines

Continuously build, test, and deploy to any platform and cloud



Auto Merge

Level up your DevOps! Automatically merge your PRs when all reviews and tests have passed



AppVeyor

Cloud service for building, testing and deploying Windows apps



App Center

Continuously build, test, release, and monitor apps for every platform

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)

Third-party access

[Installed GitHub Apps](#)[Repository topics](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Third-party application access policy

Policy: Access restricted ✓

Only approved applications can access data in this organization. Applications owned by PrideInLondon always have access.

[Remove restrictions](#)

 CircleCI	...	✓ Approved — 
 Codacy	...	✓ Approved — 
 Codecov	...	✓ Approved — 
 codefactor.io	...	✓ Approved — 
CS CodeScene Authentication	...	✓ Approved — 
CS CodeScene Repositories	...	✓ Approved — 
 DeepScan	...	✓ Approved — 
 GuardRails OAuth (Deprecated)	...	✓ Approved — 
 LGTM		✓ Approved — 
 Snyk	...	✓ Approved — 
 Travis CI for Open Source		✓ Approved — 
 codebeat	...	✗ Denied — 
 codefactor.io	...	✗ Denied — 
 Coveralls Pro		✗ Denied — 
 Greenkeeper	...	✗ Denied — 
 Percy		✗ Denied — 

② When authorized, applications can act on behalf of organization members. Your access policy determines which applications can access data in your organization. [Read more about third-party access and organizations.](#)

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)[Third-party access](#)

Installed GitHub Apps

[Repository topics](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Installed GitHub Apps

GitHub Apps augment and extend your workflows on GitHub with commercial, open source, and homegrown tools.



AccessLint

[Configure](#)

Codecov

[Configure](#)

Dependabot

[Configure](#)

GuardRails

[Configure](#)

Netlify

[Configure](#)

Pull Request Size

[Configure](#)

Rollbar

[Configure](#)

Slack

[Configure](#)

Sonatype DepShield

[Configure](#)

Organization settings

[Profile](#)[Member privileges](#)[Billing](#)[Security](#)[Verified domains](#)[Audit log](#)[Webhooks](#)[Third-party access](#)

Installed GitHub Apps

[Repository topics](#)[Projects](#)[Teams](#)

Developer settings

[OAuth Apps](#)[GitHub Apps](#)

Moderation settings

[Blocked users](#)[Interaction limits](#)

Netlify



Installed 3 months ago

Developed by [netlify](#)<https://www.netlify.com>

Permissions

- [Read access to code](#)
- [Read access to metadata](#)
- [Read and write access to checks, commit statuses, and pull requests](#)

Repository access

 All repositories

This applies to all current and future repositories.

 Only select repositories[Select repositories](#) ▾

Selected 1 repository

[PrideInLondon/pride-london-web](#)[Save](#)[Cancel](#)

Uninstall Netlify

When you uninstall Netlify, it will be removed from this account and will lose access to all of its resources.

[Uninstall](#)

Fast in every way that matters

Gatsby is a free and open source framework based on React that helps developers build blazing fast **websites** and **apps**

[Get Started →](#)

How Gatsby works

Pull data from anywhere





Product

Solutions

Customers

Learn


Pricing

Talk to us

Try for free

How enterprises deliver better digital experiences

You don't need another CMS. You need a better way to manage content – unified, structured, and ready to deploy to any digital channel. Finally, something editors and developers can agree on.

[How it works](#)[Request demo](#)

- Presentation Layer
- Content Model
- JSON Data

What can you do with Contentful?



Launch digital products faster

Content infrastructure helps digital teams work better together by unifying content in one hub, so marketers and developers can build simultaneously.



Create compelling experiences

With the freedom to use their favorite tools and frameworks, developers can focus on building leading-edge websites, apps and omnichannel experiences.



Store and edit content in one hub

Editors have full control of content in an intuitive web app. Marketers can test and refine, publishing changes to every platform from one interface.

Content Model

Search for a content type

Add content type

FILTER BY STATUS

	Name	Description	Fields	Updated	By	Status
All	Accessibility Details	List of accessibility details we may want to communicate more information about.	3	04/02/2019	Giancarlo Galliani Pochia	ACTIVE
Changed	Amenity	Parade day amenities	2	04/02/2019	Giancarlo Galliani Pochia	ACTIVE
Draft	Announcement	An announcement that is featured on the homepage	3	05/03/2019	Jason Lai	ACTIVE
Active	Article	This is used for any News or Views article that should appear on our blog.	9	05/04/2019	Jason Lai	ACTIVE
	Article - Featured	On the news page one article can be featured with a large image. Select that here.	1	04/02/2019	Kristopher Hamilton	ACTIVE
	Author		5	04/30/2019	Jason Lai	ACTIVE
	Button	A button that can be embedded in rich text	3	04/26/2019	Jason Lai	ACTIVE
	Category		2	04/02/2019	Giancarlo Galliani Pochia	ACTIVE
	Event	Events and Stages	25	04/13/2019	Kristopher Hamilton	ACTIVE
	Events - Featured	Ordered list of featured events	2	05/03/2019	Jason Lai	ACTIVE
	Generic Content Page	Used to generate basic content pages within the website.	5	05/05/2019	Kristopher Hamilton	ACTIVE

Content

Content type: Generic Content Page

Type to search for entries

Filter

Save as view

Add entry

Shared views **My views**

All

24 entries found

	Name	Updated	Author	Status
	Volunteer	Last Friday at 9:50 AM	Kristopher Hamilton	PUBLISHED
	Pride's Got Talent	Last Thursday at 3:51 PM	Peter Skoutari	PUBLISHED
	Hire a stall	Last Thursday at 10:45 AM	Peter Skoutari	PUBLISHED
	Our story	Last Wednesday at 5:57 PM	Kristopher Hamilton	PUBLISHED
	Media centre	Last Tuesday at 3:57 PM	Kristopher Hamilton	PUBLISHED

GENERAL (3)

Category

Generic content page

Header Banner



Fields (25)

JSON preview

	Ab Name	Short text	Entry title	Settings	...
	Location	Location		Settings	...
	Ab Address Line 1	Short text		Settings	...
	Ab Address Line 2	Short text		Settings	...
	Ab City	Short text		Settings	...
	Ab Postcode	Short text		Settings	...
	Ab Location Name	Short text		Settings	...
	31 Start Time	Date & time		Settings	...
	31 End Time	Date & time		Settings	...
	4.5 Event Price Low	Decimal number		Settings	...
	4.5 Event Price High	Decimal number		Settings	...
	Event Description	Long text		Settings	...
	Individual Event Picture	Media		Settings	...
	Events Lists Picture	Media		Settings	...

[Webhook settings](#)[Activity log](#)

Details

Name (required)

Netlify - Deploy a site

URL (required)

POST

https://api.netlify.com/build_hooks/

Triggers ▾ [Hide details](#)

Specify for what kind of events this webhook should be triggered.

- Trigger for all events
 Select specific triggering events

	Create	Save	Autosave	Archive	Unarchive	Publish	Unpublish	Delete
<input type="checkbox"/> Content type	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/> Entry	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/> Asset	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				

Filters

This webhook will trigger only for entities matching the filters defined below.

Environment ID (sys.environment.sys.id) [Remove](#)

equals

master

[+ Add filter](#)

Webhook called at	Call result	Actions
2019-05-11T12:01:14.551Z	HTTP 200	View details
2019-05-10T18:47:06.726Z	HTTP 200	View details
2019-05-10T18:40:57.965Z	HTTP 200	View details
2019-05-10T12:11:41.541Z	HTTP 200	View details
2019-05-10T11:05:26.086Z	HTTP 200	View details
2019-05-10T11:00:08.242Z	HTTP 200	View details



Application

CircleCI

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ↗

[Configure access](#)

✓ Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Mobile CI](#)

[GitHub Enterprise](#)


[Free](#)

[Paid](#)

Supported languages

C++, Clojure, Go
and 7 other languages supported

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI [organization settings](#) for new and existing accounts.

Build faster. Test more. Fail less.

Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

[Read more...](#)

The screenshot shows a detailed view of the CircleCI build dashboard. On the left, there's a sidebar with navigation links like 'Builds', 'My branches', 'Attachments', 'Logs', 'Issues', 'Merge', 'Actions', 'Builds', 'Logs', and 'Attachments'. The main area is titled 'Builds > facebook > react-native'. It lists several builds, each with a status indicator (Running, Success, Failed, Canceled, Pending, Aborted), a build ID (e.g., pull/1884 #18801, pull/1884 #18802, etc.), a note about failing Travis CI tests, and a duration. A 'My builds' button is at the top right, and a 'Follow Project' button is on the far right. Below the build list, a descriptive text explains the feature: 'CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.' At the bottom, there are five small screenshots showing different parts of the CircleCI interface: a build log, a terminal window, a chart, a code editor, and another chart.



circleci



PrideInLondon

3



Updates

Support



Jobs > PridelnLondon

By project My branches All branches

pride-london-web	success	PrideInLondon / pride-london-web / master #499 Update README.md file	workflow	14 min ago	01:01
dependabot/npm_and_yarn/gatsby-2.3.13	success	PrideInLondon / pride-london-web / feature/home-page-announcements #498 Merge branch 'master' into feature/home-page-announcements	build	2 days ago	18622ef
dependabot/npm_and_yarn/jest-24.7.1	success	PrideInLondon / pride-london-web / feature/blog-details #497 NIP	build	2 days ago	#294
dependabot/npm_and_yarn/react-accessible-accordion-3.0.0	FAILED	PrideInLondon / pride-london-web / feature/blog-details #496 Exemplary RichText content unpacking	build	2 days ago	ba8c768
dependabot/npm_and_yarn/react-dates-18.0.0	FAILED	PrideInLondon / pride-london-web / feature/blog-details #495 Merge branch 'master' into feature/blog-details	build	2 days ago	36ecf48
feature/blog-details	FAILED	PrideInLondon / pride-london-web / feature/blog-details #494 NIP	build	2 days ago	f5e8916
feature/home-page-announcements	FAILED	PrideInLondon / pride-london-web / master #493 Footer (#286)	build	2 days ago	01:40
master	SUCCESS	PrideInLondon / pride-london-web / master #493 Footer (#286)	build	2 days ago	dade3d2
refactoring/images-banner-styles	success	PrideInLondon / pride-london-web / feature/footer #492 update snapshots, update netlify robots config, remove pledge redirect	build	2 days ago	00:46
spike/production-release	FAILED	PrideInLondon / pride-london-web / feature/footer #491 fix cta link arrow glyph	build	2 days ago	00:52
	success	PrideInLondon / pride-london-web / feature/footer #490 merge in latest master and fix conflicts	build	2 days ago	c1ef484
	success	PrideInLondon / pride-london-web / feature/home-page-announcements #489 Merge branch 'master' into feature/home-page-announcements	build	2 days ago	d871ed7b
	SUCCESS	PrideInLondon / pride-london-web / master #488 Feature/redirects (#285)	build	2 days ago	01:08



circleci



PrideInLondon/pride-london-web



Branch: master

MEDIAN JOB


01:03 min

MEDIAN QUEUE

00:03 min

LAST JOB

yesterday



SUCCESS RATE 100.0 %

PARALLELISM 4



circleci

Jobs » PridelnLondon » pride-london-web » master » 1624

Rebuild ▼ ⚙️

SUCCESS Finished: 1 day ago (00:45) Previous: 1623 Parallelism: 1x out of 4x Queued: 00:00 waiting + 00:02 in queue Resources: 2CPU/4096MB Triggered by: API

COMMIT(1)

Sanya Moessel GitHub → 38d718c Implement Security Headers (#438)

Test Summary

Queue (00:02)

Artifacts

Configuration

Timing

Parameters

[Set Up Test Summary](#)

Show containers: All (1) Successful (1) Failed (0)

0
(00:45)

+

TEST

▶ Spin up Environment	00:02
▶ Checkout code	00:03
▶ Restore Yarn Package Cache	00:04
▶ Install Dependencies	00:07
▶ Save Yarn Package Cache	00:09
▶ yarn lint	00:07
▶ yarn test	00:21



circleci

Jobs » PridelnLondon » pride-london-web » master » 1624

Rebuild



success

Finished: Previous: Parallelism: Queued: Resources: ⓘ
1 day ago (00:46) 1623 1x out of 4x 00:00 waiting + 00:02 in queue 2CPU/4096MB

Triggered by:
API

COMMIT (1)

Sonya Meissel GitHub → 38d718c Implement Security Headers (#438)

Test Summary

Queue (00:02)

Artifacts

Configuration

Timing

Parameters

```
1 version: 2
2 jobs:
3   build:
4     docker:
5       - image: circleci/nodes:8
6
7     working_directory: ~/repo
8
9     steps:
10      - checkout
11
12      - restore_cache:
13        name: Restore Yarn Package Cache
14        keys:
15          - yarn-packages-{{ checksum "yarn.lock" }}
16
17      - run:
18        name: Install Dependencies
19        command: yarn install --frozen-lockfile
20
21      - save_cache:
22        name: Save Yarn Package Cache
23        key: yarn-packages-{{ checksum "yarn.lock" }}
24        paths:
25          - ~/cache/yarn
26
27      - run:
28        command: yarn lint
29
30      - run:
31        command: yarn test
32
33 workflows:
34   version: 2
35   workflow:
36     job:
37       - build
```



Environment Variables

Environment Variables for PrideInLondon/pride-london-web

[Import Variables](#)[Add Variable](#)

Add environment variables to the job. You can add sensitive data (e.g. API keys) here, [rather than placing them in the repository](#).

Name	Value	Remove
CODECOV_TOKEN		X
CONTENTFUL_ID		X
CONTENTFUL_TOKEN		X



Application

AccessLint

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Code review](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

Handlebars, HTML,
HTML+Django
and [3 other languages supported](#)

Customers



Developer



Developer links


[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Report abuse](#)

[Read more...](#)



When you open a Pull Request, AccessLint works quickly to find accessibility issues in your code, and comments with specific, line-by-line feedback.





accesslint bot suggested changes 23 days ago

[View changes](#)

accesslint bot left a comment

+ ...

There are accessibility issues in these changes.

src/components/imageBanner/_spec.js Outdated

Hide resolved

```
21  20      const wrapper = shallow(<ImageBanner />)
22  21      expect(wrapper.find(BannerSubtitle)).toHaveLength(1)
23  22    })
24  23
25 -   it('should render an <img> if passed an imageSrc prop', () => {
24 +   it('renders an <img> if passed an imageSrc prop', () => {
```



accesslint bot 23 days ago

This image is missing a text alternative (`alt` attribute). This is a problem for people using screen readers.



Reply...

[Unresolve conversation](#)

SonyaMoisset marked this conversation as resolved.



Application

Codecov

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

✓ Verified by GitHub

Github confirms that this app meets
the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C#, Go

and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.

1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful coherent report.
3. Get commit statuses, pull request comments and coverage overlay via our browser extension via Sourcegraph.

Are you an enterprise user / desiring an on-premises install? Please out instead to enterprise@codecov.io

[Read more...](#)

Code coverage done right.[®]

Upload reports with one line. *Simply*.

Review reports. *Seamlessly*.

Reports merged. *Flawlessly*.




Proudly serving industry leaders and open source






COVERAGE CHART

Line Coverage



COVERAGE SUNBURST



ALL RECENT COMMITS

	Implement Security Headers (#438)	Browse Report
	SonyaMoisset 2 days ago master -o- 3ed7e1c ✓ CI Passed	Browse Report
	Fix typo in Security headers	Browse Report
	SonyaMoisset 2 days ago master -o- 6a0b6bb ✓ CI Passed	Browse Report
	Add Security headers	Browse Report
	SonyaMoisset 2 days ago master -o- 3ded100 ✓ CI Passed	Browse Report
	Update Gatsby dependencies	Browse Report
	SonyaMoisset 2 days ago master -o- 736db7c ✓ CI Passed	Browse Report
	add redirects and remove greyscale on footer logos (#436)	Browse Report
	Iaij84 2 days ago master -o- 4b2b5fa ✓ CI Passed	Browse Report
	add redirects and remove greyscale on footer logos	Browse Report
	Iaij84 2 days ago master -o- 140a16b ✓ CI Passed	Browse Report

[View all recent commits](#)

Files	LOC	Tested	Passed	Skipped	Failed	Coverage
src	885	658	51	176		74.35%
empty-module.js	1	1	0	0		100.00%
Project Totals (150 files)	886	659	51	176		74.37%



Overview

Commits

Branches

Pulls

Compare

Settings

Viewing commits on all branches and pulls. Choose a single branch or pull request to review more details.

Commits

Update README.md file	SonyaMoisset	19 minutes ago	→ master	→ 10b726f	✓ CI Passed	69.55%		
Merge branch 'master' into feature/home-page-announcements	SonyaMoisset	2 days ago	→ #204	→ 519e3af	✓ CI Passed	70.17%		
Footer (#206)	laij84	2 days ago	→ feature/home-page-announcements	→ dae1d32	✓ CI Passed	69.55%		
update snapshots, update netlify robots config, remove pledge redirect	laij84	2 days ago	→ master	→ 5a6be139	✓ CI Passed	69.55%		
merge in latest master and fix conflicts	laij84	2 days ago	→ master	→ e1ef484	✓ CI Passed	69.55%	-62.50% >	
Merge branch 'master' into feature/home-page-announcements	SonyaMoisset	2 days ago	→ #205	→ d7721de	✓ CI Passed	70.17%		+0.61%
Feature/redirects (#205)	laij84	2 days ago	→ feature/blog-details	→ 10ca3cf7	✓ CI Passed	69.55%		
update invalid redirect	laij84	2 days ago	→ master	→ ee8a261	✓ CI Passed	69.55%		
remove conflicts	laij84	2 days ago	→ master	→ ad807ea	✓ CI Passed	69.55%		
merge in latest from master and resolve conflicts	laij84	2 days ago	→ master	→ 5632508	✓ CI Passed	69.55%	-40.00% >	
update redirects	laij84	2 days ago	→ feature/redirects	→ Bobb27E	✓ CI Passed	69.43%		
fix test	Unknown	2 days ago	→ #204	→ 1ed9a9d	✓ CI Passed	70.17%		+0.61%
Bump gatsby from 2.3.12 to 2.3.13	dependabot-bot	2 days ago	→ #203	→ 50534ef	✓ CI Passed	69.55%		
Bump react-dates from 16.7.0 to 18.0.0	dependabot-bot	3 days ago	→ #118	→ b0b21ef	✓ CI Passed	69.55%		
Bump jest from 23.6.0 to 24.7.1	dependabot-bot	3 days ago	→ #194	→ c910ace	✓ CI Passed	69.37%		(-0.19%)
Bump react-accessible-accordion from 2.4.5 to 3.0.0	dependabot-bot	3 days ago	→ #164	→ a1bdc29	✓ CI Passed	69.55%		
Feature/stop crawlers (#202)	laij84	3 days ago	→ feature/blog-details	→ 5ce3ff1	✓ CI Passed	69.55%		
Regenerate lock files	SonyaMoisset	3 days ago	→ master	→ 9a72415	✓ CI Passed	69.55%		




codecov bot commented 2 days ago • edited

+ 😊 ...

Codecov Report

Merging #204 into master will increase coverage by 0.61%.
The diff coverage is 100%.



@@	Coverage	Diff	@@
##	master	#204	+/- ##
<hr/>			
+ Coverage	69.55%	70.17%	+0.61%
<hr/>			
Files	75	79	+4
Lines	634	647	+13
Branches	87	88	+1
<hr/>			
+ Hits	441	454	+13
Misses	150	150	
Partials	43	43	

Impacted Files	Coverage Δ
...s/homepage/ccmponents/announcementHeader/styles.js	100% <100%> (ø)
...res/homepage/components/announcementCard/styles.js	100% <100%> (ø)
...ures/homepage/ccmponents/announcementCard/index.js	100% <100%> (ø)
...ses/homepage/components/announcementHeader/index.js	100% <100%> (ø)

Continue to review full report at [Codecov](#).

Legend - [Click here to learn more](#)

Δ = absolute <relative> (impact), ø = not affected, ? = missing data

Powered by [Codecov](#). Last update [dae3d32...918e3a0](#). Read the [comment docs](#).

yarn test

```
$ #!/bin/bash -eo pipefail
yarn test

yarn run v1.15.2
$ yarn jest --runInBand && codecov
$ /home/circleci/repo/node_modules/.bin/jest --runInBand
PASS  src/components/navigation/navItem/_spec.js
PASS  src/components/banner/bannerImage/_spec.js
PASS  src/features/events/tests/eventsYouMayLike_spec.js
PASS  src/components/checkbox/_spec.js
PASS  src/components/ctaLink/_spec.js
PASS  src/components/navigation/nav/_spec.js
PASS  src/components/button/_spec.js
PASS  src/features/genericContentPage/_spec.js
PASS  src/components/banner/bannerSubtitle/_spec.js
PASS  src/features/homepage/components/latestNews/_spec.js
PASS  src/components/footer/_spec.js
PASS  src/features/blog/containers/viewsContainer/_spec.js
PASS  src/components/banner/bannerTitle/_spec.js
PASS  src/features/sponsors/components/sponsorSubsection/_spec.js
PASS  src/features/events/tests/eventTagList_spec.js
PASS  src/features/blog/components/viewsCard/_spec.js
PASS  src/features/homepage/components/featuredEvents/_spec.js
PASS  src/features/blogDetails/containers/pageContent/_spec.js
PASS  src/components/banner/bannerDate/_spec.js
PASS  src/features/blog/components/newsCard/_spec.js
PASS  src/features/events/helpers/_spec.js
PASS  src/components/navigation/submenu/_spec.js
PASS  src/features/blogDetails/components/blogHeader/_spec.js
PASS  src/components/checkboxSet/_spec.js
PASS  src/features/blog/containers/newsCards/_spec.js
PASS  src/features/genericContentPage/components/figure/_spec.js
PASS  src/features/blogDetails/components/author/_spec.js
PASS  src/features/blog/components/newsFilter/_spec.js
PASS  src/components/newsCardHeader/_spec.js
PASS  src/features/sponsors/components/sponsorBadge/_spec.js
PASS  src/features/genericContentPage/components/video/_spec.js
PASS  src/features/blogDetails/containers/otherArticles/_spec.js
PASS  src/features/blogDetails/containers/pageHeader/_spec.js
PASS  src/features/homepage/components/announcementCard/_spec.js
PASS  src/components/image/_spec.js
PASS  src/components/newsMetrics/_spec.js
PASS  src/components/newsCategory/_spec.js
PASS  src/features/blogDetails/components/blogContent/List/_spec.js
PASS  src/features/blogDetails/components/blogContent/Carousel/_spec.js
```

File	% Stats	% Branch	% Funcs	% Lines	Uncovered Line #s
All files	72.95	41.64	55.31	74.38	
repc	100	100	100	100	
empty-module.js	100	100	100	100	
repc/src/components/appContext	12.77	0	5.36	14.29	
index.js	12.77	0	5.36	14.29	... 65,196,191,196
repc/src/components/banner/bannerDate	100	100	100	100	
index.js	100	100	100	100	
styles.js	100	100	100	100	
repc/src/components/banner/bannerImage	100	66.67	100	100	
index.js	100	100	100	100	
styles.js	100	69	100	100	... 65,77,82,88,92
repc/src/components/banner/bannerSubtitle	100	100	100	100	
index.js	100	100	100	100	
styles.js	100	100	100	100	
repc/src/components/banner/bannerTitle	100	100	100	100	
index.js	100	100	100	100	
styles.js	100	100	100	100	
repc/src/components/button	100	83.87	100	100	
index.js	100	83.87	100	100	28,27,39,49
repc/src/components/checkbox	100	50	100	100	
index.js	100	50	100	100	75
repc/src/components/checkboxSet	44.44	100	20	44.44	
index.js	44.44	100	20	44.44	42,46,53,55,67
repc/src/components/chevronRight	100	100	100	100	
index.js	100	100	100	100	
repc/src/components/cta.ink	100	100	100	100	
index.js	100	100	100	100	
repc/src/components/footer	100	100	100	100	
_index.js	100	100	100	100	
index.js	100	100	100	100	
styles.js	100	100	100	100	
repc/src/components/grid	100	60	100	100	
index.js	100	60	100	100	... ,98,95,102,104
repc/src/components/icons	78.85	100	43.75	78.85	
accessibilityIcon.js	50	100	0	50	4
chevronDown.js	100	100	100	100	
dateIcon.js	50	100	0	50	4
facebook.js	100	100	100	100	
genderIcon.js	0	100	0	0	4
index.js	100	100	100	100	
instagram.js	100	100	100	100	
linkedin.js	100	100	100	100	
mailIcon.js	0	100	0	0	4
mapPinIcon.js	0	100	0	0	4
phoneIcon.js	0	100	0	0	4

Test Suites: 1 skipped, 59 passed, 59 of 60 total

Tests: 2 skipped, 100 passed, 105 total

Snapshots: 66 passed, 66 total.

U.S.: 19,295x

Run all test suites.

www.ijerph.org

— 1 —

THEORY OF THE STATE

— 1 —

10 of 10

$\lambda = \lambda_0 / (\lambda_0 - 1)$

100-1000

-22- Detection CT Prey

Garcia CI, Detenbeck

» Configuration

Endpoint: https://

Document ID: 138477860004

branch: 'master'

Brannon Foster ;

*** Building file s11

⇒ Generating sum

See also [Simplifying goal](#) | [Simplifying](#)

==> Screening for trends

± Standard error

– 1907/cipolletta

==> Unloading reports

Suppose!

View report at: [H](#)

Page 18 21 475

DATA 2020-07-20



Codecov

Code coverage done right.

All files

72.95% Statements 685/911 41.64% Branches 157/377 65.31% Functions 131/201 74.38% Lines 665/896

File	Statements	Branches	Functions	Lines
pride-london-web	100%	1/1	100%	100%
pride-london-web/src/components/appContext	12.77%	6/47	0%	14.29%
pride-london-web/src/components/banner/bannerData	100%	5/5	100%	100%
pride-london-web/src/components/banner/bannerImage	100%	18/18	66.67%	12/12
pride-london-web/src/components/banner/bannerSubtitle	100%	7/7	100%	100%
pride-london-web/src/components/banner/bannerTitle	100%	5/5	100%	100%
pride-london-web/src/components/button	100%	17/17	83.33%	17/17
pride-london-web/src/components/checkbox	100%	12/13	50%	100%
pride-london-web/src/components/checkboxSet	44.44%	4/9	0%	44.44%
pride-london-web/src/components/chevronRight	100%	2/2	100%	100%
pride-london-web/src/components/cteLink	100%	4/4	100%	100%
pride-london-web/src/components/footer	100%	30/30	100%	100%
pride-london-web/src/components/grid	100%	18/18	60%	100%
pride-london-web/src/components/icon	78.05%	32/41	0%	78.05%
pride-london-web/src/components/image	100%	5/5	100%	100%
pride-london-web/src/components/input	33.33%	5/15	0%	33.33%
pride-london-web/src/components/navigation/nav	100%	23/23	100%	100%
pride-london-web/src/components/navigation/navItem	87.18%	34/39	80%	87.18%
pride-london-web/src/components/navigation_submenu	82.76%	24/29	56.25%	82.76%
pride-london-web/src/components/newsCardHeader	100%	5/5	100%	100%
pride-london-web/src/components/newsCategory	25%	6/24	50%	25%
pride-london-web/src/components/newsMetrics	87.5%	7/8	50%	100%
pride-london-web/src/configuration	85.71%	6/7	75%	85.71%
pride-london-web/src/constants	100%	3/3	100%	100%
pride-london-web/src/features/blog/components/newsCard	100%	6/6	100%	100%
pride-london-web/src/features/blog/components/newsDate	100%	4/4	100%	100%



Application

Codacy

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

Verified by GitHub

CiHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[GitHub Enterprise](#)

[Free](#)

[Paid](#)

Supported languages

Go, Java, JavaScript
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Codacy is an automated code analysis/quality tool that helps developers ship better software, faster. With Codacy, you get static analysis, cyclomatic complexity, duplication and code unit test coverage changes in every commit and pull request.

You can use Codacy to enforce your code quality standard, save time in code reviews, enforce security best practices and onboard developers faster. Integrate with your GitHub repositories to get quality analysis of every pull request inside GitHub.

[Read more...](#)

Track your project quality evolution

Get a code quality glance at your project and track its quality evolution over time.


Our dashboard answers three main questions:

What is the state of your projects code quality?
How is it evolving throughout time?
What are the hotspots in my code?



Integrated in your workflow

Get only the updates you need.
Integrate comments and status on your pull requests and know exactly what's wrong and where.





C O D A C Y

pride-london-web master

[Badge](#)

B Project certification


Quality evolution

Issues 11% 178%

Complex files 0%

Duplicated code 5% -2%


Coverage -

[Last 7 days](#)[Last 31 days](#)

Issues breakdown

74 total issues

Category



Coverage



Make sure your code is all tested. [Set up your coverage here.](#)

Hotspots

⚠ Security pattern Prohibit instances of var[var] reported 9 times in pride-london-web

⚠ pride-london-web has 1 open pull request breaking the standards.

Logs

- Sonya Molisset ignored pattern "ESLint_react_jsx-indent-preps". 6 days ago
- Sonya Molisset ignored pattern "ESLint_react_jsx-indent". 6 days ago
- Sonya Molisset ignored pattern "Require parentheses in arrow function arguments". 18 days ago
- Sonya Molisset ignored pattern "LocalStorage". 24 days ago
- Sonya Molisset ignored pattern "A 'return', 'break', 'continue', or 'throw' statement should be the last in a block.". 25 days ago
- Sonya Molisset ignored pattern "Avoid adjoining classes". 28 days ago
- Sonya Molisset ignored pattern "Enforce coherent multiline dot". 29 days ago
- Sonya Molisset ignored pattern "Enforce Dangling Commas". 29 days ago
- Sonya Molisset disabled JSHint. about a month ago

Pull requests status



- Not up to standards 0
- Up to standards 6



C O D A C Y

pride-london-web master

A Project certification


Quality evolution



Issues breakdown

74 total issues

Category

[See all issues](#)

Coverage



Hotspots

⚠ Security pattern Prohibit instances of var[ver] reported 9 times in pride-london-web

❗ pride-london-web has 1 open pull request breaking the standards.

Logs



Analysis logs will show up here as soon as there are changes. [Learn more about logs](#)

Pull requests status



- Not up to standards 0
- Up to standards 3

[See all pull requests](#)



C O D A C Y

Code patterns

CSSLint	<input checked="" type="checkbox"/>
ESLint 5.8.0	<input checked="" type="checkbox"/>
JSHint	<input type="checkbox"/>
JacksonLinter	<input checked="" type="checkbox"/>
Node Security	<input checked="" type="checkbox"/>
PMD 8.4.0	<input type="checkbox"/>
PMD (Legacy) 5.8.1	<input checked="" type="checkbox"/>
RemarkLint 6.0.2	<input checked="" type="checkbox"/>
Stylelint 9.4.0	<input checked="" type="checkbox"/>

Not supported

💡 ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. [Learn more](#)

Your rules configuration

Tool pattern list OR Configuration file

Select your rules for analysis from the ESLint default pattern list We will scan for a ESLint configuration file in your project root

ESLint pattern list

		Languages	Category
<input type="checkbox"/>	ESLint-angular_element ESLint-angular_element <small>JavaScript JSON Code Style</small>	JSON JavaScript	Unused Code
<input type="checkbox"/>	ESLint-angular_component-limit ESLint-angular-component-limit <small>JavaScript JSON Code Style</small>	JSON JavaScript	Error Prone
<input type="checkbox"/>	ESLint-angular_component-name ESLint-angular-component-name <small>JavaScript JSON Code Style</small>	JSON JavaScript	Compatibility
<input type="checkbox"/>	ESLint-angular_controller-as ESLint-angular-controller-as <small>JavaScript JSON Code Style</small>	JSON JavaScript	Security
<input type="checkbox"/>	ESLint-angular_controller-as-route ESLint-angular-controller-as-route <small>JavaScript JSON Code Style</small>	JSON JavaScript	Code Style
		Enabled	10
		Disabled	141
		Active	4
		Enabled	15
		Disabled	287





C O D A C Y



glancarlo88 wants to merge task/blog-page-layout into feature/blog-page · March 16
Task/blog page layout

Current Status: Analyzed View logs
[View on GitHub](#)

Not up to standards. This pull request quality could be better.

+83

Issues



Duplication



Complexity (0)



Coverage

New Issues Fixed Issues Hotspots New Duplication Fixed Duplication Files Diff Commits

Showing 16 files with new issues

[src/components/horizontalRule/index.js](#)

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import styled from 'styled-components'
```

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import styled from 'styled-components'
```

[src/features/blog/components/newsCard/index.js](#)

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import React from 'react'
```

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import React from 'react'
```

JSX not allowed in files with extension '.js' (react/jsx-filename-extension)

```
0 const CenterDot = () => <span></span>
```

Missing JSX expression container around literal string (react/jsx-no-literals)

```
0 const CenterDot = () => <span></span>
```



CodeFactor

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.
To complete this installation, you must [grant this app access to PrideInLondon](#).

[Set up a new plan](#)
[Edit your plan ▾](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)
[Recently added](#)
[Free Trials](#)
[Free](#)
[Paid](#)

Supported languages

C#, C++, CSS

and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Ensure that your code meets quality standards.

CodeFactor.io seamlessly integrates with GitHub, instantly performs Code Review with every GitHub Commit or PR. Zero setup time. Get actionable feedback within seconds for any branch. Customize rules and ignore irrelevant issues. Get refactoring tips on every issue.

Multilanguage support.

C, C#, C++, CoffeeScript, CSS, GO, Groovy, Java, JavaScript, Less, PHP, Python, Ruby, Scala, SCSS, TypeScript.

[Read more...](#)

The screenshot shows a detailed view of a GitHub pull request's status. At the top, there's a red circular icon with a white 'X' and the text "Review required". Below it, a green circular icon with a white checkmark and the text "Some checks were not successful" is followed by "2 failing and 4 successful checks". A specific check, "CodeFactor — 1 issue fixed. 2 issues found.", is highlighted with a red rounded rectangle. This item has a small "X" icon and the text "ci/bitrise/b811e91a28b1ea80/pr — Failed - Ubuntu Cake". To the right of this list are "Required" and "Details" buttons. Below this section, there are three green checkmarks indicating successful builds: "ci/bitrise/7a9d707b000881436/pr — Passed - OSX Cake", "continuous-integration/appveyor/pr — AppVeyor build succeeded", and "Cake Develop (Cake) — TeamCity build finished". Each of these also has "Required" and "Details" buttons. At the bottom of the list, there's another red circular icon with a white 'X' and the text "Merging is blocked", followed by the explanatory text "Merging can be performed automatically with one approved review."

Simple statuses within your workflow.



9.89 🔴 grade score

17 issues

257 files

3 pull requests

1 active branch

Commit [38d718c](#) by Sonya Moisset a day ago No issues
Implement Security Headers (#438)

Commit [739db7c](#) by Sonya Moisset 2 days ago No issues
Update Gatsby dependencies

Commit [4b2b5fa](#) by laij84 2 days ago No issues
add redirects and remove greyscale on footer logos (#436)

Commit [73b375e](#) by laij84 4 days ago No issues
add footer contact link (#431)

Commit [ab74610](#) by Giancarlo Galliani 4 days ago No issues
Change blog => news-and-views on homepage (#430)

Commit [4a1c302](#) by laij84 5 days ago No issues
Redirects fix (#429)

Commit [a168b42](#) by laij84 5 days ago No issues
Navigation external urls (#428)

Commit [6c91540](#) by Giancarlo Galliani 5 days ago No issues
Add link to partnership packages doc (#427)

Commit [f609568](#) by laij84 5 days ago 2 new issues 1 fixed issue
Fix featured events (#426)

Hotspots

B src\pages\privacy.js

Libraries 64

moment/moment 2.24.0 C+

@babel/core 7.4.4 -

@babel/plugin-syntax-dynamic-import... -

@babel/preset-env 7.4.4 -

@babel/preset-react 7.0.0 -

Show 59 more libraries...



All 17

Complexity 1 ▾

Duplication 11 ▾

Performance 3 ▾

Maintainability 2 ▾

Ignored 599

⚠ Duplicate Code (lines of code = 11)

laij84 - 13 days ago

Inappropriate code duplication may increase maintenance costs by making code difficult to change and hard to understand. It may also be indicative of a sloppy design. We strongly encourage you to look into various refactoring techniques to resolve this issue.

Refactorings

- Extract Method
- Extract Class
- Form Template Method
- Pull Up Method
- Pull Up Field
- Substitute Algorithm

Found in

[src\pages\privacy.js:747-757](#)
[src\pages\privacy.js:760-770](#)

747	</td>
748	<td>
749	<p>
750	Google advertising cookie used for user tracking and advert
751	targeting purposes

747	</td>
748	<td>
749	<p>
750	Google advertising cookie used for user tracking and advert
751	targeting purposes

[View more](#)**⚠ Duplicate Code** (lines of code = 11)

Found in

[src\pages\privacy.js:408-418](#)
[src\pages\privacy.js:434-444](#)

408	</p>
409	</td>
410	<td>
411	<ul style={{ listStyleType: 'lower-alpha' }}>
412	Identity

408	</p>
409	</td>
410	<td>
411	<ul style={{ listStyleType: 'lower-alpha' }}>
412	Identity

[View more](#)



Application

CodeScene

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)



GitHub confirms that this app meets the requirements for verification.

Categories

[Code quality](#)

[Recently added](#)

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

CodeScene identifies and prioritizes technical debt based on how the organization works with the code. Using CodeScene you can:


- Prioritize a small part of your codebase – typically 2-4% – that identifies the most likely return on any code quality investments.
- Explore the efficiency of your organization with respect to Conway's Law.
- Detect sub-systems with low team autonomy that become productivity bottlenecks.
- Measure the technical risk when a key developer leaves the project.

[Read more...](#)



CodeScene's machine learning intelligence prioritizes your technical debt so you get a return on your investments in improvements.






Hotspots

Refactoring Targets

Code Age

Defects

Programming Language



Refactoring Targets

Prioritize improvements to these files since they have the highest technical debt interest rate.


- pride-london-web/src/pages/index.js
- pride-london-web/src/pages/support-us/partners.js
- pride-london-web/src/components/footer/index.js
- pride-london-web/src/pages/blog.js
- pride-london-web/src/pages/events/shots-on.js
- pride-london-web/src/socialy-react.js
- pride-london-web/src/features/blog/components/rimeCard/index.js
- pride-london-web/src/layouts/index.js
- pride-london-web/src/features/blog/components/rimeContainer/index.js
- pride-london-web/src/features/blog/components/rimeCard_spa.js
- pride-london-web/src/features/blog/components/newsContainer/index.js
- pride-london-web/src/features/events/components/eventInfoCard.js
- pride-london-web/src/components/navigation/nav/index.js
- pride-london-web/src/templates/event.js
- pride-london-web/src/features/events/components/eventsFilter.js

Identify the primary developers behind the code to coordinate and support onboarding.

Owners

Knowledge Loss

Coordination Needs



Evaluate how well your team structure aligns with the architecture.

Owners

Knowledge Loss

Coordination Needs





Application

DeepScan

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[Recently added](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

JavaScript, JSX, TypeScript
and [1 other languages supported](#)

Developer



[deepscan](#)

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Tired of the troubles with JavaScript? DeepScan can help you.

DeepScan is an advanced static analysis tool engineered to support JavaScript, TypeScript, React, and Vue.js.

You can use DeepScan to find possible runtime errors and quality issues instead of coding conventions. Integrate with your GitHub repositories to get quality insight into your web project.

[Read more...](#)

The screenshot shows a code editor with a sidebar. The sidebar displays analysis results for a file named 'src/router/index.ts'. It includes sections for 'Unexpected token, expected' and 'Condition 'station' is always taken.' with specific line numbers and descriptions. The main code area shows a snippet of TypeScript code:

```
sortBy = (station: Station) => {
  if (!station) {
    return;
  }
  const stationLabel = station.title;
  if (station) {
    Condition 'station' is always true at this point because the else branch of the condition 'station' at Line 92 has been taken
    titleStore.changeTitle(stationLabel);
  } else {
    titleStore.resetTitle();
  }
  this.context.router.push(`/${stationLabel.replace('/', '$SLASH$')}`);
}
handleUrlfav = () => {
  const [ selectedStation ] = this.props;
  if (selectedStation) {
    unfav(selectedStation.id);
  }
}
handleFav = () => {
  const [ selectedStation ] = this.props;
  if (selectedStation) {
    fav(selectedStation.id);
  }
}
getOne = () => {
```



Summary

Sonya Moisset committed Implement Security Headers (#438) 2 days ago

Success

Last Analyzed
2 days ago

13,263

Lines Of Code
Total lines: 14,594

256

Analyzed Files

Issues

4

Unresolved Issues
Error: 2 / Code Quality: 2

0

Newly Detected Since
2 days ago

0

Fixed

Trends



Branch

master

Grade

GOOD

High and Medium impact issues:



Low impact issues:



Badge

To add a badge to your project, copy and paste it into your repository's README file.

[Markdown](#) [HTML](#)

[\[!DeepScan grade\]\(https://deep](#)

Share



Share on email

Callback function for 'Array.prototype.map()' should return a value. Consider using 'Array.prototype.forEach()' when the newly created array is not needed.

May 4, 2019

Open



[src/components/appContext/index.js](#) (53:28-81:3)

ARRAY_CALLBACK_RETURN_MISSING

```
50      // Generate all recurrences of events
51      const allEventOccurrences = []
52      // Map over events
53      nextProps.events.map(event => {
54        if (!event.node.recurrenceDates) {
55          allEventOccurrences.push(event)
56        } else {
57          const recurrenceDates = sanitizeDates([
58            moment(event.node.startTime).format(dateFormat),
59            ...event.node.recurrenceDates,
60          ])
61          const time = moment(event.node.startTime).format('HH:mm')
62          const duration = getDuration(event.node.startTime, event.node.endTime)
63
64          recurrenceDates.forEach(date => {
65            // Deep clone event
66            const copy = JSON.parse(JSON.stringify(event))
67
68            // Modify start time and end time
69            copy.node.startTime = moment(
70              `${date} ${time}`,
71              'DD/MM/YYYY hh:mm'
72            ).format()
73            copy.node.endTime = moment(copy.node.startTime)
74              .add(duration, 'milliseconds')
75              .format()
76            copy.node.id = `${event.node.id}-${date.split('/').join('')}`
77
78            allEventOccurrences.push(copy)
79          })
80        }
81      })
82      return { events: allEventOccurrences.filter(filterPastEvents) }
```

Rule: ARRAY_CALLBACK_RETURN_MISSING

✓ Code Quality ⚡ Medium 📋 No tags

Callback function argument of `Array` functions should have `return` statement

This rule applies when a callback function argument of the following `Array` functions does not have `return` statement.

1. `Array.from()`
2. `Array.prototype.every()`
3. `Array.prototype.filter()`
4. `Array.prototype.find()`
5. `Array.prototype.findIndex()`
6. `Array.prototype.map()`
7. `Array.prototype.reduce()`
8. `Array.prototype.reduceRight()`
9. `Array.prototype.some()`
10. `Array.prototype.sort()`

Return value of the above functions with missing `return` statement is always the same (an array filled with `undefined` in the case of `Array.from` or `Array.prototype.map` functions), and it is not likely to be a programmer's intent.

When the return value is not needed, it is recommended to use `Array.prototype.forEach` function which does not make a new array as a return value.

Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    memo[curval] = index;
});
console.log(ret1); // 'ret1' is filled with undefined.

var ret2 = Array.from([1, 2, 3], function (x) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
    x = x + 3;
});
console.log(ret2); // 'ret2' is filled with undefined.
```

Revised Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) {
    memo[curval] = index;
    return memo[curval];
});
```



Application

Pull Request Size

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)[Edit your plan](#) ▾[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#)[Recently added](#)[Free](#)

Customers



Developer

[noqcks](#)

Developer links

[Support](#)[Documentation](#)[Privacy Policy](#)

Report abuse

We must measure before we can adapt.
Ensure that Pull Request sizes in your organization are trending smaller with the Pull Request Size app. Each Pull Request created will be marked with a label in GitHub based on the lines of code changed.

Size Determination

The Pull Request labels are applied depending on the total lines of code changed (additions + deletions).

Label	Description
size/XS	Denotes a Pull Request that changes 0-9 lines.
size/S	Denotes a Pull Request that changes 10-29 lines.
size/M	Denotes a Pull Request that changes 30-99 lines.
size/L	Denotes a Pull Request that changes 100-499 lines.
size/XL	Denotes a Pull Request that changes 500-999 lines.
size/XXL	Denotes a Pull Request that changes 1000+ lines.

Testing Pull Request Size App #45

Open noqcks wants to merge 1 commit into master from test-pull-request-size

Conversation 0 Commits 1 Checks 0 Files changed 1

noqcks commented 16 minutes ago

Testing pull request size

pull-request-size bot added the sizeM label 15 minutes ago

Owner: Verified c6ff4bd

Reviewers: No reviews

Assignees: No one—assign yourself!

Labels: sizeM

Add more commits by pushing to the test-pull-request-size branch on noqcks/test-pull-request-size.



Application

LGTM

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) -

[Configure access](#)

✓ Verified by GitHub

GithHub confirms that this app meets the requirements for verification.

Categories

[Code quality](#)

[Security](#)

[Free](#)

Supported languages

C, C++, Java
and [3 other languages supported](#)

Developer

[lgtmhq](#)

Developer links

[Support](#)
[Documentation](#)
[Privacy Policy](#)


[Report abuse](#)

Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review


LGTM's extensive security analysis is constantly enhanced by findings from our dedicated team of security researchers, and by contributions from security teams at a number of top tech companies who use our technology, including Google, Microsoft and Mozilla.

Integration is easy, at the click of a button you can set up Pull Request analysis, and catch problems before they get merged.

[Read more...](#)



Pull Request Integration: Enable automatic code review to catch problems before they get merged.




JavaScript Alerts[Overview](#)[Alerts 5](#)[Files](#)[Contributors 10](#)[Compare](#)[Dependencies](#)[Integrations](#)[Queries](#)

Alert filters

[No filter selected](#)[Export alerts](#) [Severity](#)[Query](#)[Tag](#) Show excluded files Show heatmap

Source root /



Name	Alerts	Lines of code
src	5	12.1k
.eslintrc	0	0
empty-module.js	0	1
gatsby-browser.js	0	0
gatsby-config.js	0	96
gatsby-node.js	0	110
gatsby-ssr.js	0	0
package.json	0	0

← Potentially inconsistent state update

reliability

frameworks/react

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

[Read more](#)

[Open in query console](#)

Source root/src/.../filters/**eventDropdownFilter.js**

1 alert

```
↑ 1-117
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121       this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
123   }
124
↓ 125-172
```

Component state update uses potentially inconsistent value.



Source root/src/.../appContext/index.js

1 alert

```
↑ 1-136
137
138   clearFilters = () => {
139     this.setState({
140       ...this.state,
141       filterOpen: null,
142       filters: getInitialFilterState(),
143     })
144   }
145
↓ 146-230
```

Component state update uses potentially inconsistent value.



Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: com.igtm/javascript-queries

Query ID: js/react/inconsistent-state-update

Language: JavaScript

Severity: warning

Tags: reliability, frameworks/react

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. [Learn how.](#)

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
1  this.setState({  
2      counter: this.state.counter + 1  
3  });
```

Instead, the callback form of `setState` should be used:

```
1  this.setState(prevState => ({  
2      counter: prevState.counter + 1  
3  }));
```

References

- React Quick Start: [State and Lifecycle](#).

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component.
You can find a [detailed component API reference here](#).

Consider the ticking clock example from [one of the previous sections](#). In [Rendering Elements](#), we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}

setInterval(tick, 1000);
```

[Try it on CodePen](#)

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

PrideInLondon/pride-london-web

JavaScript A+

Unfollow

Query this project

Overview

Alerts 3

Files

Contributors 8


Compare

Dependencies

Integrations

A+ when compared to other JavaScript projects

Language: JavaScript Add a language





Application Datree

PridelnLondon has already purchased the Individuals & Small Teams plan for this app on GitHub Marketplace.

[Set up a new plan](#)[Edit your plan ▾](#)[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#) [Code review](#)
[Recently added](#) [Free Trials](#)
[Free](#) [Paid](#)

Supported languages

C#, Java, JavaScript
and 2 other languages supported

Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

Report abuse

Datree connects with GitHub pull requests to provide automatic policy compliance checks and insights for every code change. Create and enforce custom or built-in policies, in the context of your dev stack.

[Read more...](#)

The screenshot shows the Datree dashboard with the following sections:

- Catalog Overview:** Displays 30 People, 390 Code Components, and 90 Repositories.
- Policy Summary:** A table showing audit results for various policies across repositories. Policies include:
 - Separate secret credentials from source code (3/30 Repositories Failed)
 - Separate dependencies from source code (2/30 Repositories Failed)
 - Separate personal config from source code (2/30 Repositories Failed)
 - Ensure .gitignore file is included in projects (20/90 Repositories Failed)
 - Ensure CODEOWNERS defined in projects (63/90 Repositories Failed)
 - Block unrecognized committers and authors (11/30 Repositories Failed)
 - Look packages (major version in manifest) (3/30 Repositories Failed)
 - Block out-of-date pullrequests (0/90 Repositories Failed)
- audit report for best practices**: A section showing five preview cards of audit reports.

Catalog Overview



12

People



72

Code Components



1

Repositories

Policy Summary

Rule	Repositories	Open Pull Requests	Last Update
Separate secret credentials from source code	✓	✓	⌚ 18 days ago
Separate dependencies from source code	✓	✓	⌚ 18 days ago
Separate personal config files from source code	✓	✓	⌚ 18 days ago
Ensure a .gitignore file is included in projects	✓	✓	⌚ 18 days ago
Ensure CODEOWNERS defined in projects	✓	✓	⌚ 18 days ago
Block unrecognized committers and authors	1 / 1 Repositories Failed	✓	⌚ 2 days ago
Lock packages (major) version in manifest	✓	✓	⌚ 18 days ago



Catalog overview

Separate secret credentials from source code

Check Passed - congrats!

Separate dependencies from source code

Separate personal config files from source code

Ensure a .gitignore file is included in projects

Ensure CODEOWNERS defined in projects

Block unrecognized committers and authors

Lock packages (major) version in manifest

Datreo's policy check is required

New commits dismiss pull request approval

Require code review for every pull request

Protect the main branches from direct commits

Archive dead repositories

Inactive Members in Organization

Align packages versioning

Separate secret credentials from source code

Check Passed - great job!

Separate dependencies from source code

Check Passed - awesome!

Ensure a .gitignore file is included in projects

Check Passed - well done!

Ensure CODEOWNERS defined in projects

Check Passed - impressive!



Application

GuardRails

i PrideInLondon has already purchased the Open Source plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Not verified by GitHub

Categories

[Code quality](#)

[Security](#)

[Free](#)

Supported languages

Go, Java, JavaScript
and [4 other languages supported](#)

Developer

[guardrailsio](#)

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

[Read more...](#)

GuardRails scans new code changes as they occur in your repositories. For pull requests, we will post comments whenever security issues are detected. For branches, you will be able to see reports in [your dashboard](#).

[Read more...](#)

The screenshot shows a GitHub pull request titled "Add users management feature #77" merged by "kytwb". A comment from "guardrails/scan" indicates that all checks have failed due to three new security issues: Hard-Coded Secrets (1), Insecure Use of SQL Queries (1), and Vulnerable Libraries (1). The comment also links to the "guardrails/scan" repository. The pull request interface includes standard GitHub controls like "Details", "Unsubscribe", and "View changes".

GuardRails in effect in a pull requests on GitHub.

The bottom section displays three smaller screenshots: 1) A main dashboard view of GuardRails. 2) A detailed report showing a list of findings or metrics. 3) An integration with Slack, showing a message from GuardRails in a Slack channel.

Accounts

PrideInLondon

Click here to install GuardRails on
more accounts!

PrideInLondon / pride-london-web



Branches

Pull Requests

CLI Requests

PR #438	Implement Security Headers	fr No fr Issues git 6a0b9bb	⌚ 00:52.839 📅 2 days ago
PR #438	Add Security headers	fr No fr Issues git 3ded700	⌚ 00:58.515 📅 2 days ago
PR #436	add redirects and remove greyscale on footer logos	fr No fr Issues git 140a16b	⌚ 01:00.132 📅 2 days ago
PR #434	Bump gatsby-plugin-sharp from 2.0.36 to 2.0.37	fr No fr Issues git 612a51d	⌚ 01:06.219 📅 3 days ago
PR #435	Bump gatsby-source-contentful from 2.0.55 to 2.0.56	fr No fr Issues git 186ca09	⌚ 00:54.538 📅 3 days ago
PR #433	Bump gatsby from 2.4.2 to 2.4.3	fr No fr Issues git bbaed78	⌚ 00:54.410 📅 3 days ago
PR #418	Bump jest from 23.6.0 to 24.8.0	fr No fr Issues git a0f40a2	⌚ 00:58.755 📅 3 days ago
PR #432	Bump codecov from 3.3.0 to 3.4.0	fr No fr Issues git 4455f7d	⌚ 00:57.618 📅 4 days ago
PR #431	add footer contact link	fr No fr Issues git 0ca12b5	⌚ 01:00.813 📅 4 days ago
PR #430	hotfix Change blog => news-and-views on homepage	fr No fr Issues git d0e1e34	⌚ 01:05.604 📅 4 days ago
PR #429	Redirects fix	fr No fr Issues git eb5c2ae	⌚ 00:51.002 📅 5 days ago



Application

Sonatype DepShield

ⓘ You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Sonatype DepShield is a GitHub App used by developers to identify and remediate vulnerabilities in their open source dependencies.

[Read more...](#)

Categories

[Dependency management](#)

[Security](#)

[Free](#)

Supported languages

Java and JavaScript

Developer



Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

The screenshot shows a GitHub issue page for the repository `whyjustin / WebGoat`. The issue is titled `[DepShield] Vulnerability due to usage of commons-fileupload:commons-fileupload:1.2.2 #105`. It was opened by `sonatype-depshield bot` 6 days ago. The issue body contains a message from DepShield reporting a vulnerability due to the usage of `commons-fileupload:commons-fileupload:1.2.2`. The message lists three CVSS 3.0 vulnerabilities:

- (CVSS 9.8) [CVE-2016-100031] Improper Access Control
- (CVSS 7.5) [CVE-2014-0050] Permissions, Privileges, and Access Controls
- (CVSS 7.5) [CVE-2016-3092] Improper Input: Validation

On the right side of the issue page, there are sections for Assignees (No one assigned), Labels (None yet), Projects (None yet), and Milestones (No milestones).

DepShield Generates GitHub Issues for Known Security Vulnerabilities



[DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

 Open

sonatype-depshield bot opened this issue a day ago · 0 comments



sonatype-deps... bot commented a day ago

+ ...

Vulnerabilities

DepShield reports that this application's usage of [lodash.get:4.4.2](#) results in the following vulnerability(s):

- (CVSS 7.4) [CWE-471: Modification of Assumed-Immutable Data \(MAID\)](#)
- (CVSS 6.5) [\[CVE-2018-3721\] lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...](#)

Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- [husky:1.3.1](#)
 - └ [cosmiconfig:5.1.0](#)
 - └ [lodash.get:4.4.2](#)

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for personal and organization accounts. Please submit questions or feedback about DepShield to the [Sonatype DepShield Community](#).

Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

CVSS Score

7.4: Critical

CVSS Vector

CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

CWE

CWE-471

CVE

not recorded

Components

 [Sign In](#) to see affected components and versions.

References

URL

<https://www.npmjs.com/advisories/577>

<https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0>

2 references

severity low

Prototype Pollution

`lodash`

[Advisory](#)

[Versions](#)

Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are '`defaultsDeep`', '`merge`', and '`mergeWith`' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

Remediation

Update to version 4.17.5 or later.

Resources

- [HackerOne Report](#)

Base Score Metrics

Exploitability Metrics

Attack Vector (AV)*

Network (AV:N) Adjacent Network (AV:A) Local (AV:L) Physical (AV:P)

Attack Complexity (AC)*

Low (AC:L) High (AC:H)

Privileges Required (PR)*

None (PR:N) Low (PR:L) High (PR:H)

User Interaction (UI)*

None (UI:N) Required (UI:R)

Scope (S)*

Unchanged (S:U) Changed (S:C)

Impact Metrics

Confidentiality Impact (C)*

None (C:N) Low (C:L) High (C:H)

Integrity Impact (I)*

None (I:N) Low (I:L) High (I:H)

Availability Impact (A)*

None (A:N) Low (A:L) High (A:H)

* - All base metrics are required to generate a base score.

Temporal Score Metrics

Exploitability (E)

Not Defined (E:X) Unproven that exploit exists (E:U) Proof of concept code (E:P) Functional exploit exists (E:F) High (E:H)

Remediation Level (RL)

Not Defined (RL:X) Official fix (RL:O) Temporary fix (RL:T) Workaround (RL:W) Unavailable (RL:U)

Report Confidence (RC)

Not Defined (RC:X) Unknown (RC:U) Reasonable (RC:R) Confirmed (RC:C)

Environmental Score Metrics

Base Modifiers

Attack Vector (AV)

Not Defined (MAV:X) Network (MAV:N) Adjacent Network (MAV:A)

Local (MAV:L) Physical (MAV:P)

Attack Complexity (AC)

Not Defined (MAC:X) Low (MAC:L) High (MAC:H)

Privileges Required (PR)

Impact Metrics

Confidentiality Impact (C)

Not Defined (MC:X) None (MC:N) Low (MC:L)

High (MC:H)

Integrity Impact (I)

Not Defined (MI:X) None (MI:N) Low (MI:L)

High (MI:H)

Impact Subscore Modifiers

Confidentiality Requirement (CR)

Not Defined (CR:X) Low (CR:L)

Medium (CR:M) High (CR:H)

Integrity Requirement (IR)

Not Defined (IR:X) Low (IR:L) Medium (IR:M)

High (IR:H)

Application



Dependabot

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Dependency management](#)

[Security](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C#, Elm, F#,
and [7 other languages supported](#)

Customers



Developer



Developer links

[Support](#)

[Status](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Dependabot helps you keep your dependencies up to date. It works with most popular languages – you can see full details of the languages we support [here](#).

Every day, Dependabot checks your dependency files for outdated or insecure requirements and opens individual pull requests for any it finds. You review the PRs, merge them, and get to work on the latest, most secure releases.

[Read more...](#)

[Security] Bump bower from 1.8.2 to 1.8.8 #80

Merged dependabot merged 1 commit into master from dependabot:use_yourbower-1.x.x 7 days ago

Conversation 0 Commits 0 By Checks 0 Files changed 0

+2 -2

dependabot bot commented 7 days ago

Bumps bower from 1.8.2 to 1.8.8. This update includes security fixes.

Vulnerabilities fixed
Sourced from [The Node Security Trend Group](#).

Arbitrary File Write Through Archive Extraction
attackers can write arbitrary files when a malicious archive is extracted

Affected versions: <1.8.7

Release notes
Commits
Maintainer changes

compatibility 83%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a release manually by commenting `@dependabot release`

If all status checks pass Dependabot will automatically merge this pull request.

Dependabot commands and options

- Security Bump bower from 1.8.2 to 1.8.8
- dependabot bot added dependencies security labels 7 days ago

Reviewers

No reviews

Assignees

No one assigned

Labels

[dependencies](#)

[security](#)

Projects

None yet

Milestones

No milestone

Notifications

[Subscribe](#)

Start receiving notifications from this thread.

1 participant:



Helpful PRs with release notes, changelogs, and Dependabot compatibility scores



[Code](#) [Issues 1](#) [Pull requests 3](#) [Projects 0](#) [Wiki](#) [Insights](#) [Settings](#)

Bump dotenv from 6.2.0 to 7.0.0 #79

[Open](#) dependabot wants to merge 1 commit into `master` from `dependabot/npm_and_yarn/dotenv-7.0.0`

[Conversation 1](#) [Commits 1](#) [Checks 0](#) [Files changed 3](#)

dependabot bot commented 4 hours ago

Contributor · ...

Bumps `dotenv` from 6.2.0 to 7.0.0.

- ▶ Changelog
- ▶ Commits

 compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

▶ Dependabot commands and options

↳  Bump dotenv from 6.2.0 to 7.0.0 ...

Verified ✓ 788659c

 dependabot bot added the `dependencies` label 4 hours ago

 GitHub APP 6:39 AM

Pull request opened by `dependabot[bot]`

 dependabot[bot]

[#78 Bump jest from 24.3.1 to 24.4.0](#)

Bumps `jest` from 24.3.1 to 24.4.0.

Changelog

Sourced from `jest's changelog`.

24.4.0

Features

-  `[jest-resolve]` Now supports PnP environment without plugins ([#8094](#))

[Show more](#)

Labels


dependencies

Comments 1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

 All checks have passed

7/7 successful checks





Application

Snyk

① You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

Github confirms that this app meets the [requirements for verification](#).

Categories

Dependency management
Security **GitHub Enterprise**
Free

Supported languages

Gradle, Java, JavaScript and [4 other languages supported](#)

Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

[Report abuse](#)

Snyk is on a mission to help developers use open source and stay secure.

Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

[Read more...](#)

The screenshot displays the Snyk web interface. At the top, there's a navigation bar with the Snyk logo, company name, and links for Vulnerability DB, Docs, and My account. Below the navigation is a search bar labeled "Search projects" and a button "Add projects". The main area is a grid of project cards. Each card represents a repository and includes a package lock file (package.json or Gemfile.lock), its current status (severity counts: High, Medium, Low), a "View report and fix" button, a "Test weekly" dropdown, and a timestamp indicating when it was last tested. The projects shown are canidae/pug, flat-coated-retriever, canidae/pyrenean-shepherd, canidae/anatolian-shepherd, and canidae/saint-bernard. A search bar at the bottom allows users to quickly scan all their repos. Below the search bar, there are five small screenshots of different parts of the Snyk interface, likely representing different features like dependency analysis, fix suggestions, and reporting.

**snyk**

All vulnerable projects

[See all projects](#)

PrideInLondon/pride-london-web:package.json

0 H 1 M 0 L Updated 3 hours ago

Dependencies: 1555 • Source: GitHub

[Add more projects](#)

Current security status

0

HIGH SEVERITY

1

MEDIUM SEVERITY

0

LOW SEVERITY

[Learn about reports](#)

PrideInLondon/pride-london-web:package.json

[Overview](#) [History](#) [Settings](#)Snapshot taken [3 hours ago](#).[Retest now](#)

Vulnerabilities	1 via 1 paths
Taken by	Web
Branch	master

Dependencies	1555
Tested with	package-lock.json, package.json
Manifest	package.json

Source	GitHub
Repository	pride-london-web

NEW Prioritise vulnerabilities by those introduced at runtime. [Learn more](#)



snyk

MEDIUM SEVERITY

🛡 Denial of Service (DoS)

Vulnerable module: [mem](#)

Introduced through: [gatsby@2.1.31](#)

Detailed paths and remediation

- Introduced through: `pride-london-web@0.1.0 > gatsby@2.1.31 > @gatsbyjs/relay-compiler@2.0.0-printer-fix.2 > yargs@9.0.1 > os-locale@2.1.0 > mem@1.1.0`

Remediation: No remediation path available.

Vulnerable functions

`index.module.exports.memoized()`

`index.module.exports.memoized.setData()`

Overview

[mem](#) is an optimization used to speed up consecutive function calls by caching the result of calls with identical input.

Affected versions of this package are vulnerable to Denial of Service (DoS). Old results were deleted from the cache and could cause a memory leak.

[More about this issue](#)

Create a Jira issue [UPGRADE](#)

Ignore



snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.

Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.



snyk-bot APP 3:37 PM

Prototype Pollution

New vulnerability in package `lodash.merge` at the Pride in London organisation.

Severity

Low

Package

lodash.merge

Issue ID

[SNYK-JS-LODASHMERGE-173732](#)



Affected projects:

[PrideInLondon/pride-london-web:package.json](#)

Package version: 4.6.1

[Fix with the CLI wizard](#)

Incoming WebHooks



[App Info](#) [Settings](#)

This app was made by Slack.

This integration was made by a member of the Slack team to help connect Slack with a third party service; these Slack integrations may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at feedback@slack.com.

[Add Configuration](#)

[App Homepage](#)

[App help](#)

[Terms](#)

[Report this app to Slack](#) for inappropriate content or behavior.

Configurations



Posts to tech-github as Snyk
[Sonya Moisset](#) on Feb 15, 2019



Posts to tech-github as Codacy
[Sonya Moisset](#) on Feb 22, 2019

[Dashboard](#) [Reports](#) [Projects](#) [Integrations](#) [Settings](#)

Integrations

Say continuously protected. Connect Snyk to the applications you use daily.

Source control



GitHub

[Add projects](#)



GitHub Enterprise

[Contact us to enable](#)



GitLab

[Connect to GitLab](#)



Bitbucket Server

[Contact us to enable](#)



Bitbucket Cloud

[Coming soon!](#)

Platform as a Service



Heroku

[Connect to Heroku](#)



Cloud Foundry

[Connect to Cloud Foundry](#)



Pivotal Web Services

[Connect to Pivotal](#)



IBM Cloud

[Connect to IBM Cloud](#)

Serverless



AWS Lambda

[Connect to AWS Lambda](#)



Azure Functions BETA

[Connect to Azure Functions](#)



Google Cloud Platform

[Coming soon!](#)

Notifications



Slack

[Edit settings](#)



Jira

[Contact us to enable](#)



New issues and remediations

Hello SonyaMoisset,

We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London



PrideInLondon/pride-london-web:package.json

[view all project issues](#)

L



[Prototype Pollution](#)

Vulnerability in lodash.merge 4.6.1. No remediation available yet.

[This issue can be fixed via the CLI](#)

Introducing: Netlify Dev. Run our entire platform right on your laptop. [Learn more →](#)

Build, deploy, and manage modern web projects

An all-in-one workflow that combines global deployment, continuous integration, and automatic HTTPS. And that's just the beginning.

[Get started for free](#)



Deploy your site in seconds*

1 Connect your repository

GitHub

GitLab

Bitbucket

2 Add your build settings

Branch

master

Command

yarn build

Directory

public

3 Deploy your website

2:30:40 PM git clone git@github.com:...

2:30:40 PM Preparing Git Repo...

2:30:40 PM Starting to deploy...

2:30:40 PM Starting post process...

2:30:41 PM Post processing...

2:30:41 PM Site is live



netlify

pride-in-london's team > prideinlondon-production


S

Overview Deploys Functions Identity Forms Large Media Split Testing Settings

prideinlondon-production

• <https://prideinlondon.org>

Deploys from GitHub. Last published on May 11.



Site settings

Domain settings

Production deploys

Production: master@HEAD PUBLISHED

May 11: Deploy triggered by hook: master_hook

Production: master@38d718c

May 11: Implement Security Headers (#438)

Production: master@HEAD

May 10: Deploy triggered by hook: master_hook

Production: master@HEAD

May 10: Deploy triggered by hook: master_hook

Deploy Previews

Deploy Preview #438: improvemen... @6a0b9bb

May 10: Implement Security Headers

Deploy Preview #438: improvemen... @3dcd700

May 10: Add Security headers

Deploy Preview #436: hotfix/redire... @140a16b

May 10: add redirects and remove greyscale on footer logos

Deploy Preview #435: dependabot... @186ca09

May 10: Bump gatsby-source-contentful from 2.0.55 to 2.0.56



netlify

[Deploy log](#)

[Preview](#) [Copy to clipboard](#) [↑](#)

Deploy summary

i 153 new files uploaded

146 generated pages and 7 assets changed.

i 138 redirect rules processed

All redirect rules deployed without errors.

i 1 header rule processed

All header rules deployed without errors.

i All linked resources are secure

Congratulations! No insecure mixed content found in your files.

```
1:01:14 PM: Build ready to start
1:01:22 PM: build-image version: 9e0f207a27642d8115b1ca97cd5e8cebbe492f63
1:01:22 PM: build-image tag: v3.3.2
1:01:22 PM: buildbot version: 75cd99f62ada9e21edea53200e0ba00eab05a045
1:01:22 PM: Fetching cached dependencies
1:01:22 PM: Starting to download cache of 152.5MB
1:01:23 PM: Finished downloading cache in 863.400291ms
1:01:23 PM: Starting to extract cache
1:01:29 PM: Finished extracting cache in 6.571988952s
1:01:29 PM: Finished fetching cache in 7.559570025s
1:01:29 PM: Starting to prepare the repo for build
1:01:30 PM: Preparing Git Reference refs/heads/master
1:01:30 PM: Starting build script
1:01:30 PM: Installing dependencies
1:01:31 PM: Started restoring cached node version
1:01:34 PM: Finished restoring cached node version
1:01:34 PM: Attempting node version '8.11.2' from .nvmrc
1:01:35 PM: v8.11.2 is already installed.
1:01:36 PM: Now using node v8.11.2 (npm v5.6.0)
1:01:36 PM: Attempting ruby version 2.6.2, read from environment
1:01:38 PM: Using ruby version 2.6.2
1:01:38 PM: Using PHP version 5.6
1:01:38 PM: Started restoring cached node modules
1:01:38 PM: Finished restoring cached node modules
1:01:38 PM: Started restoring cached yarn cache
1:01:38 PM: Finished restoring cached yarn cache
1:01:39 PM: Installing NPM modules using Yarn version 1.13.0
1:01:40 PM: yarn install v1.13.0
1:01:40 PM: [1/4] Resolving packages...
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: success Already up-to-date.
1:01:41 PM: Done in 1.25s.
1:01:41 PM: NPM modules installed using Yarn
1:01:41 PM: Started restoring cached go cache
1:01:41 PM: Finished restoring cached go cache
1:01:41 PM: unset GOOS;
1:01:41 PM: unset GOARCH;
1:01:41 PM: export GOROOT='/opt/buildhome/.ginme/versions/go1.12.linux.amd64';
1:01:41 PM: export PATH="/opt/buildhome/.ginme/versions/go1.12.linux.amd64/bin:${PATH}";
1:01:41 PM: go version >=2;
1:01:41 PM: export GINME_ENV='/opt/buildhome/.ginme/env/go1.12.linux.amd64.env';
1:01:41 PM: go version go1.12.linux/amd64
1:01:41 PM: Installing missing commands
1:01:41 PM: Verify run directory
1:01:41 PM: Executing user command: yarn build
```



Application Rollbar

PrideInLondon has already purchased the Free plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan ▾](#)

[Configure access](#)



GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Monitoring](#)

[Free](#)

[Paid](#)

Supported languages

C#, Go, Haskell and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Rollbar provides real-time, full-stack exception reporting and debugging tools for developers. Rollbar integrates in moments with apps built in **JavaScript, Ruby, Python, PHP, Node.js, Android, iOS, Go, Java, .NET** and [more](#).

Rollbar integrates with GitHub to link stack traces to the underlying source code, correlate exceptions to code changes, and create GitHub Issues so teams can manage errors in their existing workflow.

[Read more...](#)

Learn more about advanced search [Search](#)

SOURCE	ENVIRONMENT	OWNER	STATUS
Show All	production	Show All	Active

Environment Level Owner

24hr Trend	Total	IPs	Last 1	Item	Environment	Level	Owner
	42,861	4	41 secs	#167016 IndexError: list index out of range	production	Error	
	113,349	130	1 min	#187810 ApiNotFoundError: java - Resource not found in the JIRA API.	production	Error	
	304,998	-	1 min	#12197 Raw item with crash report doesn't have trace	production	Error	
	4	1	3 mins	#303721 ReferenceError: Can't find variable: auto	production	Error	
	96,875	-	3 mins	#47056 Illegal mix of colatypes for SELECT FROM person by person_id	production	Error	
	141	-	3 mins	#8817 Lost connection to MySQL server from los worker	production	Error	
	234	-	5 mins	#45010 OperationalError: OperationalError(2015, "Lost connection to MySQL server ...")	production	Error	
	37	-	5 mins	#147197 OperationalError: OperationalError(2013, "Lost connection to MySQL server ...")	production	Error	
	14,461	-	5 mins	#269482 KeyError: names'	production	Error	
	7,864	-	6 mins	#1813749 Trying to send email without recipients	production	Error	
	5,906	-	6 mins	#183812 Diving up unhandled max retries ("maxItemIndex" queued)	production	Error	
	27,398	47	7 mins	#377152 ↳ OperationalError: Deadlock	production	Error	
	7,764	293	8 mins	#303082 ↳ ReferenceError: Boomerang is not defined	production	Error	
	81	-	9 mins	#194783 Incorrect number of args for react error	production	Error	

Real-time error stream

#2 TypeError: undefined is not an object (evaluating 't.split')


Level: Error Status: Active Resolve Mute Report overgrouping Create GitHub Issue Unassigned Not watching 0

First seen: 4 days ago Last seen: 2 hours ago Occurrences: 17 IPs affected: 13

Last 60 Minutes

No occurrences in the last 60 minutes

Last 60 Hours



Last 60 Days



Traceback Occurrences People Browser/OS IP Addresses Suspect Deploy Similar Items Co-Occurring Items Community Solutions

Timestamp (PDT)	browser	os	request.url	trace.exception.description	trace.exception.message
2019-05-12 12:21 pm	DuckDuckBot	⌚	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:20 pm	DuckDuckBot	⌚	https://prideinlondon.org/about-us/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:16 pm	DuckDuckBot	⌚	https://prideinlondon.org/parade/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:15 pm	DuckDuckBot	⌚	https://prideinlondon.org/support-us/volunteer/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:14 pm	DuckDuckBot	⌚	https://prideinlondon.org/events/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 02:23 am	Firefox	Windows	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 11:06 pm	Applebot 0.1	Mac OS X	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 12:28 pm	Chrome	Linux	https://prideinlondon.org/about-us/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 06:20 am	Firefox	Windows	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 02:49 am	Firefox	Windows	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-10 11:36 pm	Applebot 0.1	Mac OS X	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-10 04:36 pm	Firefox	Windows	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-10 03:18 am	Applebot 0.1	Mac OS X	https://prideinlondon.org/codeofconduct/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-09 03:18 pm	Applebot 0.1	Mac OS X	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-09 01:03 pm	Firefox	Windows	https://prideinlondon.org/404.html	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-08 04:33 am	Chrome	Linux	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-07 09:05 pm	Firefox	Windows	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl

Top 10 items in last 24 hours

view all

Any Environment

24hr Trend	Count	IPs	Title	Environment
↑	7	13	✖ #2 TypeError: undefined is not an object (evaluating 't.split')	js
↓	4	14	✖ #10 Error: Missing resources for /	js
↑	1	1	✖ #19 SyntaxError: The string did not match the expected pattern.	js

Hourly Error/Critical Occurrences



Top 5 active items new/reactivated last day

24hr Trend	Count	IPs	Title	Environment
↑	1	1	✖ #19 SyntaxError: The string did not match the expected pattern.	js

Daily Error/Critical Occurrences



Top 5 active items new/reactivated last week

7day Trend	Count	IPs	Title	Environment
↑	17	13	✖ #2 TypeError: undefined is not an object (evaluating 't.split')	js
↑	15	14	✖ #10 Error: Missing resources for /	js
↑	12	6	✖ #5 (unknown): TypeMismatchError	js
↑	6	5	✖ #4 Error: Missing resources for /	js
↑	5	1	✖ #16 (unknown): Object doesn't support property or method 'matchMedia'	js

Count: 18 Search: all dates Activated: all dates Live Update

Critical	Error	Warning	Info	Debug
----------	-------	---------	------	-------

FRAMEWORK	ENVIRONMENT	OWNER	STATUS
-----------	-------------	-------	--------

Show All Show All Show All Active Learn more about advanced search Search

24hr Trend	Total	IPs	Last 4	Item	Environment	Level	Owner
↑	17	13	3 hrs	✖ #2 TypeError: undefined is not an object (evaluating 't.split')	js	Error	—
↓	15	14	4 hrs	✖ #10 Error: Missing resources for /	js	Error	—
↑	1	1	5 hrs	✖ #19 SyntaxError: The string did not match the expected pattern.	js	Error	—
↑	1	1	1 day	✖ #18 SyntaxError: The string did not match the expected pattern.	js	Error	—
↑	1	1	1 day	✖ #17 SyntaxError: The string did not match the expected pattern.	js	Error	—
↑	12	6	2 days	✖ #5 (unknown): TypeMismatchError	js	Error	—
↑	2	2	2 days	✖ #8 TypeError: Cannot call method "split" of undefined (https://iprideinlondon.org/en/)	js	Error	—
↑	8	5	2 days	✖ #4 Error: Missing resources for /	js	Error	—
↑	3	3	2 days	✖ #6 (unknown): TypeMismatchError	js	Error	—
↑	5	1	2 days	✖ #16 (unknown): Object doesn't support property or method 'matchMedia'	js	Error	—
↑	1	1	2 days	✖ #15 TypeError: t is undefined	js	Error	—
↑	1	1	3 days	✖ #14 Error: Missing resources for /	js	Error	—
↑	1	1	3 days	✖ #13 SecurityError: Blocked attempt to use history.replaceState() to change session ...	js	Error	—
↑	3	1	3 days	✖ #12 Uncaught Error: Missing resources for /	js	Error	—
↑	2	2	3 days	✖ #3 Uncaught TypeError: document.getElementsByClassNameToString is not a function	js	Error	—
↑	5	4	3 days	✖ #7 (unknown): Script error.	js	Error	—
↑	1	1	3 days	✖ #11 TypeError: Object doesn't support property or method 'attachEvent'	js	Error	—
↑	3	3	4 days	✖ #9 Uncaught Error: Missing resources for /	js	Error	—

RQL Console

Run arbitrary queries on your Rollbar data · [Read Docs](#)

Query

```
1
```

[Execute](#)

Quick Reference

Show standard columns for the most recent occurrences of item #1:

```
SELECT *
FROM item_occurrence
WHERE item.counter = 1
ORDER BY timestamp DESC
```

For all occurrences of item #840 in the last 24 hours, group by request.user_ip; then show the total count, number that have server.host set, average value of body.message.seconds, and most recent timestamp; order by total count descending; and limit to the top 100 rows:

```
SELECT request.user_ip, count(*), count(server.host), avg(body.message.seconds), max(timestamp)
FROM item_occurrence
WHERE item.counter = 840
AND timestamp > unix_timestamp() - 60 * 60 * 24
GROUP BY request.user_ip
ORDER BY count(*) DESC
LIMIT 100
```



Feature/redirects #205

[Edit](#)[Merged](#)SonyaMoisset merged 8 commits into [master](#) from [feature/redirects](#) 2 days ago[Conversation 1](#)[Commits 8](#)[Checks 4](#)[Files changed 1](#)[+54 -20](#)

lalj84 commented 2 days ago

Member + 10 ...

No description provided.

lalj84 added some commits 3 days ago

 fix generic page layout, add default link style to index.css, fix bar... [bcb126f](#) add underline to local links [bcce408](#) add redirects, move sponsors page to new url structure [91b729c](#) Merge branch "master" into feature/redirects [9d2b8bb](#) update redirects [8ebb27f](#) merge in latest from master and resolve conflicts [5432588](#)


lalj84 requested a review from SonyaMoisset 2 days ago

 pull-request-size bot added the [size/M](#) label 2 days ago

codecov bot commented 2 days ago • edited

+ 10 ...

Codecov Report

Merging [#205](#) into [master](#) will not change coverage.The diff coverage is [n/a](#).

88	Coverage Diff	88
44	master	4285 +/- 44
<hr/>		
Coverage	89.55%	89.52%
Files	75	75
Lines	634	634
Branches	87	87
Hits	441	441
Misses	158	158
Partials	43	43

[Continue to review full report at Codcov.](#)[Legend - Click here to learn more](#)

E = absolute <relative> impact, N = net affected, ? = missing data

Powered by [Codecov](#). Last update [5cc8f54..ce8a261](#). Read the [comment docs](#).

Reviewers

SonyaMoisset ✓

Assignees

lalj84

Labels

 Navigation
 New Component
 New Feature
 size/M

Projects

Done in Pride in London

Milestones

Navigation

Notifications

[Unsubscribe](#)

You're receiving notifications because you modified the open/closed state.

2 participants

[Lock conversation](#)



All checks have passed

7 successful checks

[Hide all checks](#)



Codacy/PR Quality Review — Up to standards. A positive pull request.

[Details](#)



LGTM analysis: JavaScript — No new or fixed alerts

[Details](#)



ci/circleci: build — Your tests passed on CircleCI!

[Details](#)



codecov/patch — Coverage not affected when comparing 1087ffc...78865...

[Details](#)



codecov/project — 48.11% remains the same compared to 1087ffc

[Details](#)



security/snyk - package.json (Pride in London) — No new issues

[Details](#)



This branch has no conflicts with the base branch

Merging can be performed automatically.

[Squash and merge](#)



You can also open this in [GitHub Desktop](#) or view [command line instructions](#).



Add more commits by pushing to the **task/blog-page-layout** branch on **PrideInLondon/pride-london-web**.



Review requested

[Show all reviewers](#)

Review has been requested on this pull request. It is not required to merge. [Learn more](#).



Some checks were not successful

[Hide all checks](#)

1 errored, 1 failing, and 5 successful checks



LGTM analysis: JavaScript — This pull request can't be analyzed because it ...

[Details](#)



Codacy/PR Quality Review — Not up to standards. This pull request quality ...

[Details](#)



AccessLint — Review complete



ci/circleci: build — Your tests passed on CircleCI!

[Details](#)



codecov/patch — 82.92% of diff hit (target 51.46%)

[Details](#)



codecov/project — 52.4% (+0.94%) compared to ecce520

[Details](#)



This branch has conflicts that must be resolved

Use the [web editor](#) or the [command line](#) to resolve conflicts.

[Resolve conflicts](#)



Add more commits by pushing to the [dependabot/npm_and_yarn/dotenv-7.0.0](#) branch on [PrideInLondon/pride-london-web](#).



Review required

[Show all reviewers](#)

At least 1 approving review is required by reviewers with write access. [Learn more](#).



All checks have passed

[Hide all checks](#)

3 neutral and 9 successful checks



[AccessLint](#) — Review complete

Required



[Codacy/PR Quality Review](#) — Up to standards. A positive pull request.

Required [Details](#)



[LGTM analysis: JavaScript](#) — No new or fixed alerts

Required [Details](#)



[Mixed content - fervent-albattani-72bcb1](#) Successful in 1m — No mixed c...

[Details](#)



[ci/circleci: build](#) — Your tests passed on CircleCI!

Required [Details](#)



[codecov/patch](#) — Coverage not affected when comparing e805b5d...faeef84

Required [Details](#)



Merging is blocked

Merging can be performed automatically with 1 approving review.

[Update branch](#)



SonyaMoisset approved these changes 2 days ago

[View changes](#)



Pride in London [automation](#) moved this from In progress to Reviewer approved 2 days ago



SonyaMoisset merged commit `dae3d32` into `master` 2 days ago

[Hide details](#)

[Revert](#)

10 checks passed

- [AccessLint Review complete](#) [Details](#)
- [Codacy/PR Quality Review Up to standards. A positive pull request.](#) [Details](#)
- [CodeFactor No issues found.](#) [Details](#)
- [LGTM analysis: JavaScript No new or fixed alerts](#) [Details](#)
- [ci/circleci: build Your tests passed on CircleCI!](#) [Details](#)
- [codebeat no reportable quality changes](#) [Details](#)
- [codecov/patch Coverage not affected when comparing 10a80c7...fa8e139](#) [Details](#)
- [codecov/project 69.55% remains the same compared to 10a80c7](#) [Details](#)
- [netlify/fervent-albattani-72bcb1/deploy-preview Deploy preview ready!](#) [Details](#)



Pride in London [automation](#) moved this from Reviewer approved to Done 2 days ago



SonyaMoisset deleted the `feature/footer` branch 2 days ago

[Restore branch](#)

Implement Security Headers #438

Merged SonyaMoisset merged 2 commits into `master` from `improvement/security-headers` 2 days ago

Conversation 2

Commits 2

Checks 7

Files changed 1

Fix typo in Security headers



Succeeded — 2 days ago



Queued 2 days ago

[Re-run all checks](#)

[Re-run failed checks](#)



Queued 2 days ago

[Re-run all checks](#)

[Re-run failed checks](#)



Succeeded — 2 days ago



Neutral 2 days ago



Succeeded — 2 days ago

Pages changed - prideinlondon-production

Neutral

ran 2 days ago in 1 minute

6a0b9bb by @SonyaMoisset

improvement/security-headers

All files already uploaded

All files already uploaded by a previous deploy with the same commits.

[View more details on Netlify](#)

Datree insights

✓ Success

⌚ ran 2 days ago in less than 5 seconds

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

datreeio insights events

⌚ We don't have additional insights for this pull request

DETAILS

LGTM analysis: JavaScript

■ Neutral

⌚ ran 2 days ago in half a minute

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

No code changes detected

LGTM.com did not detect changes to any JavaScript files when merging 6a0b9bb into an error then click the "analyze language" button on [LGTM.com](#) to start analysis for J

Datree Insights



Insights

72 code components and 10 people found in the repository

- Last commit to the default branch by SonyaMoisset 3 hours ago
- Latest commit by SonyaMoisset to default branch 3 hours ago
- Commit percentage to the repository by SonyaMoisset: 51 %

Categories	Events
New Code Components	0 New Events
Version Changes	0 New Events
Removed Code Components	0 New Events

Header rules - prideinlondon-production

✓ Success

⌚ ran 2 days ago in 1 minute

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

1 header rule processed

All header rules processed without errors.

CodeFactor

✓ Success

⌚ ran 2 days ago in less than 5 seconds

⌚ 6a0b9bb by @SonyaMoisset

⌚ improvement/security-headers

No issues found.

- 🔒 tech-circle-ci
- 🔒 tech-codacy
- 🔒 tech-github
- 🔒 tech-guardrails
- 🔒 tech-incidents
- 🔒 tech-netlify
- 🔒 tech-rollbar
- 🔒 tech-snyk

-  **CircleCI** APP 9:03 PM
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#)) (739db7c)
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#))
- Add Security headers ([3dcd700](#) by SonyaMoisset)
-  **CircleCI** APP 9:22 PM
Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web](#) ([improvement/security-headers](#))
- Fix typo in Security headers ([6a0b9bb](#) by SonyaMoisset)

-  **Netlify** APP 6:12 PM
There is a new deploy in process for [prideinlondon-production](#)
Update Gatsby dependencies
Using git branch master, commit 739db7c85a6 | May 10th
Successful deploy of [prideinlondon-production](#)
Update Gatsby dependencies
Or check out the [build log](#)
Using git branch master, commit 739db7c85a6 | May 10th

-  **GuardRails** APP 7:30 AM
Scan of bbaed78@[PrideInLondon/pride-london-web](#)
no new security issues detected
Scan of 186ca09@[PrideInLondon/pride-london-web](#)
no new security issues detected
Scan of 612a51d@[PrideInLondon/pride-london-web](#)
no new security issues detected

-  **Rollbar** APP 11:35 AM
#10 10th error: Error: Missing resources for /
✖ Pride-in-London in development
[Resolve](#) [Mute](#) [error](#) [▼](#) [Assign to user](#) [▼](#)

-  **Rollbar** APP 5:40 PM
#17 New error: SyntaxError: The string did not match the expected pattern.
✖ Pride-in-London in development
[Resolve](#) [Mute](#) [error](#) [▼](#) [Assign to user](#) [▼](#)



GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file
removing the old link to Marcel repo

Assignees

SonyaMoisset

Labels

enhancement

PrideInLondon/pride-london-web | Mar 6th

Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.

✓ 6 other checks have passed

6/7 successful checks



GitHub APP 12:36 PM

Pull request opened by giancarlo88

giancarlo88

#69 Task/blog page layout

Preliminary responsive grid layout (similar to Events page) and filtering.

Comments

2

Reviewers

codacy-bot

PrideInLondon/pride-london-web | Mar 9th

Codacy/PR Quality Review: Not up to standards. This pull request quality could be better.

✓ 6 other checks have passed

6/7 successful checks

Pride in London - Website



27 labels			Sort ▾
Blog Details	Epic	1 open issue or pull request	
Blog	Epic	2 open issues and pull requests	93% complete 6 open 81 closed Edit Close Delete
Bug	Helper		
Dependencies	Helper	6 open issues and pull requests	100% complete 0 open 21 closed Edit Close Delete
Documentation	Epic	3 open issues and pull requests	
Event Details	Epic	1 open issue or pull request	
Event	Epic	1 open issue or pull request	75% complete 2 open 6 closed Edit Close Delete
Generic Content	Epic	2 open issues and pull requests	
Homepage	Epic	1 open issue or pull request	100% complete 0 open 15 closed Edit Close Delete
Hotfix	Helper		
Idea	Helper		
Improvement	Helper	14 open issues and pull requests	85% complete 1 open 6 closed Edit Close Delete
Mobile	Epic	9 open issues and pull requests	
Navigation	Epic	2 open issues and pull requests	89% complete 4 open 33 closed Edit Close Delete
New Component	Helper	1 open issue or pull request	
New Feature	Helper	3 open issues and pull requests	57% complete 3 open 4 closed Edit Close Delete
QA	Epic	12 open issues and pull requests	93% complete 8 open 109 closed Edit Close Delete
Refactoring	Helper	9 open issues and pull requests	
Security	Epic	6 open issues and pull requests	
SEO	Epic	2 open issues and pull requests	
size/L	Helper	1 open issue or pull request	
size/M	Helper		
size/S	Helper	1 open issue or pull request	91% complete 2 open 21 closed Edit Close Delete
size/XL	Helper		
size/XS	Helper		
size/XXL	Helper	1 open issue or pull request	100% complete 0 open 5 closed Edit Close Delete

Security

No due date 93% complete

Security Epic

0 Open ✓ 81 Closed

Bump polished from 3.2.0 to 3.3.0 ✓ Dependencies Security size/S

#415 opened 7 days ago by dependabot bot • Review required

Bump jest-environment-jsdom from 24.7.1 to 24.8.0 ✓ Dependencies Security

size/L
#417 opened 7 days ago by dependabot bot • Review required

Bump jest from 23.6.0 to 24.8.0 ✗ Dependencies Security size/XXL

#418 opened 7 days ago by dependabot bot • Review required

[DepShield] [CVSS 7.4] Vulnerability due to usage of lodash.debounce:4.0.8

Dependencies Security
#190 opened on 3 Apr by sonatype-depshield bot

[DepShield] [CVSS 7.4] Vulnerability due to usage of lodash.debounce:4.0.8

Dependencies Security
#88 opened on 15 Mar by sonatype-depshield bot

[DepShield] [CVSS 7.4] Vulnerability due to usage of lodash.debounce:4.0.8

Dependencies Security
#11 opened on 15 Feb by sonatype-depshield bot

QA

No due date 93% complete

0 Open ✓ 109 Closed

[QA2] Homepage Homepage QA Refactoring

#400 opened 9 days ago by SonyaMoisset 3 of 17

[QA2] Footer Navigation QA Refactoring

#396 opened 9 days ago by SonyaMoisset 0 of 6

[QA] Partners Section - Grey background QA Refactoring Sponsors

#313 opened 23 days ago by SonyaMoisset

[QA] Blog Details - Note to editors Blog Details QA Refactoring

#307 opened 23 days ago by SonyaMoisset

[MVP] Menu - Muted navigation bar Navigation QA Refactoring

#283 opened 24 days ago by SonyaMoisset

[QA] Generic Content Page - Implement Google Maps Generic Content Improvement

CA #228 opened on 8 Apr by SonyaMoisset

[QA] Generic Content Page - Divider line is missing Generic Content Improvement

CA #229 opened on 8 Apr by SonyaMoisset

[QA] Partners Section - Responsive logos (RedBadger style) Improvement

Sponsors #213 opened on 5 Apr by SonyaMoisset

Prévisualisation de la page d'accès à l'application

Le tableau de bord affiche les dernières tâches et les dernières modifications effectuées.

Dernières tâches:

- Implement deep linking for app download (Status: Terminé)
- Fix header background (Status: Terminé)
- Form (Status: Terminé)
- Angular lazy loading (Status: Terminé)
- Dynamic image banners (Status: Terminé)
- [WIP] Update the README files (Status: Terminé)
- [PR#123] Create a contributing guide (Status: Terminé)
- [WIP] Create a PR template (Status: Terminé)
- Add manifest.json for React Native App (Status: Terminé)
- Remove styles (Status: Terminé)
- [Dependency] (CVSS: 7.4) Vulnerability due to usage of lodash.debounce@3.1.2 (Status: Terminé)

Dernières modifications:

- Implement security headers (Status: Terminé)
- Implement Security Headers (Status: Terminé)
- Change logo color (Status: Terminé)
- Update address from 2.0.0 to 3.4.0 (Status: Terminé)
- Remove address from 2.4.2 to 3.4.5 (Status: Terminé)
- Update package sharp from 2.0.26 to 2.0.27 (Status: Terminé)
- Redirects and remove grayscale (Status: Terminé)
- Fix footer contact link (Status: Terminé)
- [WIP] Organization (Status: Terminé)
- Change blog to news-and-views (Status: Terminé)
- Redirect fix (Status: Terminé)
- Navigation external site (Status: Terminé)
- Add links to npmjs packages (Status: Terminé)
- Fix featured events (Status: Terminé)
- Fix news and views file name (Status: Terminé)
- Navigation wording adjustments (Status: Terminé)

Tâches actives (en cours):

- [WIP] Implement SEO (Status: En cours)
- [WIP] Support retina images (Status: En cours)
- [WIP] Menus & Mobile navigation bar (Status: En cours)
- Events Page (Status: En cours)
- Blog Page Feature (Status: En cours)
- Review required (Status: En cours)
- Review required (Status: En cours)
- Review required (Status: En cours)

Tâches en attente de revue:

- [WIP] Homepage (Status: À examiner)
- Blog polished from 2.0.0 to 2.2.0 (Status: À examiner)
- Blog migration from 2.0.0 to 2.1.0 (Status: À examiner)
- Blog migration from 2.0.0 to 2.1.0 (Status: À examiner)

Tâches terminées:

- [WIP] Implement SEO (Status: Terminé)
- [WIP] Support retina images (Status: Terminé)
- [WIP] Menus & Mobile navigation bar (Status: Terminé)
- Events Page (Status: Terminé)
- Blog Page Feature (Status: Terminé)
- Review required (Status: Terminé)
- Review required (Status: Terminé)
- Review required (Status: Terminé)

Two-factor authentication

Requiring an additional authentication method adds another level of security for your organization.

Require two-factor authentication for everyone in the Pride in London organization.

Members, billing managers, and outside collaborators who do not have two-factor authentication enabled for their personal account will be removed from the organization and will receive an email notifying them about the change.

[Save](#)

<input type="checkbox"/> Select all		2FA	Role	
<input type="checkbox"/>	Giancarlo Galliani giancarlo88	2FA ✓	Private	Member 1 team
<input type="checkbox"/>	Zed Spencer-Milnes GingerGeek	2FA ✓	Private	Member 1 team
<input type="checkbox"/>	Janine Luk ja9-look	2FA ✓	Private	Member 1 team
<input type="checkbox"/>	Kristof Hamilton kristofhamilton	2FA ✓	Private	Owner 1 team
<input type="checkbox"/>	lalj84	2FA ✓	Public	Member 1 team
<input type="checkbox"/>	Lee Doughty leedoughty	2FA ✓	Private	Member 1 team
<input type="checkbox"/>	Sonya Moisset SonyaMoisset	2FA ✓	Public	Owner 2 teams



#StayCurious, #KeepOnHacking & #Makethappen

Sonya Moisset
SonyaMoisset

[Edit profile](#)



Senior Security Engineer

@photobox | Tech Lead/DevSecOps

@PrideInLondon | Tech Advocate

& Pride in London

London, UK

sonya.moisset@gmail.com

sonyamoisset.github.io/

Organizations



Member repository permissions

Base permissions

Base permissions to the organization's repositories apply to all members and excludes outside collaborators. Since organization members can have permissions from multiple sources, members and collaborators who have been granted a higher level of access than the base permissions will retain their higher permission privileges.

None ▾

<input type="checkbox"/> Select all	Visibility ▾	Members ▾
<input type="checkbox"/> PiL Administrators		2 members 0 teams
<input type="checkbox"/> PiL Core Devs Pride in London Core Developers		6 members 0 teams



PiL Core Devs

@PrideInLondon/pil-core-devs

Pride in London Core Developers - Edit

6 members



Select all

[PrideInLondon/pride-london-web](#) updated 2 days ago

Write



[PrideInLondon/pride-london-web-old](#) updated on 12 Jan

Write



[PrideInLondon/pride-web-webhook](#) updated on 19 Jun 2018

Write



Teams

+ Create new team

PiL Core Devs

Pride in London Core Developers

6 members

Write

X

PiL Administrators

2 members

Admin

X

Add a team

Collaborators

CodeDev Przemo
codedev-exp

Write

X

rgryb

Write

X

6 members



Select all

[PrideInLondon/pride-london-web](#) updated 2 days ago

Write



[PrideInLondon/pride-london-web-old](#) updated on 12 Jan

Write



[PrideInLondon/pride-web-webhook](#) updated on 19 Jun 2018

Write





GitLab

	Manage	Plan	Create	Verify	Package	Secure	Release	Configure	Monitor	Defend
GitLab is a single application for the entire DevOps lifecycle.	Since 2016 GitLab added:	Since 2011 GitLab added:	Since 2011 GitLab added:	Since 2012 GitLab added:	Since 2016 GitLab added:	Since 2017 GitLab added:	Since 2016 GitLab added:	Since 2018 GitLab added:	Since 2016 GitLab added:	Coming in 2019:
	Cycle Analytics	Project Management	Source Code Management	Continuous Integration (CI)	Container Registry	SAST	Continuous Delivery (CD)	Auto DevOps	Metrics	Runtime Application Self Protection
	DevOps Score	Kanban Boards	Code Review	Code Quality	Maven Repository	DAST	Release Orchestration	Kubernetes Configuration	Logging	Web Application Firewall
	Audit Management	Time Tracking	Wiki	Performance Testing	NPM Registry	Dependency Scanning	Pages	ChatOps	Cluster Monitoring	Threat Detection
	Authentication and Authorization	Agile Portfolio Management	Snippets		Container	Container Scanning	Review apps	Runbook Configuration	Tracing	Error Tracking
		Service Desk	Web IDE		Scanning	License Management	Incremental Rollout	Serverless		Behavior Analytics
				Coming in 2019:	Rubygem Registry	Coming in 2019:	Feature Flags	Coming in 2019:	Coming in 2019:	Vulnerability Management
				System Testing	Linux Package Registry	Secret Detection		PaaS	Synthetic Monitoring	Data Loss Prevention
	Coming in 2019:	Value Stream Management	Coming in 2019:	Usability Testing	Helm Chart Registry	Coming in 2019:	Coming in 2019:	Chaos Engineering	Incident Management	Container Network Security
	Code Analytics	Requirements Management	Design Management	Accessibility Testing	Dependency Proxy	IAST	Release Governance	Cluster Cost Optimization	Status Page	
	Workflow Policies	Quality Management	Live Coding	Compatibility Testing	Fuzzing					
GitLab could replace										


MORE TOOLS

ONLINE SCAN



Use webhint to improve your website

webhint is a linting tool that will help you with your site's accessibility, speed, security and more, by checking your code for best practices and common errors. Use the online scanner or the CLI to start checking your site for errors.

[TRY THE ONLINE SCANNER](#)[GET STARTED WITH THE CLI](#)

Why use webhint?



FULLY CUSTOMIZABLE

Every site is different. webhint adapts its feedback when you give it more information: [ignore 3rd-party code](#), [prioritize your users' browsers](#), and [control the results](#) with minimal setup.



CREATE YOUR OWN HINTS

With the help of our [contributor guide](#), you can [create new hints](#) to suit your needs. You can help webhint help even more people like you by contributing your hints back!



COMMUNITY DRIVEN

webhint welcomes anyone who wants to make the web a better place. Testing, [filling issues](#) and [feature requests](#), [contributing code](#), and [improving the documentation](#) are just the start!

[USER GUIDE](#)[HINT DOCUMENTATION](#)[WEBHINT GITHUB](#)

HINTS

URL: <https://prideinlondon.org/>

DATE: 2019-05-11 10:03

174

YOUR SCAN RESULT LINK: <https://webhint.io/scanner/6616d896-6c00-409c-8c5a-58a7ee4be187> 

webhint version: 4.5.0 Configuration JSON

Hints

Accessibility

 axe: 16 hints expand all

Compatibility

 content-type: 18 hints highest-available-document-mode: 1 hints expand all

PWA

 apple-touch-icons: 8 hints expand all

Performance

 http-cache: 37 hints http-compression: 18 hints expand all

 ACCESSIBILITY	HINTS 1	PASSED 0/1
---	------------	---------------

 COMPATIBILITY	HINTS 2	PASSED 5/7
---	------------	---------------

 PWA	HINTS 1	PASSED 3/4
---	------------	---------------

 PERFORMANCE	HINTS 5	PASSED 2/7
---	------------	---------------

 PITFALLS	HINTS 0	PASSED 0/0
--	------------	---------------

 SECURITY	HINTS 3	PASSED 7/10
--	------------	----------------

Security

SRI: 3 hints

Why is this important?

How to fix this?

hint #1: Cross-origin resource https://cdnjs.cloudflare.com/ajax/libs/babel-polyfill/7.2.5/polyfill.js needs a "crossorigin" attribute to be eligible for integrity validation

<https://prideinlondon.org/>

```
<script data-react-helmet='true' src="https://cdnjs.cloudflare.com/ajax/libs/babel-polyfill/7.2.5/polyfill.js"></script>
```

hint #2: Cross-origin resource https://www.googletagmanager.com/gtm.js?id=GTM-5BVPWZ6 needs a "crossorigin" attribute to be eligible for integrity validation

<https://prideinlondon.org/>

```
<script src="https://www.googletagmanager.com/gtm.js?id=GTM-5BVPWZ6"></script>
```

hint #3: Cross-origin resource https://cdnjs.cloudflare.com/ajax/libs/rollbar.js/2.4.6/rollbar.min.js needs a "crossorigin" attribute to be eligible for integrity validation

<https://prideinlondon.org/>

```
<script crossorigin="" src="https://cdnjs.cloudflare.com/ajax/libs/rollbar.js/2.4.6/rollbar.min.js"></script>
```

(-) close all

Use Subresource Integrity

API

CONCEPTS

CONFIGURING
WEBHINT

CONNECTORS

DEVELOPMENT FLOW
INTEGRATION

FORMATTERS

HINTS

AMP HTML validator

Avoid CSS limits

Avoid HTTP redirects

One accessibility check

Babel configuration
hint set

Compatibility of CSS,
HTML and JavaScript
features

Correct 'Content-Type'
header

Correct manifest
extension

Correct viewport

Disallow HTTP
headers

External links disown
opener

Has web app manifest

Highest document
mode

HTTP cache

Manifest has name

Minify JavaScript

Modern DOCTYPE

No 'PSP' headers

No broken links

No byte order mark

No protocol-relative
URLs

sri warns about requesting scripts or stylesheets without using subresource integrity.

Why is this important?

A common practice in modern web development is to use third party resources from CDNs or different services (analytics, ads, etc.). However, doing so can increase the attack surface of your web site/app.

While there are techniques to verify the agent is talking with the right server (TLS, HSTS, etc.), an attacker (or administrator) with access to the server can manipulate the content with impunity.

If you want to load a crypto miner on 1,000+ websites you don't attack 1,000+ websites, you attack the 1 website that they all load content from. ([Scott Helme](#))

Subresource integrity is a standard that mitigates this by ensuring that an exact representation of a resource, and only that representation, loads and executes.

What does the hint check?

This hint checks that a website correctly uses SRI, more specifically:

- All the downloaded resources by an `<script>` or `<link rel="stylesheet">` have an `integrity` attribute.
- The `integrity` attribute needs to be valid. I.e.: it should contain something in the form of `sha(256|384|512)-HASH`, where `HASH` is the hashed value of the downloaded body's response using the previously specified algorithm (`sha256`, `sha384`, or `sha512`).
- The minimum cryptographic hash function used is `sha384`. If multiple ones are provided, the highest one will be used to determine if the baseline is met.
- When using a cross-origin resource (e.g.: using a script hosted in a third party CDN), the `<script>` or `<link>` tag needs to have a valid `crossorigin` attribute.
- The resource is served on a `secure context` (i.e.: HTTPS) to guarantee the HTML and resource haven't been tampered during the delivery.
- The hash from the `integrity` attribute needs to be the same as the one calculated using the response's body.
- If multiple hashes are provided, at least one needs to be valid.

Examples that trigger the hint

Cross-origin resource with no `crossorigin` attribute:

[Overview](#)[Scoring Guides](#)[Lighthouse v3 Migration Guide](#)[Audit References](#)[Performance](#)[Progressive Web App](#)[Accessibility](#)[Best Practices](#)[SEO](#)

Lighthouse




Lighthouse is an [open-source](#), automated tool for improving the quality of web pages. You can run it against any web page, public or requiring authentication. It has audits for performance, accessibility, progressive web apps, and more.

You can run Lighthouse in Chrome DevTools, from the command line, or as a Node module. You give Lighthouse a URL to audit, it runs a series of audits against the page, and then it generates a report on how well the page did. From there, use the failing audits as indicators on how to improve the page. Each audit has a reference doc explaining why the audit is important, as well as how to fix it.

[RUN LIGHTHOUSE IN CHROME DEVTOOLS](#)[FILE AN ISSUE](#)

Check out the video below from Google I/O 2017 to learn more about how to use and contribute to Lighthouse.

[Sommaire](#)[Get started](#)[Run Lighthouse in Chrome DevTools](#)[Install and run the Node command line tool](#)[Run Lighthouse as a Chrome Extension](#)[Share and view reports online](#)[Share reports as JSON](#)[Share reports as GitHub Gists](#)[Contribute to Lighthouse](#)

Saturday 6 July

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

[This year's parade](#)[Network](#) [Performance](#) [Memory](#) [Application](#) [Security](#) [Audits](#) [Adblock Plus](#) [React](#)

Performance



Accessibility



Best Practices



SEO



Progressive Web App

Score scale: ■ 90-100 ■ 50-89 ■ 0-49

Performance

Metrics

First Contentful Paint

2.9 s ✗

First Meaningful Paint

4.7 s ✗

Speed Index

3.1 s ✓

First CPU Idle

4.8 s ✗

Time to Interactive

5.8 s ✗

Estimated Input Latency

80 ms ✗[View Trace](#)

Values are estimated and may vary.





<https://prideinlondon.org/>

— 0-49 — 50-89 — 90-100 ⓘ

Données de champ — Le rapport d'expérience utilisateur Chrome [ne contient pas assez de données réelles sur la vitesse](#) pour cette page.



Origin Summary — Le rapport d'expérience utilisateur Chrome [ne contient pas assez de données réelles sur la vitesse](#) pour cette origine.

Données de laboratoire



● First Contentful Paint	0,8 s	■ First Meaningful Paint	1,5 s
● Indice de vitesse	0,9 s	● Premier processeur inactif	1,5 s
● Délai avant interactivité	1,8 s	▲ FID potentiel maximal	450 ms




Opportunités — Ces optimisations peuvent accélérer le chargement de votre page.

Opportunité

Estimation des économies

■ Diffusez des images aux formats nouvelle génération	0,48 s
■ Dimensionnez correctement les images	0,36 s


General information



Performance improvements

Impact	Improvement
Medium	Serve images in next-gen formats
Medium	Properly size images
Low	Efficiently encode images
Low	Delay offscreen images

Request waterfall



UpGuard - Cloud Scanner

Enter a URL below for a free risk assessment of that website.

SEE SCORE

Pride in London

Company Info

No valuation info

No employee info

No location info

No CEO info

glasnost

Cyber Security Rating

741



[Home](#) [Projects](#) [Qualys Free Trial](#) [Contact](#)

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > [prideinlondon.org](#) > 206.189.73.52

SSL Report: prideinlondon.org (206.189.73.52)


Assessed on: Fri, 10 May 2019 06:44:41 UTC | [Hide](#) | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating

A+



Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

This site works only in browsers with SNI support.

Experimental: This server supports TLS 1.3 (RFC 8446).

HTTP Strict Transport Security (HSTS) with long duration deployed on this server. [MORE INFO](#)

Security Headers
Sponsored by [netsparker](#)

[Home](#) [About](#)

Scan your site now

Scan

Hide results Follow redirects

Security Report Summary

B

Site:

<https://prideinlondon.org/>

IP Address:

206.189.73.52:21498:b001

Report Time:

Fri, May 10 2019 09:03:18 UTC

Headers:

✓ Strict-Transport-Security ✓ X-Content-Type-Options ✓ X-Frame-Options ✓ X-XSS-Protection
✗ Content-Security-Policy ✗ Referrer-Policy ✗ Feature-Policy

WHAT'S NEXT FOR YOU?

BECOME A
SECURITY
CHAMPION!



Security Champions playbook

Identify teams

- Enumerate products and services
- List teams per each product
- Identify Product manager (responsible for product) and team manager (working directly with developers)
- Write down technologies (programming languages) used by each team

Define the role

- Measure current security state among the teams and define security goals you plan to achieve in mid-term (e.g. by using OWASP SAMM)
- Identify the places where champions could help (such as verifying security reviews, raising issues for risks in existing code, conducting automated scans etc.)
- Write down clearly defined roles, as these will be the primary tasks for newly nominated champions to work on

Nominate champions

- Introduce the idea and role descriptions and get approvals on all levels - both from product and engineering managers, as well as from top management
- Together with team leader identify potentially interested candidates
- Officially nominate them as part of your security meta-team

Comm channels

- Make sure to have an easy way to spread information and get feedback
- While differing from company to company, this usually includes chats (Slack/IRC channel, Yammer group, ...) and separate mailing lists
- Set up periodic sync ups - bi-weekly should be fine to start with

Knowledge base

- Build a solid internal security knowledge base, which would become the main source of inspiration for the champions
- It should include security meta-team page with defined roles, secure development best practices, descriptions of risks and vulnerabilities and any other relevant info
- Pay special attention to clear and easy-to-follow checklists, as it's usually the simplest way to get the things going

Maintain interest

- Develop your ways or choose one of the below to keep in touch and maintain the interest of the champions
- Conduct periodic workshops and encourage participation in security conferences
- Share recent appsec news (e.g. Ezine) via communication channels
- Send internal monthly security newsletters with updates, plans and recognitions for the good work
- Create champions corner with security library, conference calendar, and other interesting materials



<https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd>

 Medium

[Keep calm and become a Security Engineer – Sonya Moisset – Medium](#)

One of the many ways to get into the Cybersecurity industry

Reading time

8 min read

Mar 5th (366 kB) ▾





LADIES OF LONDON
HACKING SOCIETY



OWASP WIA



OWASP LONDON
CHAPTER

GET SECURE, BE SECURE AND STAY SECURE



Thank
you!



IF YOU LIKE WHAT YOU'VE SEEN
WE'RE RECRUITING DEVS & QA
:)

@SONYAMOISSET  
SONYAMOISSET@PRIDEINLONDON.ORG