

Direction Gesture: What Should Be Blocked

This PDF is my understanding of your request. You do not want to remove the current direction logic. You want to add one extra safety check: when the hand is held as a perfectly straight static arrow pose, the app should not say Moving left, Moving right, Moving up, or Moving down.

Main Meaning

The blocked case is an exact static hand shape. It is not a real motion command. In code terms, after the existing detector chooses a direction, check whether all extended finger chains are almost perfectly straight in that same direction with almost no sideways drift. If yes, return none.

- Keep current left/right/up/down detection for normal non-exact poses.
- Only block the four exact straight arrow-like poses below.
- Do not change zoom, recording, follow object, gesture priority, or camera mirroring.

Blocked Exact Hand Poses

These are the four static hand shapes that should return none instead of a movement label.

Block left arrow pose



<-----

Straight hand/fingers pointing left. Do not show Moving left.

Block right arrow pose



----->

Straight hand/fingers pointing right. Do not show Moving right.

Block upper pose



| upper

Straight hand/fingers pointing up. Do not show Moving up.

Block lower pose



| lower

Straight hand/fingers pointing down. Do not show Moving down.

What Should Still Work

The blocker should be strict. It should not cancel normal direction detections where the hand is not an exact straight arrow pose.

Majority direction	If 3 finger chains point one way and another finger is different, the current detector can still return that direction.
Diagonal or imperfect pose	If the fingers have visible cross-axis drift, such as right plus a little up, keep the existing stronger-axis decision.
Camera mirroring	Front/back camera mirroring behavior should stay the same. The blocker should use the already mirrored visible X value.
Missing or folded fingers	Existing none cases should remain none. This new rule is only an extra blocker after a direction was already selected.

Implementation Rule In One Sentence

Run the existing direction detector first; if it selects left, right, up, or down and every extended finger chain forms a near-perfect straight arrow in that same direction, return none instead.

Recommended strict tolerance: cross-axis movement should be no more than about 6 percent of the main-axis movement.