

ASSIGNMENT

LIBRARY MANAGEMENT **SYSTEM**

Create a database named library and following TABLES in the database:

Create a database named library and following TABLES in the database:

1. Branch
2. Employee
3. Books
4. Customer
5. IssueStatus
6. ReturnStatus

Attributes for the tables:


1. Branch

- Branch_no
- Set as PRIMARY KEY
- Manager_Id

- Branch_address
- Contact_no

2. Employee


- Emp_Id - Set as PRIMARY KEY
- Emp_name
- Position
- Salary
- Branch_no



3. Books

- ISBN
- Set as PRIMARY KEY

- Book_title
- Category
- Rental_Price
- Status [Give yes if book available and no if book not available]
- Author
- Publisher




4. Customer

- Customer_Id
- Set as PRIMARY KEY
- Customer_name
- Customer_address
- Reg_date

5. IssueStatus


- Issue_Id
- Set as PRIMARY KEY
- Issued_cust – Set as FOREIGN KEY and it refer customer_id in CUSTOMER table Issued_book_name
- Issue_date
- Isbn_book – Set as FOREIGN KEY and it should refer isbn in BOOKS table



6. ReturnStatus

- Return_Id
- Set as PRIMARY KEY
- Return_cust
- Return_book_name

- Return_date
- Isbn_book2
- Set as FOREIGN KEY and it should refer isbn in BOOKS table



INSERT VALUES INTO TABLES

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHEMAS

- d34
- library
 - Tables
 - Views
 - Stored Procedures
 - Functions
- organisation
- product
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sales
- schol
- school
- schools
- sys
- testdb
- Administration

Information: No object selected

SQL File 6: x

```
59
60 -- insert values
61 INSERT INTO Branch (Branch_no, Manager_Id, Branch_address, Contact_no)
62 VALUES
63 (1, 101, '123 Main St', '123-456-7890'),
64 (2, 102, '456 Elm St', '987-654-3210'),
65 (3, 103, '789 Oak St', '555-123-4567'),
66 (4, 104, '321 Maple St', '111-222-3333'),
67 (5, 105, '901 Pine St', '444-555-6666'),
68 (6, 106, '234 Cedar St', '777-888-9999'),
69 (7, 107, '102 pine St', '888-888-9644'),
70 (8, 105, '321 Maple St', '111-222-3333'),
71 (9, 109, '562 Oak St', '555-888-5523'),
72 (10, 110, '888 Main St', '585-555-6963');
73
74 -- values to employee
```

SQL Additions: Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output: Action Output

#	Time	Action	Message	Duration / Fetch
7	19:19:24	Create table books (ISBN VARCHAR(20) Primary key, Book_title varchar(255), category var...	0 row(s) affected	0.406 sec
8	19:19:55	create table Customer (Customer_id int Primary key, customer_name varchar(255), Customer...	0 row(s) affected	1.375 sec
9	19:20:53	Create table IssueStatus (issues_id int Primary key, Issued_cust int, Issued_book_name V...	0 row(s) affected	1.672 sec
10	19:21:43	create TABLE ReturnStatus (Return_id INT Primary Key, Return_cust INT, Return_book_na...	0 row(s) affected	0.750 sec
11	19:30:19	INSERT INTO Branch (Branch_no, Manager_Id, Branch_address, Contact_no) VALUES (1, 1...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.218 sec
12	19:33:36	INSERT INTO Employee (Emp_Id, Emp_name, Position, Salary, Branch_no) VALUES (1, Jo...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.125 sec

Object Info Session

Windows Taskbar: 27°C Heavy rain 19:36 20-08-2024

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHEMAS

- d34
- library
 - Tables
 - Views
 - Stored Procedures
 - Functions
- organisation
- product
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sales
- schol
- school
- schools
- sys
- testdb
- Administration

Information: No object selected

SQL File 6: x

```
72 (10, 110, '888 Main St', '585-555-6963');
73
74 -- values to employee
75 INSERT INTO Employee (Emp_Id, Emp_name, Position, Salary, Branch_no)
76 VALUES
77 (1, 'John Doe', 'Manager', 50000.00, 1),
78 (2, 'Jane Smith', 'Assistant', 30000.00, 1),
79 (3, 'Bob Johnson', 'Librarian', 40000.00, 2),
80 (4, 'Alice Brown', 'Clerk', 25000.00, 2),
81 (5, 'Mike Davis', 'Manager', 55000.00, 3),
82 (6, 'Emily Taylor', 'Librarian', 45000.00, 3),
83 (7, 'Sarah Lee', 'Assistant', 35000.00, 4),
84 (8, 'Kevin White', 'Clerk', 20000.00, 4),
85 (9, 'Lisa Nguyen', 'Manager', 60000.00, 5),
86 (10, 'David Hall', 'Librarian', 50000.00, 5);
87
```

SQL Additions: Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output: Action Output

#	Time	Action	Message	Duration / Fetch
7	19:19:24	Create table books (ISBN VARCHAR(20) Primary key, Book_title varchar(255), category var...	0 row(s) affected	0.406 sec
8	19:19:55	create table Customer (Customer_id int Primary key, customer_name varchar(255), Customer...	0 row(s) affected	1.375 sec
9	19:20:53	Create table IssueStatus (issues_id int Primary key, Issued_cust int, Issued_book_name V...	0 row(s) affected	1.672 sec
10	19:21:43	create TABLE ReturnStatus (Return_id INT Primary Key, Return_cust INT, Return_book_na...	0 row(s) affected	0.750 sec
11	19:30:19	INSERT INTO Branch (Branch_no, Manager_Id, Branch_address, Contact_no) VALUES (1, 1...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.218 sec
12	19:33:36	INSERT INTO Employee (Emp_Id, Emp_name, Position, Salary, Branch_no) VALUES (1, Jo...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.125 sec

Object Info Session

Windows Taskbar: 27°C Heavy rain 19:36 20-08-2024

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHMAS

Filter objects

SQL File 6

SQL File 7

SQL File 8

SQL File 9

SQL File 6

Limit to 1000 rows

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

14 19:44:27 create database library

15 19:45:01 INSERT INTO Books (ISBN, Book_title, Category, Rental_Price, Status, Author, Pblisher) V...

16 19:48:44 INSERT INTO Customer (Customer_Id, Customer_name, Customer_address, Reg_date) VALU...

17 19:51:12 INSERT INTO IssueStatus (Issues_Id, Issued_cust, Issued_book_name, Issue_date, isbn_b...

18 19:52:52 INSERT INTO ReturnStatus (Return_Id, Return_cust, Return_book_name, Return_date, lab...

19 19:53:28 select * from Branch LIMIT 0, 1000

Result Grid

branch_no	manager_id	Branch_address	contact_no
1	101	123 Main St	123-456-7890
2	102	456 Elm St	987-654-3210
3	103	789 Oak St	555-123-4567
4	104	321 Maple St	111-222-3333
5	105	901 Pine St	444-555-6666

Branch 1

Output

Action Output

Time Action Message Duration / Fetch

14 19:44:27 create database library Error Code: 1007. Can't create database 'library'; database exists 0.000 sec

15 19:45:01 INSERT INTO Books (ISBN, Book_title, Category, Rental_Price, Status, Author, Pblisher) V... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.187 sec

16 19:48:44 INSERT INTO Customer (Customer_Id, Customer_name, Customer_address, Reg_date) VALU... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.188 sec

17 19:51:12 INSERT INTO IssueStatus (Issues_Id, Issued_cust, Issued_book_name, Issue_date, isbn_b... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.422 sec

18 19:52:52 INSERT INTO ReturnStatus (Return_Id, Return_cust, Return_book_name, Return_date, lab... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.172 sec

19 19:53:28 select * from Branch LIMIT 0, 1000 10 row(s) returned 0.000 sec / 0.000 sec

Object Info Session

Type here to search

27°C Heavy rain

ENG

19:53

20-08-2024

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHMAS

Filter objects

SQL File 6

SQL File 7

SQL File 8

SQL File 9

SQL File 6

Limit to 1000 rows

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

15 19:45:01 INSERT INTO Books (ISBN, Book_title, Category, Rental_Price, Status, Author, Pblisher) V...

16 19:48:44 INSERT INTO Customer (Customer_Id, Customer_name, Customer_address, Reg_date) VALU...

17 19:51:12 INSERT INTO IssueStatus (Issues_Id, Issued_cust, Issued_book_name, Issue_date, isbn_b...

18 19:52:52 INSERT INTO ReturnStatus (Return_Id, Return_cust, Return_book_name, Return_date, lab...

19 19:53:28 select * from Branch LIMIT 0, 1000

20 19:54:07 select * from Employee LIMIT 0, 1000

Result Grid

emp_id	emp_name	position	salary	Branch_no
1	John Doe	Manager	50000.00	1
2	Jane Smith	Assistant	30000.00	1
3	Bob Johnson	Librarian	40000.00	2
4	Alice Brown	Clerk	25000.00	2
5	Mike Davis	Manager	55000.00	3

Employee 2

Output

Action Output

Time Action Message Duration / Fetch

15 19:45:01 INSERT INTO Books (ISBN, Book_title, Category, Rental_Price, Status, Author, Pblisher) V... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.187 sec

16 19:48:44 INSERT INTO Customer (Customer_Id, Customer_name, Customer_address, Reg_date) VALU... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.188 sec

17 19:51:12 INSERT INTO IssueStatus (Issues_Id, Issued_cust, Issued_book_name, Issue_date, isbn_b... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.422 sec

18 19:52:52 INSERT INTO ReturnStatus (Return_Id, Return_cust, Return_book_name, Return_date, lab... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.172 sec

19 19:53:28 select * from Branch LIMIT 0, 1000 10 row(s) returned 0.000 sec / 0.000 sec

20 19:54:07 select * from Employee LIMIT 0, 1000 10 row(s) returned 0.000 sec / 0.000 sec

Object Info Session

Type here to search

27°C Heavy rain

ENG

19:54

20-08-2024

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

d34 library Tables Views Stored Procedures Functions organisation product tables Views Stored Procedures Functions sales schol school schools sys testdb Administration Schemas

Information: No object selected

SQL File 6 x

```
97 ('978-0-123456-06-6', 'Book6', 'History', 4.49, 'no', 'Author6', 'Publishe
98 ('978-0-123456-07-3', 'Book7', 'Sci-Fi', 5.49, 'yes', 'Author7', 'Publishe
99 ('978-0-123456-08-0', 'Book8', 'Fantasy', 3.99, 'no', 'Author8', 'Publishe
100 ('978-0-123456-09-7', 'Book9', 'History', 25.99, 'yes', 'Author9', 'Publis
101 ('978-0-123456-10-3', 'Book10', 'Thriller', 5.99, 'no', 'Author10', 'Publi
102 select * from Books;
103 -- values to Customer
104 INSERT INTO Customer (Customer_Id, Customer_name, Customer_address, Reg_dat
105 VALUES
```

Result Grid

ISBN	Book_title	category	Rental_price	Status	Author	Publisher
978-0-123456-01-1	Book1	Fiction	2.99	yes	Author1	Publisher1
978-0-123456-02-8	Book2	Non-Fiction	3.99	no	Author2	Publisher2
978-0-123456-03-5	Book3	Biography	4.99	yes	Author3	Publisher3
978-0-123456-04-2	Book4	History	5.99	no	Author4	Publisher4
978-0-123456-05-9	Book5	History	3.49	yes	Author5	Publisher5

Books 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	19:48:44	INSERT INTO Customer (Customer_Id, Customer_name, Customer_address, Reg_date) VALU...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.188 sec
17	19:51:12	INSERT INTO IssueStatus (Issues_Id, Issued_cust, Issued_book_name, Issue_date, labn_b...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.422 sec
18	19:52:52	INSERT INTO ReturnStatus (Return_Id, Return_cust, Return_book_name, Return_date, lab...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.172 sec
19	19:53:28	select * from Branch LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
20	19:54:07	select * from Employee LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
21	19:55:07	select * from Books LIMIT 0, 1000	10 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Activate Windows Go to Settings to activate Windows

27°C Heavy rain 19:55 20-08-2024

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

d34 library Tables Views Stored Procedures Functions organisation product tables Views Stored Procedures Functions sales schol school schools sys testdb Administration Schemas

Information: No object selected

SQL File 6 x

```
111 (6, 'Emily Taylor', '234 Cedar St', '2022-03-15'),
112 (7, 'Sarah Lee', '567 Walnut St', '2022-04-01'),
113 (8, 'Kevin White', '890 Cherry St', '2023-06-15'),
114 (9, 'Lisa Nguyen', '345 Spruce St', '2022-05-01'),
115 (10, 'David Hall', '678 Fir St', '2023-06-15');
116
117 select * from Customer;
118
119 -- values issue status
```

Result Grid

Customer_Id	customer_name	Customer_Address	Reg_Date
1	John Smith	123 Main St	2023-06-01
2	Jane Doe	456 Elm St	2022-01-15
3	Bob Johnson	789 Oak St	2023-02-01
4	Alice Brown	321 Maple St	2022-02-15
5	Mike Davis	901 Pine St	2023-06-01

Customer 4 x

Output

Action Output


#	Time	Action	Message	Duration / Fetch
17	19:51:12	INSERT INTO IssueStatus (Issues_Id, Issued_cust, Issued_book_name, Issue_date, labn_b...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.422 sec
18	19:52:52	INSERT INTO ReturnStatus (Return_Id, Return_cust, Return_book_name, Return_date, lab...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.172 sec
19	19:53:28	select * from Branch LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
20	19:54:07	select * from Employee LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
21	19:55:07	select * from Books LIMIT 0, 1000	10 row(s) returned	0.031 sec / 0.000 sec
22	19:55:46	select * from Customer LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session


Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Activate Windows Go to Settings to activate Windows


27°C Heavy rain 19:55 20-08-2024




1. Retrieve the book title, category, and rental price of all available books.




2. List the employee names and their respective salaries in descending order of salary.




3. Retrieve the book titles and the corresponding customers who have issued those books.




4. Display the total count of books in each category.



5. Retrieve the employee names and their positions for the employees whose salaries are above Rs.50,000.



6. List the customer names who registered before 2022-01-01 and have not issued any books yet.



7. Display the branch numbers and the total count of employees in each branch.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

d34 library Tables Views Stored Procedures Functions organisation product Tables Views Stored Procedures Functions sales school school schools sys testdb Administration Schemas

Information: No object selected

SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 6* x

183
184 -- DISPLAY THE BRANCH NUMBERS AND THE TOTAL COUNT OF EMPLOYEES IN EACH BRANCH
185 SELECT B.BRANCH_NO, count(1) as
186 total_employees
187 from Branch B
188 join employee E ON B.Branch_no =
189 E.Branch_no
190 Group by B.Branch_no;
191

Result Grid

BRANCH_NO	total_employees
1	2
2	2
3	2
4	2
5	2

Output: Action Output

#	Time	Action	Message	Duration / Fetch
26	19:58:32	select emp_name, Salary from employee Order by Salary Desc LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
27	19:59:45	select B.Book_title, C.Customer_name from Books B JOIN IssueStatus I ON B.ISBN = I.ISS...	10 row(s) returned	0.000 sec / 0.000 sec
28	20:00:25	Select Category, Count(2) as total_Books from Books Group by Category LIMIT 0, 1000	7 row(s) returned	0.047 sec / 0.000 sec
29	20:01:07	select emp_name, Position from employee where salary >50000 LIMIT 0, 1000	2 row(s) returned	0.032 sec / 0.000 sec
30	20:02:01	select C.Customer_name from Customer C LEFT JOIN IssueStatus I ON C.Customer_id = ...	0 row(s) returned	0.016 sec / 0.000 sec
31	20:02:58	SELECT B.BRANCH_NO, count(1) as total_employees from Branch B join employee E ON...	5 row(s) returned	0.094 sec / 0.000 sec

Object Info Session

27°C Heavy rain 20:03 20-08-2024

8. Display the names of customers who have issued books in the month of June 2023.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

d34 library Tables Views Stored Procedures Functions organisation product Tables Views Stored Procedures Functions sales school school schools sys testdb Administration Schemas

Information: No object selected

SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 6* x

190
191
192 lay the name of customers who have issue books in the months of June 2023
193
194
195
196
197
198

Result Grid

Customer_name
Bob Johnson
Emily Taylor
Kevin White
David Hall


Output: Action Output

#	Time	Action	Message	Duration / Fetch
27	19:59:45	select B.Book_title, C.Customer_name from Books B JOIN IssueStatus I ON B.ISBN = I.ISS...	10 row(s) returned	0.000 sec / 0.000 sec
28	20:00:25	Select Category, Count(2) as total_Books from Books Group by Category LIMIT 0, 1000	7 row(s) returned	0.047 sec / 0.000 sec
29	20:01:07	select emp_name, Position from employee where salary >50000 LIMIT 0, 1000	2 row(s) returned	0.032 sec / 0.000 sec
30	20:02:01	select C.Customer_name from Customer C LEFT JOIN IssueStatus I ON C.Customer_id = ...	0 row(s) returned	0.016 sec / 0.000 sec
31	20:02:58	SELECT B.BRANCH_NO, count(1) as total_employees from Branch B join employee E ON...	5 row(s) returned	0.094 sec / 0.000 sec
32	20:04:33	Select C.Customer_name from Customer C Join IssueStatus I On C.Customer_id = I.Issued...	4 row(s) returned	0.031 sec / 0.000 sec


Object Info Session

27°C Heavy rain 20:04 20-08-2024

9. Retrieve book_title from book table containing history.



10. Retrieve the branch numbers along with the count of employees for branches having more than 5 employees



11. Retrieve the names of employees who manage branches and their respective branch addresses

MySQL Workbench

Local instance MySQL80 (libr... x Local instance MySQL80 (product) x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

SCHEMAS

d34

library

Tables

Views

Stored Procedures

Functions

organisation

product

Tables

Views

Stored Procedures

Functions

sales

schol

school

schools

sys

Administration

Schemas

Information

No object selected

Object Info Session

SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 6* x

Limit to 1000 rows

SQL

184 -- DISPLAY THE BRANCH NUMBERS AND THE TOTAL COUT OF EMPLOYEES IN EACH BRAN

185 • SELECT B.BRANCH_NO, count(1) as

186 total_employees

187 from Branch B

188 join employee E ON B.Branch_no =

189 E.Branch_no

190 Group by B.Branch_no;

191 -- display the name of customers who have issue books in the months of 3L

Result Grid

BRANCH_NO	total_employees
1	2
2	2
3	2
4	2
5	2

Result 24 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
38	20:08:01	SELECT BRANCH_NO, count(1) AS Employee_count from employee group by branch_no ...	0 row(s) returned	0.000 sec / 0.000 sec
39	20:13:46	select E Emp_name, B Branch_address from employee E JOIN BRANCH B ON E.EMP_ID ...	Error Code: 1054. Unknown column 'B.Branch_address' in field list'	0.000 sec
40	20:14:58	select E Emp_name, B Branch_address from employee E JOIN BRANCH B ON E.EMP_ID = ...	0 row(s) returned	0.000 sec / 0.000 sec
41	20:17:54	select c.customer_name from customer C JOIN IssueStatus I on C.Customer_id = I.Issued...	10 row(s) returned	0.015 sec / 0.000 sec
42	21:02:10	SELECT B.BRANCH_NO, count(1) as total_employees from Branch B join employee E ON...	5 row(s) returned	0.016 sec / 0.016 sec
43	21:02:32	SELECT B.BRANCH_NO, count(1) as total_employees from Branch B join employee E ON...	5 row(s) returned	0.015 sec / 0.000 sec

Activate Windows Go to Settings to activate Windows

Query Completed

Type here to search

27°C Rain showers

20-08-2024

12. Display the names of customers who have issued books with a rental price higher than Rs. 25.

MySQL Workbench

Local instance MySQL80 (libr... x Local instance MySQL80 (product) x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

SCHEMAS

d34

library

Tables

Views

Stored Procedures

Functions

organisation

product

Tables

Views

Stored Procedures

Functions

sales

schol

school

schools

sys

Administration

Schemas

Information

No object selected

Object Info Session

SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 6* x

Limit to 1000 rows

SQL

212 JOIN BRANCH B ON E.EMP_ID = B.Manager_id;

213

214 • select c.customer_name

215 from customer C

216 JOIN IssueStatus I on C.Customer_id =

217 I.Issued_cust

218 join books B ON I.ISBN_BOOK= B.ISBN

219 WHERE B.Rental_price >25;

Result Grid

customer_name
John Smith
Jane Doe
Bob Johnson
Alice Brown
Mike Davis

Result 22 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	20:07:38	SELECT BRANCH_NO, count(1) AS Employee_count from employee group by branch_no ...	0 row(s) returned	0.000 sec / 0.000 sec
37	20:07:48	SELECT BRANCH_NO, count(1) AS Employee_count from employee group by branch_no ...	0 row(s) returned	0.016 sec / 0.000 sec
38	20:08:01	SELECT BRANCH_NO, count(1) AS Employee_count from employee group by branch_no ...	0 row(s) returned	0.000 sec / 0.000 sec
39	20:13:46	select E Emp_name, B Branch_address from employee E JOIN BRANCH B ON E.EMP_ID ...	Error Code: 1054. Unknown column 'B.Branch_address' in field list'	0.000 sec
40	20:14:58	select E Emp_name, B Branch_address from employee E JOIN BRANCH B ON E.EMP_ID = ...	0 row(s) returned	0.000 sec / 0.000 sec
41	20:17:54	select c.customer_name from customer C JOIN IssueStatus I on C.Customer_id = I.Issued...	10 row(s) returned	0.015 sec / 0.000 sec

Activate Windows Go to Settings to activate Windows

Query Completed

Type here to search

28°C Light rain

20-17 20-08-2024

