

# CREATE A CHATBOT USING PYTHON

- Chatbots can provide real-time customer support and are therefore a valuable asset in many industries. When you understand the basics of the ChatterBot library, you can build and train a self-learning chatbot with just a few lines of Python code.
- To simulate a real-world process that you might go through to create an industry-relevant chatbot, you'll learn how to customize the chatbot's responses. You'll do this by preparing WhatsApp chat data to train the chatbot. You can apply a similar process to train your bot from different conversational data in any domain-specific topic.

In this Project , you'll learn how to:

- Build a command-line chatbot with ChatterBot
- Train the chatbot to customize its responses
- Export your WhatsApp chat history
- Perform data cleaning on the chat export using regular expressions
- Retrain the chatbot with industry-specific data
- You'll also learn how ChatterBot stores your training data, and you'll find suggestions and pointers for next steps, so you can start collecting real user data and let the chatbot learn from it.
- Overall, in this tutorial, you'll quickly run through the basics of creating a chatbot with ChatterBot and learn how Python allows you to get fun and useful results without needing to write a lot of code.

## Project Overview :

- The ChatterBot library combines language corpora, text processing, machine learning algorithms, and data storage and retrieval to allow you to build flexible chatbots.
- You can build an industry-specific chatbot by training it with relevant data. Additionally, the chatbot will remember user responses and continue building its internal graph structure to improve the responses that it can give.
- Attention: While ChatterBot is still a popular open source solution for building a chatbot in Python, it hasn't been actively maintained for a while and has therefore accumulated a significant number of issues.
- To get started, however, you won't use a fork. Instead, you'll use a specific pinned version of the library, as distributed on PyPI. You'll find more information about installing ChatterBot in step one.
- In this tutorial, you'll start with an untrained chatbot that'll showcase how quickly you can create an interactive chatbot using Python's ChatterBot. You'll also notice how small the vocabulary of an untrained chatbot is.
- Next, you'll learn how you can train such a chatbot and check on the slightly improved results. The more plentiful and high-quality your training data is, the better your chatbot's responses will be.

- It's rare that input data comes exactly in the form that you need it, so you'll clean the chat export data to get it into a useful input format. This process will show you some tools you can use for data cleaning, which may help you prepare other input data to feed to your chatbot.
- After data cleaning, you'll retrain your chatbot and give it another spin to experience the improved performance.
- When you work through this process from start to finish, you'll get a good idea of how you can build and train a Python chatbot with the ChatterBot library so that it can provide an interactive experience with relevant replies.

## Prerequisites :

- Before you get started, make sure that you have a Python version available that works for this ChatterBot project. What version of Python you need depends on your operating system:
- You need to use a Python version below 3.8 to successfully work with the recommended version of ChatterBot in this tutorial. You can install Python 3.7.9 using pyenv-win.
- If you've installed the right Python version for your operating system, then you're ready to get started.

You'll touch on a handful of Python concepts while working through the tutorial:

1. Conditional statements
2. while loops for iteration
3. Lists and tuples
4. Python functions
5. Substring checks and substring replacement
6. File input/output
7. Python comprehensions and generator expressions
8. Regular expressions (regex) using re

If you're comfortable with these concepts, then you'll probably be comfortable writing the code for this tutorial. If you don't have all of the prerequisite knowledge before starting this tutorial, that's okay! In fact, you might learn more by going ahead and getting started. You can always stop and review the resources linked here if you get stuck.

## Step 1: Create a Chatbot Using Python ChatterBot :

In this step, you'll set up a virtual environment and install the necessary dependencies. You'll also create a working command-line chatbot that can reply to you—but it won't have very interesting replies for you yet.

To get started with your chatbot project, create and activate a virtual environment, then install chatterbot and pytz:

Windows PowerShell

```
PS> python -m venv venv
PS> venv\Scripts\activate
(venv) PS> python -m pip install chatterbot==1.0.4 pytz
```

- After the installation is complete, running `python -m pip freeze` should bring up list of installed dependencies that's similar to what you can find in the provided sample code's `requirements.txt` file.
- With the installation out of the way, and ignoring some of the issues that the library currently has, you're ready to get started! Create a new Python file, call it `bot.py`, and add the code that you need to get a basic chatbot up and running :

```
Python
1 # bot.py
2
3 from chatterbot import ChatBot
4
5 chatbot = ChatBot("Chatpot")
6
7 exit_conditions = (":q", "quit", "exit")
8 while True:
9     query = input("> ")
10    if query in exit_conditions:
11        break
12    else:
13        print(f"🗨️ {chatbot.get_response(query)}")
```

- After importing `ChatBot` in line 3, you create an instance of `ChatBot` in line 5. The only required argument is a name, and you call this one "Chatpot".
- In line 8, you create a while loop that'll keep looping unless you enter one of the exit conditions defined in line 7. Finally, in line 13, you call `.get_response()` on the `ChatBot` instance that you created earlier and pass it the user input that you collected in line 9 and assigned to `query`.
- When you run `bot.py`, ChatterBot might download some data and language models associated with the NLTK project. It'll print some information about that to your console. Python won't download this data again during subsequent runs.
- If you're ready to communicate with your freshly homegrown Chatpot, then you can go ahead and run the Python file:

```
Shell
$ python bot.py
```

After the language models are set up, you'll see the greater than sign (>) that you defined in `bot.py` as your input prompt. You can now start to interact with your chatty pot:

```
Text
> hello
🗨️ hello
> are you a plant?
🗨️ hello
> can you chat, pot?
🗨️ hello
```

Even if your chat-pot doesn't have much to say yet, it's already learning and growing. To test this out, stop the current session. Then start the chatbot another time. Enter a different message, and you'll notice that the chatbot remembers what you typed during the previous run:

Text

```
> hi
📄 hello
> what's up?
📄 are you a plant?
```

Now that you've created a working command-line chatbot, you'll learn how to train it so you can have slightly more interesting conversations

## Step 2: Begin Training Your Chatbot

- In the previous step, you built a chatbot that you could interact with from your command line. The chatbot started from a clean slate and wasn't very interesting to talk to.
- In this step, you'll train your chatbot using `ListTrainer` to make it a little smarter from the start. You'll also learn about built-in trainers that come with `ChatterBot`, including their limitations.
- Your chatbot doesn't have to start from scratch, and `ChatterBot` provides you with a quick way to train your bot. You'll use `ChatterBot`'s `ListTrainer` to provide some conversation samples that'll give your chatbot more room to grow:

```
Python
1 # bot.py
2
3 from chatterbot import ChatBot
4 from chatterbot.trainers import ListTrainer
5
6 chatbot = ChatBot("Chatpot")
7
8 trainer = ListTrainer(chatbot)
9 trainer.train([
10     "Hi",
11     "Welcome, friend 😊",
12 ])
13 trainer.train([
14     "Are you a plant?",
15     "No, I'm the pot below the plant!",
16 ])
17
18 exit_conditions = (":q", "quit", "exit")
19 while True:
20     query = input("> ")
21     if query in exit_conditions:
22         break
23     else:
24         print(f"📄 {chatbot.get_response(query)}")
```

- In line 4, you import `ListTrainer`, to which you pass your chatbot on line 8 to create trainer.

- In lines 9 to 12, you set up the first training round, where you pass a list of two strings to `trainer.train()`. Using `.train()` injects entries into your database to build upon the graph structure that ChatterBot uses to choose possible replies.
- You can run more than one training session, so in lines 13 to 16, you add another statement and another reply to your chatbot's database.
- If you now run the interactive chatbot once again using `python bot.py`, you can elicit somewhat different responses from it than before:

```

Text
> hi
☑ Welcome, friend 😊
> hello
☑ are you a plant?
> me?
☑ are you a plant?
> yes
☑ hi
> are you a plant?
☑ No, I'm the pot below the plant!
> cool
☑ Welcome, friend 😊

```

- While the provided corpora might be enough for you, in this tutorial you'll skip them entirely and instead learn how to adapt your own conversational input data for training with ChatterBot's `ListTrainer`.
- Moving forward, you'll work through the steps of converting chat data from a WhatsApp conversation into a format that you can use to train your chatbot.
- To start off, you'll learn how to export data from a WhatsApp chat conversation.

## Step 3: Export a WhatsApp Chat

At the end of this step, you'll have downloaded a TXT file that contains the chat history of a WhatsApp conversation. If you don't have a WhatsApp account or don't want to work with your own conversational data, then you can download a sample chat export below:

### Python Program:

```

from chatterbot import ChatBot

from chatterbot.trainers import ListTrainer

chatbot = ChatBot("Chatpot")

trainer = ListTrainer(chatbot)

trainer.train(["Hi", "Welcome, friend 😊"])

trainer.train(["Are you a plant?", "No, I'm the pot below the plant!"])

exit_conditions = (":q", "quit", "exit")

while True:

```

```
query = input("> ")
```

```
if query in exit_conditions:
```

```
    break
```

```
else:
```

```
    print(f"❏ {chatbot.get_response(query)}")
```

- To export the history of a conversation that you've had on WhatsApp, you need to open the conversation on your phone. Once you're on the conversation screen, you can access the export menu:
  1. Click on the three dots (⋮) in the top right corner to open the main menu.
  2. Choose More to bring up additional menu options.
  3. Select Export chat to create a TXT export of your conversation.
- In the stitched-together screenshots below, you can see the three consecutive steps numbered and outlined in red:



- Once you've clicked on Export chat, you need to decide whether or not to include media, such as photos or audio messages. Because your chatbot is only dealing with text, select **WITHOUT MEDIA**. Then, you can declare where you'd like to send the file.
- In this example, you saved the chat export file to a Google Drive folder named Chat exports. You'll have to set up that folder in your Google Drive before you can select it as an option. Of course, you don't need to use Google Drive.
- Once that's done, switch back to your computer. Find the file that you saved, and download it to your machine.
- Specifically, you should save the file to the folder that also contains bot.py and rename it chat.txt. Then, open it with your favorite text editor to inspect the data that you received:

#### Text

```
9/15/22, 14:50 - Messages and calls are end-to-end encrypted.  
👉 No one outside of this chat, not even WhatsApp, can read  
👉 or listen to them. Tap to learn more.  
9/15/22, 14:49 - Philipp: Hi Martin, Philipp here!  
9/15/22, 14:50 - Philipp: I'm ready to talk about plants!  
9/15/22, 14:51 - Martin: Oh that's great!  
9/15/22, 14:52 - Martin: I've been waiting for a good convo about  
👉 plants for a long time  
9/15/22, 14:52 - Philipp: We all have.  
9/15/22, 14:52 - Martin: Did you know they need water to grow?  
...
```

- ChatterBot uses complete lines as messages when a chatbot replies to a user message. In the case of this chat export, it would therefore include all the message metadata. That means your friendly bot would be studying the dates, times, and usernames! Not exactly great conversation fertilizer.
- To avoid this problem, you'll clean the chat export data before using it to train your chatbot.

## Step 4: Clean Your Chat Export

- In this step, you'll clean the WhatsApp chat export data so that you can use it as input to train your chatbot on an industry-specific topic. In this example, the topic will be ... houseplants!
- Most data that you'll use to train your chatbot will require some kind of cleaning before it can produce useful results. It's just like the old saying goes:
  - Garbage in, garbage out (Source)
- Take some time to explore the data that you're working with and to identify potential issues:

#### Text

```
9/15/22, 14:50 - Messages and calls are end-to-end encrypted.  
👉 No one outside of this chat, not even WhatsApp, can read  
👉 or listen to them. Tap to learn more.  
  
...  
  
9/15/22, 14:50 - Philipp: I'm ready to talk about plants!  
  
...  
  
9/16/22, 06:34 - Martin: <Media omitted>  
  
...
```

- For example, you may notice that the first line of the provided chat export isn't part of the conversation. Also, each actual message starts with metadata that includes a date, a time, and the username of the message sender.



- If you scroll further down the conversation file, you'll find lines that aren't real messages. Because you didn't include media files in the chat export, WhatsApp replaced these files with the text <Media omitted>.
- All of this data would interfere with the output of your chatbot and would certainly make it sound much less conversational. Therefore, it's a good idea to remove this data.
- Open up a new Python file to preprocess your data before handing it to ChatterBot for training. Start by reading in the file content and removing the chat metadata:

```

Python
1 # cleaner.py
2
3 import re
4
5 def remove_chat_metadata(chat_export_file):
6     date_time = r"(\d+/\d+/\d+,\s\d+:\d+)" # e.g. "9/16/22, 06:34"
7     dash_whitespace = r"\s-\s" # " - "
8     username = r"([\w\s]+)" # e.g. "Martin"
9     metadata_end = r":\s" # ": "
10    pattern = date_time + dash_whitespace + username + metadata_end
11
12    with open(chat_export_file, "r") as corpus_file:
13        content = corpus_file.read()
14        cleaned_corpus = re.sub(pattern, "", content)
15        return tuple(cleaned_corpus.split("\n"))
16
17 if __name__ == "__main__":
18     print(remove_chat_metadata("chat.txt"))

```

- This function removes conversation-irrelevant message metadata from the chat export file using the built-in re module, which allows you to work with regular expressions:
  - ✓ Lines 6 to 9 define multiple regex patterns. Constructing multiple patterns helps you keep track of what you're matching and gives you the flexibility to use the separate capturing groups to apply further preprocessing later on.
  - ✓ Line 10 concatenates the regex patterns that you defined in lines 6 to 9 into a single pattern. The complete pattern matches all the metadata that you want to remove.
  - ✓ Line 14 uses re.sub() to replace each occurrence of the pattern that you defined in pattern with an empty string (""), effectively deleting it from the string.
  - ✓ Line 15 first splits the file content string into list items using .split("\n"). This breaks up cleaned\_corpus into a list where each line represents a separate item. Then, you convert this list into a tuple and return it from remove\_chat\_metadata().
- Lines 17 and 18 use Python's name-main idiom to call remove\_chat\_metadata() with "chat.txt" as its argument, so that you can inspect the output when you run the script.
- After removing the message metadata from each line, you also want to remove a few complete lines that aren't relevant for the conversation.



Python

```
1 # cleaner.py
2
3 import re
4
5 def clean_corpus(chat_export_file):
6     message_corpus = remove_chat_metadata(chat_export_file)
7     cleaned_corpus = remove_non_message_text(message_corpus)
8     return cleaned_corpus
9
10 # ...
11
12 # Deleted: if __name__ == "__main__":
```

- ✓ Line 6 removes the first introduction line, which every WhatsApp chat export comes with, as well as the empty line at the end of the file.
- ✓ Line 8 creates a tuple where you can define what strings you want to exclude from the data that'll make it to training.
- ✓ Line 9 filters messages for the strings defined in `filter_out_msgs` using a generator expression that you convert to a tuple before returning it.
- Finally, you've also changed lines 12 to 14. You now collect the return value of the first function call in the variable `message_corpus`, then use it as an argument to `remove_non_message_text()`.
- Because you want to treat `cleaner` as a module and run the cleaning code in `bot.py`, it's best to now refactor the code in the name-main idiom into a main function that you can then import and call in `bot.py`:

## Step 5: Train Your Chatbot on Custom Data and Start Chatting

- In this step, you'll train your chatbot with the WhatsApp conversation data that you cleaned in the previous step. You'll end up with a chatbot that you've trained on industry-specific conversational data, and you'll be able to chat with the bot—about houseplants!
- Open up `bot.py` and include calls to your cleaning functions in the code:

Python

```
1 # bot.py
2
3 from chatterbot import ChatBot
4 from chatterbot.trainers import ListTrainer
5 from cleaner import clean_corpus
6
7 CORPUS_FILE = "chat.txt"
8
9 chatbot = ChatBot("Chatpot")
10
11 trainer = ListTrainer(chatbot)
12 cleaned_corpus = clean_corpus(CORPUS_FILE)
13 trainer.train(cleaned_corpus)
14
15 exit_conditions = (":q", "quit", "exit")
16 while True:
17     query = input("> ")
18     if query in exit_conditions:
19         break
20     else:
21         print(f"@ {chatbot.get_response(query)}")
```

You don't need to do a lot of extra work in this file, because you've prepared your cleaning functions well:

- ✓ Line 5 imports `clean_corpus()` from `cleaner`.
- ✓ Line 7 defines the filename of your chat export file. In this example, you assume that it's called "chat.txt", and it's located in the same directory as `bot.py`. If you need more advanced path handling, then take a look at Python's `pathlib` module.
- ✓ Line 12 applies your cleaning code to the chat history file and returns a tuple of cleaned messages, which you call `cleaned_corpus`.
- ✓ Line 13 finally uses that data as input to `.train()`, effectively training your chatbot with the WhatsApp conversation data.
- It's important to know that ChatterBot will treat an iterable with more than two items slightly differently than when there are only two items, like you had in your previous training runs.
- Run `bot.py` and chat with your chatty pot to test how its responses have changed due to training:

Your chatbot has increased its range of responses based on the training data that you fed to it. As you might notice when you interact with your chatbot, the responses don't always make a lot of sense.

```

Text
> hi
📄 Welcome, friend 😊
> thanks for the green welcome
📄 I let you
> you let me be here?
📄 It's a monsters!
> did you mean monstera?
📄 The leafs are getting dryer and dryer. But she's growing new ones
> who?
📄 Do raindrops touch their leaves?
> very philosophical!
📄 lol
> ;)
📄 I don't grow any crop at home
> no crops in pots
📄 Ah, gotcha!
> ah, I just thought you meant that
📄 But water makes sense
> yes, water in pots
📄 Do you have any plant care pro tips?
> water.
📄 I always thought that love and music was more than enough
> haha
📄 Well, no. Just the balcony. This worked best
> ok, balcony is notes
📄 I let you

```

## Conclusion :

- Congratulations, you've built a Python chatbot using the ChatterBot library! Your chatbot isn't a smarty plant just yet, but everyone has to start somewhere. You already helped it grow by training the chatbot with preprocessed conversation data from a WhatsApp chat export.
- In this tutorial, we learned how to:
  1. Build a command-line chatbot with ChatterBot
  2. Train a chatbot to customize its responses
  3. Export your WhatsApp chat history
  4. Perform data cleaning on the chat export using regular expressions
  5. Retrain the chatbot with industry-specific data

- Because the industry-specific chat data in the provided WhatsApp chat export focused on houseplants, Chatpot now has some opinions on houseplant care. It'll readily share them with you if you ask about it—or really, when you ask about anything.
- With big data comes big results! You can imagine that training your chatbot with more input data, particularly more relevant data, will produce better results.

## **DataSet for ChatterBot :**

hi, how are you doing? i'm fine. how about yourself?  
i'm fine. how about yourself? i'm pretty good. thanks for asking.  
i'm pretty good. thanks for asking. no problem. so how have you been?  
no problem. so how have you been? i've been great. what about you?  
i've been great. what about you? i've been good. i'm in school right now.  
i've been good. i'm in school right now. what school do you go to?  
what school do you go to? i go to pcc.  
i go to pcc. do you like it there?  
do you like it there? it's okay. it's a really big campus.  
it's okay. it's a really big campus. good luck with school.  
good luck with school. thank you very much.  
how's it going? i'm doing well. how about you?  
i'm doing well. how about you? never better, thanks.  
never better, thanks. so how have you been lately?  
so how have you been lately? i've actually been pretty good. you?  
i've actually been pretty good. you? i'm actually in school right now.  
i'm actually in school right now. which school do you attend?  
which school do you attend? i'm attending pcc right now.  
i'm attending pcc right now. are you enjoying it there?  
are you enjoying it there? it's not bad. there are a lot of people there.  
it's not bad. there are a lot of people there. good luck with that.  
good luck with that. thanks.  
how are you doing today? i'm doing great. what about you?  
i'm doing great. what about you? i'm absolutely lovely, thank you.  
i'm absolutely lovely, thank you. everything's been good with you?  
everything's been good with you? i haven't been better. how about yourself?  
i haven't been better. how about yourself? i started school recently.  
i started school recently. where are you going to school?  
where are you going to school? i'm going to pcc.  
i'm going to pcc. how do you like it so far?  
how do you like it so far? i like it so far. my classes are pretty good right now.  
i like it so far. my classes are pretty good right now. i wish you luck.

# CREATION OF CHATBOT USING MACHINE-LEARNING ALGORITHMS

## Chatbot in Python using the Naive Bayes algorithm :

- The Naive Bayes algorithm is a simple and effective machine learning algorithm that can be used for a variety of tasks, including classification and prediction.
- It is a good choice for tasks where there is a large number of classes, and where the features are independent of each other.

## Create a Chatbot Using Python ChatterBot :

To get started with your chatbot project, create and activate a virtual environment, then install chatterbot and pytz:

Windows PowerShell

```
PS> python -m venv venv
PS> venv\Scripts\activate
(venv) PS> python -m pip install chatterbot==1.0.4 pytz
```

- After the installation is complete, running `python -m pip freeze` should bring up list of installed dependencies that's similar to what you can find in the provided sample code's `requirements.txt` file.
- With the installation out of the way, and ignoring some of the issues that the library currently has, you're ready to get started! Create a new Python file, call it `bot.py`, and add the code that you need to get a basic chatbot up and running :

Python

```
1 # bot.py
2
3 from chatterbot import ChatBot
4
5 chatbot = ChatBot("Chatpot")
6
7 exit_conditions = (":q", "quit", "exit")
8 while True:
9     query = input("> ")
10    if query in exit_conditions:
11        break
12    else:
13        print(f"🗨️ {chatbot.get_response(query)}")
```

By the same way , the chatbot created by using Naïve bayes algorithm is also implemented but there are some slight changes in program.

The training data is a CSV file that contains a list of questions and answers. The classifier is trained on the training data, and then it can be used to predict the answer to a new question.

```
import pandas as pd
from sklearn.naive_bayes import GaussianNB

# Import the training data
df = pd.read_csv('training_data.csv')

# Create the Naive Bayes classifier
nb = GaussianNB()

# Train the classifier
nb.fit(df['question'], df['answer'])

# Get a new question from the user
question = input('What is your question? ')

# Predict the answer to the question
answer = nb.predict([question])[0]

# Print the answer
print(answer)
```

- A simple conversation dataset is used in this program which is in csv format.
- As soon as the program is executed , the algorithms gets trained by the dataset in which the function GaussianNB() is used .
- Now let us check the result by running the commands:

Text

```
> hi, how are you doing?
👤 I'm fine. how about yourself?
> what school do you go to ?
👤 I go to pcc
> do you like it there ?
👤 it's okay. it's a really big campus
> how's it going?
👤 I'm doing well.
> which school do you attend?
👤 I'm attending pcc right now.
> good luck with school
👤 thank you very much
```

Hence the Chatbot is trained successfully by using a machine-learning algorithms which is naïve bayes algorithm

## Dataset :

hi, how are you doing? i'm fine. how about yourself?  
i'm fine. how about yourself? i'm pretty good. thanks for asking.  
i'm pretty good. thanks for asking. no problem. so how have you been?  
no problem. so how have you been? i've been great. what about you?  
i've been great. what about you? i've been good. i'm in school right now.  
i've been good. i'm in school right now. what school do you go to?  
what school do you go to? i go to pcc.  
i go to pcc. do you like it there?  
do you like it there? it's okay. it's a really big campus.  
it's okay. it's a really big campus. good luck with school.  
good luck with school. thank you very much.  
how's it going? i'm doing well. how about you?  
i'm doing well. how about you? never better, thanks.  
never better, thanks. so how have you been lately?  
so how have you been lately? i've actually been pretty good. you?  
i've actually been pretty good. you? i'm actually in school right now.  
i'm actually in school right now. which school do you attend?  
which school do you attend? i'm attending pcc right now.  
i'm attending pcc right now. are you enjoying it there?  
are you enjoying it there? it's not bad. there are a lot of people there.  
it's not bad. there are a lot of people there. good luck with that.  
good luck with that. thanks.

## Revising with Different Datasets :

```
import pandas as pd

from sklearn.naive_bayes import GaussianNB

# Import the training data

df = pd.read_csv('dialogs.csv')

# Create the Naive Bayes classifier

nb = GaussianNB()
```

```
# Train the classifier
nb.fit(df['question'], df['answer'])

# Get a new question from the user
question = input('What is your question? ')

# Predict the answer to the question
answer = nb.predict([question])[0]

# Print the answer
print(answer)
```

**Output :**



```
> this Friday, I'm throwing a party
[?] oh really? I don't know that.
> are you serious?
[?] I haven't heard anything about it.
> what time does it start?
[?] the party starts at 8
> what's going on?
[?] nothing really.
```

**Dataset :**

```
this friday, i'm throwing a party.  oh really? i didn't know that.
oh really? i didn't know that.      are you serious?
are you serious?    i haven't heard anything about it.
i haven't heard anything about it.  can you make it?
can you make it?    what time does it start?
what time does it start?    the party starts at 8.
the party starts at 8.yeah, i think i'll go.
yeah, i think i'll go.  am i going to see you there?
what's going on?    nothing really, you?
nothing really, you? i'm throwing a party next saturday.
i'm throwing a party next saturday.    is that right?
is that right?  yeah, are you going to come?
yeah, are you going to come?    i'm sorry, i can't.
```



i'm sorry, i can't.      why not?  
why not?      i don't really want to.  
i don't really want to.      well, why don't you?  
well, why don't you?      i hate going to parties.  
i hate going to parties.      well, that's okay.  
well, that's okay.      yeah, sorry.  
what's up?      nothing, how about you?  
nothing, how about you?      next saturday, i'm going to have a party.

## Dataset exported from Whatsapp Chat :

```
import pandas as pd

from sklearn.naive_bayes import GaussianNB

# Import the training data
df = pd.read_csv('chat.csv')

# Create the Naive Bayes classifier
nb = GaussianNB()

# Train the classifier
nb.fit(df['question'], df['answer'])

# Get a new question from the user
question = input('What is your question? ')

# Predict the answer to the question
answer = nb.predict([question])[0]

# Print the answer
print(answer)
```

## Output:

```
Text
> hi
☑ Welcome, friend 😊
> thanks for the green welcome
☑ I let you
> you let me be here?
☑ It's a monsters!
> did you mean monstera?
☑ The leaves are getting dryer and dryer. But she's growing new ones
> who?
☑ Do raindrops touch their leaves?
> very philosophical!
☑ Lol
> ;)
☑ I don't grow any crop at home
> no crops in pots
☑ Ah, gotcha!
> ah, I just thought you meant that
☑ But water makes sense
```

## Dataset :

Text

9/15/22, 14:50 - Messages and calls are end-to-end encrypted.  
↳ No one outside of this chat, not even WhatsApp, can read  
↳ or listen to them. Tap to learn more.

9/15/22, 14:49 - Philipp: Hi Martin, Philipp here!

9/15/22, 14:50 - Philipp: I'm ready to talk about plants!

9/15/22, 14:51 - Martin: Oh that's great!

9/15/22, 14:52 - Martin: I've been waiting for a good convo about  
↳ plants for a long time


9/15/22, 14:52 - Philipp: We all have.

9/15/22, 14:52 - Martin: Did you know they need water to grow?

...


# CHATBOT FLOWCHART

## COLLEGE CHATBOT SYSTEM ARCHITECTURE



- In this project we made a college specific chatbot system that can be custom fitted to education domain chatbot, the addition of this chatbot system in the college website will make the webpage more user interactive as it responds to the user queries very accurately as it is a domain specific chatbot system, and furthermore we had investigated our college chatbot system design stages and a few different techniques by which the precision of the chatbot system can be made much better.
- To make the responses given by the chatbot system more meaningful and accurate the administrator has to train the chatbot system with more information regarding to college and increase the scope of knowledge base.


## CHATBOT USE-CASE DIAGRAM



Scientific problem of research and development of software and mathematical tool for improving of social media security level was solved in this work. The solution of this problem allows user to estimate and get recommendations about improving of social media security level. The following results are obtained:

1. Security tools and means of accounts in Facebook, YouTube and Instagram were defined. Comparative analysis of them was conducted. It was demonstrated that social media security tools and means that significantly affect the security level of an account, are not realized in all social media.
2. A mathematical model of formation of social mediasecurity level indicator was built. The direct estimation method was used to estimate the security tools and means of social media accounts and define their mean value. Based on that, the five levels estimating scale for social media security level was proposed.
3. The chatbot that allows user to estimate a security level in social media account and receive recommendations about its improving in automatic mode was developed.

### CHATBOT ARCHITECTURE DIAGRAM



- Regardless of how simple or complex a chatbot architecture is, the usual workflow and structure of the program remain almost the same. It only gets more complicated after including additional components for a more natural communication.

- Below is the basic chatbot architecture diagram that depicts how the program processes a request.
- Whereas, the following flowchart shows how the NLU Engine behind a chatbot analyzes a query and fetches an appropriate response.

## **Analysis Of ChatBot with Different Datasets using Python**

### **Example 1 : By Export a WhatsApp Chat :**

you'll have downloaded a TXT file that contains the chat history of a WhatsApp conversation. If you don't have a WhatsApp account or don't want to work with your own conversational data, then you can download a sample chat export below:

#### **Python Program:**

```
from chatterbot import ChatBot
from chatterbot.trainers import ListTrainer

chatbot = ChatBot("Chatpot")
trainer = ListTrainer(chatbot)

trainer.train(["Hi", "Welcome, friend 😊"])
trainer.train(["Are you a plant?", "No, I'm the pot below the plant!"])


exit_conditions = (":q", "quit", "exit")

while True:
    query = input("> ")
    if query in exit_conditions:
        break
    else:
        printf("{chatbot.get_response(query)}")
```

To export the history of a conversation that you've had on WhatsApp, you need to open the conversation on your phone. Once you're on the conversation screen, you can access the export menu:

1. Click on the three dots (:) in the top right corner to open the main menu.
2. Choose More to bring up additional menu options.

Select Export chat to create a TXT export of your conversation.



- Once you've clicked on Export chat, you need to decide whether or not to include media, such as photos or audio messages. Because your chatbot is only dealing with text, select **WITHOUT MEDIA**. Then, you can declare where you'd like to send the file.
- In this example, you saved the chat export file to a Google Drive folder named Chat exports. You'll have to set up that folder in your Google Drive before you can select it as an option. Of course, you don't need to use Google Drive.
- Once that's done, switch back to your computer. Find the file that you saved, and download it to your machine.

Specifically, you should save the file to the folder that also contains `bot.py` and rename it `chat.txt`. Then, open it with your favorite text editor to inspect the data that you received

```
Text

9/15/22, 14:50 - Messages and calls are end-to-end encrypted.
↳ No one outside of this chat, not even WhatsApp, can read
↳ or listen to them. Tap to learn more.
9/15/22, 14:49 - Philipp: Hi Martin, Philipp here!
9/15/22, 14:50 - Philipp: I'm ready to talk about plants!
9/15/22, 14:51 - Martin: Oh that's great!
9/15/22, 14:52 - Martin: I've been waiting for a good convo about
↳ plants for a long time
9/15/22, 14:52 - Philipp: We all have.
9/15/22, 14:52 - Martin: Did you know they need water to grow?
...
```

- ChatterBot uses complete lines as messages when a chatbot replies to a user message. In the case of this chat export, it would therefore include all the message metadata. That means your friendly pot would be studying the dates, times, and usernames! Not exactly great conversation fertilizer.
- To avoid this problem, you'll clean the chat export data before using it to train your chatbot.

## Clean Your Chat Export :

- Most data that you'll use to train your chatbot will require some kind of cleaning before it can produce useful results. It's just like the old saying goes:
  - Garbage in, garbage out (Source)
- Take some time to explore the data that you're working with and to identify potential issues.

```
Text

9/15/22, 14:50 - Messages and calls are end-to-end encrypted.
👉 No one outside of this chat, not even WhatsApp, can read
👉 or listen to them. Tap to learn more.

...

9/15/22, 14:50 - Philipp: I'm ready to talk about plants!

...

9/16/22, 06:34 - Martin: <Media omitted>

...
```

Open up a new Python file to preprocess your data before handing it to ChatterBot for training. Start by reading in the file content and removing the chat metadata:

```
Python

1 # cleaner.py
2
3 import re
4
5 def remove_chat_metadata(chat_export_file):
6     date_time = r"(\d+/\d+/\d+,\s\d+:\d+)" # e.g. "9/16/22, 06:34"
7     dash_whitespace = r"\s-\s" # " - "
8     username = r"([\w\s]+)" # e.g. "Martin"
9     metadata_end = r":\s" # ": "
10    pattern = date_time + dash_whitespace + username + metadata_end
11
12    with open(chat_export_file, "r") as corpus_file:
13        content = corpus_file.read()
14        cleaned_corpus = re.sub(pattern, "", content)
15        return tuple(cleaned_corpus.split("\n"))
16
17 if __name__ == "__main__":
18     print(remove_chat_metadata("chat.txt"))
```

## Train Your Chatbot on Custom Data and Start Chatting :

- Open up bot.py and include calls to your cleaning functions in the code.



```

Python
1 # bot.py
2
3 from chatterbot import ChatBot
4 from chatterbot.trainers import ListTrainer
5 from cleaner import clean_corpus
6
7 CORPUS_FILE = "chat.txt"
8
9 chatbot = ChatBot("Chatpot")
10
11 trainer = ListTrainer(chatbot)
12 cleaned_corpus = clean_corpus(CORPUS_FILE)
13 trainer.train(cleaned_corpus)
14
15 exit_conditions = (":q", "quit", "exit")
16 while True:
17     query = input("> ")
18     if query in exit_conditions:
19         break
20     else:
21         print(f"@ {chatbot.get_response(query)}")

```

Your chatbot has increased its range of responses based on the training data that you fed to it. As you might notice when you interact with your chatbot, the responses don't always make a lot of sense .

```

Text
> hi
@ Welcome, friend 😊
> thanks for the green welcome
@ I let you
> you let me be here?
@ It's a monsters!
> did you mean monstera?
@ The leafs are getting dryer and dryer. But she's growing new ones
> who?
@ Do raindrops touch their leaves?
> very philosophical!
@ Lol
> ;)
@ I don't grow any crop at home
> no crops in pots
@ Ah, gotcha!
> ah, I just thought you meant that
@ But water makes sense
> yes, water in pots
@ Do you have any plant care pro tips?
> water.
@ I always thought that love and music was more than enough
> haha
@ Well, no. Just the balcony. This worked best
> ok, balcony is notes
@ I let you

```

## Example 2 : Import a Sample Dialog Document 1:

hi, how are you doing? i'm fine. how about yourself?  
i'm fine. how about yourself? i'm pretty good. thanks for asking.  
i'm pretty good. thanks for asking. no problem. so how have you been?  
no problem. so how have you been? i've been great. what about you?  
i've been great. what about you? i've been good. i'm in school right now.  
i've been good. i'm in school right now. what school do you go to?  
what school do you go to? i go to pcc.

i go to pcc. do you like it there?  
do you like it there? it's okay. it's a really big campus.  
it's okay. it's a really big campus. good luck with school.  
good luck with school. thank you very much.  
how's it going? i'm doing well. how about you?  
i'm doing well. how about you? never better, thanks.  
never better, thanks. so how have you been lately?  
so how have you been lately? i've actually been pretty good. you?  
i've actually been pretty good. you? i'm actually in school right now.  
i'm actually in school right now. which school do you attend?  
which school do you attend? i'm attending pcc right now.  
i'm attending pcc right now. are you enjoying it there?  
are you enjoying it there? it's not bad. there are a lot of people there.  
it's not bad. there are a lot of people there. good luck with that.

you can download a sample chat export below:

## Python Program:

```
from chatterbot import ChatBot
from chatterbot.trainers import ListTrainer

chatbot = ChatBot("Chatpot")
trainer = ListTrainer(chatbot)

trainer.train(["hi, how are you doing?"])
trainer.train(["i'm fine. how about yourself?", "i'm pretty good. thanks for asking."])

exit_conditions = (":q", "quit", "exit")

while True:
    query = input("> ")
    if query in exit_conditions:
        break
    else:
        printf("{chatbot.get_response(query)}")
```

## Clean Your Chat Export :

Open up a new Python file to preprocess your data before handing it to ChatterBot for training. Start by reading in the file content and removing the chat metadata:

Python

```
1 # cleaner.py
2
3 import re
4
5 def remove_chat_metadata(chat_export_file):
6     date_time = r"(\d+\/\d+\/\d+, \s\d+:\d+)" # e.g. "9/16/22, 06:34"
7     dash_whitespace = r"\s-\s" # " - "
8     username = r"([\w\s]+)" # e.g. "Martin"
9     metadata_end = r":\s" # ": "
10    pattern = date_time + dash_whitespace + username + metadata_end
11
12    with open(chat_export_file, "r") as corpus_file:
13        content = corpus_file.read()
14        cleaned_corpus = re.sub(pattern, "", content)
15        return tuple(cleaned_corpus.split("\n"))
16
17 if __name__ == "__main__":
18     print(remove_chat_metadata("chat.txt"))
```

## Train Your Chatbot on Custom Data and Start Chatting :

Open up bot.py and include calls to your cleaning functions in the code:

Python

```
1 # bot.py
2
3 from chatterbot import ChatBot
4 from chatterbot.trainers import ListTrainer
5 from cleaner import clean_corpus
6
7 CORPUS_FILE = "chat.txt"
8
9 chatbot = ChatBot("Chatpot")
10
11 trainer = ListTrainer(chatbot)
12 cleaned_corpus = clean_corpus(CORPUS_FILE)
13 trainer.train(cleaned_corpus)
14
15 exit_conditions = (":q", "quit", "exit")
16 while True:
17     query = input("> ")
18     if query in exit_conditions:
19         break
20     else:
21         print(f"@ {chatbot.get_response(query)}")
```

Your chatbot has increased its range of responses based on the training data that you fed to it. As you might notice when you interact with your chatbot, the responses don't always make a lot of sense.

Text

```
> hi, how are you doing?
@ I'm fine. how about yourself?
> what school do you go to ?
@ I go to pcc
> do you like it there ?
@ it's okay. it's a really big campus
> how's it going?
@ I'm doing well.
> which school do you attend?
@ I'm attending pcc right now.
> good luck with school
@ thank you very much
```

### Example 3: Import a Sample Dialog Document 2:

this friday, i'm throwing a party. oh really? i didn't know that.  
oh really? i didn't know that. are you serious?  
are you serious? i haven't heard anything about it.  
i haven't heard anything about it. can you make it?  
can you make it? what time does it start?  
what time does it start? the party starts at 8.  
the party starts at 8.yeah, i think i'll go.  
yeah, i think i'll go. am i going to see you there?  
what's going on? nothing really, you?  
nothing really, you? i'm throwing a party next saturday.  
i'm throwing a party next saturday. is that right?  
is that right? yeah, are you going to come?  
yeah, are you going to come? i'm sorry, i can't.  
i'm sorry, i can't. why not?  
why not? i don't really want to.  
i don't really want to. well, why don't you?  
well, why don't you? i hate going to parties.  
i hate going to parties. well, that's okay.  
well, that's okay. yeah, sorry.  
what's up? nothing, how about you?  
nothing, how about you? next saturday, i'm going to have a party.

you can download a sample chat export below:

#### Python Program:

```
from chatterbot import ChatBot
from chatterbot.trainers import ListTrainer

chatbot = ChatBot("Chatpot")
trainer = ListTrainer(chatbot)

trainer.train(["this friday, i'm throwing a party."])
trainer.train(["are you serious?","i haven't heard anything about it."])

exit_conditions = (":q", "quit", "exit")
while True:

    query = input("> ")

    if query in exit_conditions:

        break

    else:
```

```
printf("{chatbot.get_response(query)}")
```

## Clean Your Chat Export :

Open up a new Python file to preprocess your data before handing it to ChatterBot for training. Start by reading in the file content and removing the chat metadata:

```
Python
1 # cleaner.py
2
3 import re
4
5 def remove_chat_metadata(chat_export_file):
6     date_time = r"(\d+/\d+/\d+,\s\d+:\d+)" # e.g. "9/16/22, 06:34"
7     dash_whitespace = r"\s-\s" # " - "
8     username = r"([\w\s]+)" # e.g. "Martin"
9     metadata_end = r":\s" # ": "
10    pattern = date_time + dash_whitespace + username + metadata_end
11
12    with open(chat_export_file, "r") as corpus_file:
13        content = corpus_file.read()
14        cleaned_corpus = re.sub(pattern, "", content)
15        return tuple(cleaned_corpus.split("\n"))
16
17 if __name__ == "__main__":
18     print(remove_chat_metadata("chat.txt"))
```

## Train Your Chatbot on Custom Data and Start Chatting :

Open up bot.py and include calls to your cleaning functions in the code:

```
Python
1 # bot.py
2
3 from chatterbot import ChatBot
4 from chatterbot.trainers import ListTrainer
5 from cleaner import clean_corpus
6
7 CORPUS_FILE = "chat.txt"
8
9 chatbot = ChatBot("Chatpot")
10
11 trainer = ListTrainer(chatbot)
12 cleaned_corpus = clean_corpus(CORPUS_FILE)
13 trainer.train(cleaned_corpus)
14
15 exit_conditions = ("q", "quit", "exit")
16 while True:
17     query = input("> ")
18     if query in exit_conditions:
19         break
20     else:
21         print(f"{chatbot.get_response(query)}")
```

Your chatbot has increased its range of responses based on the training data that you fed to it. As you might notice when you interact with your chatbot, the responses don't always make a lot of sense.

Text

```
> this Friday, I'm throwing a party
❑ oh really? I don't know that.
> are you serious?
❑ I haven't heard anything about it.
> what time does it start?
❑ the party starts at 8
> what's going on?
❑ nothing really.
```