SOORAJ RESIDENCE / REVISION 02

A more private west-facing home

A screened verandah, side entrance, shuttered bays and approximately 4 m of private forecourt address road privacy.



The visualization expresses the proposed materials. Use the frontage guide and comparison on the following pages to check the plan relationships; it is not an exact measured reproduction.

Check the frontage against the plan

A model-based front view and entrance diagram make the offsets and the side-facing door explicit.



PLAN RELATIONSHIPS HELD

Left kids bedroom remains recessed.


Upper bedroom remains over the left wing, with a 0.60 m projecting front bay.

Verandah remains 3.13 x 1.50 m; its canopy does not extend across the left bedroom.

Main door faces sideways into the verandah, not toward the road.

Right master bedroom retains its projecting bay and open terrace above.

ENTRANCE ARRANGEMENT / SCHEMATIC PLAN



Approach from the open left side of the verandah, then turn right through the existing side-entry door. The street-facing foyer wall remains solid.

Owner confirms approximately 4.00 m from front verandah to road-side compound wall. Boundary screen and offset pedestrian gate are proposals.

Guide limitations: wall/roof heights are proposed. Unscheduled opening subdivisions and some depth alignments are schematic. The north-side kids bay is retained; its projection needs a dimension check.

What is fixed, and what is proposed

References: Yellowtown Studio ground- and first-floor detailed plans, sheets 11 and 12, plus supplied area plans.

Overall ground-floor width	12.84 m	Keep the width and stepped front volumes.
Ground-floor living room	4.62 x 3.50 m	Retain its location and corner-window relationship.
Front verandah	3.13 x 1.50 m	Add a slim privacy screen; preserve usable passage.
First-floor front void	2.20 m depth	Keep the opening, with the 1.20 m passage behind.
Upper central clear span	4.92 m on first-floor sheet	Differs from 4.62 m below: check wall/cantilever alignment.
Upper bedroom front bay	2.00 m clear width / 0.60 m projection	Keep the bay; propose operable louvred shutters.
Roof direction	West-facing entrance confirmed	Main roof falls east-to-west, toward the front gutter.
Rear courtyard	Follow attached plan, as confirmed	No rear-courtyard redesign in this revision.

PRIVACY MEASURES / PROPOSED

Opaque lower portions and angled louvres screen the living frontage. Bedroom bay shutters are adjustable. The large upper glass band becomes three small screened high-level openings. These are proposed elevation treatments; the plans do not specify their sill heights.

Screens must be checked from actual road and room eye levels. Keep internal blinds or curtains for nighttime privacy; louvres alone do not guarantee privacy from every angle.

ROOF / DAYLIGHT / COST


The single roof plane over the front void remains. Indicative low/high levels at wall lines are +5.50 / +7.10 m over a 3.40 m run; verify pitch, roofing build-up, flashing and structure. Daylight should also come from the internal court and appropriately shaded side openings.

Screens and shutters add cost. Price them against the removed large glazing, and compare roof assemblies before claiming savings. Verify the approximate setback on site, opening schedule and upper-wall alignment before final drawings.

Use the 4 m forecourt for privacy

The owner reports approximately 400 cm from verandah front to the road-side compound wall; confirm by site measurement.

SCHEMATIC ACCESS / NOT A SITE PLAN



PROPOSED BOUNDARY TREATMENT

Two layers of privacy

A boundary screen interrupts street views before they reach the screened verandah. Place the pedestrian gate off the direct living-room sightline.

Height is a design proposal

The visual uses about 1.50 m of solid wall plus a 0.30 m louvred band, measured from adjoining ground. Verify local limits, road/house levels and vehicle sightlines before choosing this height.

Keep access practical

Retain a clear route through the forecourt and the 1.50 m deep verandah. The gate position is illustrative; vehicle access and parking were not supplied and are not resolved in this concept.

Do not rely on plants alone

Use screens for dependable privacy. Keep planting clear of the walking route and drainage; roots and mature size must suit the available soil area.

Check real sightlines

Test privacy from pedestrian eye level and relevant nearby windows. Louvres need suitable blade angles; internal blinds remain useful at night.

Diagram shows only the entrance relationship. Plot width, boundary returns, road levels, setbacks and gate placement require a measured site plan. The perspective is illustrative, not a dimensional survey.