The physicx package

Wenjian Chern (Longaster*)

September 13, 2022, version v0.3.4

Abstract

physicx

1 Implementation

```
1 (*package)
2 (@@=physicx)
3 \cs_generate_variant:Nn \keys_set:nn { nx , on , ox }
4 \cs_generate_variant:Nn \use:nnnn { nnno }
_{\text{5}} \cs_generate_variant:Nn \seq_set_split:Nnn { Non, NVV, c, cnV, cVV }
6 \cs_generate_variant:Nn \tl_replace_all:Nnn { Non, Nox }
7 \cs_new:Npn \PHYSICXIGNORE
    { \exp_end: \exp_not:N \PHYSICXIGNORE }
9 \bool_new:N \g__physicx_mathtools_bool
10 \bool_new:N \g__physicx_physics_bool
^{11} \bool_new:N \g__physicx_compat_bool
12 \bool_new:N \g__physicx_short_bool
13 \bool_new:N \g__physicx_reqty_bool
14
  \prg_new_conditional:Npnn \physicx_compat: { T, F, TF }
15
      \bool_if:NTF \g__physicx_compat_bool
16
        { \prg_return_true: } { \prg_return_false: }
17
    }
18
  \prg_new_conditional:Npnn \physicx_short: { T, F, TF }
19
20
      \bool_if:NTF \g__physicx_short_bool
21
        { \prg_return_true: } { \prg_return_false: }
23
  \prg_new_conditional:Npnn \physicx_mathtools: { T, F, TF }
25
      \bool_if:NTF \g__physicx_mathtools_bool
        { \prg_return_true: } { \prg_return_false: }
27
28
  \prg_new_conditional:Npnn \physicx_option_or:nn #1#2 { T, F, TF }
29
30
      \bool_lazy_or:nnTF
31
        { \cs:w g_physicx_ #1 bool \cs_end: }
32
        { \cs:w g__physicx_ #2 _bool \cs_end: }
```

^{*}Email: longaster@163.com

```
{ \prg_return_true: }
        { \prg_return_false: }
35
    }
36
  \cs_if_exist_use:NF \hook_gput_code:nnn { \use_none:nnn }
37
    { package/unicode-math/after } { ./package }
38
39
      \cs_gset_eq:NN \physicx_unimath:TF \use_i:nn
40
      \cs_gset_eq:NN \physicx_unimath:T \use:n
41
      \cs_gset_eq:NN \physicx_unimath:F \use_none:n
42
    }
43
  \prg_set_conditional:Npnn \physicx_unimath: { T, F, TF }
44
45
      \tl_if_exist:cTF { ver @ unicode-math . \@pkgextension }
46
        { \prg_return_true: } { \prg_return_false: }
47
48
49
  \clist_new:N \l__physicx_tmpa_clist
50
  \bool_new:N \l__physicx_tmpa_bool
  \int_new:N \l__physicx_tmpa_int
  \verb|\int_new:N \l__physicx_tmpb_int|
  \msg_new:nnnn { physicx } { unknown-key }
    { The~key~'#1'~is~unknown~and~is~being~ignored. }
55
56
      The~module~#2~does~not~have~a~key~called~#1.\\
57
      Check~that~you~have~spelled~the~key~name~correctly.
58
59
  \msg_new:nnn { physicx } { diag-key }
    { The~value~'#1'~of~diag~key~is~unknown~and~is~being~ignored. }
     Utils functions
```

1.1

{

83

```
\physicx_parse_range:nnnN
\physicx_parse_range_check:
        \physicx parse range nocheck:
```

```
Parse range, such as -3,6-8,9,10-.
 62 \int_new:N \l__physicx_begin_range_int
 63 \int_new:N \l__physicx_end_range_int
 64 \int_new:N \l__physicx_max_range_int
  65 \int_new:N \l__physicx_min_range_int
  66 \bool_new:N \l__physicx_invalid_range_bool % range
    \cs_new_protected:Npn \physicx_parse_range_check:
      {
  68
  69
        \cs_set_eq:NN \__physicx_parse_range_single:n \__physicx_parse_range_single_check:n
        \cs_set_eq:NN \__physicx_parse_range_range: \__physicx_parse_range_range_check:
  70
      }
 71
    \cs_new_protected:Npn \physicx_parse_range_nocheck:
  72
      {
        \cs_set_eq:NN \__physicx_parse_range_single:n \__physicx_parse_range_single_nocheck:n
 74
        \cs_set_eq:NN \__physicx_parse_range_range: \__physicx_parse_range_range_nocheck:
  75
  76
    \cs_new_protected:Npn \physicx_parse_range:nnnN #1#2#3#4
      {
  78
        \seq_set_eq:NN #4 \c_empty_seq
  79
        \int_set:Nn \l__physicx_min_range_int {#1}
  80
        \int_set:Nn \l__physicx_max_range_int {#2}
  81
        \clist_map_inline:nn {#3}
  82
```

```
\__physicx_parse_range_aux:n {##1}
           \bool_if:NF \l__physicx_invalid_range_bool
85
             { \seq_concat:NNN #4 #4 \l__physicx_tmpa_seq }
86
87
    }
88
   \cs_generate_variant:Nn \physicx_parse_range:nnnN { nnvN, nneN }
   \cs_new_protected:Npn \physicx_parse_range:nnN
     { \physicx_parse_range:nnnN { 1 } }
   \cs_generate_variant:Nn \physicx_parse_range:nnN { nvN, neN }
   \cs_new_protected:Npn \__physicx_parse_range_aux:n #1
93
94
       \bool_set_false:N \l__physicx_invalid_range_bool
95
       \scalebox{$\scalebox{$\sim$} \slashed} \
96
       \__physicx_parse_range_action:nnn
97
         {#1}
98
         { \__physicx_parse_range_single:n {#1} }
99
100
           \tl_if_empty:NTF \l__physicx_tmpa_tl
             { \int_set_eq:NN \l__physicx_begin_range_int \l__physicx_min_range_int }
             { \int_set:Nn \l__physicx_begin_range_int { \l__physicx_tmpa_tl } }
           \tl_if_empty:NTF \l__physicx_tmpb_tl
             { \int_set_eq:NN \l__physicx_end_range_int \l__physicx_max_range_int }
105
             { \int_set:Nn \l__physicx_end_range_int { \l__physicx_tmpb_tl } }
106
           \__physicx_parse_range_range:
108
109
   \cs_new:Npn \physicx_set_parse_range_delimiter:n #1
110
111
       \tl_if_empty:nTF {#1}
112
         {
           \cs_set:Npn \__physicx_parse_range_action:nnn ##1
114
             { \__physicx_parse_range_aux:w ##1 \__physicx_do_nothing: \q_nil \q_physicx_specia
115
           \cs_set:Npn \__physicx_parse_range_aux:w ##1##2 ##3 \q_physicx_special
116
             ł
               \tl_set:Nx \l__physicx_tmpa_tl { \tl_trim_spaces:n {##1} }
118
               \tl_set:Nx \l__physicx_tmpa_tl { \tl_trim_spaces:n {##2} }
119
               \quark_if_nil:nTF {##3}
120
             }
         }
           \cs_set:Npn \__physicx_parse_range_action:nnn ##1
             { \__physicx_parse_range_aux:w ##1 #1 #1 \q_physicx_special }
           \cs_set:Npn \__physicx_parse_range_aux:w ##1 #1 ##2 #1 ##3 \q_physicx_special
             {
127
               \tl_set:Nx \l__physicx_tmpa_tl { \tl_trim_spaces:n {##1} }
128
               \tl_set:Nx \l__physicx_tmpb_tl { \tl_trim_spaces:n {##2} }
129
               \tl_if_blank:nTF {##3}
130
             }
131
         }
132
   \physicx_set_parse_range_delimiter:n { - }
   \cs_new:Npn \__physicx_parse_range_single_check:n #1
136
    {
       \bool_lazy_or:nnTF
137
```

```
{ \int_compare_p:nNn {#1} > \l__physicx_max_range_int }
 138
          { \int_compare_p:nNn {#1} < \l_physicx_min_range_int }
 139
          { \bool_set_true: N \l__physicx_invalid_range_bool }
 140
          { \seq_put_right: Nn \l__physicx_tmpa_seq {#1} }
 141
 142
    \cs_new:Npn \__physicx_parse_range_single_nocheck:n #1
 143
      { \seq_put_right: Nn \l__physicx_tmpa_seq {#1} }
    \cs_new_eq:NN \__physicx_parse_range_single:n \__physicx_parse_range_single_check:n
    \cs_new:Npn \__physicx_parse_range_range_check:
 147
 148
        \int_compare:nNnT \l__physicx_begin_range_int < \l__physicx_min_range_int
          { \int_set_eq:NN \l__physicx_begin_range_int \l__physicx_min_range_int }
 149
        \int_compare:nNnT \l__physicx_end_range_int > \l__physicx_max_range_int
 150
          { \int_set_eq:NN \l__physicx_end_range_int \l__physicx_max_range_int }
 151
        \bool_lazy_or:nnTF
          { \int_compare_p:nNn \l__physicx_begin_range_int > \l__physicx_max_range_int }
            \int_compare_p:nNn \l__physicx_begin_range_int > \l__physicx_end_range_int }
 154
            \bool_set_true:N \l__physicx_invalid_range_bool }
 155
            \int_step_inline:nnn
              { \l_physicx_begin_range_int } { \l_physicx_end_range_int }
              { \seq_put_right: Nn \l__physicx_tmpa_seq {##1} }
 159
 160
     }
 161
    \cs_new:Npn \__physicx_parse_range_range_nocheck:
 162
 163
        \int_compare:nNnTF \l__physicx_begin_range_int > \l__physicx_end_range_int
 164
          { \bool_set_true: N \l__physicx_invalid_range_bool }
 165
 166
            \int_step_inline:nnn
              { \l_physicx_begin_range_int } { \l_physicx_end_range_int }
 168
              { \seq_put_right: Nn \l__physicx_tmpa_seq {##1} }
 169
 172 \cs_new_eq:NN \__physicx_parse_range_range: \__physicx_parse_range_range_check:
(End definition for \physicx_parse_range:nnnN, \physicx_parse_range_check:, and \physicx_parse_-
range_nocheck:. These functions are documented on page ??.)
   \cs_new:Npn \__physicx_if_keyval:nTF #1
     { \tl_if_in:nnTF {#1} { = } }
    \prg_new_conditional:Npnn \physicx_if_num:n #1 { T, F, TF }
 175
 176
        177
          { \prg_return_true: } { \prg_return_false: }
 178
     }
 179
    \prg_new_conditional:Npnn \physicx_if_num_sign:n #1 { T, F, TF }
 180
 181
        \regex_match:nnTF { \A [\+\-]* [[:digit:]]+ \Z } {#1}
 182
          { \prg_return_true: } { \prg_return_false: }
 183
 184
    \cs_new:Npn \physicx_search_also:nn #1#2
 186
 187
        \clist_map_inline:nn {#1}
          {
 188
```

```
\exp_args:Nno \keys_if_exist:nnT {##1} { \l_keys_key_str }
189
              {
190
                \clist_map_break:n
191
                  { \text{keys\_set:no } {\#1} { \l_keys\_key\_str = } }
192
              }
193
         }
194
     }
195
   \prg_new_conditional:Npnn \physicx_search_also:nn #1#2 { T, F, TF }
196
       \bool_set_false:N \l__physicx_tmpa_bool
198
       \clist_map_inline:nn {#1}
199
200
         {
            \exp_args:Nno \keys_if_exist:nnT {##1} { \l_keys_key_str }
201
202
                \clist_map_break:n
203
                  {
204
                     \bool_set_true:N \l__physicx_tmpa_bool
205
                     \ensuremath{\ensuremath{\mbox{keys\_set:no}}} \{ \l_keys\_key\_str = \{\#2\} \}
206
              }
         }
       \bool_if:NTF \l__physicx_tmpa_bool
         { \prg_return_true: } { \prg_return_false: }
     }
   \cs_generate_variant:Nn \physicx_search_also:nn { no , oo }
213
   \prg_generate_conditional_variant:Nnn \physicx_search_also:nn { no , oo } { T , F , TF }
   \cs_new_protected:Npn \physicx_new_type:nnn #1#2#3
     { \ensuremath{\mbox{keys\_define:nn}} \ \{ \physicx/#1 \} \ \{ \physicx/#1 \} \ \{ \physicx/#1 \} \} }
216
  \tl_const:Nn \c_physicx_order_tl { \mathcal{o} }
   \tl_const:Nn \c_physicx_Order_tl { \mathcal{0} }
219
   \cs_new:Npn \physicx_use_amssymb_type:
     {
220
       \cs_set_eq:NN \physicx_bf: \boldsymbol
222
   \cs_new:Npn \physicx_use_uni_bfit_type:
223
     {
224
       \cs_set_eq:NN \physicx_bf: \symbfit
225
     }
226
227
   \cs_new:Npn \physicx_use_uni_bf_type:
     {
228
       \cs_set_eq:NN \physicx_bf: \symbf
229
230
  \cs_new:Npn \physicx_left: { \mathopen{}\mathclose\bgroup\left }
  \cs_new:Npn \physicx_right: { \aftergroup\egroup\right }
   \cs_new:Npn \physicx_left:N { \mathopen{}\mathclose\bgroup }
   \cs_new:Npn \physicx_right:N { \egroup }
   \cs_new:Npn \__physicx_loadpackage_options:nnn #1#2#3
     {
236
       \clist_if_empty:nF {#1} { \PassOptionsToPackage {#1} {#3} }
237
       \RequirePackage {#3}
238
239
  \keys_define:nn { physicx }
240
```

{

241

```
242
       compat .bool_set:N = \g__physicx_compat_bool ,
       compat .default:n = true ,
243
       short .bool_set:N = g_physicx_short_bool,
244
       short .default:n = true ,
245
       physics .code:n = \__physicx_loadpackage_options:nnn {#1} { } {physics} ,
246
       physics .default:n = { } ,
247
       mathtools .code:n = \__physicx_loadpackage_options:nnn {#1} { } {mathtools} ,
248
       mathtools .default:n = { } ,
249
       \label{lem:nnn} unimath \ .code: n = \_physicx_loadpackage_options: nnn \ \{\#1\} \ \{ \ unicode-math \ \} \ ,
       unimath .default:n = { } ,
251
       reqty .bool_set:N = g_physicx_reqty_bool ,
252
       reqty .default:n = true ,
253
       reqty .initial:n = true ,
254
       noqty .meta:n = { reqty = false } ,
255
       fixdif .bool_set:N = \g__physicx_fixdif_bool ,
256
       original .bool_set:N = \g_physicx_original_bool ,
257
258
259
   \ProcessKeysPackageOptions { physicx }
260
  %
261
  \@ifpackageloaded{physics}
262
     { \bool_set_true:N \g_physicx_compat_bool }
263
264
       \bool_if:NT \g__physicx_compat_bool
265
266
           \AtBeginDocument
267
268
             {
                \cs_set_eq:NN \divisionsymbol \div
269
                \cs_set_eq:NN \real \Re
270
271
                \cs_set_eq:NN \imaginary \Im
             }
272
         }
273
     }
274
  \@ifpackageloaded{mathtools}
275
     { \bool_set_true:N \g__physicx_mathtools_bool }
276
     { \bool_set_false:N \g__physicx_mathtools_bool }
277
278 %
279
  \physicx_compat:T
280
281
       \tl_set_eq:NN \ordersymbol \c_physicx_order_tl
       \tl_set_eq:NN \Ordersymbol \c_physicx_Order_tl
     }
283
284 %
   \@ifpackageloaded {unicode-math}
285
     { \physicx_use_uni_bfit_type: }
     { \physicx_use_amssymb_type: }
287
   \physicx_unimath:T { %% TODO:
288
     \cs_set:Npn \__physicx_vnabla: { \symbf \nabla }
289
290
     \AtBeginDocument{
291
       \DeclareDocumentCommand\vectorbold{ s m }
         { \IfBooleanTF{#1} { \physicx_bf:{#2} } { \mathbf{#2} } }
293
       \DeclareDocumentCommand\vectorarrow{ s m }
         { \left[ \frac{\#2}{} \right] } { \left[ \frac{\#2}{} \right] } 
294
       \DeclareDocumentCommand\vectorunit{ s m }
295
```

```
296
      \setmathfont[range={"2219}]{STIX~Two~Math}
297
      \DeclareDocumentCommand \dotproduct { } { \vysmblkcircle }
298
      \DeclareDocumentCommand \crossproduct { } { \vectimes }
299
      \DeclareDocumentCommand \vnabla { } { \__physicx_vnabla: }
300
301
    \@ifpackageloaded {physics} {
302
      \AtBeginDocument{
303
        \cs_set_eq:NN \divisionsymbol \div
        \cs_set_eq:NN \div \divergence
305
        \bool_if:NT \g__physicx_fixdif_bool { \cs_set_eq:NN \diffd \@dif }
306
        307
        308
309
    } { }
310
311 }
  \bool_if:NT \g__physicx_original_bool
312
313
      \AtBeginDocument{
314
        \@ifpackageloaded{physics}
316
           \cs_set_eq:NN \Re \real
317
           \cs_set_eq:NN \Im \imaginary
318
           \cs_set_eq:NN \div \divisionsymbol
319
320
         {}
321
322
    }
323
324 %
  \bool_if:NT \g__physicx_fixdif_bool
325
326
      \hook_gput_code:nnn { package/fixdif/before } { physicx }
327
        { \cs_set_eq:NN \__physicx_nabla: \nabla }
328
      \hook_gput_code:nnn { package/fixdif/after } { physicx }
329
        { \tl_map_function:nN { \letdif \newdif \renewdif } \__physicx_fixdif_list:N }
330
      \AtBeginDocument { \renewdif \__physicx_vnabla: { \symbf \__physicx_nabla: } }
331
332
333
  \cs_new_protected:Npn \__physicx_fixdif_list:N #1
334
      \cs_if_free:cT { \cs_to_str:N #1 list }
          \cs_new_protected:cpn { \cs_to_str:N #1 list }
337
338
             \keyval_parse:nnn { \__physicx_fixdif:Nn #1 } { \__physicx_fixdif:Nnn #1 }
339
           }
340
341
    }
342
  \cs_new_protected:Npn \__physicx_fixdif:Nnn #1#2#3
343
344
345
      \tl_if_head_eq_meaning:nNTF {#2} *
        { \exp_args:NNc #1 * { \tl_tail:n {#2} } {#3} }
347
        { \exp_args:Nc #1
                           {#2} {#3} }
    }
348
$^{349} \csc_pew_protected:Npn \__physicx_fixdif:Nn #1#2
```

```
350
                      \exp_args:NNnx \__physicx_fixdif:Nnn #1 {#2}
               351
                        { \tl_if_head_eq_meaning:nNTF {#2} * { \tl_tail:n {#2} } {#2} }
               352
               353
             physicx setup command.
\physicxset
                  \NewDocumentCommand \physicxset { s m }
               354
               355
                      \IfBooleanTF {#1}
               356
                        { \keys_set:nn { physicx/#2 } }
               357
                        { \keys_set:nn { physicx } {#2} }
               358
               359
```

(End definition for \physicxset. This function is documented on page ??.)

1.2 Quantity things

1.2.1 New quantity interfaces

```
360 \tl_new:N \l__physicx_quantity_args_tl
361 \tl_new:N \l__physicx_quantity_code_tl
^{363} \tl_new:N \l__physicx_quantity_left_tl
^{364} \tl_new:N \l__physicx_quantity_post_tl
365 \tl_new:N \l__physicx_quantity_pre_tl
366 \tl_new:N \l__physicx_quantity_right_size_tl
367 \tl_new:N \l__physicx_quantity_right_tl
  \keys_define:nn { physicx }
    { quantity .code:n = \keys_set:nn { physicx/quantity } {#1} }
  \keys_define:nn { physicx/quantity }
370
    {
371
             .tl_set:N = \l__physicx_quantity_pre_tl ,
372
            .tl_set:N = \l__physicx_quantity_post_tl ,
      post
373
      left .tl_set:N = \l__physicx_quantity_left_tl ,
374
       right .tl_set:N = \l__physicx_quantity_right_tl ,
375
       left-size .code:n = { \tl_set_eq:NN \l__physicx_quantity_left_size_tl #1 } ,
376
       right-size .code:n = { \tl_set_eq:NN \l__physicx_quantity_right_size_tl #1 } ,
       size .meta:n = { left-size = \{#1\} , right-size = \{#1\} } ,
378
      no auto \ .meta: n = \ \{ \ left-size = \ \ c_empty\_tl \ , \ right-size = \ \ \ c_empty\_tl \ \} \ ,
      noauto .value_required:n = false ,
380
       args .code:n =
381
         \tl_set:Nn \l__physicx_quantity_args_tl { [#1] } ,
382
       args* .tl_set: N = \label{eq:local_physicx_quantity_args_tl},
383
       code .tl_set:N = \l__physicx_quantity_code_tl ,
384
       type .multichoice: ,
385
       settype .code:n = \setquantitytype #1 ,
387
       unknown .code:n =
         \tl_set:Nx \l__physicx_tmpa_tl { \tl_head:N \l_keys_key_str }
         \token_if_eq_meaning:NNTF \l__physicx_tmpa_tl \c_backslash_str
391
           { \use:n } { \use_ii:nn }
392
         {
393
           \cs_if_exist:cTF { \tl_tail:N \l_keys_key_str }
394
```

```
{
               \keys_set:nx { physicx/quantity }
396
                 { size = \exp_not:c { \tl_tail:N \l_keys_key_str } }
397
               \use none:n
308
            }
399
            { \use:n }
400
401
           \physicx_search_also:nnF
            {
              physicx/quantity/type ,
            }
406
            {#1}
407
            {
408
               \msg_error:nnxx { physicx } { unknown-key }
409
                 \l_keys_path_str { physicx/quantity }
410
            }
411
        } ,
412
    }
  \NewDocumentCommand \setquantitytype { >{ \TrimSpaces } m }
    { \physicx_new_type:nnn { quantity } {#1} }
  \setquantitytype { b } { left={[} , right={]} ,
  \setquantitytype { p } { left={(} , right={)} , }
  \setquantitytype { v } { left=\vert , right=\vert , }
  \setquantitytype { V } { left=\Vert , right=\Vert , }
  \setquantitytype { a } { left=\langle , right=\rangle , }
  \setquantitytype { m } { left=\begin{matrix} , right=\end{matrix} , noauto }
  \setquantitytype { bm } { left=\begin{bmatrix} , right=\end{bmatrix} , noauto }
  \setquantitytype { Bm } { left=\begin{Bmatrix} , right=\end{Bmatrix} , noauto }
  \setquantitytype { pm } { left=\begin{pmatrix} , right=\end{pmatrix} , noauto }
  \setquantitytype { vm } { left=\begin{vmatrix} , right=\end{vmatrix} , noauto }
  \setquantitytype { Vm } { left=\begin{Vmatrix} , right=\end{Vmatrix} , noauto }
  \setquantitytype { sm } { left=\begin{smallmatrix} , right=\end{smallmatrix} , noauto }
  \physicx_mathtools:T
429
430
      \setquantitytype { m* } { left=\begin{matrix*} , right=\end{matrix*} , noauto }
431
       \setquantitytype { bm* } { left=\begin{bmatrix*} , right=\end{bmatrix*} , noauto }
432
       \setquantitytype { Bm* } { left=\begin{Bmatrix*} , right=\end{Bmatrix*} , noauto }
      \setquantitytype { pm* } { left=\begin{pmatrix*} , right=\end{pmatrix*} , noauto }
      \setquantitytype { vm* } { left=\begin{vmatrix*} , right=\end{vmatrix*} , noauto }
      \setquantitytype { Vm* } { left=\begin{Vmatrix*} , right=\end{Vmatrix*} , noauto }
      \setquantitytype { sm* } { left=\begin{smallmatrix*} , right=\end{smallmatrix*} , noauto
437
      \setquantitytype { sbm } { left=\begin{bsmallmatrix} , right=\end{bsmallmatrix} , noauto
438
      \setquantitytype { sBm } { left=\begin{Bsmallmatrix} , right=\end{Bsmallmatrix} , noauto
439
      \setquantitytype { spm } { left=\begin{psmallmatrix} , right=\end{psmallmatrix} , noauto
440
      \setquantitytype { svm } { left=\begin{vsmallmatrix} , right=\end{vsmallmatrix} , noauto
441
      \setquantitytype { sVm } { left=\begin{Vsmallmatrix} , right=\end{Vsmallmatrix} , noauto
442
      \setquantitytype { sbm* } { left=\begin{bsmallmatrix*} , right=\end{bsmallmatrix*} , noa
443
      \setquantitytype { sBm* } { left=\begin{Bsmallmatrix*} , right=\end{Bsmallmatrix*} , noa
      \setquantitytype { spm* } { left=\begin{psmallmatrix*} , right=\end{psmallmatrix*} , noa
446
      \setquantitytype { svm* } { left=\begin{vsmallmatrix*} , right=\end{vsmallmatrix*} , noa
447
      \setquantitytype { sVm* } { left=\begin{Vsmallmatrix*} , right=\end{Vsmallmatrix*} , noa
    }
448
```

```
\keys_set:nn { physicx/quantity }
                          449
                          450
                               ₹
                                 left-size = \left ,
                          451
                                 right-size = \right ,
                          452
                                 type = p ,
                          453
                          454
\physicx_xquantity:nn
        \newxquantity
                             \cs_new:Npn \physicx_xquantity:nn #1#2
                          455
        \NewXQuantity
                          456
                               {
                                 \group_begin:
                          457
                                 \keys_set:nn { physicx/quantity } {#1}
                                 \tl_if_empty:nF {#2} { \tl_set:Nn \l__physicx_quantity_code_tl {#2} }
                                 \__physicx_xquantity_aux:oooo
                                   { \l__physicx_quantity_left_tl }
                          461
                                   { \l_physicx_quantity_args_tl }
                          462
                                   { \l__physicx_quantity_code_tl }
                          463
                                   { \l_physicx_quantity_right_tl }
                          464
                                 \group_end:
                          465
                               }
                          466
                             \cs_new:Npn \__physicx_xquantity_aux:nnnn #1#2#3#4
                                 \l__physicx_quantity_pre_tl
                          469
                          470
                                 \bool_lazy_or:nnTF
                                   { \tl_if_empty_p:N \l__physicx_quantity_left_size_tl }
                          471
                                   { \tl_if_empty_p:N \l__physicx_quantity_right_size_tl }
                          472
                                   { #1 #2 #3 #4 }
                          473
                                   {
                          474
                                     \bool_lazy_or:nnTF
                          475
                                       { \token_if_eq_meaning_p:NN \l__physicx_quantity_left_size_tl \left }
                          476
                                       { \token_if_eq_meaning_p:NN \l__physicx_quantity_right_size_tl \right }
                          477
                                       {
                                         \physicx_left: #1 #2 #3 \physicx_right: #4 }
                                       {
                                          \physicx_left:N \l__physicx_quantity_left_size_tl #1 #2
                                          \physicx_right:N \l__physicx_quantity_right_size_tl #4
                          482
                                       }
                          483
                          484
                                 \l__physicx_quantity_post_tl
                          485
                          486
                             \NewDocumentCommand \xquantity { } { \physicx_xquantity:nn }
                             \cs_generate_variant:Nn \__physicx_xquantity_aux:nnnn { oooo }
                             \NewDocumentCommand \newxquantity { m o o m m }
                               {
                                 \IfNoValueTF {#2}
                          491
                          492
                                   {
                                     \cs_set:Npn \__physicx_new_xquantity_aux:w ##1
                          493
                                       { \newcommand ##1 }
                          494
                          495
                          496
                                     \IfNoValueTF {#3}
                          497
                                       {
                          498
                                          \cs_set:Npn \__physicx_new_xquantity_aux:w ##1
                                            { \newcommand ##1 [#2] }
```

```
}
501
             {
502
               \cs_set:Npn \__physicx_new_xquantity_aux:w ##1
503
                 { \newcommand ##1 [#2] [#3] }
504
505
        }
506
       \exp_args:Nc \__physicx_new_xquantity_aux:w
507
         { \cs_to_str:N #1~star }
508
         { \phi = \{ physicx\_xquantity:nn { #4 , noauto } {#5} \}
       \exp_args:Nc \__physicx_new_xquantity_aux:w
510
         { \cs_to_str:N #1~unstar }
511
         { \physicx_xquantity:nn { #4 } {#5} }
512
       \exp_args:NNx \newcommand #1
513
514
         {
           \exp_not:N \@ifstar
515
           \exp_not:c { \cs_to_str:N #1~star }
516
           \exp_not:c { \cs_to_str:N #1~unstar }
517
518
    }
519
  \NewDocumentCommand \NewXQuantity { m m m m }
521
       \NewDocumentCommand #1 { s #2 }
522
523
          \IfBooleanTF {##1}
524
             { \physicx_xquantity:nn { #3 , noauto } {#4} }
525
             { \physicx_xquantity:nn { #3 } {#4} }
526
527
528
  \NewXQuantity \qxqty { O{} m } { #2 } {#3}
529
```

(End definition for $\protect{\protect}$ \protections, \newxquantity, and \NewXQuantity. These functions are documented on page $\protect{\protect}$?.)

1.2.2 Legacy quantity

\physicx_declare_legacy_quantity:nnNn
\@declarequantitycmd

```
531 \tl_new:N \physicxtmp
\verb|\blue| bool_new: N \low| local_physicx_cmd_noauto_body_bool| \\
  \tl_new:N \l__physicx_cmd_auto_body_tl
  \verb|\bool_new:N \l__physicx_cmd_auto_body_bool|
   \tl_new:N \l__physicx_cmd_arg_spec_tl
   \int_new:N \l__physicx_cmd_arg_int
   \cs_new:Npn \__physicx_declare_init:nnn #1#2#3
540
       \tl_clear:N \l__physicx_cmd_noauto_body_tl
       \tl_clear:N \l__physicx_cmd_auto_body_tl
541
       \tl_clear:N \l__physicx_cmd_arg_spec_tl
542
       \int_set:Nn \l__physicx_cmd_arg_int {#1}
543
       \bool_set:Nn \l__physicx_cmd_noauto_body_bool {#2}
544
       \bool_set:Nn \l__physicx_cmd_auto_body_bool {#3}
545
546
547 % noauto, auto, cmd, body
```

```
\cs_new:Npn \physicx_declare_legacy_quantity:nnNn #1#2#3#4
549
     {
       \__physicx_declare_init:nnn { 3 } {#1} {#2}
550
       \__physicx_declare_legacy_quantity_aux:nw #4
551
         \q_recursion_tail \q_recursion_stop
552
       \__physicx_declare_legacy_quantity_aux:NcVVV
553
         #3 { \cs_to_str:N #3 ~ body }
554
         \l__physicx_cmd_arg_spec_tl
555
         \l__physicx_cmd_noauto_body_tl
         \l__physicx_cmd_auto_body_tl
557
     }
558
  \mbox{\ensuremath{\mbox{\%}}} arg spec, pre, body to replace(start from #4), post
559
   \cs_new:Npn \__physicx_declare_legacy_quantity_aux:nnnn #1#2#3#4
560
     {
561
       \int_incr:N \l__physicx_cmd_arg_int
562
       \if_int_compare:w \l__physicx_cmd_arg_int < 10 \exp_stop_f:
563
          \tl_put_right:Nn \l__physicx_cmd_arg_spec_tl {#1}
564
         \tl_set:Nx \l__physicx_tmp_tl
565
              \exp_not:N \tl_if_novalue_p:n
              {
                \if_case:w \l__physicx_cmd_arg_int \exp_stop_f:
                \or: \or: \or:
                \or: \exp_not:n {##4} \or: \exp_not:n {##5} \or: \exp_not:n {##6}
572
                \or: \exp_not:n {##7} \or: \exp_not:n {##8} \or: \exp_not:n {##9}
573
574
                \fi:
              }
575
              }
576
           }
         \label{local_section} $$  \if_bool: N \ l_physicx_cmd_noauto_body_bool $$
578
           \tl_put_right:No \l__physicx_cmd_noauto_body_tl { \l__physicx_tmp_tl }
580
           \tl_put_right:Nn \l__physicx_cmd_noauto_body_tl
              {
581
                {
582
                  % if is '.', use none
583
                  \str_if_eq:nnTF {#2} {.} {} {#2}
584
585
586
                  \str_if_eq:nnTF {#4} {.} {} {#4}
                }
              }
         \fi:
590
         \if_bool:N \l__physicx_cmd_auto_body_bool
            \tl_put_right:No \l__physicx_cmd_auto_body_tl { \l__physicx_tmp_tl }
591
           \verb|\tl_put_right:Nn \ll_physicx_cmd_auto_body_tl|\\
592
              { { ##1 #2 #3 ##2 #4 } }
593
         \fi:
594
       \fi:
595
     }
596
597
   \cs_new:Npn \__physicx_declare_legacy_quantity_aux:nw #1#2
599
       \quark_if_recursion_tail_stop:n {#1}
600
       \quark_if_recursion_tail_stop:n {#2}
       \__physicx_declare_legacy_quantity_aux:nnnn {#1} #2
601
```

```
}
                        603
                           \cs_new:Npn \__physicx_declare_legacy_quantity_aux:NNnnn #1#2#3#4#5
                        604
                        605
                                  _physicx_nauto_case:nnnn
                        606
                                  { \use_i:nn } { \use_i:nn } { \use_i:nn }
                        607
                        608
                                    \cs_set_protected:Npn #1
                        609
                                         \peek_charcode_ignore_spaces:NTF \let
                                          { #2 } { #2 [ \physicx_left: ] \physicx_right: }
                                      }
                        613
                                    \DeclareDocumentCommand #2 { O{##2} m s #3 }
                        614
                                      {
                        615
                                         \IfBooleanTF { ##3 }
                        616
                                           { \bool_case_false:n {#4} }
                        617
                                           { \bool_case_false:n {#5} }
                        618
                                      }
                        619
                                  }
                                    \cs_set_protected:Npn #1
                                      { #2 \c_empty_tl \c_empty_tl }
                        623
                                    \DeclareDocumentCommand #2 { m m s #3 }
                        624
                                      { \bool_case_false:n {#4} }
                        625
                        626
                        627
                           \cs_generate_variant:Nn \__physicx_declare_legacy_quantity_aux:NNnnn { NcVVV }
                        628
                            \cs_new:Npn \__physicx_nauto_case:nnnn #1#2#3#4
                        629
                        630
                                \bool_if:NTF \l__physicx_cmd_noauto_body_bool
                        631
                        632
                                  {
                                    \bool_if:NTF \l__physicx_cmd_auto_body_bool
                        633
                                      {#1} {#2}
                        634
                                  }
                        635
                        636
                                    \bool_if:NTF \l__physicx_cmd_auto_body_bool
                        637
                                      {#3} {#4}
                        638
                                  }
                        639
                        640
                           \cs_set_protected:Npn \@declarequantitycmd
                              { \physicx_declare_legacy_quantity:nnNn }
                       (End definition for \physicx_declare_legacy_quantity:nnNn and \Odeclarequantitycmd. These func-
                       tions are documented on page ??.)
                       Redefine some macros in physics package.
           \quantity
          \evaluated
                           \if_bool:N \g__physicx_reqty_bool
     \matrixquantity
                           \physicx_declare_legacy_quantity:nnNn
                        644
\smallmatrixquantity
                              \c_true_bool \c_true_bool \quantity
                        645
                                { !g
                                      } { { \{
                                                      } { #4 } { \}
                        647
                                      } { [
                                { !o
                                                      } { #5 } { ]
                                                                           } }
                        648
                                { !d() } { (
                                                      } { #6 } { )
                                                                           } }
                        649
                                { !d|| } { { \vert
                                                      } { #7 } { \vert
                        650
```

 $_{\tt physicx_declare_legacy_quantity_aux:nw}$

```
{ !d<> } { \langle } { #8 } { \rangle } }
 651
        { !d== } { { \Vert
                            } { #9 } { \Vert
 652
      }
 653
    \physicx_declare_legacy_quantity:nnNn
 654
      \c_true_bool \c_true_bool \evaluated
 655
 656
              } { { . } { #4 \nobreak } { \vert } }
 657
        { !d[| } { { [ } { #5 \nobreak } { \vert } }
 658
        { !d(| } { { ( } { #6 \nobreak } { \vert } }
 660
    \physicx_declare_legacy_quantity:nnNn
      \c_true_bool \c_false_bool \matrixquantity
 662
      {
 663
        { !g }
 664
 665
          ₹
            { \IfBooleanT{#3}{\left\{} }
 666
            { \begin{matrix} #4 \end{matrix} }
 667
            { \IfBooleanT{#3}{\right\}} }
 668
        { !o } { {\begin{bmatrix} } {#5} { \end{bmatrix} } }
        { !d() }
          {
 672
            { \IfBooleanTF{#3}{\left\lgroup}{\left(} }
 673
            { \begin{matrix} #6 \end{matrix} }
 674
            { \IfBooleanTF{#3}{\right\rgroup}{\right)} }
 675
          }
 676
        { !d|| } { \begin{vmatrix} } {#7} { \end{vmatrix} } }
 677
        { !d<> } { \left\langle } { \begin{matrix} #8 \end{matrix} } { \right\rangle } }
 678
        { !d== } { { \begin{Vmatrix} } {#9} { \end{Vmatrix} } }
 679
 681
    \physicx_declare_legacy_quantity:nnNn
      \c_true_bool \c_false_bool \smallmatrixquantity
 682
 683
        { !g } { \left\{ } { \begin{smallmatrix} #4 \end{smallmatrix} } { \right\} } }
 684
        { !o } { \left[} { \begin{smallmatrix} #5 \end{smallmatrix} } {\right]} }
 685
        { !d() }
 686
          {
 687
            { \IfBooleanTF{#3}{\left\lgroup}{\left(} }
 688
 689
            { \begin{smallmatrix} #6 \end{smallmatrix} }
            { \IfBooleanTF{#3}{\right\rgroup}{\right)} }
        { !d|| } { {\left\vert} { \begin{smallmatrix} #7 \end{smallmatrix} } {\right\vert} }
        { !d<> } { {\left\langle} { \begin{smallmatrix} #8 \end{smallmatrix} } {\right\rangle} }
 693
        { !d== } { {\left\Vert} { \begin{smallmatrix} #9 \end{smallmatrix} } {\right\Vert} }
 694
      }
 695
 696 \fi:
(End definition for \quantity and others. These functions are documented on page ??.)
 697 %% cmd, arg spec, replace(start from #6), pre, left, right, post
    \cs_new:Npn \physicx_declare_legacy_paren:NnnnNNn #1#2#3#4#5#6#7
 699
      {
        \DeclareDocumentCommand #1 { s t\big t\Big t\bigg t\Bigg #2 }
```

\physicx_declare_legacy_paren:NnnnNNn

\@declareparencmd

```
\bool_case_true:nF
                   702
                                {
                                   { \bool_if_p:n {##2} } { #4 \physicx_left:N \bigl #5 #3 \physicx_right:N \bigr
                   704
                                   { \bool_if_p:n {##3} } { #4 \physicx_left:N \Bigl #5 #3 \physicx_right:N \Bigr
                   705
                                   { \bool_if_p:n {##4} } { #4 \physicx_left:N \biggl #5 #3 \physicx_right:N \biggr
                                    \bool_if_p:n {##5} } { #4 \physicx_left:N \Biggl #5 #3 \physicx_right:N \Biggr
                                }
                                {
                                   \IfBooleanTF {##1}
                                                #5 #3
                                                              #6 #7 }
                   711
                                     { #4
                                     { #4 \physicx_left: #5 #3 \physicx_right: #6 #7 }
                                }
                   713
                            }
                   714
                      \cs_set_protected:Npn \@declareparencmd
                   716
                        { \physicx_declare_legacy_paren:NnnnNNn }
                  (End definition for \physicx_declare_legacy_paren: NnnnNn and \@declareparencmd. These functions
                  are documented on page ??.)
                  Redefine some macros in physics package.
           \qty
          \mqty
                   718 \if_bool:N \g__physicx_reqty_bool
         \smqty
                      \physicx_option_or:nnT { compat } { short }
                   719
          \pqty
                   720
                          \cs_set:Npn \qty { \quantity }
          \bqty
                   722
                          \physicx_declare_legacy_paren:NnnnNNn \pqty { m } {#6} { } ( ) { }
          \vqty
                          \physicx_declare_legacy_paren:NnnnNNn \bqty { m } {#6} { } [ ] { }
          \Bqty
                          \physicx_declare_legacy_paren:NnnnNNn \vqty { m } {#6} { } \vert \vert { }
                   724
 \absolutevalue
                          \physicx_declare_legacy_paren:NnnnNNn \Bqty { m } {#6} { } \{ \} { }
          \eval
                        7
           \abs
                      \physicx_declare_legacy_paren:NnnnNNn \absolutevalue
          \norm
                        { m } {#6} { } \vert \vert { }
         \order
                      \physicx_option_or:nnT { compat } { short }
                   729
        \oorder
                        {
                   730
    \commutator
                          \cs_set:Npn \eval { \evaluated }
                   731
\poissonbracket
                          \cs_set:Npn \abs { \absolutevalue }
                   732
            \pb
                      \physicx_declare_legacy_paren:NnnnNNn \norm
\anticommutator
                        { m } {#6} { } \lVert \rVert { }
         \acomm
                      \physicx_compat:TF
                   737
                          \physicx_declare_legacy_paren:NnnnNNn \order
                   738
                            { m } {#6} { \c_physicx_Order_tl } ( ) { }
                   739
                        }
                   740
                   741
                          \physicx_declare_legacy_paren:NnnnNNn \order
                   742
                            { m } {#6} { \c_physicx_order_tl } ( ) { }
                   743
                   744
                      \physicx_declare_legacy_paren:NnnnNNn \commutator
                        { m m } { #6 , #7 } { } [ ] { }
                      \physicx_option_or:nnT { compat } { short }
                        { \cs_set:Npn \comm { \commutator } }
                   749 \physicx_declare_legacy_paren:NnnnNNn \poissonbracket
```

```
{ m m } { #6 , #7 } { } \{ \} { }
   \physicx_option_or:nnT { compat } { short }
751
752
       \cs_set:Npn \pb { \poissonbracket }
753
       \cs_set:Npn \anticommutator { \poissonbracket }
754
       \cs_set:Npn \acomm { \poissonbracket }
755
756
757 \fi:
   \physicx_declare_legacy_paren:NnnnNNn \OOrder
    { m } {#6} { \c_physicx_Order_tl } ( ) { }
  \physicx_declare_legacy_paren:NnnnNNn \oorder
     { m } {#6} { \c_physicx_order_tl } ( ) { }
```

(End definition for \qty and others. These functions are documented on page ??.)

1.3 Matrix things

1.3.1 Matrix auxillary functions

```
\cs_new_nopar:Npn \__physicx_matrix_calc:nn #1#2
763
       \int_set:Nn \l__physicx_matrix_rows_int
764
         { \int_max:nn {#1} \l__physicx_matrix_rows_int }
765
       \int_set:Nn \l__physicx_matrix_cols_int
766
         { \int_max:nn {#2} \l__physicx_matrix_cols_int }
767
    }
768
  % use matrix element
   \cs_new_nopar:Npn \physicx_matrix_use_r_c:nn #1#2
       \if_cs_exist:w l__physicx_matrix_r0#1_c0#2_tl \cs_end:
         \exp_not:v { l__physicx_matrix_r0#1_c0#2_tl }
773
774
         \exp_not:o { \physicxempty }
       \fi:
776
    }
777
778 % set matrix element, check or not
  \cs_new_nopar:Npn \__physicx_matrix_set_r_c_nock:nnn #1#2
    { \tl_set:cn { l__physicx_matrix_r@#1_c@#2_tl } }
  \cs_new_nopar:Npn \__physicx_matrix_set_r_c_ckig:nnn #1#2#3
782
    {
       \tl_if_eq:nnF {#3} { \PHYSICXIGNORE }
783
         { \tl_set:cn { l__physicx_matrix_r0#1_c0#2_t1 } {#3} }
784
785
   \cs_new_nopar:Npn \__physicx_matrix_set_r_c_ckep:nnn #1#2#3
786
    {
787
       \tl_if_empty:nTF {#3}
788
         { \t = 1_physicx_matrix_r@#1_c@#2_t1  } { \physicx_matrix_r = 0#1_c@#2_t1  } {
789
         { \tl_set:cn { l_physicx_matrix_r0#1_c0#2_tl } {#3} }
791
  \cs_new_nopar:Npn \__physicx_matrix_set_r_c_ckigep:nnn #1#2#3
793
       \tl_if_eq:nnF {#3} { \PHYSICXIGNORE }
794
795
         ₹
           \tl_if_empty:nTF {#3}
796
             { \tl_set:co { l__physicx_matrix_r0#1_c0#2_tl } { \physicxempty } }
797
```

```
{ \tl_set:cn { l__physicx_matrix_r0#1_c0#2_tl } {#3} }
 799
     }
 800
 801 \cs_set_eq:NN \__physicx_matrix_set_r_c_ckall:nnn
      \__physicx_matrix_set_r_c_ckigep:nnn
 803 \cs_new_eq:NN \physicx_matrix_set_r_c:nnn
      \__physicx_matrix_set_r_c_nock:nnn
 805 % align, cr, sep symbol
 806 \str_const:Nn \physicx@align { , }
 807 \str_const:Nn \physicx@cr { ; }
 808 \str_const:Nn \physicx@sep { , }
 809 \bool_new:N \l__physicx_matrix_infinite_bool
 810 \bool_new:N \l__physicx_matrix_dotrow_bool
 811 \bool_new:N \l__physicx_matrix_dotcol_bool
 812 \tl_new:N \l__physicx_matrix_array_tl
 813 \tl_new:N \l__physicx_matrix_body_tl
 814 \int_new:N \l__physicx_matrix_rows_int
 815 \int_new:N \l__physicx_matrix_cols_int
 816 \tl_new:N \l__physicx_matrix_main_tl
 817 \clist_new:N \l__physicx_matrix_diag_clist
 818 \clist_new:N \l__physicx_matrix_item_clist
 819 \bool_new:N \l__physicx_matrix_diag_bool
 820 \seq_new:N \l__physicx_row_list_seq
 \verb| seq_new:N l_-physicx_col_list_seq| \\
 822 % expand input
 823 \cs_new_eq:NN \__physicx_expand:w \exp_not:o
 824 %% main, row iterate, col iterate
 825 \cs_new_nopar:Npn \physicx@matrixelement #1#2#3 { #1 \sb { #2 #3 } }
 826 \cs_new_nopar:Npn \__physicx_matrix_row_iterate:n #1 { #1 }
 827 \tl_new:N \l__physicx_matrix_last_row_tl
 \verb| \tl_new:N \l_physicx_matrix_last_col_tl| \\
 829 \cs_new_nopar:Npn \__physicx_matrix_col_iterate:n #1 { #1 }
 830 \cs_new_nopar:Npn \__physicx_matrix_begin:w { }
 831 \cs_new_nopar:Npn \__physicx_matrix_end:w { }
 \verb|\cs_new_eq:NN \__physicx_matrix_autocalc:nn \use_none:nn| \\
 \verb|\blue| bool_new: N \lower| lower matrix_expand_element_bool|
 834 % when element is empty use \physicxempty
 835 \tl_new:N \physicxempty
 836 % save 'element-except' key's value
 837 \tl_new:N \physicxexcept
 838 \tl_new:N \l__physicx_matrix_args_tl
 839 \tl_new:N \l__physicx_matrix_after_begin_tl
 840 \tl_new:N \l__physicx_matrix_after_end_tl
 {\tt 841} \verb|\bool_new:N \ll_physicx_matrix_transpose\_bool\\
 {\tt 842} \verb|\bool_new:N \> \verb|\l_physicx_matrix_enhanced_bool|
 843 \dim_new:N \l__physicx_matrix_sep_dim
 844 \cs_new:Npn \__physicx_adi:nnn #1#2#3 { #1#2#3 }
 845 \tl_new:N \l__physicx_matrix_beginning_tl
 846 \tl_new:N \l__physicx_matrix_ending_tl
1.3.2 Matrix keys
 847 \keys_define:nn { physicx }
     { matrix .code:n = \keys_set:nn { physicx/matrix } {#1} }
 849 \keys_define:nn { physicx/matrix }
```

```
850
                          array .tl_set:N = \l__physicx_matrix_array_tl ,
851
                          expand .choice: ,
852
                          expand / none .code:n =
853
                                  \cs_set_eq:NN \__physicx_expand:w \exp_not:o ,
854
                          expand / text-expand .code:n =
855
                                  \cs_set_eq:NN \__physicx_expand:w \text_expand:n ,
856
                          expand / f .code:n =
857
                                  \cs_set_eq:NN \__physicx_expand:w \exp_not:f ,
                          expand / romanual .meta:n = { expand = f } ,
859
                          expand / x .code:n =
                                  \cs_set_eq:NN \__physicx_expand:w \use:n ,
861
                          expand / edef .meta:n = { expand = x } ,
862
                          rows .int_set:N = \l__physicx_matrix_rows_int ,
863
                          cols .int_set:N = \l__physicx_matrix_cols_int ,
864
                          auto-update .choice: ,
865
                          auto-update / true .code:n =
866
                                  \cs_set_eq:NN \__physicx_matrix_autocalc:nn \__physicx_matrix_calc:nn ,
                          auto-update / false .code:n =
                                  \cs_set_eq:NN \__physicx_matrix_autocalc:nn \use_none:nn ,
                          auto-update .default:n = true ,
                         main .tl_set:N = \l__physicx_matrix_main_tl ,
871
                         row-list .code:n =
872
                                  \label{lem:lem:list_seq} $$ \left( \begin{array}{c} \\ \\ \end{array} \right) = \left( \begin{array}{c} \\ \end{array} \right) = \left( \begin{array}{c} \\ \\ \end{array} \right) = \left( \begin{array}
873
                          col-list .code:n =
874
                                  \seq_set_split:Non \l__physicx_col_list_seq { \physicx@sep } {#1} ,
875
                          infinite .bool_set:N = \l__physicx_matrix_infinite_bool ,
876
                          infinite .default:n = true ,
877
                           !infinite .code:n =
878
                                  \bool_set_inverse:N \l__physicx_matrix_infinite_bool ,
880
                          element-code .cs_set:Np = \physicx@matrixelement #1#2#3 ,
881
                          element-code* .choice: ,
882
                          element-code* / except-empty .code:n =
                                  \cs_set_eq:NN \__physicx_matrix_element_aux:nnn
883
                                         \physicx@matrixelement
884
                                  \cs_set:Npn \physicx@matrixelement ##1##2##3
885
886
                                                 \tl_if_empty:nTF {##1}
887
888
                                                          {##1}
                                                          { \__physicx_matrix_element_aux:nnn {##1} {##2} {##3} }
                                         } ,
                          element-code* / except-blank .code:n =
                                  \cs_set_eq:NN \__physicx_matrix_element_aux:nnn
                                         \physicx@matrixelement
893
                                  \cs_set:Npn \physicx@matrixelement ##1##2##3
                                         {
895
                                                 \tl_if_blank:nTF {##1}
896
                                                          {##1}
897
                                                          { \__physicx_matrix_element_aux:nnn {##1} {##2} {##3} }
898
                                         },
                          element-code* / except-dots .code:n =
                                  \cs_set_eq:NN \__physicx_matrix_element_aux:nnn
                                          \physicx@matrixelement
902
                                  \cs_set:Npn \physicx@matrixelement ##1##2##3
903
```

```
\tl_if_in:nnTF { \cdots\vdots\ldots\ddots } {##1}
905
               {##1}
906
               { \__physicx_matrix_element_aux:nnn {##1} {##2} {##3} }
907
           },
908
       element-code* / except-tl .code:n =
909
         \cs_set_eq:NN \__physicx_matrix_element_aux:nnn
910
           \physicx@matrixelement
911
         \cs_set:Npn \physicx@matrixelement ##1##2##3
           {
913
             \tl_if_in:onTF { \physicxexcept } {##1}
               {##1}
915
               { \__physicx_matrix_element_aux:nnn {##1} {##2} {##3} }
916
           } ,
917
       element-code* / except-regex .code:n =
918
         \cs_set_eq:NN \__physicx_matrix_element_aux:nnn
919
           \physicx@matrixelement
920
         \cs_set:Npn \physicx@matrixelement ##1##2##3
921
             \exp_args:No \regex_match:nnTF { \physicxexcept } {##1}
               {##1}
               { \__physicx_matrix_element_aux:nnn {##1} {##2} {##3} }
           } ,
926
       element-code* / only-regex .code:n =
927
         \cs_set_eq:NN \__physicx_matrix_element_aux:nnn
928
           \physicx@matrixelement
929
         \cs_set:Npn \physicx@matrixelement ##1##2##3
930
931
           {
             \exp_args:No \regex_match:nnTF { \physicxexcept } {##1}
932
               { \__physicx_matrix_element_aux:nnn {##1} {##2} {##3} }
934
               {##1}
           },
935
936
       element-code* / unknown .code:n =
         \cs_set:Npx \physicx@matrixelement { \exp_not:c {#1} },
937
       element-except .tl_set:N = \physicxexcept ,
938
       element-except+ .code:n =
939
         \tl_put_right:Nn \physicxexcept {#1} ,
940
       expand-element .bool_set:N = \l__physicx_matrix_expand_element_bool ,
941
942
       expand-element .default:n = true ,
       empty .tl_set:N = \physicxempty ,
       check .choice: ,
       check / none .code:n =
         \cs_set_eq:NN \physicx_matrix_set_r_c:nnn
946
947
           \__physicx_matrix_set_r_c_nock:nnn ,
       check / empty .code:n =
948
         \cs_set_eq:NN \physicx_matrix_set_r_c:nnn
949
           \__physicx_matrix_set_r_c_ckep:nnn ,
950
951
       check / ignore .code:n =
         \cs_set_eq:NN \physicx_matrix_set_r_c:nnn
952
           \__physicx_matrix_set_r_c_ckig:nnn ,
953
       check / igep .code:n =
         \cs_set_eq:NN \physicx_matrix_set_r_c:nnn
956
           \__physicx_matrix_set_r_c_ckigep:nnn ,
       check / all .code:n =
957
```

```
\cs_set_eq:NN \physicx_matrix_set_r_c:nnn
958
            \__physicx_matrix_set_r_c_ckall:nnn ,
959
       check .default:n = all ,
960
       row-iterate .cs_set:Np = \__physicx_matrix_row_iterate:n #1 ,
961
       col-iterate .cs_set:Np = \__physicx_matrix_col_iterate:n #1 ,
962
       last-row .tl_set:N = \l__physicx_matrix_last_row_tl ,
963
       last-col .tl_set:N = \l__physicx_matrix_last_col_tl ,
       diag .clist_set:N = \l__physicx_matrix_diag_clist ,
       diag+ .code:n =
         \clist_put_right:Nn \l__physicx_matrix_diag_clist {#1} ,
       diag-now .code:n = \physicx_matrix_diag_parse:n {#1} ,
       diag-data .code:n = \__physicx_matrix_set_data:nn { diag } {#1}
969
       \label{eq:diag-data} \begin{tabular}{ll} $\text{diag-data+ .code:n = $\setminus_physicx_matrix_add_data:nn { diag } $\{\#1$ }, $$ \end{tabular}
970
       item .clist_set:N = \l__physicx_matrix_item_clist ,
971
       item+ .code:n =
972
       \clist_put_right:Nn \l__physicx_matrix_item_clist {#1} ,
973
       item-now .code:n = \physicx_matrix_item_parse:n {#1} ,
974
       item-data .code:n = \__physicx_matrix_set_data:nn { item } {#1} ,
       item-data+ .code:n = \__physicx_matrix_add_data:nn { item } {#1} ,
       check-range .choice: ,
       check-range / true .code:n = \physicx_parse_range_check: ,
       check-range / false .code:n = \physicx_parse_range_nocheck: ,
979
       check-range .default:n = true ,
980
       begin \ .tl_set: \verb|N = \__physicx_matrix_begin: w ,
981
              .tl_set:N = \__physicx_matrix_end:,
982
       args
                .code:n =
983
         \tl_set:Nn \l__physicx_matrix_args_tl { [#1] } ,
985
       args* .tl_set:N = \l__physicx_matrix_args_tl ,
       after-begin .tl_set:N = \l__physicx_matrix_after_begin_tl ,
986
       after-begin+ .code:n =
988
         { \tl_put_right: Nn \l__physicx_matrix_after_begin_tl {#1} } ,
989
       after-end
                   .tl_set:N = \l__physicx_matrix_after_end_tl ,
ggn
       after-end+
                      .code:n =
         991
       sepdim .dim_set:N = \l__physicx_matrix_sep_dim ,
992
       type .multichoice: ,
993
       saveto .tl_set:N = \l__physicx_matrix_save_tl ,
994
       saveto* .code:n =
995
996
         \tl_set:No \l__physicx_matrix_save_tl { \cs:w #1 \cs_end: } ,
       transpose .bool_set:N = \l__physicx_matrix_transpose_bool ,
       transpose .default:n = true ,
        ' .meta:n = { transpose = true } ,
       T .meta:n = { transpose = true } ,
1000
       MaxMatrixCols .int_set:N = \c@MaxMatrixCols ,
1001
       enhanced .bool_set:N = l_physicx_matrix_enhanced_bool ,
1002
       enhanced .default:n = true ,
1003
       !enhanced .code:n =
1004
         \bool_set_inverse: N \l__physicx_matrix_enhanced_bool ,
1005
       cr .tl_set:N = \physicx@cr ,
1006
       align .tl_set:N = \physicx@align ,
1007
       sep .tl_set:N = \physicx@sep ,
       adi-order .choice: ,
       adi-order / adi .code:n = \cs_set:Nn \__physicx_adi:nnn {##1##2##3} ,
1010
       adi-order / dia .code:n = \cs_set:Nn \__physicx_adi:nnn {##2##3##1} ,
1011
```

```
adi-order / iad .code:n = \cs_set:Nn \__physicx_adi:nnn {##3##1##2} ,
1012
        adi-order / aid .code:n = \cs_set:Nn \__physicx_adi:nnn {##1##3##2} ,
1013
        \label{local_adi-order} \mbox{ di-order / ida .code:n = \cs_set:Nn \__physicx_adi:nnn {##3##2##1} \mbox{ ,}
1014
        adi-order / dai .code:n = \cs_set:Nn \__physicx_adi:nnn {##2##1##3} ,
1015
        beginning .tl_set:N = \l__physicx_matrix_beginning_tl ,
1016
        beginning+ .code:n =
1017
          \tl_put_right:Nn \l__physicx_matrix_beginning_tl {#1} ,
1018
        ending .tl_set:N = \l__physicx_matrix_ending_tl ,
1019
        ending+ .code:n =
          \tl_put_right:Nn \l__physicx_matrix_ending_tl {#1} ,
1021
1022
        settype .code:n = \setmatrixtype #1 ,
1023
1024
        unknown .code:n =
1025
           \physicx_search_also:nnF
1026
            {
1027
               physicx/matrix/type
1028
               physicx/matrix/expand
1029
              physicx/matrix/element-code* ,
            }
            {#1}
             {
1033
               \exp_args:No \physicx_if_num:nTF { \l_keys_key_str }
1034
1035
                   \keys_set:nx { physicx/matrix }
1036
                     { MaxMatrixCols = \l_keys_key_str }
1037
1038
1039
                   \msg_error:nnxx { physicx } { unknown-key }
1040
                     \l_keys_path_str { physicx/matrix }
                 }
1042
1043
            },
      }
1044
    \cs_new:Npn \physicx_matrix_new_type:nnn #1#2#3
1045
      { \phi_{matrix} } {\#1} { begin={\#2} , end={\#3} } 
1046
    \cs_new:Npn \physicx_matrix_new_type:nn
1047
      { \physicx_new_type:nnn { matrix } }
1048
    \NewDocumentCommand \setmatrixtype { s >{ \TrimSpaces } m }
1049
1050
        \IfBooleanTF {#1}
1051
          { \physicx_matrix_new_type:nn {#2} }
1052
          { \physicx_matrix_new_type:nnn {#2} }
1053
      }
1054
(End definition for \physicx_matrix_new_type:nnn, \physicx_matrix_new_type:nn, and \setmatrixtype.
These functions are documented on page ??.)
    A few types.
1055 \setmatrixtype {m} {\begin{matrix}} {\end{matrix}}
    \setmatrixtype {p} {\begin{pmatrix}} {\end{pmatrix}}
    \setmatrixtype {b} {\begin{bmatrix}} {\end{bmatrix}}
1058 \setmatrixtype {B} {\begin{Bmatrix}} {\end{Bmatrix}}
1059 \setmatrixtype {v} {\begin{vmatrix}} {\end{vmatrix}}
```

\physicx_matrix_new_type:nnn
\physicx_matrix_new_type:nn

\setmatrixtype

```
\setmatrixtype {V} {\begin{Vmatrix}} {\end{Vmatrix}}
                                        \setmatrixtype {sm} {\begin{smallmatrix}} {\end{smallmatrix}}
                                        \physicx_mathtools:T
                                 1062
                                           {
                                 1063
                                                \setmatrixtype {m*} {\begin{matrix*}} {\end{matrix*}}
                                 1064
                                                \setmatrixtype {p*} {\begin{pmatrix*}} {\end{pmatrix*}}
                                 1065
                                                \setmatrixtype {b*} {\begin{bmatrix*}} {\end{bmatrix*}}
                                 1066
                                                \setmatrixtype {B*} {\begin{Bmatrix*}} {\end{Bmatrix*}}
                                 1067
                                                \setmatrixtype {v*} {\begin{vmatrix*}} {\end{vmatrix*}}
                                                \setmatrixtype {V*} {\begin{Vmatrix*}} {\end{Vmatrix*}}
                                 1069
                                                \setmatrixtype {sm*} {\begin{smallmatrix*}} {\end{smallmatrix*}}
                                 1070
                                                \setmatrixtype {sp} {\begin{psmallmatrix}} {\end{psmallmatrix}}
                                 1071
                                                \setmatrixtype {sb} {\begin{bsmallmatrix}} {\end{bsmallmatrix}}
                                 1072
                                                \setmatrixtype {sB} {\begin{Bsmallmatrix}} {\end{Bsmallmatrix}}
                                 1073
                                                \setmatrixtype {sv} {\begin{vsmallmatrix}} {\end{vsmallmatrix}}
                                 1074
                                                \setmatrixtype {sV} {\begin{Vsmallmatrix}} {\end{Vsmallmatrix}}
                                 1075
                                                \setmatrixtype {sp*} {\begin{psmallmatrix*}} {\end{psmallmatrix*}}
                                 1076
                                                \setmatrixtype {sb*} {\begin{bsmallmatrix*}} {\end{bsmallmatrix*}}
                                 1077
                                                \setmatrixtype {sB*} {\begin{Bsmallmatrix*}} {\end{Bsmallmatrix*}}
                                                \setmatrixtype {sv*} {\begin{vsmallmatrix*}} {\end{vsmallmatrix*}}
                                                \setmatrixtype {sV*} {\begin{Vsmallmatrix*}} {\end{Vsmallmatrix*}}
                                 1080
                                           }
                                 1081
\setmatrixdata
                               Set matrix data, one can use '...-data' key to use it.
                                        \cs_new_protected_nopar:Npn \setmatrixdata #1#2
                                            { \clist_set:cn { physicx@ #1 data@ #2 } }
                                        \cs_new_protected_nopar:Npn \__physicx_matrix_set_data:nn #1#2
                                 1084
                                 1085
                                            {
                                                \clist_clear:c { l__physicx_matrix_ #1 _clist }
                                 1086
                                                \__physicx_matrix_add_data:nn {#1} {#2}
                                 1087
                                 1088
                                        \cs_new_protected_nopar:Npn \__physicx_matrix_add_data:nn #1#2
                                 1089
                                 1090
                                                \clist_map_inline:nn {#2}
                                 1091
                                                        \clist_concat:ccc
                                                            { l_physicx_matrix_ #1 _clist }
                                 1094
                                                            { l_physicx_matrix_ #1 _clist }
                                 1095
                                                            { physicx@ #1 data@ #2 }
                                 1096
                                                   }
                                 1097
                                           }
                                 1098
                                (End definition for \setmatrixdata. This function is documented on page ??.)
                                         Initial settings.
                                        \keys_set:nn { physicx/matrix }
                                 1100
                                               type = m
                                                saveto = ? ,
          \qxmatrix
                                 ^{1104} %% basicly, https://tex.stackexchange.com/questions/486154/is-there-a-way-to-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-define-defin
                                        xmatmnm-in-the-physics-package, but changed some
                                 1105 % #1 = boolean, saveto matrix
```

```
1106 % #2 = star, infinite
_{1107} % #3 = options
1108 % #4 = letter for the entries
1109 % #5 = number of rows
1110 % #6 = number of explicit rows, default = 3
1111 \% #7 = number of columns
   \% #8 = number of explicit columns, default = 3
   \DeclareDocumentCommand \qxmatrix { t= s O{type=p} m m O{3} m O{3} }
        \group_begin:
1115
        \IfBooleanTF { #2 }
1116
          { \bool_set_true: N \l__physicx_matrix_infinite_bool }
          { \bool_set_false:N \l__physicx_matrix_infinite_bool }
1118
        \int_set:Nn \l__physicx_matrix_rows_int {#6}
1119
        \int_set:Nn \l__physicx_matrix_cols_int {#8}
1120
        \IfBooleanTF {#1}
          { \keys_set:nn { physicx/matrix } { #3 , saveto = \physicxtmp } }
          { \keys_set:nn { physicx/matrix } {#3} }
        \physicx_qxmatrix:nnn {#4} {#5} {#7}
        \_{\tt physicx_matrix_save\_or\_print:}
        \group_end:
     }
1127
   \cs_new_protected:Nn \physicx_qxmatrix:nnn
1128
1129
        \bool_if:NTF \l__physicx_matrix_expand_element_bool
1130
            \cs_set_eq:NN \__physicx_qxmatrix_appto_body:nnn
1133
              \__physicx_matrix_appto_body_e:nnn
1134
            \cs_set_eq:NN \__physicx_qxmatrix_appto_body:nnn
1136
1137
              \__physicx_matrix_appto_body_ne:nnn
1138
        \% clear the variable containing the body of the matrix
1139
        \tl_clear:N \l__physicx_matrix_body_tl
1140
        % set the tentative number of explicit rows
        \physicx_if_num:nTF { #2 }
1142
1143
          {% number of rows is an integer
1144
            \int_compare:nTF { #2 <= \l__physicx_matrix_rows_int }
            {% if #2 <= rows, we don't want a row of dots
              \bool_set_false:N \l__physicx_matrix_dotrow_bool
              \int_set:Nn \l__physicx_matrix_rows_int { #2 }
           }
1148
            {% we want a row of dots
1149
              \bool_set_true:N \l__physicx_matrix_dotrow_bool
1150
         }
          {% number of rows is symbolic, we want a row of dots
            \bool_set_true:N \l__physicx_matrix_dotrow_bool
1154
1155
       % set the tentative number of explicit columns
1157
        \physicx_if_num:nTF { #3 }
1158
          {% number of cols is an integer
            \int_compare:nTF { #3 <= \l__physicx_matrix_cols_int }</pre>
1159
```

```
{% if #3 <= cols, we don't want a column of dots
1160
                \bool_set_false:N \l__physicx_matrix_dotcol_bool
1161
                \int_set:Nn \l__physicx_matrix_cols_int { #3 }
1162
              }
1163
              {% we want a column of dots
1164
                \bool_set_true:N \l__physicx_matrix_dotcol_bool
1165
1166
         }
1167
          {% number of columns is symbolic, we want a column of dots
            \bool_set_true:N \l__physicx_matrix_dotcol_bool
1169
         }
1170
       % loop through the rows
        \int_step_inline:nn { \l__physicx_matrix_rows_int }
1173
          {
            % add the first entry in the row
1174
            %%\tl_put_right:Nn \l__physicx_matrix_body_tl { #1\sb{##1 1} }
1175
            \__physicx_qxmatrix_appto_body:nnn {#1} {##1} { 1 }
1176
            % add the further entries in the explicit columns
1177
            \int_step_inline:nnn { 2 } { \l__physicx_matrix_cols_int }
              {
                %%\tl_put_right:Nn \l__physicx_matrix_body_tl { & #1\sb{##1 ####1} }
                \tl_put_right:Nn \l__physicx_matrix_body_tl { & }
                \_{\rm physicx\_qxmatrix\_appto\_body:nnn} \ {#1} \ {##1} \ {###1}
1182
1183
            % if we have a column of dots, add \cdots and the last entry
1184
            \bool_if:NT \l__physicx_matrix_dotcol_bool
1185
1186
                %%\tl_put_right:Nn \l__physicx_matrix_body_tl { & \cdots & #1\sb{##1 #3} }
1187
                \tl_put_right:Nn \l__physicx_matrix_body_tl { & \cdots & }
1188
                \_{physicx\_qxmatrix\_appto\_body:nnn} {#1} {##1} {#3}
              }
1190
            \% infinite matrix, add \cdots
1191
1192
            \bool_if:NT \l__physicx_matrix_infinite_bool
              { \tl_put_right:Nn \l_physicx_matrix_body_tl { & \cdots } }
1193
            \if_int_compare:w ##1 = \l__physicx_matrix_rows_int
1194
              \scan_stop:
1195
            \else:
1196
              % finish up the row
1197
1198
              \tl_put_right:Nx \l__physicx_matrix_body_tl { \__physicx_matrix_sep: }
            \fi:
         }
       % finish up the rows
        \bool_if:NT \l__physicx_matrix_dotrow_bool
1202
1203
          {
            % finish up the row
1204
            \tl_put_right:Nx \l__physicx_matrix_body_tl { \__physicx_matrix_sep: }
1205
            % if we have a row of dots, fill it in
1206
            \tl_put_right:Nn \l__physicx_matrix_body_tl { \vdots }
1207
            \prg_replicate:nn { \l__physicx_matrix_cols_int - 1 }
1208
              { \tl_put_right: Nn \l_physicx_matrix_body_tl { & \vdots } }
1209
            \bool_if:NT \l__physicx_matrix_dotcol_bool
              { \tl_put_right: Nn \l__physicx_matrix_body_tl { & \ddots & \vdots } }
            \tl_put_right:Nx \l__physicx_matrix_body_tl { \__physicx_matrix_sep: }
            % fill the last row
```

```
{
                                                                   1217
                                                                                                    %%\tl_put_right:Nn \l__physicx_matrix_body_tl { & #1\sb{#2 ##1} }
                                                                   1218
                                                                                                     \tl_put_right:Nn \l__physicx_matrix_body_tl { & }
                                                                   1219
                                                                                                     \__physicx_qxmatrix_appto_body:nnn {#1} {#2} {##1}
                                                                                                }
                                                                                            \bool_if:NT \l__physicx_matrix_dotcol_bool
                                                                                                {
                                                                                                    \label{localization} $$ \xspace{1.5pt} $$ \xsp
                                                                                                     \tl_put_right:Nn \l__physicx_matrix_body_tl { & \cdots & }
                                                                   1225
                                                                                                     \_{physicx\_qxmatrix\_appto\_body:nnn {#1} {#2} {#3}
                                                                   1226
                                                                   1227
                                                                                            % if the matrix is infinite, add a further column with \cdots
                                                                   1228
                                                                                            \bool_if:NT \l__physicx_matrix_infinite_bool
                                                                   1229
                                                                                                { \tl_put_right: Nn \l_physicx_matrix_body_tl { & \cdots } }
                                                                   1230
                                                                                   % if the matrix is infinite, add a final row
                                                                                   \bool_if:NT \l__physicx_matrix_infinite_bool
                                                                                            % finish up the row
                                                                   1235
                                                                                            \tl_put_right:Nx \l__physicx_matrix_body_tl { \__physicx_matrix_sep: }
                                                                   1236
                                                                                            \tl_put_right:Nn \l__physicx_matrix_body_tl { \vdots }
                                                                                            \prg_replicate:nn { \l__physicx_matrix_cols_int - 1 }
                                                                   1238
                                                                                                { \tl_put_right: Nn \l_physicx_matrix_body_tl { & \vdots } }
                                                                   1239
                                                                                            \bool_if:NT \l__physicx_matrix_dotcol_bool
                                                                   1240
                                                                                                { \tl_put_right: Nn \l__physicx_matrix_body_tl { & & \vdots } }
                                                                   1241
                                                                                            \tl_put_right:Nn \l__physicx_matrix_body_tl { & \ddots }
                                                                   1242
                                                                                            % update cols
                                                                                            \bool_if:NTF \l__physicx_matrix_dotcol_bool
                                                                   1244
                                                                   1245
                                                                                                { \tex_advance:D \l__physicx_matrix_cols_int by 3 }
                                                                                                { \tex_advance:D \l__physicx_matrix_cols_int by 2 }
                                                                   1246
                                                                                       }
                                                                   1247
                                                                              }
                                                                   1248
                                                                  (End definition for \q matrix. This function is documented on page \ref{eq:condition}.)
                                                                 Parse 'diag...' keys.
\physicx_matrix_diag_parse:n
\physicx_matrix_diag_parse:o
                                                                          \cs_new:Npn \physicx_matrix_diag_parse:n #1
                                                                   1249
                                                                              {
                                                                                   \keyval_parse:nnn
                                                                   1251
                                                                                        \__physicx_matrix_diag_parse_aux:n
                                                                                        \__physicx_matrix_diag_parse_aux:nn
                                                                   1253
                                                                                       {#1}
                                                                   1254
                                                                          \cs_generate_variant:Nn \physicx_matrix_diag_parse:n { o }
                                                                          \cs_new:Npn \__physicx_matrix_diag_parse_aux:n #1
                                                                   1257
                                                                   1258
                                                                              {
                                                                                   \str_case_e:nnF {#1}
                                                                   1259
                                                                   1260
                                                                                            { auto-update }
                                                                   1261
                                                                   1262
                                                                                                     \cs_set_eq:NN \__physicx_matrix_diag_calc:nn
                                                                   1263
```

%%\tl_put_right:Nn \l__physicx_matrix_body_tl { #1\sb{#2 1} }

\int_step_inline:nnn { 2 } { \l__physicx_matrix_cols_int }

__physicx_qxmatrix_appto_body:nnn {#1} {#2} { 1 }

1214

1216

```
\_{	t physicx_matrix_calc:nn}
                                                 }
1265
                                          { noauto-update }
1266
                                                  {
1267
                                                          \cs_set_eq:NN \__physicx_matrix_diag_calc:nn \use_none:nn
1268
                                                  }
1269
                                          { true }
                                                 {
1271
                                                          \bool_set_true:N \l__physicx_matrix_diag_bool
                                                          \cs_set_eq:NN \__physicx_diagonalmatrix_diag_main:
                                                                 \__physicx_diagonalmatrix_set_diag:
                                                  }
                                          { false }
1276
                                                 {
1277
                                                          \bool_set_false:N \l__physicx_matrix_diag_bool
1278
                                                          \cs_set_eq:NN \__physicx_diagonalmatrix_diag_main:
1279
                                                                  \__physicx_diagonalmatrix_no_diag:
1280
1281
                                  }
                                   { \msg_error:nnn { physicx } { diag-key } {#1} }
                   }
             \cs_new:Npn \__physicx_matrix_diag_parse_aux:nn #1#2
1285
1286
                            \tl_set:Nn \l__physicx_tmpdiag_tl {#2}
1287
                            \tl_set:Nx \l__physicx_tmpdiag_tl
1288
                                   { \__physicx_expand:w \l__physicx_tmpdiag_tl }
1289
                            \seq_set_split:NVV \l__physicx_tmpdiag_seq \physicx@sep \l__physicx_tmpdiag_tl
1290
                            \tl_if_head_eq_charcode:nNTF {#1} '
1291
1292
                                           \exp_args:Nf \__physicx_matrix_diag_parse_aux_anti:n
                                                  { \tl_tail:n {#1} }
1296
                                   { \__physicx_matrix_diag_parse_aux_regu:n {#1} }
1297
             \cs_new:Npn \__physicx_diagonalmatrix_set_diag:
1298
1299
                            \int_zero:N \l__physicx_matrix_cols_int
1300
                            \seq_map_indexed_inline: Nn \l__physicx_tmpdiag_seq
1301
1302
                                           \int_incr:N \l__physicx_matrix_cols_int
                                           \physicx_matrix_set_r_c:nnn {##1} {##1} {##2}
                                  }
                            \int_set_eq:NN \l__physicx_matrix_rows_int
1306
                                   \label{local_physicx_matrix_cols_int} $$ \lim_{n\to\infty} \operatorname{dist}_{n\to\infty} (x) = \lim_{n\to\infty} \operatorname{dist}
1307
                   }
1308
             \cs_new:Npn \__physicx_diagonalmatrix_no_diag:
1309
                            \seq_map_indexed_inline: Nn \l__physicx_tmpdiag_seq
                                   { \physicx_matrix_set_r_c:nnn {##1} {##1} {##2} }
1313
                            \__physicx_matrix_diag_calc:nn
                                   { \seq_count:N \l__physicx_tmpdiag_seq }
1315
                                   { \seq_count:N \l__physicx_tmpdiag_seq }
                   }
1316
1317 \cs_new_eq:NN \__physicx_diagonalmatrix_diag_main:
```

```
\__physicx_diagonalmatrix_no_diag:
    \cs_new:Npn \__physicx_matrix_diag_parse_aux_regu:n #1
1319
        \if_int_compare:w #1 = 0 \exp_stop_f:
1321
          \__physicx_diagonalmatrix_diag_main:
1322
        \else:
1323
          \if_int_compare:w #1 > 0 \exp_stop_f:
1324
            \seq_map_indexed_inline: Nn \l__physicx_tmpdiag_seq
1325
                 \physicx_matrix_set_r_c:nnn
                  {##1} { \int_eval:n { ##1 + #1 } } {##2}
              }
1329
            \__physicx_matrix_diag_calc:nn
1330
              { \seq_count:N \l__physicx_tmpdiag_seq }
              { \seq_count:N \l__physicx_tmpdiag_seq + #1 }
          \else:
            \seq_map_indexed_inline: Nn \l__physicx_tmpdiag_seq
1334
              {
1335
                 \physicx_matrix_set_r_c:nnn
                  { \int_eval:n { ##1 - #1 } } {##1} {##2}
              }
            \__physicx_matrix_diag_calc:nn
1339
              { \scalebox{ } \cline{1.80} \cline{1.90} } \cline{1.90} 
1340
              { \seq_count:N \l__physicx_tmpdiag_seq }
1341
          \fi:
1342
        \fi:
1343
     }
1344
    \cs_new:Npn \__physicx_matrix_diag_parse_aux_anti:n #1
1345
1346
        \if_int_compare:w #1 = 0 \exp_stop_f:
1347
1348
          \__physicx_matrix_diag_calc:nn
            { \seq_count:N \l__physicx_tmpdiag_seq }
1349
            { \seq_count:N \l__physicx_tmpdiag_seq }
1350
          \seq_map_indexed_inline:Nn \l__physicx_tmpdiag_seq
1351
            {
1352
              \physicx_matrix_set_r_c:nnn
1353
                {##1}
1354
                 { \int_eval:n { \l__physicx_matrix_cols_int - ##1 + 1 } }
1355
1356
            }
        \else:
          \if_int_compare:w #1 > 0 \exp_stop_f:
1360
            \__physicx_matrix_diag_calc:nn
              { \seq_count:N \l__physicx_tmpdiag_seq }
1361
              { \seq_count:N \l__physicx_tmpdiag_seq + #1 }
1362
            \seq_map_indexed_inline:Nn \l__physicx_tmpdiag_seq
1363
              {
1364
                 \physicx_matrix_set_r_c:nnn
1365
1366
                   { \int_eval:n { \l__physicx_matrix_cols_int - ##1 - #1 + 1 } }
1367
                   {##2}
              }
          \else:
            \__physicx_matrix_diag_calc:nn
```

```
{ \seq_count:N \l__physicx_tmpdiag_seq }
                                 1373
                                              \seq_map_indexed_inline:Nn \l__physicx_tmpdiag_seq
                                 1374
                                                {
                                                  \physicx_matrix_set_r_c:nnn
                                 1376
                                                    { \int_eval:n { ##1 - #1 } }
                                 1377
                                                    { \int_eval:n { \l__physicx_matrix_cols_int - ##1 + 1 } }
                                 1378
                                                    {##2}
                                 1379
                                                }
                                           \fi:
                                 1381
                                 1382
                                         \fi:
                                       }
                                 1383
                                     \cs_new:Npn \__physicx_matrix_diag_calc:nn
                                 1384
                                       { \__physicx_matrix_autocalc:nn }
                                 1385
                                (End definition for \physicx_matrix_diag_parse:n. This function is documented on page ??.)
\physicx_matrix_item_parse:n
                                Parse 'item...' keys.
\physicx_matrix_item_parse:o
                                     \cs_new:Npn \physicx_matrix_item_parse:n #1
                                 1386
                                 1387
                                         \clist_set_eq:NN \l__physicx_item_ignore_clist \c_empty_clist
                                 1388
                                         \keyval_parse:NNn
                                 1389
                                           \__physicx_matrix_item_parse_aux:n
                                 1390
                                           \__physicx_matrix_item_parse_aux:nn
                                 1391
                                       }
                                 1393
                                     \cs_generate_variant:Nn \physicx_matrix_item_parse:n { o }
                                 1394
                                     \cs_new:Npn \__physicx_matrix_item_parse_aux:n #1 { }
                                     \cs_new:Npn \__physicx_matrix_item_parse_aux:nn #1#2
                                 1396
                                 1397
                                         \tl_set:Nn \l__physicx_tmpitem_tl {#2}
                                 1398
                                         \tl_set:Nx \l__physicx_tmpitem_tl
                                 1399
                                           { \__physicx_expand:w \l__physicx_tmpitem_tl }
                                 1400
                                         \physicx_parse_range:neN \l__physicx_matrix_rows_int
                                 1401
                                           { \use_i:nn #1 } \l__physicx_tmp_rownum_seq
                                         \physicx_parse_range:neN \l__physicx_matrix_cols_int
                                           { \use_ii:nn #1 } \l__physicx_tmp_colnum_seq
                                         \exp_args:No \tl_if_eq:nnTF
                                 1405
                                           { \l_physicx_tmpitem_tl } { \PHYSICXIGNORE }
                                 1406
                                           {
                                 1407
                                              \seq_map_inline:Nn \l__physicx_tmp_rownum_seq
                                 1408
                                                {
                                 1409
                                                  \seq_map_inline: Nn \l__physicx_tmp_colnum_seq
                                 1410
                                 1411
                                                       \clist_put_right:Nn \l__physicx_item_ignore_clist { [##1][####1] }
                                 1412
                                                }
                                 1414
                                           }
                                 1415
                                 1416
                                              \seq_map_inline: Nn \l__physicx_tmp_rownum_seq
                                 1417
                                 1418
                                                  \seq_map_inline:Nn \l__physicx_tmp_colnum_seq
                                 1419
                                                      \clist_if_in:NnF \l__physicx_item_ignore_clist { [##1] [####1] }
                                 1421
```

{ \seq_count:N \l__physicx_tmpdiag_seq - #1 }

```
1422
                                                       \exp_args:Nnno \physicx_matrix_set_r_c:nnn
                            1423
                                                         {##1} {####1} { \l__physicx_tmpitem_tl }
                            1424
                            1425
                                                }
                            1426
                                           }
                            1427
                                       }
                            1428
                                  }
                            1429
                            (End definition for \physicx_matrix_item_parse:n. This function is documented on page ??.)
                           Parse 'array...' keys.
   \physicx matrix array parse:n
   \physicx matrix array parse:o
                                \cs_new:Npn \physicx_matrix_array_parse:n #1
                            1430
                            1431
                                     \tl_set:Nn \l__physicx_tmparr_tl {#1}
                            1432
                                     \tl_set:Nx \l__physicx_tmparr_tl
                            1433
                                       { \__physicx_expand:w \l__physicx_tmparr_tl }
                            1434
                                     \seq_set_split:NVV \l__physicx_matrix_tmparr_r_sep \physicx@cr \l__physicx_tmparr_tl
                                     \__physicx_matrix_autocalc:nn
                             1436
                                       { \seq_count:N \l__physicx_matrix_tmparr_r_sep }
                             1437
                                       { 0 }
                             1438
                                     \seq_map_indexed_inline:Nn \l__physicx_matrix_tmparr_r_sep
                            1439
                            1440
                                         \seq_set_split:Non \l__physicx_matrix_tmparr_c_sep { \physicx@align } {##2}
                            1441
                                         \__physicx_matrix_autocalc:nn
                            1442
                                           { 0 }
                            1443
                                           { \seq_count:N \l__physicx_matrix_tmparr_c_sep }
                            1444
                                         \seq_map_indexed_inline: Nn \l__physicx_matrix_tmparr_c_sep
                            1445
                            1446
                                              \physicx_matrix_set_r_c:nnn {##1} {####1} {####2}
                             1447
                                           }
                                       }
                                  }
                                \cs_generate_variant:Nn \physicx_matrix_array_parse:n { o }
                            (End definition for \physicx_matrix_array_parse:n. This function is documented on page ??.)
                           Process 'main' key.
 \physicx matrix array parse main:
                                \cs_new:Npn \physicx_matrix_array_parse_main:
                            1452
                                  {
                            1453
                                     \int_step_inline:nn \l__physicx_matrix_rows_int
                            1454
                             1455
                                         \int_step_inline:nn \l__physicx_matrix_cols_int
                             1456
                                              \exp_args:Nnno \physicx_matrix_set_r_c:nnn
                                                {##1} {####1} \l__physicx_matrix_main_tl
                             1459
                                           }
                                       }
                            1461
                                  }
                            1462
                            (End definition for \physicx_matrix_array_parse_main:. This function is documented on page ??.)
\__physicx_if_can_num:n
                           Test if can num, one can use \int_eval:n, \fp_eval:n, and \inteval, \fpeval in xfp
                            package (if loaded).
```

1463 \prg_new_conditional:Npnn __physicx_if_can_num:n #1 { T, F, TF }

```
1464
                          \physicx_if_num:nTF {#1}
                  1465
                            { \prg_return_true: }
                  1466
                            {
                  1467
                              \bool_case_true:nTF
                  1468
                  1469
                                   { \tl_if_head_eq_meaning_p:nN {#1} \int_eval:n } { }
                  1470
                                   { \tl_if_head_eq_meaning_p:nN {#1} \fp_eval:n } { }
                                     \bool_lazy_and_p:nn
                                       { \cs_if_exist_p:N \inteval }
                                       { \tl_if_head_eq_meaning_p:nN {#1} \inteval }
                  1475
                                  } { }
                  1476
                                  {
                  1477
                                     \bool_lazy_and_p:nn
                  1478
                                       { \cs_if_exist_p:N \fpeval }
                  1479
                                       { \tl_if_head_eq_meaning_p:nN {#1} \fpeval }
                   1480
                                  } { }
                   1481
                                }
                                { \prg_return_true: }
                                { \prg_return_false: }
                            }
                  1485
                        }
                  1486
                  (End definition for \__physicx_if_can_num:n.)
\diagonalmatrix Define \diagonalmatrix.
                      \DeclareDocumentCommand \diagonalmatrix { t= t+ O{} m }
                  1487
                  1488
                          \group_begin:
                  1489
                          \IfBooleanTF {#1}
                  1490
                            { \keys_set:nn { physicx/matrix } { #3 , saveto = \physicxtmp } }
                  1491
                            { \keys_set:nn { physicx/matrix } { #3 } }
                   1492
                          \physicx_construct:nnn { }
                              \physicx_matrix_diag_parse:o \l__physicx_matrix_diag_clist
                              \tl_if_empty:nF {#4}
                                {
                   1497
                                   \__physicx_if_keyval:nTF {#4}
                                     { \physicx_matrix_diag_parse:n { true, #4 } }
                  1499
                                     { \physicx_matrix_diag_parse:n { true, 0 = {#4} } }
                  1500
                                }
                  1501
                            }
                  1502
                            { \physicx_matrix_item_parse:o \l__physicx_matrix_item_clist }
                  1503
                          \bool_lazy_or:nnTF
                  1504
                            { \bool_if_p:n {#2} }
                            1507
                            {
                              \bool_if:NTF \l__physicx_matrix_expand_element_bool
                  1508
                  1509
                                   \cs_set_eq:NN \__physicx_diagonalmatrix_enhanced:nnn
                  1510
                                     \__physicx_matrix_appto_body_e:off
                  1511
                                }
                  1512
                                {
                  1513
```

```
\cs_set_eq:NN \__physicx_diagonalmatrix_enhanced:nnn
1514
                   \__physicx_matrix_appto_body_ne:off
1515
              }
1516
            \use_i_ii:nnn
1517
          }
1518
          { \use_i:nn }
1519
          \__physicx_matrix_transpose:N
1520
            \__physicx_diagonalmatrix_generate_enhanced_body:NNN
1521
            \__physicx_diagonalmatrix_generate_body:NNN
1523
        \__physicx_matrix_save_or_print:
1524
        \group_end:
     }
   \cs_new:Npn \__physicx_diagonalmatrix_generate_enhanced_body:NNN #1#2#3
1526
1527
        \__physicx_matrix_generate_body:NNNN #1#2#3
1528
          \_{\tt physicx\_diagonalmatrix\_enhanced:nnn}
1529
1530
    \cs_new:Npn \__physicx_diagonalmatrix_generate_body:NNN #1#2#3
1531
     {
        \int_step_inline:nn { #1 - 1 }
            \int_step_inline:nn { #2 - 1 }
1535
1536
              {
                 \tl_put_right:Nx \l__physicx_matrix_body_tl
1537
                   {
1538
                     \exp_after:wN
1539
1540
                     \physicx_matrix_use_r_c:nn
                     #3 {{##1}} {{###1}} &
1541
1542
              }
            \tl_put_right:Nx \l__physicx_matrix_body_tl
              {
1546
                 \exp_after:wN
                 \physicx_matrix_use_r_c:nn
1547
                 #3 {{##1}} {{ \int_use:N #2 }} \__physicx_matrix_sep:
1548
1549
1550
        \int_step_inline:nn { #2 - 1 }
1551
1552
            \tl_put_right:Nx \l__physicx_matrix_body_tl
                 \exp_after:wN
1556
                 \physicx_matrix_use_r_c:nn
                 #3 {{ \int_use:N #1 }} {{##1}} &
1557
1558
          }
1559
        \tl_put_right:Nx \l__physicx_matrix_body_tl
1560
          {
1561
            \exp_after:wN
1562
            \physicx_matrix_use_r_c:nn
1563
            #3 {{ \int_use:N #1 }} {{ \int_use:N #2 }}
1565
          }
     }
1566
```

```
\__physicx_declare_init:
                                \cs_new:Npn \__physicx_matrix_enhanced_init:
                            1567
                            1568
                                     \seq_if_empty:NF \l__physicx_row_list_seq
                            1569
                            1570
                                         \bool_set_true:N \l__physicx_matrix_expand_element_bool
                             1571
                                         \cs_set_nopar:Npn \__physicx_matrix_row_iterate:n ##1
                            1572
                             1573
                                           { \seq_item: Nn \l__physicx_row_list_seq {##1} }
                                     \seq_if_empty:NF \l__physicx_col_list_seq
                                         \bool_set_true:N \l__physicx_matrix_expand_element_bool
                             1577
                                         \cs_set_nopar:Npn \__physicx_matrix_col_iterate:n ##1
                            1578
                                           { \seq_item: Nn \l__physicx_col_list_seq {##1} }
                            1579
                            1580
                                  }
                            1581
                            (End definition for \__physicx_declare_init:.)
            \commamatrix Define \commamatrix.
                                \DeclareDocumentCommand \commamatrix { t= t+ O{} m }
                            1582
                            1583
                                  {
                                     \group_begin:
                            1584
                                     \keys_set:nn { physicx/matrix } {#3}
                             1585
                                     \tl_if_empty:nF {#4}
                                       { \keys_set:nn { physicx/matrix } { array = {#4} } }
                                     \IfBooleanT {#1}
                             1588
                                       { \keys_set:nn { physicx/matrix } { saveto = \physicxtmp } }
                             1589
                                     \tl_set:Nx \l__physicx_matrix_array_tl
                             1590
                                       { \__physicx_expand:w \l__physicx_matrix_array_tl }
                            1591
                                     \bool_lazy_or:nnTF
                            1592
                                       { \bool_if_p:n {#2} }
                            1593
                                       { \bool_if_p:N \l__physicx_matrix_enhanced_bool }
                             1594
                                       { \__physicx_commamatrix_enhanced: }
                             1595
                                         \tl_replace_all:Nox \l__physicx_matrix_array_tl
                             1597
                                           { \physicx@cr } { \__physicx_matrix_sep: }
                                         \tl_replace_all:Non \l__physicx_matrix_array_tl
                            1599
                                           { \physicx@align } { & }
                            1600
                                         \verb|\tl_set_eq:NN \ll_physicx_matrix_body_tl|\\
                            1601
                                           \l__physicx_matrix_array_tl
                            1602
                            1603
                                     \__physicx_matrix_save_or_print:
                             1604
                                     \group_end:
                             1605
                                  }
                             1606
                                \cs_new_nopar:Npn \__physicx_matrix_save_or_print:
                                     \exp_after:wN \token_if_cs:NTF \l__physicx_matrix_save_tl
                             1609
                            1610
                                         \exp_after:wN \tl_gset_eq:NN
                            1611
                                           \l__physicx_matrix_save_tl
                            1612
                                           \l__physicx_matrix_body_tl
                            1613
                            1614
                            1615
                                      {
```

```
\if_int_compare:w \c@MaxMatrixCols < \l__physicx_matrix_cols_int
1616
              \int_set_eq:NN \c@MaxMatrixCols \l__physicx_matrix_cols_int
1617
            \fi:
1618
            \exp_after:wN \__physicx_matrix_begin:w \l__physicx_matrix_args_tl \l__physicx_matri
1619
            \l__physicx_matrix_body_tl
1620
            \__physicx_matrix_end: \l__physicx_matrix_after_end_tl
1621
1622
1623
    \cs_new:Npn \__physicx_commamatrix_enhanced:
1625
        \tl_clear:N \l__physicx_matrix_body_tl
        \int_zero:N \l__physicx_tmpa_int
1627
        \seq_set_split:NVV \l__physicx_tmp_seq \physicx@cr
1628
          \l__physicx_matrix_array_tl
1629
        \int_set:Nn \l__physicx_matrix_rows_int
1630
          { \seq_count:N \l__physicx_tmp_seq }
1631
        \__physicx_matrix_enhanced_init:
1632
        \bool_if:NTF \l__physicx_matrix_expand_element_bool
1633
            \seq_map_tokens: Nn \l__physicx_tmp_seq
                \int_incr:N \l__physicx_tmpa_int
                \exp_args:NV \__physicx_commamatrix_enhanced_aux:nNn
                  \l__physicx_tmpa_int \__physicx_commamatrix_enhanced_aux_e:nnn
              }
1640
          }
1641
1642
            \seq_map_tokens:Nn \l__physicx_tmp_seq
1643
1644
                \int_incr:N \l__physicx_tmpa_int
                \exp_args:NV \__physicx_commamatrix_enhanced_aux:nNn
1647
                  \l__physicx_tmpa_int \__physicx_commamatrix_enhanced_aux_ne:nnn
              }
1648
          }
1649
     }
1650
   \cs_new:Npn \__physicx_commamatrix_enhanced_aux:nNn #1#2#3
1651
1652
1653
        \seq_set_split:Non \l__physicx_tmp_col_seq
1654
          { \physicx@align } {#3}
        \seq_set_eq:NN \l__physicx_tmp_coled_seq \c_empty_seq
        \seq_map_indexed_inline: Nn \l__physicx_tmp_col_seq
          { #2 {##2} {#1} {##1} }
        \tl_put_right:Nx \l__physicx_matrix_body_tl
1658
1659
            \seq_use:Nn \l__physicx_tmp_coled_seq { & }
1660
            \if_int_compare:w \l__physicx_matrix_rows_int = #1
1661
              \scan_stop:
1662
            \else:
1663
              \__physicx_matrix_sep:
1664
            \fi:
1665
          }
1668
   \cs_new:Npn \__physicx_commamatrix_enhanced_aux_e:nnn #1#2#3
     {
1669
```

```
\seq_put_right:Nx \l__physicx_tmp_coled_seq
                  1670
                            {
                  1671
                              \text_expand:n % \text_expand:n do the magic thing, but slower
                  1672
                                {
                  1673
                                  \physicx@matrixelement { #1 }
                  1674
                                     { \__physicx_matrix_row_iterate:n {#2} }
                  1675
                                     { \__physicx_matrix_col_iterate:n {#3} }
                  1676
                                }
                  1677
                            }
                       }
                  1679
                      \cs_new:Npn \__physicx_commamatrix_enhanced_aux_ne:nnn #1#2#3
                  1681
                          \seq_put_right:No \l__physicx_tmp_coled_seq
                  1682
                  1683
                            {
                              \physicx@matrixelement {#1}
                  1684
                                { \__physicx_matrix_row_iterate:n {#2} }
                  1685
                                { \__physicx_matrix_col_iterate:n {#3} }
                  1686
                            }
                  1687
                       }
                 (End definition for \commamatrix. This function is documented on page ??.)
\generalmatrix Define \generalmatrix.
                     \DeclareDocumentCommand \generalmatrix { t= t+ s m }
                          \IfBooleanTF {#2}
                  1691
                            {
                  1692
                              \group_begin:
                  1693
                              \IfBooleanTF {#1}
                  1694
                                { \keys_set:nn { physicx/matrix } { #4 , saveto = \physicxtmp } }
                  1695
                                { \keys_set:nn { physicx/matrix } {#4} }
                  1696
                              \bool_set:Nn \l__physicx_matrix_infinite_bool {#3}
                  1697
                              \physicx_construct:nnn
                  1698
                                {
                                  \tl_if_empty:NTF \l__physicx_matrix_main_tl
                                       \physicx_matrix_array_parse:o \l__physicx_matrix_array_tl
                                    }
                                    { \physicx_matrix_array_parse_main: }
                  1704
                                }
                                { \physicx_matrix_diag_parse:o \l_physicx_matrix_diag_clist }
                  1706
                                { \physicx_matrix_item_parse:o \l__physicx_matrix_item_clist }
                  1707
                              \__physicx_generalmatrix:
                  1708
                              \__physicx_matrix_save_or_print:
                              \group_end:
                            }
                              \IfBooleanTF {#1}
                                { \IfBooleanTF {#3} { } { \use_i_ii:nnn } }
                  1714
                                { \IfBooleanTF {#3} { \use_i:nn } { \use_i:nnn } }
                              \qxmatrix = * [#4]
                  1716
                  1718
                  1719 \cs_new:Npn \__physicx_generalmatrix:
```

```
\bool_if:NTF \l__physicx_matrix_expand_element_bool
             \cs_set_eq:NN \__physicx_generalmatrix_generate:nnn
1723
               \__physicx_matrix_appto_body_e:off
1724
          }
1725
1726
             \cs_set_eq:NN \__physicx_generalmatrix_generate:nnn
               \__physicx_matrix_appto_body_ne:off
          }
        \__physicx_matrix_transpose:N
           \_{\tt physicx\_matrix\_generate\_body:NNNN}
          \__physicx_generalmatrix_generate:nnn
      }
1733
(End definition for \generalmatrix. This function is documented on page ??.)
1734 % row, col, \use:nn or \use_ii_i:nn, appto body cmd
    \cs_new:Npn \__physicx_matrix_generate_body:NNNN #1#2#3#4
1736
        \__physicx_matrix_enhanced_init:
1737
        \int_step_inline:nn { #1 - 1 }
1738
1739
            \int_step_inline:nn { #2 - 1 }
                 \tl_set:Nx \l__physicx_tmp_tl
1742
                   {
1743
                     \exp_after:wN
1744
                     \physicx_matrix_use_r_c:nn
1745
                     #3 {{##1}} {{###1}}
1746
                 #4 \l_physicx_tmp_tl {##1} {###1}
1748
                 \tl_put_right:Nn \l__physicx_matrix_body_tl { & }
              }
            \tl_set:Nx \l__physicx_tmp_tl
              {
                 \exp_after:wN
1753
                 \physicx_matrix_use_r_c:nn
1754
                 #3 {{##1}} {{ \int_use:N #2 }}
1756
            #4 \l__physicx_tmp_tl {##1} { \int_use:N #2 }
1757
            \tl_put_right:Nx \l__physicx_matrix_body_tl
1758
               { \__physicx_matrix_sep: }
1760
        \int_step_inline:nn { #2 - 1 }
            \tl_set:Nx \l__physicx_tmp_tl
1763
              {
1764
                 \exp_after:wN
1765
                 \physicx_matrix_use_r_c:nn
1766
                 #3 {{ \int_use:N #1 }} {{##1}}
1767
1768
```

__physicx_matrix_generate_body:NNNN

1769

#4 \l_physicx_tmp_tl { \int_use:N #1 } {##1}

```
}
                                       \tl_set:Nx \l__physicx_tmp_tl
                                         {
                              1773
                                           \exp_after:wN
                              1774
                                           \physicx_matrix_use_r_c:nn
                              1775
                                           #3 {{ \int_use:N #1 }} {{ \int_use:N #2 }}
                              1776
                              1777
                                       #4 \l__physicx_tmp_tl { \int_use:N #1 } { \int_use:N #2 }
                              1778
                              1779
                             (End\ definition\ for\ \_\_physicx\_matrix\_generate\_body:NNNN.)
\ physicx matrix appto body e:nnn
\_physicx_matrix_appto_body_e:off
                                  \cs_new:Npn \__physicx_matrix_appto_body_e:nnn #1#2#3
\_physicx_matrix_appto_body_e:xff
                              1781
\ physicx matrix appto body ne:nnn
                                       \tl_put_right:Nx \l__physicx_matrix_body_tl
                              1782
\ physicx matrix appto body ne:off
                                           \text_expand:n
\__physicx_matrix_appto_body_ne:xff
                                              {
                                                \physicx@matrixelement {#1}
                              1786
                                                  { \__physicx_matrix_row_iterate:n {#2} }
                              1787
                                                  { \__physicx_matrix_col_iterate:n {#3} }
                              1788
                                             }
                              1789
                                         }
                              1790
                                  \cs_generate_variant:Nn \__physicx_matrix_appto_body_e:nnn {    off, xff }
                              1792
                                  \cs_new:Npn \__physicx_matrix_appto_body_ne:nnn #1#2#3
                              1793
                              1794
                                       \tl_put_right:No \l__physicx_matrix_body_tl
                              1795
                                         {
                              1796
                                           \physicx@matrixelement {#1}
                                              { \__physicx_matrix_row_iterate:n {#2} }
                              1798
                                              { \__physicx_matrix_col_iterate:n {#3} }
                              1799
                              1800
                              1801
                                  \cs_generate_variant:Nn \__physicx_matrix_appto_body_ne:nnn { off, xff }
                             (End\ definition\ for\ \_physicx\_matrix\_appto\_body\_e:nnn\ and\ \_physicx\_matrix\_appto\_body\_ne:nnn.)
    \_physicx_matrix_transpose:N
                                  \cs_new:Npn \__physicx_matrix_transpose:N #1 % generate body command
                              1803
                              1804
                                       \bool_if:NTF \l__physicx_matrix_transpose_bool
                              1805
                                         {
                              1806
                                           #1
                              1807
                                              \l__physicx_matrix_cols_int
                              1808
                                              \l__physicx_matrix_rows_int
                              1809
                                              \use_ii_i:nn
                              1810
                              1811
                                         {
                              1812
                              1813
                                              \l__physicx_matrix_rows_int
                              1814
                                              \l__physicx_matrix_cols_int
                              1815
                                              \use:nn
                              1816
```

\tl_put_right:Nn \l__physicx_matrix_body_tl { & }

```
}
                           1817
                           1818
                           (End definition for \__physicx_matrix_transpose:N.)
\__physicx_matrix_sep:
                               \cs_new:Npn \__physicx_matrix_sep:
                           1819
                           1820
                                    \dim_compare:nNnTF \l__physicx_matrix_sep_dim = \c_zero_dim
                           1821
                                      { \\ } { \\[\dim_use:N \l__physicx_matrix_sep_dim] }
                           1822
                           1823
                           (End definition for \__physicx_matrix_sep:.)
\physicx_construct:nnn
                          Final construct. First is adi (array, diag, item), then 'last-col', 'last-row' and dots, then
                           infinite, then 'ending' key.
                               \cs_new:Npn \physicx_construct:nnn #1#2#3
                           1824
                                  {
                           1825
                                    \l__physicx_matrix_beginning_tl
                           1826
                                    \__physicx_adi:nnn {#1} {#2} {#3}
                            1827
                                    \tl_if_empty:NF \l__physicx_matrix_last_col_tl
                            1828
                            1829
                                        \int_incr:N \l__physicx_matrix_cols_int
                            1831
                                        \__physicx_matrix_last_aux_c:
                                        \int_incr:N \l__physicx_matrix_cols_int
                            1832
                                      }
                           1833
                                    \tl_if_empty:NF \l__physicx_matrix_last_row_tl
                           1834
                                      {
                           1835
                                        \int_incr:N \l__physicx_matrix_rows_int
                           1836
                                        \__physicx_matrix_last_aux_r:
                           1837
                                        \int_incr:N \l__physicx_matrix_rows_int
                            1838
                                      }
                            1839
                                    \bool_lazy_or:nnF
                                      { \tl_if_empty_p:N \l__physicx_matrix_last_row_tl }
                                      { \tl_if_empty_p:N \l__physicx_matrix_last_col_tl }
                            1843
                                        \physicx_matrix_set_r_c:nnn
                            1844
                                           { \int_eval:n { \l__physicx_matrix_rows_int - 1 } }
                            1845
                                           { \int_eval:n { \l__physicx_matrix_cols_int - 1 } }
                           1846
                                           { \ddots }
                           1847
                                      }
                            1848
                                    \bool_if:NT \l__physicx_matrix_infinite_bool
                            1849
                            1850
                                        \int_incr:N \l__physicx_matrix_rows_int
                                        \int_incr:N \l__physicx_matrix_cols_int
                            1852
                           1853
                                        \__physicx_matrix_last_aux_c:
                                        \__physicx_matrix_last_aux_r:
                           1854
                                        \physicx_matrix_set_r_c:nnn
                           1855
                                           { \int_use:N \l__physicx_matrix_rows_int }
                           1856
                                           { \int_use:N \l__physicx_matrix_cols_int }
                           1857
                                           { \ddots }
                           1858
                            1859
                                    \label{local_physicx_matrix_ending_tl} $$ 1__physicx_matrix_ending_tl $$
                           1860
```

}

1861

```
\cs_new:Npn \__physicx_matrix_last_aux_c:
     {
1863
        \int_step_inline:nn \l__physicx_matrix_rows_int
1864
1865
            \physicx_matrix_set_r_c:nnn
1866
              {##1} { \int_use:N \l__physicx_matrix_cols_int }
1867
              { \cdots }
1868
          }
1869
     }
    \cs_new:Npn \__physicx_matrix_last_aux_r:
1872
     {
        \int_step_inline:nn \l__physicx_matrix_cols_int
1873
1874
            \physicx_matrix_set_r_c:nnn
1875
              { \int_use:N \l__physicx_matrix_rows_int } {##1}
1876
              { \vdots }
1877
          }
1878
     }
```

(End definition for \physicx_construct:nnn. This function is documented on page ??.)

1.3.3 Define new matrix command

```
\_physicx_new_matrix_cmd:NNN
  \newgeneralmatrix
                        \cs_new:Npn \__physicx_new_matrix_cmd:NNN #1#2#3
  \NewGeneralMatrix
                        1881
 \newdiagonalmatrix
                                \NewDocumentCommand #2 { t+ m o o m m }
                        1882
 \NewDiagonalMatrix
                        1883
                                    \IfBooleanTF {##1}
    \newcommamatrix
                        1884
                                      {
    \NewCommaMatrix
                                         \IfNoValueTF {##3}
                                           { \newcommand ##2 { #1 + [##5] {##6} } }
                        1887
                                           {
                        1888
                                             \IfNoValueTF {##4}
                        1889
                                               { \newcommand ##2 [##3] { #1 + [##5] {##6} } }
                        1890
                                               { \newcommand ##2 [##3] [##4] { #1 + [##5] {##6} } }
                        1891
                        1892
                                      }
                        1893
                                      {
                        1894
                                         \IfNoValueTF {##3}
                                           { \newcommand ##2 { #1 [##5] {##6} } }
                                           {
                                             \IfNoValueTF {##4}
                                               { \newcommand ##2 [##3] { #1 [##5] {##6} } }
                        1899
                                               { \newcommand ##2 [##3] [##4] { #1 [##5] {##6} } }
                        1900
                                           }
                        1901
                                      }
                        1902
                                  }
                        1903
                                \NewDocumentCommand #3 { t+ m m m m }
                        1904
                        1905
                                    \IfBooleanTF {##1}
                                      { \NewDocumentCommand ##2 {##3} { #1 + [##4] {##5} } }
                        1907
                                      { \NewDocumentCommand ##2 {##3} { #1
                                                                                  [##4] {##5} } }
                        1908
                                  }
                        1909
```

```
}
1910
    \__physicx_new_matrix_cmd:NNN \diagonalmatrix \newdiagonalmatrix \NewDiagonalMatrix
1911
    \__physicx_new_matrix_cmd:NNN \commamatrix \newcommamatrix \NewCommaMatrix
1912
    \NewDocumentCommand \newgeneralmatrix { t+ m o o m }
1913
1914
        \IfBooleanTF {#1}
1915
1916
             \IfNoValueTF {#3}
1917
               { \newcommand #2 { \generalmatrix + {#5} } }
               {
                 \IfNoValueTF {#4}
                   { \newcommand #2 [#3] { \generalmatrix + {#5} } }
1921
                   { \newcommand #2 [#3] [#4] { \generalmatrix + {#5} } }
1922
               }
1923
          }
1924
1925
             \IfNoValueTF {#3}
1926
               { \newcommand #2 { \generalmatrix {#5} } }
1927
                 \IfNoValueTF {#4}
                   { \newcommand #2 [#3] { \generalmatrix {#5} } }
                     \newcommand #2 [#3] [#4] { \generalmatrix {#5} } }
1931
               }
1932
          }
1933
      }
1934
    \NewDocumentCommand \NewGeneralMatrix { t+ m m m }
1935
1936
        \IfBooleanTF {#1}
1937
          { \NewDocumentCommand #2 {#3} { \generalmatrix + {#4} } }
1938
          { \NewDocumentCommand #2 {#3} { \generalmatrix
1939
1940
(End definition for \__physicx_new_matrix_cmd:NNN and others. These functions are documented on
page ??.)
1941 (/package)
```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

```
Symbols
                           \absolutevalue ......
                           \acomm ..... 718
 \aftergroup ..... 232
\anticommutator ..... <u>718</u>
\{ ..... 417, 647, 666, 684, 725, 750
                           \AtBeginDocument . 267, 290, 303, 314, 331
 ..... 417, 647, 668, 684, 725, 750
                                       \mathbf{B}
                           \begin ..... 422,
\A ..... 177, 182
                               423, 424, 425, 426, 427, 428, 431,
\abs ..... 718
                               432, 433, 434, 435, 436, 437, 438,
```

439, 440, 441, 442, 443, 444, 445,	clist commands:
446, 447, 667, 670, 674, 677, 678,	\clist_clear:N 1086
679, 684, 685, 689, 692, 693, 694,	\clist_concat:NNN 1093
1055, 1056, 1057, 1058, 1059, 1060,	\clist_if_empty:nTF 237
1061, 1064, 1065, 1066, 1067, 1068,	\clist_if_in:NnTF 1421
1069, 1070, 1071, 1072, 1073, 1074,	\clist_map_break:n 191, 203
1075, 1076, 1077, 1078, 1079, 1080	\clist_map_inline:nn 82, 187, 199, 1091
\bgroup 231, 233	\clist_new:N 50, 817, 818
\Big 700	\clist_put_right:Nn 967, 973, 1412
\big 700	\clist_set:Nn 1083
\Bigg 700	\clist_set_eq:NN 1388
\bigg 700	\c_empty_clist 1388
\Biggl 707	\comm
\biggl 706	\commamatrix 32, <u>1582</u> , 1912
\Biggr 707	\commutator
\biggr 706	\crossproduct 299
\Bigl 705	cs commands:
\bigl 704	\cs:w 32, 33, 996
\Bigr 705	\cs_end: 32, 33, 772, 996
\bigr 704	\cs_generate_variant:Nn
\boldsymbol 221	3, 4, 5, 6, 89, 92, 213,
bool commands:	488, 628, 1256, 1394, 1451, 1792, 1802
\bool_case_false:n 617, 618, 625	$\texttt{\cs_gset_eq:NN} \dots 40, 41, 42$
\bool_case_true:nTF 702, 1468	\cs_if_exist:NTF 394
\bool_if:NTF	$\cs_{if}_{exist_p:N}$ 1474 , 1479
21, 26, 85, 210, 265, 306, 312, 325,	\cs_if_exist_use:NTF 37
631, 633, 637, 1130, 1185, 1192,	$\cs_{if_free:NTF} \dots 335$
1202, 1210, 1222, 1229, 1233, 1240,	\cs_new:Npn
1244, 1508, 1633, 1721, 1805, 1849	7, 110, 135, 143, 146, 162, 173,
\bool_if_p:N 1506, 1594	185, 219, 223, 227, 231, 232, 233,
\bool_if_p:n	234, 235, 455, 467, 538, 548, 560,
\bool_lazy_and_p:nn 1473, 1478	597, 604, 629, 698, 844, 1045, 1047,
\bool_lazy_or:nnTF 31,	1249, 1257, 1285, 1298, 1309, 1319,
137, 152, 470, 475, 1504, 1592, 1840	1345, 1384, 1386, 1395, 1396, 1430, 1452, 1526, 1531, 1567, 1624, 1651,
\bool_new:N	1668, 1680, 1719, 1735, 1780, 1793,
9, 10, 11, 12, 13, 51, 66, 533,	1803, 1819, 1824, 1862, 1871, 1880
535, 809, 810, 811, 819, 833, 841, 842	\cs_new_eq:NN
\bool_set:Nn 544, 545, 1697	145, 172, 803, 823, 832, 1317
\bool_set_false:N	\cs_new_nopar:Npn 762, 770, 779, 781,
. 95, 198, 277, 1118, 1146, 1161, 1278	786, 792, 825, 826, 829, 830, 831, 1607
\bool_set_inverse:N 879, 1005	\cs_new_protected:Nn 1128
\bool_set_true:N 140,	\cs_new_protected:Npn 67,
155, 165, 205, 263, 276, 1117, 1150,	72, 77, 90, 93, 215, 333, 337, 343, 349
1154, 1165, 1169, 1272, 1571, 1577	\cs_new_protected_nopar:Npn
\c_false_bool 662, 682	
\c_true_bool 645, 655, 662, 682	\cs_set:Nn
\Bqty <u>718</u>	1010, 1011, 1012, 1013, 1014, 1015
\bqty <u>718</u>	\cs_set:Npn
	114, 116, 124, 126, 289, 493,
C	499, 503, 721, 731, 732, 748, 753,
\cdots 905, 1184, 1187, 1188, 1191, 1193, 1224, 1225, 1228, 1230, 1868	754, 755, 885, 894, 903, 912, 921, 930 \cs_set:Npx

\cs_set_eq:NN . 69, 70, 74, 75, 221, 225, 229, 269, 270, 271, 304, 305, 306, 317, 318, 319, 328, 801, 854, 856, 858, 861, 867, 869, 883, 892, 901, 910, 919, 928, 946, 949, 952, 955, 958, 1132, 1136, 1263, 1268, 1273, 1279, 1510, 1514, 1723, 1727 \cs_set_nopar:Npn 1572, 1578 \cs_set_protected:Npn	\exp_args:Nnno 1423, 1458 \exp_args:NNnx 351 \exp_args:Nno 189, 201 \exp_args:NNx 513 \exp_args:No 923, 932, 1034, 1405 \exp_args:NV 1638, 1646 \exp_end: 8 \exp_not:N 8, 397, 515, 516, 517, 568, 937 \exp_not:n 572, 573, 773, 775, 823, 854, 858 \exp_stop_f: 563, 570, 1321, 1324, 1347, 1359
D	${f F}$
\ddots 905, 1211, 1242, 1847, 1858 \DeclareDocumentCommand 291,	\fbraces
\dotproduct	\group_end: 465, 1126, 1524, 1605, 1710
\dotproduct	\group_end: 465, 1126, 1524, 1605, 1710
E \egroup	
E \egroup	\group_end: 465, 1126, 1524, 1605, 1710 H \hat

\int_compare:nTF	\mathclose 231, 233 \mathopen 231, 233 \matrixquantity 643 \mqty 718 msg commands: \msg_error:nnn 1283 \msg_error:nnnn 409, 1040 \msg_new:nnn 60 \msg_new:nnn 54
764, 766, 1119, 1120, 1147, 1162, 1630	${f N}$
\int_set_eq:NN	\nabla
\int_step_inline:nnn	1918, 1921, 1922, 1927, 1930, 1931
	\NewDiagonalMatrix
\int_use:N 1548,	\newdiagonalmatrix <u>1880</u>
1557, 1564, 1755, 1757, 1767, 1769,	\newdif
1776, 1778, 1856, 1857, 1867, 1876 \int_zero:N	\NewDocumentCommand 354, 414, 487, 489, 520, 522, 1049, 1882, 1904,
\inteval 29, 1474, 1475	1907, 1908, 1913, 1935, 1938, 1939
, ,	\NewGeneralMatrix <u>1880</u>
K	\newgeneralmatrix $\underline{1880}$
keys commands:	NewXQuantity 455
\keys_define:nn	\newxquantity 455
216, 240, 368, 370, 847, 849	\nobreak
lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	\norm
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189, 192, 201, 206, 390, 394, 397, 1034, 1037 \l_keys_path_str 410, 1041	\norm
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{\text{O}} \ \ \text{O} \ \text{OOrder} \ \ \text{coorder} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{\text{O}} \text{O} \text{OOrder} \ \frac{758}{\text{corder}} \ \frac{718}{\text{operatorname}} \ \text{307, 308}
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{\tau} O \OOrder \ 758 \oorder \ 718 \operatorname \ 307, 308 or commands:
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \text{OOrder} \ \frac{758}{00rder} \ \text{oorder} \ \frac{718}{307, 308} \text{or commands:} \text{or:} \ \frac{571}{572, 573}
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{\tau} O \OOrder \ 758 \oorder \ 718 \operatorname \ 307, 308 or commands:
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \frac{718}{\tau} O \tag{00rder} \frac{758}{\tau} \tau \corder \frac{718}{307, 308} \text{or commands:} \tau \corder \frac{571}{572}, 573 \tag{18}
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \text{OOrder} \ \tag{758}{\text{oorder}} \ \text{758}{\text{oorder}} \ \text{307}, \frac{308}{308} \text{or commands:} \text{or:} \ \frac{571}{572}, \frac{573}{573} \text{order} \ \text{282}{\text{ordersymbol}} \ \frac{282}{281} \text{ordersymbol} \ \frac{281}{281}
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \text{OOrder} \ \frac{758}{00rder} \ \frac{718}{00rder} \ \frac{718}{307}, \frac{308}{308} \text{or commands:} \text{or:} \ \frac{571}{572}, \frac{573}{573} \text{order} \ \frac{718}{00rder symbol} \ \frac{282}{281} \text{ordersymbol} \ \frac{281}{281}
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \text{OO} \text{OOrder} \ 758 \text{\corder} \ 718 \text{\corder} \ 307, 308 \text{\corder} \ \text{\corder} \ \text{\corder} \ 718 \text{\corder} \ 282 \text{\corder symbol} \ 281 \text{\corder symbol} \ 281
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \textbf{O} \text{OOrder} \ 758 \\ \text{\corder} \ 718 \\ \text{\core} \ 307, 308 \\ \text{or} \ \text{\corder} \ 718 \\ \text{\corder} \ 282 \\ \text{\corder} \ 281 \\ \text{\corder} \ 287 \\ \text{\corder} \ 237 \\ \text{\corder} \ 718 \\ \text{\corder} \\ 718 \\ \text{\corder} \\ 718 \\ \text{\corder} \\ 718 \\ \text{\corder} \\ 718 \\ 718 \\ 718 \\ \text{\corder} \\ 718 \\ \text
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \text{OO} \text{OOrder} \ 758 \text{\corder} \ 718 \text{\corder} \ 307, 308 \text{\corder} \ \text{\corder} \ \text{\corder} \ 718 \text{\corder} \ 282 \text{\corder symbol} \ 281 \text{\corder symbol} \ 281
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \frac{718}{0} \textbf{O} \text{OOrder} \ 758 \\ \text{\corder} \ 718 \\ \text{\core} \ 307, 308 \\ \text{or commands:} \\ \text{\core} \ 571, 572, 573 \\ \text{\corder} \ 718 \\ \text{\corder} \ 718 \\ \text{\corder} \ 282 \\ \text{\corder} \ 281 \\ \text{\corder} \ PassOptionsToPackage \ 237 \\ \text{\pb} \ 718 \\ \text{peek commands:} \\ \text{\corder} \ 718 \\ \text{\corder} \\ \text{\corder} \ 718 \\ \text{\corder} \\ 718 \\ 7
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \ \frac{718}{\text{O}} \ \ \text{OUrder} \ \ \text{758} \ \text{\corder} \ \ \text{718} \ \text{\corder} \ \ \text{307}, \ \text{308} \ \text{\corder} \ \text{\corder} \ \ \text{\corder} \ \text{\corder} \ \ \text{\corder} \ \ \text{\corder} \ \ \text{\corder} \ \c
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \ \frac{718}{\text{O}} \ \ \text{OUrder} \ \ \text{758} \ \text{\corder} \ \ \text{718} \ \text{\corder} \ \ \text{307}, \ \text{308} \ \text{\corder} \ \ \t
\keys_if_exist:nnTF 189, 201 \lambda_key_key_str 189,	\norm \ \ \frac{718}{\text{O}} \ \ \text{OUrder} \ \ \text{758} \ \text{\corder} \ \ \text{718} \ \text{\corder} \ \ \text{307}, \ \text{308} \ \text{\corder} \ \ \ \text{\corder} \ \
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \ \frac{718}{\text{O}} \ \ \text{OUrder} \ \ \text{758} \ \text{\corder} \ \ \text{718} \ \text{\corder} \ \ \text{307}, \ \text{308} \ \text{\corder} \ \ \t
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \ \frac{718}{\text{O}} \ \ \text{OUrder} \ \ \text{758} \ \text{\corder} \ \ \text{718} \ \text{\corder} \ \ \text{307}, \ \text{308} \ \text{\corder} \ \ \ \text{\corder} \ \
\keys_if_exist:nnTF 189, 201 \l_keys_key_str 189,	\norm \ \ \frac{718}{O} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

\physicx_declare_legacy_quantity:nnNn	\physicx_set_parse_range
$\dots 531, 548, 642, 644, 654, 661, 681$	delimiter:n 110, 134
\physicx_if_num:n 175	\physicx_short: 19
\physicx_if_num:nTF	\physicx_unimath: 44
	\physicx_unimath:TF 40, 41, 42, 288
\physicx_if_num_sign:n 180	\physicx_use_amssymb_type: . 219, 287
\physicx_left: 231, 478, 612, 712	\physicx_use_uni_bf_type: 227
	\physicx_use_uni_bfit_type: 223, 286
\physicx_left:N	\physicx_xquantity:nn
233, 480, 704, 705, 706, 707	<u>455</u> , 455, 487, 509, 512, 525, 526
\physicx_mathtools: 24	physicx internal commands:
\physicx_mathtools:TF 429, 1062	
\physicx_matrix_array_parse:n	_physicx_adi:nnn 844, 1010,
1430, 1430 , 1451 , 1702	1011, 1012, 1013, 1014, 1015, 1827
\physicx_matrix_array_parse	\l_physicx_begin_range_int
main: $\underline{1452}$, 1452 , 1704	
\physicx_matrix_diag_parse:n	103, 148, 149, 153, 154, 158, 164, 168
	\l_physicx_cmd_arg_int
1249, 1256, 1495, 1499, 1500, 1706	537, 543, 562, 563, 570
\physicx_matrix_item_parse:n	\lphysicx_cmd_arg_spec_tl
974, <u>1386</u> , 1386, 1394, 1503, 1707	536, 542, 555, 564
\physicx_matrix_new_type:nn	$local_loc$
	$\dots \dots $
\physicx_matrix_new_type:nnn	\lphysicx_cmd_auto_body_tl
	$\dots \dots $
\physicx_matrix_set_r_c:nnn 803,	\lphysicx_cmd_noauto_body_bool
946, 949, 952, 955, 958, 1304, 1312,	$\dots \dots $
	\lphysicx_cmd_noauto_body_tl
1327, 1336, 1353, 1365, 1376, 1423,	$\dots \dots 532, 540, 556, 579, 580$
1447, 1458, 1844, 1855, 1866, 1875	\lphysicx_col_list_seq
\physicx_matrix_use_r_c:nn	821, 875, 1575, 1579
770, 1540, 1547,	\physicx_commamatrix_enhanced:
1556, 1563, 1745, 1754, 1766, 1775	1595, 1624
\physicx_new_type:nnn	_physicx_commamatrix_enhanced
$\dots \dots $	aux:nNn 1638, 1646, 1651
\physicx_option_or:nn 29	_physicx_commamatrix_enhanced
\physicx_option_or:nnTF	aux_e:nnn 1639, 1668
719, 729, 747, 751	_physicx_commamatrix_enhanced
\c_physicx_Order_tl 218, 282, 739, 759	aux_ne:nnn 1647, 1680
\c_physicx_order_tl 217, 281, 743, 761	\g_physicx_compat_bool
\physicx_parse_range:nnN	
90, 92, 1401, 1403	_physicx_declare_init: <u>1567</u>
\physicx_parse_range:nnnN	
62, 77, 89, 91	_physicx_declare_init:nnn 538, 550
\physicx_parse_range_check:	_physicx_declare_legacy
	quantity_aux:nnnn 560, 601
	_physicx_declare_legacy
\physicx_parse_range_nocheck:	quantity_aux:NNnnn 553, 604, 628
	\physicx_declare_legacy
\physicx_qxmatrix:nnn 1124, 1128	quantity_aux:nw 551, 597, 602
\physicx_right: 232, 478, 612, 712	$_{\tt physicx_diagonalmatrix_diag\}$
\physicx_right:N	main: 1273, 1279, 1317, 1322
$\dots \dots 234, 482, 704, 705, 706, 707$	$_{\tt physicx_diagonalmatrix_ extsf{-}}$
\physicx_search_also:nn	enhanced:nnn $1510, 1514, 1529$
185, 196, 213, 214	\physicx_diagonalmatrix
\nhygicy search also:nnTF 403 1026	generate hody:NNN 1599 1531

\physicx_diagonalmatrix	1180, 1181, 1187, 1188, 1193, 1198,
generate_enhanced_body:NNN	1205, 1207, 1209, 1211, 1212, 1214,
$\dots \dots $	1218, 1219, 1224, 1225, 1230, 1236,
\physicx_diagonalmatrix_no	1237, 1239, 1241, 1242, 1537, 1544,
$diag: \dots 1280, 1309, 1318$	1553, 1560, 1601, 1613, 1620, 1626,
\physicx_diagonalmatrix_set	1658, 1749, 1758, 1770, 1782, 1795
diag: 1274, 1298	\physicx_matrix_calc:nn
_physicx_do_nothing: 115	762, 867, 1264
\lphysicx_end_range_int 63,	\physicx_matrix_col_iterate:n .
105, 106, 150, 151, 154, 158, 164, 168	829, 962, 1578, 1676, 1686, 1788, 1799
_physicx_expand:w 823, 854,	\lphysicx_matrix_cols_int
856, 858, 861, 1289, 1400, 1434, 1591	
_physicx_fixdif:Nn 339, 349	815, 864, 1120, 1159, 1162, 1178,
_physicx_fixdif:Nnn . 339, 343, 351	1208, 1216, 1238, 1245, 1246, 1300,
\g_physicx_fixdif_bool 256, 306, 325	1303, 1307, 1355, 1367, 1378, 1403,
_physicx_fixdif_list:N 330, 333	1456, 1616, 1617, 1808, 1815, 1830,
_physicx_generalmatrix: 1708, 1719	1832, 1846, 1852, 1857, 1867, 1873
_physicx_generalmatrix	
generate:nnn 1723, 1727, 1732	\l_physicx_matrix_diag_bool
	819, 1272, 1278
_physicx_if_can_num:n <u>1463</u> , 1463 _physicx_if_keyval:nTF <u>173</u> , 1498	\physicx_matrix_diag_calc:nn
\l_physicx_invalid_range_bool	1330, 1339, 1348, 1360, 1371, 1384
	\l_physicx_matrix_diag_clist
\l_physicx_item_ignore_clist	817, 965, 967, 1495, 1706
	\physicx_matrix_diag_parse
_physicx_loadpackage_options:nnn	aux:n 1252, 1257
235, 246, 248, 250	\physicx_matrix_diag_parse
\g_physicx_mathtools_bool	aux:nn 1253, 1285
9, 26, 276, 277	\physicx_matrix_diag_parse
_physicx_matrix_add_data:nn	aux_anti:n 1293, 1345
$\dots \dots $	\physicx_matrix_diag_parse
\lphysicx_matrix_after_begin	aux_regu:n 1296, 1319
tl 839, 986, 988, 1619	\l_physicx_matrix_dotcol_bool
\lphysicx_matrix_after_end_tl .	
840, 989, 991, 1621	1169, 1185, 1210, 1222, 1240, 1244
\physicx_matrix_appto_body	\lphysicx_matrix_dotrow_bool
e:nnn	810, 1146, 1150, 1154, 1202
1133, 1511, 1724, <u>1780</u> , 1780, 1792	
\physicx_matrix_appto_body	_physicx_matrix_element
ne:nnn	aux:nnn 883, 889, 892, 898,
1137, 1515, 1728, <u>1780</u> , 1793, 1802	901, 907, 910, 916, 919, 925, 928, 933
\lphysicx_matrix_args_tl	\physicx_matrix_end: 982, 1621
838, 984, 985, 1619	\physicx_matrix_end:w 831
\lphysicx_matrix_array_tl	\lphysicx_matrix_ending_tl
812, 851, 1590,	$\dots \dots $
1591, 1597, 1599, 1602, 1629, 1702	\lphysicx_matrix_enhanced_bool
_physicx_matrix_autocalc:nn	$\dots \dots 842, 1002, 1005, 1506, 1594$
832, 867, 869, 1385, 1436, 1442	\physicx_matrix_enhanced_init:
_physicx_matrix_begin:w	
	\lphysicx_matrix_expand
\l_physicx_matrix_beginning_tl .	element_bool 833,
	941, 1130, 1508, 1571, 1577, 1633, 1721
\l_physicx_matrix_body_tl	\physicx_matrix_generate
	body: NNNN 1528, 1731, 1734, 1735

\lphysicx_matrix_infinite_bool	$\label{local_physicx_matrix_transpose} \$
809, 876, 879, 1117,	bool 841, 997, 1805
1118, 1192, 1229, 1233, 1697, 1849	\lphysicx_max_range_int
\lphysicx_matrix_item_clist	\dots 64, 81, 105, 138, 150, 151, 153
$\dots \dots 818, 971, 973, 1503, 1707$	\lphysicx_min_range_int
\physicx_matrix_item_parse	$\dots \dots 65, 80, 102, 139, 148, 149$
aux:n 1390, 1395	\physicx_nabla: 328, 331
\physicx_matrix_item_parse	\physicx_nauto_case:nnnn . 606, 629
aux:nn 1391, 1396	$_{\tt physicx_new_matrix_cmd:NNN}$
\physicx_matrix_last_aux_c:	<u>1880</u> , 1880, 1911, 1912
	$_{\tt physicx_new_xquantity_aux:w}$
\physicx_matrix_last_aux_r:	$\dots \dots $
	\g_physicx_original_bool 257, 312
\lphysicx_matrix_last_col_tl	\physicx_parse_range_action:nnn
828, 964, 1828, 1842	
\lphysicx_matrix_last_row_tl	\physicx_parse_range_aux:n 84, 93
827, 963, 1834, 1841	\physicx_parse_range_aux:w
\lphysicx_matrix_main_tl	
816, 871, 1459, 1700	\physicx_parse_range_range:
\physicx_matrix_row_iterate:n .	
826, 961, 1572, 1675, 1685, 1787, 1798	\physicx_parse_range_range
\lphysicx_matrix_rows_int	check:
	_physicx_parse_range_range
1144, 1147, 1172, 1194, 1306, 1401,	nocheck:
1454, 1630, 1661, 1809, 1814, 1836,	_physicx_parse_range_single:n .
1838, 1845, 1851, 1856, 1864, 1876	
\physicx_matrix_save_or_print:	_physicx_parse_range_single
$\dots \dots 1125, 1523, 1604, 1607, 1709$	check:n
\lphysicx_matrix_save_tl	_physicx_parse_range_single
$\dots \dots $	nocheck:n 74, 143
\physicx_matrix_sep:	\g_physicx_physics_bool 10
$\dots \dots 1198, 1205, 1212, 1236,$	\lphysicx_quantity_args_tl 360, 382, 383, 462
1548, 1598, 1664, 1759, 1819, 1819	\lphysicx_quantity_code_tl
\lphysicx_matrix_sep_dim	
$\dots \dots 843, 992, 1821, 1822$	\l_physicx_quantity_left_size
\physicx_matrix_set_data:nn	tl 362, 376, 471, 476, 480
	\l_physicx_quantity_left_tl
\physicx_matrix_set_r_c	
$\texttt{ckall:nnn} \dots 801, 959$	\l_physicx_quantity_post_tl
\physicx_matrix_set_r_c	
$\texttt{ckep:nnn} \dots 786, 950$	\l_physicx_quantity_pre_tl
\physicx_matrix_set_r_c	
$\texttt{ckig:nnn} \dots 781, 953$	\l_physicx_quantity_right_size
\physicx_matrix_set_r_c	t1 366, 377, 472, 477, 482
$\texttt{ckigep:nnn} \dots 792, 802, 956$	\lphysicx_quantity_right_tl
\physicx_matrix_set_r_c	
nock:nnn	_physicx_qxmatrix_appto
<pre>\lphysicx_matrix_tmparr_c_sep .</pre>	body:nnn 1132, 1136,
1441, 1444, 1445	1176, 1182, 1189, 1215, 1220, 1226
<pre>\lphysicx_matrix_tmparr_r_sep .</pre>	\gphysicx_reqty_bool
1435, 1437, 1439	
_physicx_matrix_transpose:N	\lphysicx_row_list_seq
1520 1730 1803 1803	820 873 1560 1573

$g_physicx_short_bool 12, 21, 244$	$\verb \ProcessKeysPackageOptions 260 $
$\label{local_physicx_tmp_col_seq} $$1physicx_tmp_col_seq 1653, 1656$	
<pre>\lphysicx_tmp_coled_seq</pre>	Q
$\dots \dots 1655, 1660, 1670, 1682$	\qty <u>718</u>
$\label{local_physicx_tmp_colnum_seq} \ldots$	\quantity <u>643</u> , 721
1404, 1410, 1419	quark commands:
\lphysicx_tmp_rownum_seq	\q_nil 115
1402, 1408, 1417	\q_physicx_special . 115, 116, 125, 126
$\label{local_physicx_tmp_seq} \ \ldots \ \ldots$	\quark_if_nil:nTF 120
1628, 1631, 1635, 1643	\quark_if_recursion_tail_stop:n .
$\label{local_physicx_tmp_tl} \ \ \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	
$\dots 565, 579, 591, 1742, 1748,$	\q_recursion_stop 552
1751, 1757, 1763, 1769, 1772, 1778	\q_recursion_tail 552
$\label{local_physicx_tmpa_bool} 1_physicx_tmpa_bool 51, 198, 205, 210$	\qxmatrix <u>1104, 1716</u>
$\label{local_local_local_local_local} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	\qxqty 529
\lphysicx_tmpa_int	R
\dots 52, 1627, 1637, 1639, 1645, 1647	\rangle 421, 651, 678, 693
\lphysicx_tmpa_seq	\rbrace
86, 96, 141, 144, 159, 169	\Re
\lphysicx_tmpa_tl	\real
\dots 101, 103, 118, 119, 128, 390, 391	regex commands:
$\label{local_physicx_tmparr_tl} \ \ldots \ \ldots$	\regex_match:nnTF 177, 182, 923, 932
1432, 1433, 1434, 1435	\renewdif 330, 331
$\label{local_physicx_tmpb_int} 1_physicx_tmpb_int 53$	\RequirePackage
\lphysicx_tmpb_tl 104, 106, 129	\rgroup 675, 690
\lphysicx_tmpdiag_seq 1290, 1301,	\right 232, 452, 477, 668,
1311, 1314, 1315, 1325, 1331, 1332,	675, 678, 684, 685, 690, 692, 693, 694
1334, 1340, 1341, 1349, 1350, 1351,	\rVert 735
1361, 1362, 1363, 1372, 1373, 1374	
\lphysicx_tmpdiag_tl	${f S}$
1287, 1288, 1289, 1290	\sb 825, 1175, 1180, 1187, 1214, 1218, 1224
\l_physicx_tmpitem_tl	scan commands:
	\scan_stop: 1195, 1662
_physicx_vnabla: 289, 300, 331	seq commands:
_physicx_xquantity_aux:nnnn 460, 467, 488	\c_empty_seq 79, 1655
physicxempty . 775, 789, 797, 834, 835, 943	\seq_clear:N 96
physicxempty . 773, 789, 797, 834, 833, 943 physicxexcept 837, 914, 923, 932, 938, 940	\seq_concat:NNN 86
PHYSICXIGNORE 7, 8, 783, 794, 1406	\seq_count:N 1314, 1315, 1331,
physicxset	1332, 1340, 1341, 1349, 1350, 1361,
physicxtmp 531, 1122, 1491, 1589, 1695	1362, 1372, 1373, 1437, 1444, 1631 \seq_if_empty:NTF 1569, 1575
poissonbracket	\seq_item:Nn 1573, 1579
pqty 718	\seq_nap_indexed_inline:Nn
rg commands:	1301, 1311, 1325, 1334,
\prg_generate_conditional	1351, 1363, 1374, 1439, 1445, 1656
variant:Nnn 214	\seq_map_inline:Nn
\prg_new_conditional:Npnn	
14, 19, 24, 29, 175, 180, 196, 1463	\seq_map_tokens:Nn 1635, 1643
\prg_replicate:nn 1208, 1238	\seq_new:N 820, 821
\prg_return_false: 17,	\seq_put_right:Nn
22, 27, 35, 47, 178, 183, 211, 1484	141, 144, 159, 169, 1670, 1682
\prg_return_true: 17,	\seq_set_eq:NN 79, 1655
22, 27, 34, 47, 178, 183, 211, 1466, 1483	$$>$ seq_set_split:Nnn$
\prg_set_conditional:Npnn 44	873, 875, 1290, 1435, 1441, 1628, 1653

\seq_use:Nn 1660	\tl_if_empty:nTF
\setmathfont 297	112, 459, 788, 796, 887, 1496, 1586
\setmatrixdata <u>1082</u>	\tl_if_empty_p:N . 471, 472, 1841, 1842
\setmatrixtype 1023, 1045,	\tl_if_eq:nnTF 783, 794, 1405
$1055, 1056, 1057, 1058, 1059, \overline{1060},$	\tl_if_exist:NTF 46
1061, 1064, 1065, 1066, 1067, 1068,	\tl_if_head_eq_charcode:nNTF . 1291
1069, 1070, 1071, 1072, 1073, 1074,	\tl_if_head_eq_meaning:nNTF 345, 352
1075, 1076, 1077, 1078, 1079, 1080	\tl_if_head_eq_meaning_p:nN
\setquantitytype 387, 414, 416,	
417, 418, 419, 420, 421, 422, 423,	\tl_if_in:nnTF 174, 905, 914
424, 425, 426, 427, 428, 431, 432,	\tl_if_novalue_p:n 568
433, 434, 435, 436, 437, 438, 439,	\tl_map_function:nN 330
440, 441, 442, 443, 444, 445, 446, 447	\tl_new:N 360, 361,
\smallmatrixquantity 643	362, 363, 364, 365, 366, 367, 531,
\smqty <u>718</u>	532, 534, 536, 812, 813, 816, 827,
str commands:	828, 835, 837, 838, 839, 840, 845, 846
\c_backslash_str 391	\tl_put_right:Nn
\str_case_e:nnTF 1259	. 564, 579, 580, 591, 592, 940, 988,
\str_const:Nn 806, 807, 808	991, 1018, 1021, 1175, 1180, 1181,
\str_if_eq:nnTF 584, 586	1187, 1188, 1193, 1198, 1205, 1207,
\symbf 229, 289, 331	1209, 1211, 1212, 1214, 1218, 1219,
\symbfit 225	1224, 1225, 1230, 1236, 1237, 1239,
	1241, 1242, 1537, 1544, 1553, 1560,
${f T}$	1658, 1749, 1758, 1770, 1782, 1795
T _E X and L ^A T _E X 2_{ε} commands:	$\t_replace_all:Nnn \dots 6, 1597, 1599$
\@declareparencmd 697	\tl_set:Nn 118,
\@declarequantitycmd 531	119, 128, 129, 382, 390, 459, 565,
\@dif 306	780, 784, 789, 790, 797, 798, 984,
\@ifpackageloaded	996, 1287, 1288, 1398, 1399, 1432,
	1433, 1590, 1742, 1751, 1763, 1772
\@ifstar 515	\tl_set_eq:NN 281, 282, 376, 377, 1601
\Qpkgextension	\tl_tail:N
\c@MaxMatrixCols 1001, 1616, 1617	\tl_tail:n 346, 352, 1294 \tl_trim_spaces:n 118, 119, 128, 129
\physicx@align 806, 1007, 1441, 1600, 1654	token commands:
\physicx@cr 807, 1006, 1435, 1598, 1628	\token_if_cs:NTF 1609
\physicx@matrixelement	
- ·	\token if ea meaning:NNTF 301
825 880 884 885 893	\token_if_eq_meaning:NNTF 391
	\token_if_eq_meaning_p:NN 476, 477
$894,\ 902,\ 903,\ 911,\ 912,\ 920,\ 921,$	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces 414, 1049
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797	\token_if_eq_meaning_p:NN 476, 477
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces 414, 1049
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 hysicx@sep 808, 873, 875, 1008, 1290 tex commands:	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 hypsicx@sep 808, 873, 875, 1008, 1290 tex commands: htex_advance:D	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands: \tex_advance:D 1245, 1246	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces 414, 1049 \txqty
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands: \tex_advance:D	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces 414, 1049 \txqty
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands: \tex_advance:D	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands: \text_advance:D	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands: \tex_advance:D	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands: \text_advance:D	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands:	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands:	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces
894, 902, 903, 911, 912, 920, 921, 929, 930, 937, 1674, 1684, 1786, 1797 \physicx@sep 808, 873, 875, 1008, 1290 tex commands:	\token_if_eq_meaning_p:NN 476, 477 \TrimSpaces

V		\vert . 419, 650, 657, 658, 659, 692, 724,	728
\vdots 905, 1207,	,	\vnabla	300
1209, 1211, 1237, 1239, 1241, 1	1877	\vqty	718
\vec	294	\vysmblkcircle	298
\vectimes		v	
\vectorarrow	293	\vauantity	187
\vectorbold	291	(xquantity	401
\vectorunit	295	${f z}$	
\Vert 420 652	694	\7.	182