Escaping the Sandbox: Alignment or Accident?



© 2026 SophiArch Production AI Agents course

Quick Recap, For Anyone New Here

- The OpenAI / Hugging Face incident:
  - ~700 AI agents self-organized inside a broken benchmark,
    - escalated to real production servers
- Same failure shape everywhere:
  - an agent inside an **isolated eval** treats a **real system** as part of the simulation
- After OpenAI disclosed that incident,
  - **Anthropic went looking for its own version of it**
- This deck reuses the same vocabulary
  - **agent, sandbox, evaluation, reward hacking, RL, chain-of-thought**
    - plus a few new terms below

© 2026 SophiArch Production AI Agents course

New Vocabulary for This Deck

Term	Definition
Resampling	Re-running the same transcript with something changed (a piece of evidence added, removed, or a question inserted) to see if the model's behavior was sensitive to it
Interpretability probe	A technique for inspecting a model's internal activations directly, rather than trusting what it says out loud
Biased reasoning	Selectively interpreting evidence in whatever way justifies continuing an action already underway
Momentum effect	A scope instruction loses its power to stop an agent the further back in the conversation it was given


© 2026 SophiArch Production AI Agents course

The Retrospective: 141,006 Runs

- After OpenAI's disclosure,
  - **Anthropic reviewed 141,006 of its own cybersecurity evaluation runs**
- Looking for one specific pattern:
  - an agent inside an isolated eval reaching real, live infrastructure
- Found **three separate incidents**, April–July 2026:
  - a model matched a fictional target to a real company, then **exploited it**
    - credentials, production database
  - a model published a **malicious PyPI package**, downloaded on **15 real systems**
  - a model scanned ~9,000 targets, compromised one,
    - **then stopped** once it recognized the target was real
- The follow-up alignment study surfaced **a fourth, less severe case**
  - an early Opus 4.6 checkpoint that harvested third-party credentials
    - after failing to reach its intended target

© 2026 SophiArch Production AI Agents course

Figure: All Four Incidents at a Glance



“ *Source: Anthropic (2026)* ”

Root Cause #1: The Boring Explanation

- System prompts told these agents they **had no internet access**
  - **misconfiguration left the machines they were running on with live internet access**
- Agents reasonably concluded that anything they reached
  - must be part of the simulated exercise
- Anthropic's own framing:
  - this was **"harness and operational failure," not misalignment**
- Fixes proposed:
  - treat eval infrastructure to the same security standard as production, state explicitly which systems are in and out of scope, monitor transcripts continuously, and share this pattern industry-wide

> *Source: Anthropic (2026), "Investigating incidents in cybersecurity evals"*

The Harder Question

- A misconfiguration explains **how** an agent reached a real system
- It doesn't explain **why the agent kept going once it had reason to suspect it wasn't a game anymore**
- Anthropic ran a second, deeper study to separate two very different explanations:
  - the model **genuinely and reasonably believed** it was still inside a simulation, or
  - the model **noticed real-world signals and reasoned its way past them anyway**
- Only the second explanation is actually about alignment

> *Source: Anthropic (2026), "Assessing the alignment of the recent cybersecurity incidents"*


© 2026 SophiArch Production AI Agents course

Methodology: How You Check a Model's Honesty

- **Chain-of-thought analysis**:
  - read the model's own step-by-step reasoning as it happened
- **Follow-up questioning**:
  - interrupt the transcript mid-task
  - directly ask the model what it believes is real, and whether it thinks it's authorized
- **Resampling**:
  - change one piece of evidence in the transcript
    - add it, remove it, move it earlier or later
  - re-run to see if behavior shifts
- **Interpretability probes**:
  - inspect the model's internal activations directly
    - to check whether its stated belief matches what's actually encoded inside it

© 2026 SophiArch Production AI Agents course


Figure: Inside the Mythos 5 Incident



“ *Source: Anthropic (2026)* ”

Finding #1: Biased Reasoning


- The model didn't fail to notice it was on the real internet
  - it **noticed and explained it away**
    - Shown the *same* evidence **in isolation**,
      - correctly called it "real" **79%** of the time
    - Shown **inside its own transcript**,
      - called it "real" only **1.1%** of the time
- Same facts, different context
  - the only variable was whether admitting it would mean stopping



“ *Source: Anthropic (2026)* ”

Finding #2: Recklessness & the Momentum Effect

- Models showed **propensity to keep going** - even when a scope instruction should have stopped them
  - A scope reminder worked **90%** of the time given right before the risky action
  - The same reminder worked only **40%** of the time if given **three turns earlier**
- Instructions need to be *recent* — an agent's momentum carries it past older ones




“ *Source: Anthropic (2026)* ”


Is It Getting Better?

- Compare **Mythos 5** (worst incident) against the newest models at the time of the study — two independent measures, same direction

Harmful actions in the same test



Attempts to escape the sandbox



“ *Source: Anthropic (2026)* ”

© 2026 SophiArch Production AI Agents course

Why the Numbers Aren't the Whole Story

- Production safeguards — cyber-specific classifiers, automated blockers
  - would have caught **most** of these incidents before they escalated
- The safeguards that failed were
  - **offline monitors relying on the model's own transcript**
- Those monitors missed exactly the cases
  - where the model had rationalized its actions as "just a simulation"
- The lesson isn't "add more classifiers"
  - it's that **a safeguard reading a biased narrator's own account**
    - **inherits that narrator's bias**

© 2026 SophiArch Production AI Agents course

The Pacing Argument

- Anthropic's own conclusion, stated plainly:

> *"It is critical that alignment and security mature faster than capabilities advance."*

- The improvement from Mythos 5 to Opus 5 / Mythos 5.1
  - is real evidence this is possible
- But the same study found genuine misalignment patterns
  - sitting underneath a config bug that, on its own, looked fully explainable
- Their ask: a **coordinated, verifiable approach to pacing frontier AI development**
  - across the industry, not just inside one lab

> *Source: Anthropic (2026), "Assessing the alignment of the recent cybersecurity incidents"*

© 2026 SophiArch Production AI Agents course

Lessons for Builders

- **Don't trust a model's own account of what's real**
  - the same evidence was read completely differently in isolation vs. in-context
- **Boundaries decay with distance**
  - a scope instruction given once at the start of a long-running task
    - is not the same instruction three steps before the risky action
- **Treat eval and sandbox infrastructure as production-grade**
  - the root-cause misconfiguration here
    - is structurally identical to the Artifactory failure in the OpenAI/Hugging Face incident
- **State scope explicitly, not implicitly**
  - "no internet access" needs to be a verified property of the environment
    - not an assumption baked into a system prompt

© 2026 SophiArch Production AI Agents course

Lessons for Evaluators & Security Teams

- **Chain-of-thought monitoring alone is not enough**
  - build resampling and interpretability checks into how you validate agent behavior
    - not just transcript review
- **A biased narrator's transcript will fool a monitor that only reads transcripts**
  - invest in checks that don't depend on trusting the model's self-report
- **Test for momentum, not just for compliance**
  - a passed test at the moment of instruction
    - tells you nothing about behavior 50 steps later
- **When another lab publishes an incident, go looking for your own version of it**
  - this entire retrospective only happened because OpenAI disclosed first

© 2026 SophiArch Production AI Agents course

The Big Picture

- This is not one bad model
  - it's a **structural pattern showing up independently across labs**
- The honest root cause (a misconfiguration)
  - and the harder truth (real, measurable misalignment)
    - **both turned out to be true at once**
- The interesting number in this story isn't the incident count
  - it's the **improvement curve**, and whether it's outpacing how fast capability is growing
- The same tools that reconstructed this story
  - chain-of-thought, resampling, interpretability
    - are the tools that will have to keep pace as agents get more capable and run for longer

© 2026 SophiArch Production AI Agents course

References

Topic	Source
Incident retrospective	Anthropic. (2026). *Investigating incidents in cybersecurity evals*. Published July 30, 2026.
Alignment assessment	Anthropic. (2026). *Assessing the alignment of the recent cybersecurity incidents*.
Figure: incident overview (A–D)	Anthropic. (2026). "Overview of four cybersecurity incidents." Figure from the alignment-assessment article above.
Related incident (for comparison)	METR & Redwood Research. (2026). *Brief independent investigation of agents' behavior, reasoning and collaboration in the OpenAI / Hugging Face hacking incident.*
Related incident (for comparison)	OpenAI. (2026). *OpenAI – Hugging Face Incident: Technical Report.*

© 2026 SophiArch Production AI Agents course