

This repository contains the scripts and data used to conduct the study

## “What did really improve our meso-scale hydrological model? A multi-dimensional analysis based on real observations”

By Francke et al., submitted to the journal Water Resources Research.

The scripts in this repository are given to the Public Domain under the Unlicense ([unlicense.org](http://unlicense.org)), see [license.txt](#). Licences for components used (e.g. R-packages) may vary.

### 1.1 Scripts

The presented method relies on the statistical software R for data handling, model calibration, post-processing and visualisation. The case study used the hydro-sedimentological model WASA-SED, which is supplied as a Windows and AIX executable.

All R-scripts are extensively commented and largely self-explanatory.

The supplemented file scripts.zip contains the following structure; the number indicates the order in the processing chain:

File	Purpose	Order
process_comp_table.R	Prepare directory structure from comparison.xlsx	1
shuffle_best_solutions.R	Interchange best solutions between different ME-runs	3, 8
view_progress.R	Check results of calibration and run uncalibrated model and best parameter set	5, 10
prepare_calib_sedi.R	Prepare runs for sediment calibration based on calibrated water runs	6
collect_performance_measures.R	Extract performance measures from runs, compute IP-values and write to comparison.xlsx	11
plot_performance_measures.R	Produce plots from comparison.xlsx	12
runs3\	Directory holding the configurations for each ME and its calibrated / uncalibrated configurations	
comparison.xlsx	Central control and data file	
templates\	Templates for generating water configurations	
templates_sed\	Templates for generating sediment configurations	
plots\	Target directory for resulting plots	
A_u_24\	Exemplary directory generated by process_comp_table.R	
calibrate_main_dd_s_mpi.R calibrate_main_dd_s_mpi_se d.R	Perform calibration for water or sediment	2, 4 7, 9

