

Safety Planning Preparation Sheet

Bring this to a clinician to help build or update a formal safety plan. This page is not a substitute for a complete suicide-risk assessment or an approved safety-plan form.

How I can tell a crisis is starting to build:

Things that sometimes buy me time or lower the intensity

- | | |
|--|---|
| ☐ Move to a different room or place | ☐ Take a shower or use cold/warm water |
| ☐ Walk or move | ☐ Use grounding or paced breathing |
| ☐ Listen to familiar audio | ☐ Do a simple routine |
| ☐ Write or draw | ☐ Be around other people without talking |
| ☐ Care for a pet | ☐ Delay action and set a short re-check time |
| ☐ Other | |

The strategies most likely to work for me:

Places where I am less isolated or safer:

People and Professional Support

People I can be around even if I do not want to explain everything:

People I can tell directly, 'I am not safe alone right now':

Clinician, clinic, crisis team, or other professional contact:

Nearest emergency department or urgent crisis service:

U.S. crisis support: Call or text 988. If there is immediate danger or a suicide attempt is underway, call 911 or go to an emergency department.

Make the Environment Safer

Use this section with a clinician or trusted support person. The goal is to create time and distance from anything you might use to seriously harm yourself.

Items, medications, firearms, locations, or other access that become risky for me during a crisis:

A safer storage, transfer, locking, disposal, or access-reduction step that is acceptable and realistic:

Who will help carry out the plan, and when?

Where I will keep the finished formal safety plan so I can find it quickly:

Important. If you are in immediate danger or cannot stay safe while arranging support, do not wait to finish this worksheet. Use emergency help now.