



ANNUAL HEALTH SURVEY

2011-12

FACT SHEET

ODISHA

Vital Statistics Division
Office of the Registrar General & Census Commissioner, India
New Delhi
Website : www.censusindia.gov.in

Index

	Page No.
1. Introduction	i-xiv
2. Sample Particulars	1-5
3. Household Characteristics	6-7
4. Sex Ratio	8-9
5. Effective Literacy Rate	10
6. Marriage	11-13
7. Schooling Status	14-15
8. Work Status	16-17
9. Disability	18-19
10. Injury	20-23
11. Acute Illness	24-31
12. Chronic Illness	32-47
13. Fertility	48-56
14. Abortion	57-60
15. Family Planning Practices	61-65
16. Unmet Need for Family Planning	66
17. Ante Natal Care	67-73
18. Delivery Care	74-79
19. Post Natal Care	80-82
20. Janani Suraksha Yojana (JSY)	83-84
21. Immunization, Vitamin A & Iron Supplement and Birth Weight	85-90
22. Childhood Diseases	91-93
23. Breastfeeding and Supplementation	94-99
24. Birth Registration	100-101
25. Awareness	102-104
26. Mortality	105-114
27. Confidence Interval (95%) for some important Indicators	115-117
28. Annexure	119-146

Introduction

Decentralized district-based health planning is essential in India because of the large inter-district variations. In the absence of vital data at the district level, the State level estimates are being used for formulating district level plans as well as setting the milestones thereof. In the process, the hotspots (districts requiring special attention) very often get masked by the State average. This statistical fallacy compounds the problems of the districts acutely, more so in the health sector. At present, none of the Surveys provides estimates of core vital indicators on fertility and mortality at district level. The District Level Household Survey conducted with periodicity of five years mainly focuses on indicators pertaining to maternal health and child welfare programmes. There has, therefore, been a surge in demand from various quarters, in recent years, to generate timely and reliable statistics at the district level for informed decision making in the health sector.

Genesis

2. The Annual Health Survey (AHS) was conceived during a meeting of the National Commission of Population held in 2005 under the Chairmanship of the Prime Minister wherein it was decided that "there should be an Annual Health Survey of all districts which could be published / monitored and compared against benchmarks". The objective was to monitor the performance and outcome of various health interventions of the Government including those under National Rural Health Mission (NRHM) at closer intervals through these benchmark indicators. The AHS has been made an integral part of the NRHM, Ministry of Health & Family Welfare. The responsibility of the project has been entrusted to the Office of the Registrar General, India on behalf of the Ministry of Health & Family Welfare in view its expertise in handling the Sample Registration System, one of the largest demographic surveys in the world.

Objective

3. Realizing the need for preparing a comprehensive district health profile on key parameters based on a community set up, the AHS has been designed to yield benchmarks of core vital and health indicators at the district level; prevalence of disabilities, injuries, acute and chronic illness and access to health care for identified morbidities; and access to maternal, child health and family planning services. By virtue of being a panel survey, it has the unique ability to map the rate of change in these indicators on a yearly basis. AHS would, thus, enable better capturing of the health seeking behaviour of the public as compared to other periodic cross-sectional surveys, and also help needed corrections in the strategies.

Coverage

4. The sample size at the district level has been derived taking Infant Mortality Rate as the decisive indicator and host of other practical issues related to execution of the survey. Keeping in view the mammoth size of the sample, it was a conscious decision of the Government to initially confine the survey to the 284 districts (as per 2001 Census) of the 8 Empowered Action Group States (Bihar, Jharkhand, Uttar Pradesh, Uttarakhand, Madhya Pradesh, Chhattisgarh, Orissa and Rajasthan) and Assam for a three year period starting from 2010-11. These 9 high focus States with relatively high fertility and mortality account for about 48 percent of the total population in the country. A representative sample of 20,694 statistically selected Primary Sample Units (PSUs - Census Enumeration Blocks in case of urban areas and villages or a segment thereof in case of larger villages in rural areas) based on 2001 Census has been drawn from these AHS States which would cover about 18 million population and 3.6 million households each year. However, during the Base-line Survey, a total of 20.1

million population and 4.14 million households and during the first updation survey, 20.61 million population and 4.28 million households have actually been covered. Despite being restricted to 9 States, the AHS is the largest demographic survey in the world and covers two and a half times that of the Sample Registration System.

Fieldwork Strategy

5. The project is being implemented as a hybrid model wherein the actual field work has been outsourced to seven selected Survey Agencies on the pattern of National Family Health Survey (NFHS) and District Level Household Survey (DLHS). The co-ordination, supervision and monitoring of the fieldwork in the States are being carried out by dedicated staff posted at various levels in the respective Directorate of Census Operations (DCOs). The responsibility for overall co-ordination, supervision and monitoring across the nine AHS States rests with the AHS Division of ORGI. For smooth and effective execution of the survey, the AHS States have been divided into 18 mutually exclusive and exhaustive zones, each having a group of contiguous districts with more or less equal workload.

Technical Consultation

6. The outline of the survey such as approach, periodicity, coverage, sampling strategy, sample size, permissible levels of relative standard errors, and levels of aggregation, was finalized after a series of deliberations with the representatives from Ministry of Health & Family Welfare, National Sample Survey Office (NSSO), Central Statistics Office (CSO), Ministry of Woman & Child Development, Indian Council of Medical Research, Planning Commission, International Institute for Population Sciences and other subject experts. Based on the recommendations, various technical details including preparation of sample design, derivation of sample size etc. were worked out and vetted by the Technical Advisory Group (TAG) constituted for the purpose.

Sample Design

7. The Sample design adopted for Annual Health Survey is a uni-stage stratified simple random sample without replacement except in case of larger villages in rural areas (population more than or equal to 2000 as per 2001 Census), wherein a two stage stratified sampling has been applied. The sample units are Census Enumeration Blocks (CEBs) in urban areas and villages in rural areas. In rural areas, the villages have been divided into two strata. Stratum I comprises villages with population less than 2000 and Stratum II contains villages with population 2000 or more. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the district. In case of Stratum I, the entire village is the sample unit. In case of Stratum II, the village has been divided into mutually exclusive (non-overlapping) and geographically contiguous units comprising group of EBs called segments of more or less equal size and population not exceeding 2000 in any case. One segment from the frame of segments thus prepared was selected in a random manner to represent the selected village at the second stage of sampling.

8. The number of sample villages in each district was allocated between the two strata proportionally to their size (population). The villages within each size stratum were further ordered by the female literacy rate based on the Census 2001 data, and three disjoint and equal size substrata were established. The sample villages within each substratum were selected by simple random sampling without replacement. Similarly, in urban areas, the Census Enumeration Blocks within a district were ordered by the female literacy rate based on the Census 2001 data, and three disjoint and equal size substrata were established. The sample

Census Enumeration Blocks within each substratum were selected by simple random sampling without replacement. Thus, female literacy which has a direct bearing on the fertility behaviour was used for implicit stratification. Further, the process of selection ensured equal representation across three sub-strata both in rural as well as in urban areas of a district besides rendering the sample design as self-weighting.

Sample Size

9. Generating robust estimates of Infant Mortality Rate at the district level has become an utmost necessity as reduction in Infant Mortality constitutes one of the key targets in the Reproductive & Child Health Programme (RCH) under the umbrella of NRHM. This would also facilitate effective tracking of the Millennium Development Goal 4 on Child Mortality. The Infant Mortality Rate has therefore been taken as the decisive indicator for estimation of sample size at the district level. The permissible level of error has been taken as 10 percentage relative standard error (prse) at the district level. The sample size so worked out would yield relatively better estimates of Crude Birth Rate / Crude Death Rate and may also enable generation of rarer indicators like MMR (for a group of districts) with good precision. In the absence of district level estimates from any other reliable source, the district level derived estimates of IMR based on SRS pooled data have been used for estimation of sample size for each district.

Sample Identification Work

10. One of the essential prerequisites for the commencement of the survey was to uniquely identify the sample units on ground. This was done in all the sample units across the nine AHS States by the regular staff of ORGI. The work involved firming up of the boundary of the selected villages / Enumeration Blocks; resorting to segmentation in case of villages exceeding the population 2000, random selection of segment thereof and drawing of appropriate notional maps of the sample units to serve as the base map for the survey work.

Survey Tools

11. The first updation survey in all the nine AHS States was carried out during October 2011 to April 2012 and four Schedules, in all, were administered. These are: (i) House-listing Schedule, (ii) Household Schedule, (iii) Woman Schedule and (iv) Mortality Schedule. In the House-listing Schedule, the mapping, listing and some key particulars like type and ownership details collected in the baseline survey in 2010-11 were updated for the existing houses and households and recorded afresh for the new houses and households in the first updation round.

12. During the first updation survey, all the Usual Residents as on 01.01.2011 were listed in the Household Schedule wherein the information on a few back ground characteristics viz. Name, Sex, Identification Code, Date of Birth and Date at first Marriage were copied from the baseline Household Schedule for the Usual Residents of baseline survey and other characteristics like Relationship to Head, Age, Religion, Social Group, Marital Status, Education and Occupation/Activity Status were captured afresh for them . For the new Usual Residents as on 01.01.2011, all the details were captured afresh. Besides, information in respect of Disability, morbidity (Injuries, Acute Illness, and Chronic Illness) and access to health insurance is also captured for all the usual residents as on 01.01.2011.

13. Woman Schedule comprised two sections. Section-I was administered to all Ever Married Women (EMW) aged 15-49 years and information relating to the outcome of pregnancy(s) (live birth/still birth/abortion); birth history; type of medical attention at delivery; details of maternal

health care(ante-natal/natal/post-natal); immunization of children; breast feeding practices including supplements; occurrence of child diseases (Pneumonia, Diarrhoea and fever); registration of births, etc. taken place during the reference period(i.e. 01.01.2010 to 31.12.2010) was collected. Section II focused on information on pregnancy; use, sources and practices of family planning methods; details relating to future use of contraceptives and unmet need; awareness about RTI/STI, HIV/AIDS, administration of HAF/ORT/ORS during diarrhoea and danger signs of ARI/Pneumonia; and these details were collected from all Currently Married Women aged 15-49 years. Information relating the Ever Married Women (EMW) like conception details, usage of NPT kit, registration of pregnancy, health problems and subsequent treatments during ante-natal/natal/post-natal period, cost incurred by the woman during delivery etc. is also collected during the first upisation survey.

14. Through the Mortality Schedule, details relating to death occurred to usual residents of sample household during the reference period (01.01.2010 to 31.12.2010) were captured and it included information on name & sex of deceased, date of death, age at death, registration of death and source of medical attention received before death. For infant deaths, a question on symptoms preceding death was also probed. In case of deaths associated with pregnancy, information on a variety of questions on factors leading/contributing to death, symptoms preceding death, time between onset of complications and death, etc. were asked to yield data on various determinants of maternal mortality.

Supervision and Third Party Audit

15. In addition to the multilayer supervision mechanism adopted by the Survey Agencies, regular inspections were carried out by the officers/officials of respective DCOs and those from ORGI headquarters to ensure the data quality. The inspections were a judicious mix of concurrent as well as post survey audit. Over and above, a component of Third Party Audit was included to verify and authenticate the surveyed data through an independent mechanism. The Third Party Audit work was carried out in 20 randomly selected AHS units in each of the districts covering every household thereof by following a standard protocol prescribed by ORGI. Truncated versions of Household, Women and Mortality Schedules were filled in afresh by the field staff of the Third Party Audit Agencies. The findings in respect of key indicators were matched and re-survey was undertaken by the Survey Agencies in units where the variation was outside the permissible limit. The third party audit also helped in netting of missed vital events, particularly rarer ones like infant and maternal deaths.

Dissemination of Results

16. In view of the large volume of data collected under AHS and significant time required for validation and processing, dissemination of AHS results is done in two phases. The first set of data of the first upisation survey was released in May 2013 in the form of State-wise bulletins, which contained the district level data on crude birth rate, crude death rate, natural growth rate, infant mortality rate, neo-natal and post neo-natal mortality rates, under 5 mortality rate, sex ratio at birth, sex ratio (0-4 years) and overall sex ratio. In addition, the Maternal Mortality Ratio (MMR), Maternal Mortality Rate and life time risk were released for a group of districts. In order to facilitate direct intervention, the maternal mortality indicators were combined and released for a group of districts on the basis of existing administrative divisions in the respective AHS States.

17. Under the present phase of dissemination, data on host of other important parameters covered in AHS under Household and Woman Schedules are being released in the form of

State and District Level Factsheets. Though the sample size has been calculated for the district as a whole, the rural and urban estimates at the district level have also been published as byproduct. Users are advised to keep the above fact into consideration while using the rural / urban estimates of a district. In order to ward off unusual sampling fluctuations, the urban estimates have not been published in respect of some indicators for the districts where the number of urban sample units was less than six. To begin with, number of PSUs, Households, Population, Ever Married Women, Currently Married Women, Children aged 12-23 months (as on date of survey) covered in the sample of each district and the State along with their rural-urban breakup have been given to provide the users requisite insight on the metadata. The indicators contained in the AHS Bulletin have also been reproduced in these Factsheets so that the users may have access to complete set of indicators at one place. However, they may refer to the AHS Bulletin for details on metadata.

Marriage

18. The information on marital status as on 01.01.2011 was probed in respect of all household members (Usual Residents) irrespective of their age. For those who were married, the date of first marriage was recorded. Using this, age at first marriage, which has a direct impact on child bearing as women marrying early have on an average a longer period of exposure to pregnancy and a greater number of lifetime births, was obtained. Using the age data, the mean age at marriage for males and females has been worked out and included in the Factsheet. The mean age at marriage is based on the marriages to the members of the household (Usual Residents as on 1.1.2011) taken place during 2008-10. The proportion of marriages among males and females taking place below the legal age, i.e., 21 and 18 years respectively, has also been tabulated. Such proportions are also based on the marriages to the members of the household (Usual Residents as on 1.1.2011) taken place during 2008-10. Besides, the percentage of Currently Married Women aged 20-24 years marrying before legal age (18 years) and percentage of Currently Married Men aged 25-29 years marrying before legal age (21 years) have been worked out and presented.

Disability and Injury

19. The data on any type of disability as on date of survey was collected in respect of all the usual residents. The type of disability included 'mental', 'visual', 'hearing', 'speech', 'loco-motor', 'multiple' and 'others'. The prevalence of any type of disability per 1,00,000 population by gender and residence at the district and State levels has been presented in the factsheet. Since it is difficult to capture the type of injury and its severity from lay reporting, an attempt has been made to assess the severity of injury from the type and duration of hospitalization required. This would also provide an assessment of the workload on hospitals / doctors on account of injury. Accordingly, the type of treatment meted to the injury during last one year of the date of survey has been collected. The categories by type of treatment included 'treated in intensive care unit for any time-1, treated as in-patient with stay more than two weeks-2, treated as in-patient with stay one to two weeks-3, treated as in-patient with stay less than one week-4, treated as out-patient-5, treated by traditional healers-6, and treated at home-7'. Based on these categories, the number of persons injured by type of treatment received per 1,00,000 population, have been categorized into severe(by including categories 1 & 2), major (by including categories 3 & 4) and minor (by including categories 5 & 6) groups. Those treated at home have been excluded from the above categorization and thus from the analysis also.

Acute Illness

20. On the morbidity front, if any member (usual resident) of the household suffered from

any ‘acute illness’ during last fifteen days prior to the date of survey, the type of illness has been ascertained. Based on this data, persons suffering from acute illness per 1,00,000 population has been presented for a few select diseases like diarrhoea / dysentery; acute respiratory infection & all types of fever and also for any type of acute illness. Besides, the source from where the treatment for the acute illness was taken has also been included. Accordingly, two important indicators, viz., percentage of persons suffering from acute illness and taking treatment from any source and percentage of persons suffering from acute illness and taking treatment from Government source have been presented. The latter gives the share of Government source across all types of sources availed for taking treatment. It may be noted that the entire fieldwork was carried out over a period of six to seven months and in the process, districts were covered at different points of time (i.e., months / seasons). The seasonality effect may be taken note of while interpreting the results.

Chronic Illness

21. The data in respect of chronic illness has been collected based on the symptoms pertaining to a particular illness persisting for more than one month and also in respect of illnesses where it was diagnosed. For both the cases, the reference period was last one year preceding the date of survey. For ascertaining information on symptoms, a list of symptoms associated with various types of diseases was provided along with a separate category for asymptomatic (i.e., having no symptoms). The asymptomatic included those who were not suffering from any illness as well as those who were suffering but had no symptoms. Using this data, percentage of persons having any kind of symptoms of chronic illness along with their source of treatment has been presented. As regards chronic illnesses diagnosed, this was included to measure the extent to which facilities for diagnosis and treatment of some major chronic illnesses set up by centre/State/local Government / private agencies have been utilized. A list of common chronic diseases and those pertaining to major health intervention programmes was provided. Based on this data, percentage of persons diagnosed for a few important diseases such as diabetes, hypertension, tuberculosis, asthma / chronic respiratory disease and arthritis per 1,00,000 population has been presented besides those diagnosed for any type of chronic illness. Using the data collected on source of diagnosis, status with regard to getting regular treatment and source of treatment, percentage of persons having diagnosed for any kind of chronic illness and getting regular treatment as well as those getting regular treatment from Government source has been worked out and included in the Factsheet. Since the data on morbidity has been elicited as reported by the respondents, it may suffer on account of accuracy. Nevertheless, the availability of such a rich data set at the district level would fill in the much awaited void and pave the way for evidence-based health planning and appropriate interventions.

Fertility

22. The Total Fertility Rate (TFR), which is an age-period fertility rate for a synthetic cohort of women, measures the average number of births a group of women would have by the time they reach 50 years of age if they were to give birth at the current age-specific fertility rates. The TFR is expressed as the average number of births per woman. Under AHS, TFR has been calculated by dividing three years average of all births reported during the reference period, i.e., 2008-10 by all the women in respective age group. The seven five-yearly age-specific fertility rates for all women in the age groups from 15-19 to 45-49 have been added and thereafter multiplied by 5 to yield the TFR. Due to lack of adequate number of births, the TFR by residence could not be worked out and hence is not being published.

23. The distribution of births by birth order is another way to understand the dynamics on

spacing of children and level of fertility. In this regard, two key indicators namely, 'percentage of women aged 20-24 reporting birth of order 2 & above' and 'percentage of women reporting birth of order 3 & above' based on last two live births taken place to Ever Married Women aged 15-49 years during the reference period, i.e., 2008-10, have been presented. 'Percentage of Currently Married Women aged 15-49 years with two living children wanting no more children' is one of the most crucial indicators on desire to limit child bearing. While deriving this indicator, sterilized women or their husbands have not been taken into account whereas women who were currently pregnant have been included.

24. Teen-age pregnancy and motherhood is an important subject in the settings where the marriage of girls takes place at very young ages. This is not only important from the fertility perspective but also its consequent implication on the health of the mother and child. Accordingly, 'percentage of women aged 15-19 who were already mothers or pregnant at the time of survey' has been tabulated and it depicts the percentage of women who have begun child bearing among all ever married women aged 15-19 years. The ever married sample denominator for the age group 15-19 years has not been adjusted by the all women factors for the same age group. This factor should be taken into consideration while interpreting the results.

Median age at first live birth

25. Median age at first live birth of women aged 15-49 years has been presented to reflect the age at which 50 percent of the women have given their first live birth. This indicator covers women of all marital status and ever married sample denominator has been adjusted by the all women factors in this age group. Ever Married Women not yet having first live birth and Never Married Women have been included as a separate category for computation. Median has been calculated from cumulated single year of age percent distributions of age at first birth. Median is linearly interpolated by the age values by which 50 percent or more of the women had a first birth. In order to gauge the same for older women of the same cohort, median age at first live birth for women aged 25-49 years has also been calculated and presented. These two indicators in conjunction would help in comparing the age with regard to entry into parenthood between the two cohorts.

Birth interval

26. The information on birth interval, which is defined as the length of time between two successive live births, has been collected in respect of last two live births which took place during the reference period, i.e., 2008-10 for birth order 2 & above. Short birth intervals are likely to have adverse bearing on the mother's health as also on the chances of survival of the neonates and infants. In the Indian context, the birth interval of 36 months may be taken as the bare minimum from the perspective of reducing neonatal and infant mortality and also for achieving the requisite nutritional outcomes. The information on percentage of live births taking place after an interval of 36 months has been calculated and presented to provide insight into the pace of child bearing.

Mean number of children ever born and surviving

27. The number of children ever born and surviving has been collected for all Ever Married Women aged 15-49 years. The survival status has been assessed as on 1.1.2011 (the reference point for the population). The number of children ever born to women provides an estimate of cohort fertility against the period measures of fertility such as the CBR and the TFR. In order to facilitate comparison of completed cohort fertility with the current fertility, the mean number

of ever born children to women aged 45-49 years has been calculated and presented. The gap between the two would demonstrate the decline in fertility levels in the recent past.

Abortion

28. Abortion as an option was probed for all the pregnancies which resulted into any kind of outcome i.e. live birth, still birth, spontaneous and induced abortion during the reference period i.e. 2008-2010. This was followed by a series of questions such as when the abortion had taken place (month & year), month of pregnancy when the abortion had occurred, whether any ANC was received, whether ultrasound was performed before the abortion, the place of abortion and who performed the abortion. Based on these data, various indicators such as percentage of pregnancy(s) to women aged 15-49 years resulting in abortion, percentage of women who received any ANC before abortion, percentage of women who went for ultrasound before abortion, average month of pregnancy at the time of abortion, percentage of abortions performed by skilled health personnel (doctor / nurse / ANM / LHV / trained dai), and abortions which took place in institutions have been tabulated and presented.

Family Planning Practices

29. The information on awareness as well as the usage in respect of Family Planning Practices was probed from Currently Married Women aged 15-49 years. There were a few women whose marital status as on 1.1.2011 (reference date) was Currently Married but on date of survey, their marital status was widow / divorcee / separated. In such cases, questions on only awareness were probed from them.

Current usage of Family Planning Methods

30. Currently Married Women aged 15-49 years, who were currently menstruating or who were in lactating status or secondary amenorrhoea as on date of survey, were asked whether they or their husbands are currently using any method(s) of family planning. In other words, those CMW who were currently pregnant or in menopause status or who have undergone hysterectomy or never menstruated were excluded from the sample. The family planning methods included both modern as well as traditional methods. Modern methods included Tubectomy, Vasectomy, Copper-T/IUD, Pills (Daily), Pills (Weekly), Emergency Contraceptive Pill, Condom/Nirodh, etc., while the traditional ones were Contraceptive Herbs, Rhythm/Periodic abstinence, Withdrawal, Lactational Amenorrhoea Method, etc. Accordingly, percentage of CMW reporting use of various types of family planning methods (most used method) has been tabulated. In addition, percentage of CMW using any method (Contraceptive Prevalence Rate), any modern method and any traditional method has also been tabulated. Levels of use of contraceptives provide the most obvious and widely accepted criterion for assessing the success of FP programme.


Unmet Need for Family Planning

31. The unmet need for Family Planning is a crucial indicator for assessing the future demand for Family Planning services / supplies. Currently Married Women who are not using any method of contraception but who do not want any more children are defined as having an unmet need for limiting and those who are not using contraception but want to wait for two years or more before having another child are defined as having an unmet need for spacing. The sum total of unmet need for limiting and spacing is the unmet need for Family Planning. In order to ensure comparability with DHS Estimates, similar set of questions were probed from CMW aged 15-49 years under AHS also.

32. For working out the estimates on unmet need, the unmet need for spacing has been calculated as the “proportion of pregnant CMW whose pregnancy was mistimed; CMW in lactational amenorrhoea who are not using any family planning method and whose last birth was mistimed, or whose last birth was unwanted but now they say they want more children; fecund CMW who are neither currently pregnant nor in amenorrhoea, and who are not using any family planning method and say that they want to wait for two or more years for the next birth, including those who say that they are unsure whether they want another child, or want another child but are unsure when to have the birth”.

33. The unmet need for limiting has been worked out as the “proportion of pregnant CMW whose pregnancy was unwanted; CMW in lactational amenorrhoea who are not using any family planning method, whose last child was unwanted and who do not want any more children; and fecund CMW who are neither pregnant nor in amenorrhoea who are not using any method of family planning and who want no more children”. Using the met demand for contraception (current contraceptive users) and the unmet need for contraception, the total demand for family planning as well as the percentage demand satisfied can be assessed. The classification for the need for family planning is illustrated as under:

Classification of the need for family planning



Ante-natal Care

34. Ante-natal care constitutes one of the key elements towards initiatives to promote safe motherhood. A series of questions to capture various aspects of ante-natal care such as, number of ante-natal check-ups received, months of pregnancy at the time of first ANC, main source of ANC, type of tests performed during ANC, number of Tetanus Toxoid (TT) injections received and number of days of consumption of Iron & Folic Acid (IFA) tablets/syrup, were asked from the EMW aged 15-49 years in respect of their last two outcomes of pregnancies which have resulted into live births / still births during the reference period, i.e., 2008-10. However, appropriate indicators based on the above aspects have been tabulated in respect of responses recorded for last live / still births.

35. The indicators included in the Factsheets are percentage of mothers who received any ANC, percentage of mothers who had ANC in first trimester, percentage of mothers who received 3 or more ANC, percentage of mothers who received at least one TT injection, percentage of mothers who consumed IFA for 100 days or more and percentage of mothers who had full ante-natal check-up. The full ante-natal check-up comprises at least three visits for ANC, at least one TT injection received and IFA consumption for 100 days or more. In addition, percentage of mothers who received ANC from Government source, percentage of mothers whose blood pressure & blood (for Hb) were taken and percentage of mothers who underwent ultrasound have been calculated and presented. Besides, percentage of Currently Married Pregnant Women aged 15-49 years registered for ANC has also been presented.

Delivery Care

36. Under Delivery Care, the details about place of delivery, source of transport provided / availed for reaching the institution, length of stay in the institution after delivery, type of delivery (normal / caesarean / assisted) and the personnel conducting delivery in case of domiciliary births were inquired from the EMW aged 15-49 years for their last two pregnancy outcomes resulting into live births/still births during the reference period, i.e. 2008-10. As in the case of ante-natal care, indicators based on these parameters have been tabulated in respect of responses for last live/still births. Percentage of deliveries taken place in institutions and their distribution into Government and Private institutions; percentage of deliveries taken place at home; percentage of home deliveries conducted by skilled health personnel; and percentage of Safe deliveries are the key indicators presented in the Factsheet. Safe delivery comprises institutional deliveries and home deliveries conducted by doctor/ nurse / ANM / LHV and it does not include those attended by trained dai. However, trained dai is included under skilled health personnel. If the respondent has mentioned more than one person attending delivery, only the most qualified person is taken into consideration.

37. As regards the extent of stay in institutions after delivery which is very crucial and has a direct bearing on the new born care as also on the health of the mother, the percentage of less than 24 hours stay in the institution after delivery has been worked out and presented. Besides, percentage of Caesarean deliveries out of total deliveries taken place in Government and Private Institutions respectively has also been presented.

Post-natal Care

38. Getting a Post partum / Post-natal check-up soon after the birth of baby or within 48 hours is crucial for the health of both the mother and the child. Accordingly, three indicators, viz., percentage of mothers who received Post-natal check-up within 48 hours of delivery, percentage of mothers who received Post-natal check-up within one week of delivery and

percentage of mothers who did not receive any Post-natal check-up have been calculated and presented. In case of institutional delivery where the woman had stayed there for at least 48 hours, it was presumed that the post-natal care was given within 48 hours. These indicators are based on the last outcome of pregnancy which resulted into live / still birth during the reference period, i.e., 2008-10.

39. Along with the first post-natal check-up of mother, check-up of the new borns is essential. It was therefore probed from the mothers, whose last outcome of pregnancy resulted into live birth during the reference period, i.e., 2008-10, when was the new born checked up. Based on this, the percentage of new born who received check up within 24 hours of birth has been worked out and presented. In case of institutional delivery if the baby remained there for at least 24 hours, it was presumed that the first check-up was done within 24 hours.

Financial assistance under Janani Suraksha Yojana

40. The Janani Suraksha Yojana (JSY) is one of the most important programmes under the overall umbrella of NRHM aimed at reducing Maternal Mortality Ratio and Neo-natal Mortality Rate by promoting institutional deliveries. Under the Scheme, cash incentives are provided to mothers and they are facilitated by Accredited Social Health Activists (ASHAs) to deliver their babies in a health facility. There are also provisions for cost reimbursement for transport and incentives to ASHAs for encouraging mothers to opt for institutional delivery. The scheme is fully sponsored by the Central Government and is implemented in all States and Union Territories, with special focus on low-performing States. There is also a provision for roping in the private sector by giving accreditation to willing private hospitals/nursing homes for providing delivery services. The Scheme has been implemented in all the 9 AHS States since 2005.

41. In order to gauge the spread and effectiveness of the JSY, Ever Married Women aged 15-49 years were probed whether they had availed the maternity financial assistance for safe motherhood under the scheme in respect of their last two outcomes of delivery resulting in live / still births during the reference period, i.e., 2008-10. The percentage of mothers who availed financial assistance for delivery, percentage of mothers who availed financial assistance for institutional delivery and percentage of mothers who availed financial assistance for Government institutional delivery under JSY, all in respect of the last outcome of delivery resulting in live birth / still birth, have been calculated and presented. Since the scope of JSY has been extended to domiciliary births also, these three sets of indicators would present a holistic picture.

Immunization

42. The information on childhood immunization, i.e., vaccination coverage, has been collected for all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10]. Information on six vaccine preventable diseases namely, tuberculosis, diphtheria, whooping cough (Pertussis), tetanus, polio and measles, has been collected with reference to the status as on date of survey. Universal immunization of children against these six diseases is vital for reducing infant and child mortality. Whenever the mother had the vaccination card (Immunization / MCH) and if the card was available at the time of interview, the responses were recorded based on entries in the card. Otherwise, the responses as reported by the mother were noted down. For those living children who did not receive any vaccination, the main reason thereof has also been noted.

43. In conformity with the International and Govt. of India guidelines which specify that children should be fully vaccinated by the time they complete their first year of life, the 12-23

months age group has been chosen for analysis. The percentage of children having Immunization Card, percentage of children aged 12-23 months who have received BCG, percentage of children who have received 3 doses of polio vaccine, percentage of children who have received polio dose at birth, percentage of children who have received three doses of DPT vaccine and percentage of children who have received measles vaccine, all for the age group 12-23 months, have been calculated and presented. Besides the percentage of children aged 12-23 months who have been fully immunized, the percentage of children aged 12-23 months who did not receive any vaccination have also been tabulated in order to portray the complete picture of immunization. According to the WHO guidelines, children are considered fully immunized when they have received vaccination against tuberculosis, three doses of DPT, three doses of the poliomyelitis and one dose of measles.

Administration of Vitamin-A and Iron & Folic Acid supplements

44. Proper and sufficient intake of Vitamin-A and Iron supplements is essential to thwart childhood morbidity and mortality. Vitamin-A is an essential micro nutrient for the immune system and plays an important role in maintaining the epithelial tissues in the body. Severe Vitamin-A deficiency (VAD) can cause eye damage. VAD has also the potential to increase the severity of measles and diarrhoeal diseases in children and slow recovery from illness. Since the human liver can store an adequate amount of the vitamin for 4-6 months, Vitamin-A dosing every six months is one of the usual methods for ensuring that children at risk are protected from developing VAD. The National Programme on Prevention of Blindness mandates that children of age 9 months to 5 years should be administered oral doses of Vitamin-A every six months. In order to assess the situation, information on children aged 6-35 months who have received at least one dose of Vitamin-A during the last six months has been collected and presented.

45. Anaemia, which is characterised by a low level of haemoglobin in the blood, is a great concern in young children because it can result in impaired cognitive performance, behavioural and motor coordination, language development and scholastic achievement. It also enhances the risk of morbidity from other infectious diseases. One of the most vulnerable groups to anaemia is children aged 6-23 months. It was probed from the mothers of all living children older than 6 months whether IFA tablet / syrup was administered to the children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10] in the last 3 months. IFA tablet/syrup as supplements is given to child beyond six months to prevent anaemia. Based on this, the percentage of children aged 6-35 months who have received IFA tablets / syrup during last three months has been calculated and presented.

Birth weight

46. Birth weight is an important indicator to measure the vulnerability of a new born to the risk of childhood illness and chances of survival. The information on birth weight assists in monitoring programmes to reduce neo-natal and infant mortality through a reduction in low birth weight infants. The information on birth weight has been collected in respect of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10]. Based on this data, the percentage of children whose birth weight was taken and percentage of children whose birth weight was less than 2.5 Kg. have been worked out and presented.

Childhood diseases

47. Treatment practices and contact with health services among children with the 3 most important childhood illnesses namely, Acute Respiratory Infection (ARI), Fever and Diarrhoea,

help in the assessment of National Programmes aimed at reducing the mortality impact of these illnesses. The information on children suffering from Acute Respiratory Infection, Fever and Diarrhoea in respect of all the living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10] during fifteen days preceding the date of survey has been collected. This has been done to minimise the recall lapse. Besides the prevalence, the information on treatment of ARI with antibiotics, treatment of fever and the treatment of diarrhoea with Home Available Fluids (HAF) / fluids prepared from ORS packet has been collected. The treatment of diarrhoeal diseases with Oral Rehydration Therapy (ORT) aids in the assessment of programmes that recommends such treatment. Based on these data, the percentage of children suffering from Diarrhoea and received HAF / ORS / ORT, percentage of children suffering from ARI and sought treatment, and percentage of children suffering from fever and sought treatment have been calculated and presented.

Child feeding practices

48. Early breastfeeding practices determine the successful establishment and duration of breastfeeding. It is recommended that children be put to the breast immediately or within one hour of birth. There is growing evidence of the benefits to mother and child of early initiation of breastfeeding preferably in the first hour of the birth. Early initiation of breastfeeding contributes to reducing neo-natal mortality. It ensures early skin to skin contact which is important in preventing hypothermia and establishing the bond between the mother and her child. Early initiation of breastfeeding also reduces the mother's risk of post partum haemorrhage, one of the leading causes of maternal mortality. Although breastfeeding is nearly universal in India, very few children are put to breastfeed immediately after birth. In order to have an assessment with regard to the time of initiation of breastfeeding, the mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10] were asked when did they first breastfeed their baby. Based on this, the percentage of children breastfed within one hour of birth has been calculated and presented.

49. Exclusive breastfeeding for the first six months of the child's life is an essential component of the optimal infant and young child feeding practices. The Government of India recommends that children should be exclusively breastfed for the first six months of life (i.e., the child should be given only breast milk and nothing else, not even water). In order to assess the situation on ground, the mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10] were asked how many days/months did they exclusively breastfeed their baby. Based on the responses, percentage of children aged 6-35 months exclusively breastfed for at least six months has been worked out and presented.

Complementary feeding

50. The introduction of complementary feeding at six months of age, solid and semi-solid food and the diverse food combinations fed to children also constitute part of the optimal feeding practices. The purpose of complementary feeding is to complement the breast milk and sustain the growth and development of the child. WHO recommends introduction of solid or semi-solid foods to infants around the age of 6 months because by that age, breast milk by itself is no longer sufficient to maintain the child's optimal growth. Information on supplementation was obtained by asking mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10] at what age did they start feeding the baby food other than breast milk. The type of food included water, animal milk / formula milk, semi-solid mashed food, solid (adult) food and vegetables/fruits.

Based on these, the percentage of children who received foods other than breast milk such as water, animal/formula milk, semi-solid mashed food, solid (adult) food and vegetables/fruits during first six months has been worked out and presented. Besides, the average month by which children received these foods have also been worked out and presented.

Birth Registration


51. India, being a signatory to the UN Convention on the Rights of the Child, 1989 which recognizes birth registration as one of the first rights of child, is committed to achieve universalization of birth registration. In India, registration of birth is compulsory under the Registration of Births and Deaths (RBD) Act, 1969. The Act mandates that every birth should be registered and a birth certificate provided free of charge to the informant. Despite significant efforts to improve the Civil Registration System, especially during the past decade, the overall level of registration of births still falls short by about 25 percent. The registration system in the country functions at different levels of efficiency across States/UTs. In order to assess the functioning of the Civil Registration System in the community, information on whether the birth of the baby was registered with the civil authority and if so, the birth certificate was received or not in respect of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2008-10] has been collected. Based on this, the percentage of children whose births were registered and the percentage of children whose births were registered & who also received the Birth Certificates have been arrived at and presented.

52. Under the RBD Act, the institutions where birth takes place is to register the birth and issue the birth certificate in case they have been declared as the registration units or to report the event to the local Registrar of Births & Deaths. Of late, majority of the Government institutions have been declared as registration units. Since a review of the system across different States/UTs has revealed that due to lack of a proper and complete reporting system, the institutional births which have already been registered are not being reflected in the final figures compiled and therefore in order to net all such cases, it was presumed that the birth would have been registered. However, even in these cases it was probed whether the birth certificate has been received.


53. This Factsheet pertains to the State of Odisha. The field work for the AHS has been carried out by M/s GfK-MODE Pvt. Ltd., New Delhi and M/s. Social & Rural Research Institute (IMRB International), New Delhi in the allotted zones. The third party audit work in the State has been done by M/s. Research and Development Initiative Pvt. Ltd., New Delhi.

SAMPLE PARTICULARS									
State / District	Sample Units			Households			Population		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	2364	1798	566	468067	385267	82800	1966581	1615084	351497
Anugul	83	66	17	17048	14255	2793	72911	60719	12192
Balangir	60	50	10	11909	10800	1109	47955	43158	4797
Baleshwar	79	66	13	15357	13621	1736	64255	56787	7468
Bargarh	84	74	10	20013	18477	1536	83181	76302	6879
Baudh	46	42	4	5684	5133	551	24022	21653	2369
Bhadrak	94	79	15	18437	16799	1638	88529	80004	8525
Cuttack	114	72	42	22466	17440	5026	98026	75197	22829
Debagarh	52	46	6	7743	6682	1061	30191	25904	4287
Dhenkanal	57	49	8	13866	12853	1013	58752	54120	4632
Gajapati	65	55	10	10305	8692	1613	41071	34898	6173
Ganjam	67	50	17	14043	12048	1995	60882	52523	8359
Jagatsinghpur	78	66	12	15382	13643	1739	62575	56072	6503
Jajapur	74	69	5	17104	16339	765	77706	74286	3420
Jharsuguda	213	113	100	40743	27335	13408	171423	112606	58817
Kalahandi	45	40	5	12000	10894	1106	44023	39902	4121
Kandhamal	61	54	7	9105	7985	1120	35368	30717	4651
Kendrapara	74	67	7	15082	14147	935	67297	62912	4385
Kendujhar	97	78	19	15408	12374	3034	68180	54623	13557
Khordha	226	105	121	44057	23593	20464	183779	101619	82160
Koraput	45	34	11	8813	7163	1650	35108	28692	6416
Malkangiri	61	54	7	13930	12683	1247	59102	54071	5031
Mayurbhanj	69	61	8	11537	10521	1016	47794	43524	4270
Nabarangapur	39	35	4	12052	11482	570	49417	47023	2394
Nuapada	39	35	4	9903	9449	454	39643	37588	2055
Nayagarh	75	70	5	17716	17033	683	67253	64509	2744
Puri	91	73	18	18087	15328	2759	80723	68476	12247
Rayagada	54	43	11	9125	7294	1831	35270	27948	7322
Sambalpur	60	38	22	11140	6833	4307	47130	28241	18889
Sonapur	73	65	8	14595	13626	969	58684	54709	3975
Sundargarh	89	49	40	15417	10745	4672	66331	46301	20030


Odisha: Sample Units




Odisha: District wise Sample Units





Odisha: Sample Households



Odisha: District wise Sample Households





SAMPLE PARTICULARS



State / District	Ever Married Women (aged 15-49 years)			Currently Married Women (aged 15-49 years)			Children 12-23 months		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	393064	320955	72109	370578	302743	67835	41719	35015	6704
Anugul	15720	13003	2717	14835	12273	2562	1810	1516	294
Balangir	9659	8646	1013	9106	8154	952	1356	1263	93
Baleshwar	13975	12351	1624	13291	11744	1547	1888	1693	195
Bargarh	16932	15516	1416	15829	14520	1309	2107	1956	151
Baudh	4566	4133	433	4347	3932	415	489	462	27
Bhadrak	17815	16182	1633	17084	15551	1533	2556	2357	199
Cuttack	18427	14077	4350	17581	13420	4161	1645	1306	339
Debagarh	6310	5440	870	5938	5138	800	882	781	101
Dhenkanal	12363	11425	938	11699	10798	901	1649	1528	121
Gajapati	8088	6799	1289	7363	6211	1152	515	446	69
Ganjam	12090	10452	1638	11214	9696	1518	963	860	103
Jagatsinghapur	11551	10276	1275	11176	9935	1241	883	819	64
Jajapur	15420	14744	676	14651	14019	632	1951	1898	53
Jharsuguda	34478	22403	12075	31966	20747	11219	4087	2604	1483
Kalahandi	8764	7894	870	8392	7566	826	666	609	57
Kandhamal	6613	5768	845	6113	5329	784	493	423	70
Kendrapara	13266	12428	838	12672	11870	802	1643	1540	103
Kendujhar	14346	11448	2898	13354	10676	2678	2081	1689	392
Khordha	37486	20320	17166	35855	19350	16505	2608	1677	931
Koraput	7023	5695	1328	6500	5307	1193	1146	924	222
Malkangiri	12046	10981	1065	11231	10258	973	882	819	63
Mayurbhanj	10074	9134	940	9260	8408	852	1284	1204	80
Nabarangapur	9925	9424	501	9338	8888	450	835	728	107
Nuapada	7353	6948	405	6982	6603	379	531	501	30
Nayagarh	13536	12966	570	12935	12401	534	1253	1224	29
Puri	15310	12910	2400	14729	12443	2286	1108	946	162
Rayagada	7067	5541	1526	6384	4988	1396	463	376	87
Sambalpur	9629	5703	3926	8844	5225	3619	1314	762	552
Sonapur	10282	9577	705	9846	9178	668	978	913	65
Sundargarh	12950	8771	4179	12063	8115	3948	1653	1191	462

HOUSEHOLD CHARACTERISTICS									
State / District	Average Household Size								
	SC			ST			ALL		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	4.2	4.2	4.4	4.2	4.2	4.1	4.2	4.2	4.3
Anugul	4.2	4.2	4.6	4.2	4.2	4.0	4.3	4.2	4.4
Balangir	4.1	4.1	4.5	4.0	4.0	4.0	4.0	4.0	4.3
Baleshwar	4.2	4.2	4.3	4.6	4.6	4.7	4.2	4.2	4.3
Bargarh	4.0	4.0	4.4	4.1	4.1	4.6	4.1	4.1	4.5
Baudh	4.1	4.1	4.7	3.9	3.9	4.1	4.2	4.2	4.3
Bhadrak	4.8	4.8	4.8	4.8	4.9	4.0	4.8	4.8	5.2
Cuttack	4.4	4.3	5.1	4.2	4.2	4.9	4.4	4.3	4.5
Debagarh	3.8	3.8	4.0	4.2	4.2	4.1	3.9	3.9	4.0
Dhenkanal	4.2	4.2	4.7	4.5	4.4	5.5	4.2	4.2	4.6
Gajapati	4.1	4.1	3.9	4.0	4.0	3.5	4.0	4.0	3.8
Ganjam	4.3	4.3	4.5	4.2	4.2	4.2	4.3	4.4	4.2
Jagatsinghpur	4.1	4.1	4.3	3.7	3.8	3.5	4.1	4.1	3.7
Jajapur	4.3	4.3	4.9	4.8	4.8	4.0	4.5	4.6	4.5
Jharsuguda	4.1	4.0	4.3	4.2	4.2	4.2	4.2	4.1	4.4
Kalahandi	3.7	3.7	3.5	3.7	3.7	3.6	3.7	3.7	3.7
Kandhamal	3.9	3.8	4.4	3.9	4.0	3.8	3.9	3.9	4.2
Kendrapara	4.5	4.5	5.2	4.3	4.4	3.2	4.5	4.5	4.7
Kendujhar	4.3	4.3	4.5	4.6	4.6	4.5	4.4	4.4	4.5
Khordha	4.3	4.3	4.3	4.1	4.2	4.0	4.2	4.3	4.0
Koraput	4.0	4.0	4.0	3.9	4.0	3.4	4.0	4.0	3.9
Malkangiri	4.2	4.3	4.0	4.2	4.2	4.1	4.2	4.2	4.0
Mayurbhanj	4.1	4.1	4.0	4.3	4.3	4.0	4.1	4.1	4.2
Nabarangapur	4.1	4.1	4.4	4.2	4.2	3.5	4.1	4.1	4.2
Nuapada	3.9	3.9	4.8	4.1	4.1	4.4	4.0	4.0	4.5
Nayagarh	3.8	3.8	3.7	3.7	3.7	3.5	3.8	3.8	4.0
Puri	4.4	4.4	4.4	3.9	3.8	4.3	4.4	4.5	4.4
Rayagada	3.9	3.8	4.5	3.9	3.9	4.0	3.9	3.9	4.0
Sambalpur	4.1	3.9	4.5	4.2	4.2	4.3	4.2	4.1	4.4
Sonapur	4.0	4.0	4.4	4.1	4.1	3.3	4.0	4.0	4.1
Sundargarh	4.1	4.0	4.5	4.4	4.5	4.1	4.3	4.3	4.3

HOUSEHOLD CHARACTERISTICS									
State / District	Population below age 15 years (%)			Dependency Ratio			Currently Married Illiterate Women aged 15-49 years(%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	27.3	27.9	24.3	59.2	61.5	48.6	29.4	32.6	12.9
Anugul	26.6	26.9	25.0	55.3	57.3	46.1	20.9	22.3	13.9
Balangir	27.4	27.7	23.8	61.2	62.3	50.2	31.4	33.4	11.1
Baleshwar	28.6	29.2	24.5	62.8	64.5	51.4	17.9	19.3	8.0
Bargarh	23.4	23.4	23.7	51.1	51.3	49.5	24.9	26.0	12.7
Baudh	31.2	31.6	24.0	65.4	66.5	49.2	35.2	36.0	20.1
Bhadrak	29.2	29.4	27.6	64.2	65.1	57.6	22.9	23.4	19.1
Cuttack	24.6	24.8	23.9	56.8	59.5	49.8	12.3	14.7	5.5
Debagarh	28.4	28.6	26.7	60.2	61.1	52.6	28.0	28.9	19.1
Dhenkanal	26.3	26.6	23.5	61.3	62.1	52.9	17.5	18.2	10.3
Gajapati	29.6	30.5	22.5	62.4	64.3	49.8	54.0	57.7	18.9
Ganjam	27.7	28.8	21.8	62.5	65.7	47.1	33.1	37.2	10.5
Jagatsinghapur	22.5	22.3	23.4	53.7	55.6	40.0	11.2	11.1	11.9
Jajapur	26.2	26.3	22.9	57.4	57.8	49.2	23.6	24.1	13.2
Jharsuguda	24.9	24.2	26.0	51.0	52.5	48.5	20.9	23.0	17.5
Kalahandi	28.7	29.4	22.8	59.7	61.7	43.9	45.4	49.0	16.1
Kandhamal	28.8	29.2	25.0	61.2	62.6	48.5	41.7	44.2	13.2
Kendrapara	26.5	26.8	22.3	65.3	66.1	53.8	20.3	20.6	14.4
Kendujhar	29.0	29.2	27.7	59.7	61.0	53.7	31.4	33.2	22.7
Khordha	23.6	24.5	22.6	50.1	55.3	44.5	9.0	12.3	5.5
Koraput	32.6	34.0	26.4	66.0	69.9	50.6	64.3	72.5	28.2
Malkangiri	34.8	35.1	31.1	70.7	71.9	57.9	76.5	79.0	41.8
Mayurbhanj	28.9	29.4	23.3	61.8	62.9	48.1	42.9	45.0	15.9
Nabarangapur	33.9	34.3	24.6	69.0	70.2	47.1	68.0	70.3	15.7
Nuapada	30.2	30.5	25.2	68.0	68.9	52.4	56.1	58.1	17.0
Nayagarh	26.0	26.1	25.3	63.2	63.5	57.1	12.1	12.4	4.8
Puri	23.4	23.5	22.9	52.9	53.8	48.5	13.6	14.1	10.9
Rayagada	30.2	31.3	25.0	61.2	64.5	46.9	52.7	60.2	18.4
Sambalpur	25.7	25.9	25.4	53.6	54.8	51.6	27.8	32.7	20.4
Sonapur	26.0	26.1	24.1	58.5	58.8	54.4	31.6	32.2	21.6
Sundargarh	26.9	27.5	25.6	54.4	57.9	47.7	28.2	36.8	12.9

SEX RATIO

State / District	Sex Ratio at Birth			Sex Ratio (0- 4 Years)			Sex Ratio (All Ages)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
	1	2	3	4	5	6	7	8	9
ODISHA	903	902	911	932	935	918	995	1002	955
Anugul	855	862	815	852	855	836	973	981	938
Balangir	931	920	1083	986	990	916	975	976	968
Baleshwar	902	910	831	941	938	966	1051	1058	1001
Bargarh	853	831	1139	884	876	968	969	969	967
Baudh	928	927	935	997	996	1021	977	977	984
Bhadrak	863	850	957	900	899	908	1069	1081	985
Cuttack	942	928	979	921	907	959	959	960	957
Debagarh	941	941	948	945	946	937	992	991	999
Dhenkanal	868	867	883	853	851	876	1036	1041	989
Gajapati	907	900	972	960	956	1000	991	989	1011
Ganjam	875	887	808	914	920	878	1017	1025	978
Jagatsinghpur	946	969	770	930	948	782	982	997	874
Jajapur	890	894	807	933	931	992	1021	1023	987
Jharsuguda	892	892	891	897	909	879	940	961	905
Kalahandi	902	898	950	898	902	843	962	966	923
Kandhamal	883	870	1085	996	988	1084	974	979	935
Kendrapara	942	939	1000	953	951	986	1102	1104	1066
Kendujhar	922	910	992	988	980	1029	1019	1023	998
Khordha	901	896	906	931	947	911	943	972	911
Koraput	909	900	958	982	971	1041	1013	1017	996
Malkangiri	936	936	938	980	974	1064	1010	1009	1022
Mayurbhanj	930	931	906	973	978	893	1021	1022	1006
Nabarangapur	949	948	964	965	967	898	982	981	1003
Nayagarh	830	826	1021	837	838	817	956	956	936
Nuapada	930	926	1075	964	971	791	963	963	967
Puri	901	906	874	899	908	855	966	971	941
Rayagada	902	902	903	970	972	956	1037	1049	977
Sambalpur	863	835	911	885	870	910	975	979	968
Sonapur	919	926	805	942	954	768	936	938	918
Sundargarh	899	912	866	942	972	876	954	966	931



EFFECTIVE LITERACY RATE									
State / District	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	78.1	75.9	89.4	86.4	84.8	94.2	69.9	67.2	84.4
Anugul	84.8	83.6	90.7	92.9	92.2	96.1	76.6	75.0	84.9
Balangir	77.5	76.3	90.5	87.3	86.5	95.6	67.4	65.7	85.4
Baleshwar	86.7	85.9	92.3	94.2	93.9	96.0	79.6	78.4	88.6
Bargarh	80.6	79.8	89.8	88.7	88.2	94.9	72.1	71.0	84.4
Baudh	77.1	76.5	86.8	86.6	86.3	92.4	67.4	66.5	81.1
Bhadrak	84.0	83.9	84.8	91.1	91.4	89.1	77.8	77.4	80.6
Cuttack	87.6	85.9	92.2	93.2	92.2	95.8	81.8	79.3	88.5
Debagarh	79.7	79.0	86.6	87.5	87.1	92.0	72.0	71.1	81.3
Dhenkanal	84.2	83.6	90.5	91.9	91.5	95.7	77.1	76.3	85.3
Gajapati	60.8	57.7	82.8	70.7	67.9	90.2	50.8	47.3	75.5
Ganjam	77.4	74.8	90.6	87.4	85.5	95.9	68.2	65.0	85.0
Jagatsinghpur	88.2	87.7	92.4	93.8	93.5	96.2	82.5	81.8	88.1
Jajapur	82.7	82.4	88.9	89.3	89.0	93.2	76.4	76.0	84.5
Jharsuguda	84.0	81.9	87.6	91.2	89.9	93.4	76.3	73.5	81.2
Kalahandi	65.8	63.4	85.6	79.2	77.5	92.8	51.8	48.9	77.6
Kandhamal	68.6	66.5	88.7	82.2	81.0	93.9	54.6	51.7	83.0
Kendrapara	84.1	83.8	88.3	91.0	90.8	93.4	78.0	77.6	83.5
Kendujhar	78.5	77.2	84.7	87.3	86.3	91.8	69.9	68.3	77.6
Khordha	90.5	87.5	94.0	95.1	93.5	96.9	85.7	81.3	90.8
Koraput	55.8	50.4	78.9	66.6	61.7	87.4	45.1	39.4	70.3
Malkangiri	50.2	48.0	74.4	60.0	58.0	82.1	40.6	38.3	66.9
Mayurbhanj	68.5	67.0	86.5	78.3	77.2	91.9	59.0	57.2	81.2
Nabarangapur	51.8	50.0	86.1	61.8	60.3	92.0	41.7	39.7	80.2
Nuapada	64.4	63.6	81.5	75.3	74.8	86.8	53.0	51.9	76.0
Nayagarh	86.7	86.4	93.4	95.7	95.6	97.6	77.8	77.3	89.0
Puri	89.2	89.0	90.3	94.9	95.2	93.1	83.4	82.7	87.4
Rayagada	60.3	55.2	84.2	71.9	67.3	92.3	49.3	43.8	76.0
Sambalpur	80.6	77.3	85.8	88.1	86.0	91.3	73.0	68.6	80.1
Sonapur	80.9	80.7	84.4	88.8	88.6	91.6	72.5	72.3	76.8
Sundargarh	79.6	74.0	90.7	87.2	83.1	95.3	71.5	64.5	85.8

MARRIAGE


State / District	Marriages among Females below legal age (18 years) (%) [#]			Marriages among Males below legal age (21 years) (%) [#]			Currently Married Women aged 20-24 years married before legal age (18 years) (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	4.6	5.0	2.7	5.4	6.0	2.9	28.8	29.3	25.6
Anugul	6.3	6.6	4.9	4.5	4.9	2.9	27.9	27.7	29.4
Balangir	2.6	2.8	0.0	2.8	3.1	0.0	18.0	17.9	18.2
Baleshwar	2.4	2.4	2.2	2.5	2.5	2.0	21.9	20.9	31.0
Bargarh	4.8	4.8	5.0	3.4	3.4	3.6	24.1	24.2	23.1
Baudh	6.7	6.7	-	7.5	8.0	-	38.5	38.7	-
Bhadrak	1.4	1.2	2.7	2.3	2.2	2.9	16.5	15.5	22.0
Cuttack	1.0	1.3	0.2	1.6	1.4	2.0	15.6	15.4	16.2
Debagarh	2.5	2.7	0.0	5.3	5.4	4.2	24.6	24.4	26.7
Dhenkanal	3.9	4.3	0.0	3.9	4.2	1.3	16.2	16.9	7.1
Gajapati	9.5	10.9	2.4	7.8	9.0	2.1	43.4	44.8	29.6
Ganjam	7.4	8.1	3.0	2.9	3.3	0.8	38.0	39.2	25.9
Jagatsinghpur	0.6	0.6	0.9	1.6	1.6	1.6	15.1	13.4	24.8
Jajapur	2.3	2.4	-	1.8	1.9	-	16.4	16.4	-
Jharsuguda	1.7	1.2	2.3	2.4	1.9	3.2	15.4	11.6	21.9
Kalahandi	4.0	4.3	-	8.9	9.5	-	31.0	31.6	-
Kandhamal	6.0	6.1	4.8	7.6	8.2	2.9	36.5	37.3	27.3
Kendrapara	0.8	0.8	1.1	1.3	1.3	1.2	10.0	10.0	8.8
Kendujhar	7.4	8.1	4.4	6.9	7.8	3.1	29.4	29.5	29.0
Khordha	2.3	2.9	1.7	2.1	2.4	1.8	23.1	20.7	26.1
Koraput	13.5	14.2	10.9	23.2	25.7	13.5	53.7	55.6	40.6
Malkangiri	12.6	13.1	4.4	20.1	21.1	5.4	48.8	48.8	47.9
Mayurbhanj	5.5	5.7	2.7	4.9	5.0	3.6	36.4	36.8	29.3
Nabarangapur	19.1	19.8	-	23.5	24.4	-	51.1	51.4	-
Nuapada	6.1	6.0	-	10.1	10.4	-	34.1	34.6	-
Nayagarh	7.0	7.1	-	3.3	3.0	-	31.6	31.9	-
Puri	0.9	0.5	2.4	1.2	1.0	2.2	19.3	16.5	30.0
Rayagada	9.3	10.3	4.8	10.4	12.2	2.2	38.4	38.2	39.4
Sambalpur	2.2	1.5	3.3	3.6	3.0	4.6	17.3	14.3	22.0
Sonapur	4.1	4.2	2.7	4.0	4.1	3.3	33.0	33.5	24.2
Sundargarh	2.7	2.6	3.0	5.0	6.3	2.7	20.4	19.1	23.9

Based on marriages taken place during 2008-2010.

		MARRIAGE								
State / District	Currently Married Men aged 25-29 years married before legal age (21 years) (%)			Mean age at Marriage#						
				Male			Female			
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban	
1	2	3	4	5	6	7	8	9	10	
Odisha	18.7	18.9	16.8	26.8	26.5	28.4	22.4	22.2	23.4	
Anugul	18.5	19.2	14.2	26.8	26.5	28.1	21.3	21.1	22.4	
Balangir	13.0	13.1	11.4	26.5	26.2	29.0	21.6	21.4	23.6	
Baleshwar	13.8	14.1	11.4	27.4	27.2	28.7	21.8	21.7	22.7	
Bargarh	11.9	12.2	6.4	26.8	26.7	28.0	21.0	20.9	22.1	
Baudh	20.6	20.5	-	25.5	25.2	-	20.7	20.6	-	
Bhadrak	10.1	9.6	13.3	27.5	27.4	27.9	22.8	22.9	22.7	
Cuttack	11.6	10.8	14.1	28.5	28.4	28.9	23.2	22.9	24.1	
Debagarh	14.5	14.1	18.5	26.8	26.6	28.5	21.4	21.3	22.8	
Dhenkanal	13.0	12.9	13.7	27.7	27.5	29.6	22.0	21.8	23.7	
Gajapati	21.3	22.6	7.5	25.9	25.4	27.5	21.1	20.7	22.5	
Ganjam	15.2	15.3	14.0	26.7	26.2	29.6	21.3	21.0	23.1	
Jagatsinghpur	6.0	6.6	2.5	28.6	28.5	31.1	24.7	24.8	23.3	
Jajapur	10.1	10.1	-	28.1	28.1	-	23.4	23.3	-	
Jharsuguda	11.6	8.6	16.7	27.2	26.9	27.6	22.2	22.0	22.5	
Kalahandi	24.2	24.9	-	25.1	24.7	-	21.5	21.2	-	
Kandhamal	22.6	22.6	22.1	26.5	26.4	26.7	22.7	22.4	24.7	
Kendrapara	5.6	5.5	6.3	28.1	28.0	29.5	23.5	23.5	24.3	
Kendujhar	19.2	19.1	19.7	26.5	26.1	27.9	21.5	21.4	21.9	
Khordha	13.7	11.9	16.0	27.9	27.5	28.3	23.6	23.1	24.1	
Koraput	46.0	47.7	34.8	23.2	22.4	25.4	21.5	21.5	21.4	
Malkangiri	37.0	37.4	30.2	23.0	22.8	26.5	19.8	19.7	20.8	
Mayurbhanj	25.8	25.6	30.5	26.7	26.4	30.9	21.2	21.1	23.3	
Nabarangapur	34.3	34.5	-	22.9	22.7	-	20.0	19.8	-	
Nuapada	20.8	21.2	-	25.0	24.9	-	22.3	22.3	-	
Nayagarh	9.3	9.3	-	27.2	27.1	-	20.6	20.7	-	
Puri	11.7	10.8	16.2	28.3	27.9	30.0	23.7	23.4	24.9	
Rayagada	21.1	21.1	21.1	25.1	24.4	28.8	21.8	21.4	24.4	
Sambalpur	11.5	10.3	13.4	27.0	26.5	27.7	22.3	22.0	22.8	
Sonapur	16.4	16.7	9.1	27.1	26.8	29.7	21.9	21.7	23.2	
Sundargarh	18.7	17.8	20.9	27.0	26.3	28.3	22.8	22.6	23.0	

Based on marriages taken place during 2008-2010.

Odisha: Mean age at Marriage (based on marriages taken place during 2008-2010)



SCHOOLING STATUS									
State / District	Children currently attending School (Age 6-17 years) (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	84.7	83.8	89.8	85.5	84.8	89.7	83.7	82.7	90.0
Anugul	84.3	83.4	89.0	85.8	85.1	89.6	82.7	81.7	88.3
Balangir	81.1	80.3	90.2	83.0	82.4	89.7	79.0	78.0	90.9
Baleshwar	90.2	89.9	92.5	90.3	90.1	91.3	90.1	89.7	93.7
Bargarh	77.1	76.1	88.0	77.3	76.4	87.4	76.8	75.8	88.7
Baudh	87.6	87.4	-	87.2	87.0	-	88.1	87.9	-
Bhadrak	87.0	87.7	81.8	88.1	89.3	79.6	85.8	86.0	84.0
Cuttack	87.4	86.1	91.2	88.0	87.0	91.2	86.7	85.2	91.3
Debagarh	81.2	80.6	87.1	83.1	82.7	87.8	79.2	78.4	86.5
Dhenkanal	83.1	82.7	88.7	84.9	84.6	88.0	81.4	80.7	89.4
Gajapati	86.5	85.7	94.3	87.1	86.3	95.5	85.8	85.1	92.8
Ganjam	84.9	84.1	89.8	87.1	86.7	89.4	82.6	81.5	90.2
Jagatsinghpur	94.4	94.1	96.4	94.4	94.2	96.3	94.4	94.1	96.5
Jajapur	86.6	86.5	-	87.5	87.4	-	85.7	85.5	-
Jharsuguda	81.8	78.5	87.3	82.3	79.4	86.9	81.4	77.6	87.8
Kalahandi	85.5	84.9	-	87.8	87.1	-	83.0	82.5	-
Kandhamal	92.8	92.5	96.5	93.4	93.0	97.6	92.2	91.9	95.2
Kendrapara	88.4	88.3	90.8	89.4	89.3	91.2	87.5	87.3	90.4
Kendujhar	81.8	81.4	84.1	81.9	81.6	83.4	81.8	81.2	84.9
Khordha	89.4	87.2	92.2	89.7	87.7	92.3	89.1	86.8	92.1
Koraput	75.3	73.6	84.4	77.3	75.8	85.2	73.2	71.2	83.4
Malkangiri	76.7	75.7	89.1	78.9	78.0	90.2	74.4	73.3	88.0
Mayurbhanj	84.6	84.4	88.0	84.7	84.4	88.3	84.5	84.3	87.6
Nabarangapur	69.9	69.1	-	70.3	69.6	-	69.5	68.7	-
Nuapada	84.3	84.2	-	86.0	85.9	-	82.4	82.2	-
Nayagarh	84.7	84.4	-	86.1	85.8	-	83.0	82.8	-
Puri	93.2	93.2	92.7	93.6	93.6	93.4	92.7	92.9	92.0
Rayagada	78.6	76.4	91.3	80.4	78.3	91.8	76.7	74.2	90.8
Sambalpur	79.0	75.9	83.8	78.8	76.3	82.8	79.1	75.6	84.9
Sonapur	90.4	90.3	91.4	90.3	90.2	90.7	90.5	90.4	92.2
Sundargarh	87.4	84.9	92.7	86.9	84.5	92.0	88.0	85.4	93.5



SCHOOLING STATUS									
State / District	Children attended before / Drop out (Age 6-17 years) (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	12.9	13.6	8.6	12.3	12.9	9.0	13.5	14.3	8.3
Anugul	15.4	16.3	10.6	13.9	14.7	9.8	17.1	18.1	11.5
Balangir	18.3	19.1	9.6	16.6	17.1	9.9	20.3	21.2	9.1
Baleshwar	9.5	9.9	6.9	9.6	9.7	8.3	9.5	10.0	5.5
Bargarh	22.7	23.6	11.8	22.5	23.4	12.5	22.8	23.8	11.0
Baudh	10.2	10.3	-	10.1	10.2	-	10.3	10.5	-
Bhadrak	12.6	12.0	17.2	11.5	10.4	19.3	13.8	13.6	15.1
Cuttack	10.9	12.2	6.9	10.3	11.4	7.2	11.5	13.1	6.7
Debagarh	18.1	18.6	12.4	16.4	16.8	11.6	19.8	20.5	13.3
Dhenkanal	16.6	17.1	11.2	15.0	15.2	12.0	18.2	18.9	10.3
Gajapati	9.0	9.5	4.1	8.8	9.3	3.4	9.3	9.7	4.9
Ganjam	12.7	13.6	7.0	10.9	11.5	7.4	14.5	15.7	6.5
Jagatsinghpur	4.2	4.4	2.4	4.0	4.2	2.1	4.4	4.7	2.7
Jajapur	12.3	12.4	-	11.8	11.8	-	12.9	13.0	-
Jharsuguda	18.0	21.3	12.4	17.5	20.4	12.8	18.4	22.2	12.0
Kalahandi	8.9	9.4	-	7.9	8.4	-	9.9	10.6	-
Kandhamal	5.2	5.4	2.7	5.0	5.3	2.2	5.4	5.6	3.3
Kendrapara	11.5	11.6	9.2	10.5	10.6	8.8	12.4	12.6	9.6
Kendujhar	16.6	17.1	14.0	16.7	17.0	15.1	16.5	17.3	12.9
Khordha	9.1	11.4	6.2	8.9	11.1	6.2	9.4	11.7	6.3
Koraput	15.2	16.4	9.2	14.9	16.0	9.8	15.5	16.8	8.5
Malkangiri	12.1	12.5	7.0	12.0	12.4	6.5	12.1	12.5	7.5
Mayurbhanj	13.7	13.8	11.4	14.2	14.4	11.5	13.1	13.2	11.4
Nabarangapur	19.0	19.4	-	19.4	19.8	-	18.6	19.1	-
Nuapada	12.8	13.0	-	11.5	11.6	-	14.3	14.5	-
Nayagarh	13.1	13.3	-	11.4	11.6	-	14.9	15.1	-
Puri	5.1	5.1	5.6	4.8	4.7	5.5	5.5	5.4	5.8
Rayagada	13.7	14.8	7.4	12.9	14.1	6.6	14.5	15.6	8.4
Sambalpur	20.7	23.8	15.9	20.8	23.4	16.9	20.6	24.2	14.8
Sonapur	7.9	7.9	7.7	8.1	8.0	8.9	7.8	7.9	6.5
Sundargarh	12.1	14.5	6.9	12.6	15.0	7.5	11.4	14.0	6.2

WORK STATUS									
State / District	Children aged 5-14 years engaged in work (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	4.1	4.2	3.3	4.7	4.8	4.0	3.4	3.5	2.5
Anugul	3.4	3.3	4.1	3.6	3.6	3.6	3.3	3.1	4.6
Balangir	3.7	3.9	2.0	4.1	4.3	2.4	3.2	3.4	1.5
Baleshwar	2.9	2.9	3.2	3.3	3.2	4.1	2.6	2.6	2.3
Bargarh	4.8	5.0	3.1	5.7	5.8	4.3	3.9	4.1	1.8
Baudh	2.7	2.8	-	4.1	4.2	-	1.2	1.3	-
Bhadrak	3.3	3.1	4.7	3.4	3.1	5.9	3.1	3.1	3.5
Cuttack	2.4	2.4	2.4	3.1	2.9	3.5	1.7	1.8	1.3
Debagarh	6.4	6.6	4.6	7.2	7.3	5.4	5.6	5.8	3.8
Dhenkanal	3.7	3.8	2.9	4.0	4.1	3.1	3.4	3.5	2.6
Gajapati	5.0	5.2	2.7	6.0	6.3	2.9	3.7	3.8	2.4
Ganjam	2.2	2.1	3.3	3.1	2.7	6.1	1.3	1.5	0.0
Jagatsinghpur	1.0	1.0	0.8	1.6	1.7	1.3	0.3	0.3	0.2
Jajapur	4.1	4.1	-	3.9	4.0	-	4.3	4.3	-
Jharsuguda	4.6	5.5	3.3	5.2	6.1	3.8	4.0	4.8	2.7
Kalahandi	4.5	4.7	-	5.9	6.1	-	2.9	3.1	-
Kandhamal	1.1	1.2	0.7	1.4	1.5	0.3	0.8	0.8	1.1
Kendrapara	2.5	2.5	3.0	2.5	2.4	3.1	2.6	2.5	2.8
Kendujhar	6.3	6.5	5.1	6.8	7.0	5.8	5.8	6.1	4.5
Khordha	2.2	2.2	2.2	3.0	3.0	2.9	1.3	1.3	1.3
Koraput	7.6	7.9	5.4	7.8	8.2	5.4	7.3	7.6	5.5
Malkangiri	5.2	5.5	1.8	6.7	7.2	0.5	3.6	3.6	3.1
Mayurbhanj	6.1	6.3	3.3	6.5	6.7	3.6	5.8	5.9	3.0
Nabarangapur	8.9	9.1	-	10.5	10.8	-	7.1	7.3	-
Nuapada	3.0	3.0	-	4.2	4.2	-	1.4	1.4	-
Nayagarh	1.3	1.3	-	1.5	1.5	-	1.1	1.1	-
Puri	1.9	1.9	1.9	3.2	3.2	3.3	0.5	0.5	0.2
Rayagada	5.9	6.2	3.7	6.2	6.4	4.4	5.6	6.0	2.7
Sambalpur	5.6	6.2	4.8	6.3	6.8	5.5	4.9	5.5	3.9
Sonapur	2.5	2.6	0.8	3.6	3.7	1.3	1.3	1.4	0.4
Sundargarh	5.5	6.0	4.4	6.0	6.5	4.7	5.0	5.4	4.2

WORK STATUS									
State / District	Work Participation Rate (15 years and above)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	50.9	51.9	46.3	76.8	77.5	73.9	25.8	27.3	17.8
Anugul	52.8	53.4	49.6	77.7	77.4	78.8	27.9	29.7	19.1
Balangir	54.5	55.3	46.7	79.4	79.9	74.1	29.7	30.7	19.0
Baleshwar	43.4	43.2	44.7	76.4	76.6	75.0	12.7	12.5	14.2
Bargarh	66.4	67.7	52.4	83.8	84.5	76.5	48.5	50.4	27.4
Baudh	53.1	53.6	-	78.1	78.6	-	27.8	28.4	-
Bhadrak	42.0	41.7	44.1	76.0	75.8	77.4	12.7	12.9	11.0
Cuttack	41.0	40.8	41.5	70.6	70.2	71.7	10.4	10.7	9.6
Debagarh	65.4	65.8	61.4	82.4	82.5	82.1	48.9	49.7	41.0
Dhenkanal	44.0	43.8	46.0	76.2	75.9	79.0	14.7	14.8	13.3
Gajapati	59.6	60.6	52.6	78.7	79.2	75.6	41.4	42.9	31.3
Ganjam	50.4	51.9	43.2	73.9	74.9	69.5	29.2	31.7	17.1
Jagatsinghpur	41.5	41.0	46.3	74.9	74.4	78.9	8.3	8.3	8.5
Jajapur	42.3	42.3	-	73.6	73.7	-	12.9	12.9	-
Jharsuguda	58.8	62.3	52.7	80.3	81.9	77.7	36.1	42.1	25.1
Kalahandi	58.3	60.6	-	77.3	78.6	-	39.2	42.5	-
Kandhamal	60.8	61.7	52.5	74.0	74.8	67.3	47.8	48.9	36.5
Kendrapara	37.2	37.1	39.1	68.2	68.3	67.1	10.9	10.7	13.2
Kendujhar	59.6	61.3	51.8	81.9	82.5	79.3	37.9	40.9	24.0
Khordha	42.9	41.3	44.6	73.1	74.0	72.2	11.6	8.7	14.8
Koraput	61.9	65.3	47.9	81.7	83.8	73.4	43.0	47.9	22.9
Malkangiri	56.5	57.6	45.1	83.9	84.3	78.7	30.4	32.0	12.3
Mayurbhanj	61.7	62.5	51.1	81.5	82.0	76.0	42.7	44.0	26.6
Nabarangapur	57.1	58.0	-	82.3	83.2	-	32.1	33.0	-
Nuapada	49.1	49.2	-	78.9	79.1	-	19.3	19.2	-
Nayagarh	38.1	38.1	-	71.0	71.3	-	6.8	6.7	-
Puri	39.8	39.4	42.1	71.9	72.3	69.7	8.4	7.5	13.4
Rayagada	63.6	67.1	48.0	81.7	83.3	75.0	47.2	52.8	21.4
Sambalpur	61.7	67.5	52.6	80.8	82.4	78.3	42.6	52.7	26.5
Sonapur	53.4	54.1	42.8	76.7	77.1	70.5	29.0	30.0	13.5
Sundargarh	56.5	59.9	49.7	79.3	81.1	76.0	32.9	38.5	21.6

DISABILITY

State / District	Prevalence of any type of Disability (Per 100,000 Population)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	2064	2160	1567	2245	2352	1707	1883	1971	1418
Anugul	2208	2291	1794	2252	2322	1912	2163	2260	1666
Balangir	2567	2642	1745	2661	2746	1742	2470	2537	1748
Baleshwar	2388	2490	1674	2711	2929	1229	2078	2071	2124
Bargarh	2497	2562	1780	2753	2824	1972	2230	2289	1578
Baudh	1234	1294	-	1245	1301	-	1222	1286	-
Bhadrak	2065	2104	1786	2017	2083	1566	2110	2123	2010
Cuttack	1806	2017	1228	2143	2318	1668	1457	1707	770
Debagarh	2730	2796	2101	3247	3337	2395	2216	2259	1809
Dhenkanal	2499	2577	1738	2624	2686	2034	2379	2472	1438
Gajapati	2471	2314	3633	2245	2076	3501	2701	2555	3764
Ganjam	2559	2769	1472	2776	3046	1449	2355	2511	1496
Jagatsinghpur	1321	1313	1388	1502	1505	1477	1138	1121	1285
Jajapur	2511	2546	-	2813	2851	-	2218	2252	-
Jharsuguda	1800	2118	1259	1740	2136	1084	1865	2099	1454
Kalahandi	3377	3423	-	3376	3436	-	3377	3410	-
Kandhamal	2277	2306	2003	2476	2519	2066	2074	2088	1936
Kendrapara	2107	2119	1911	2465	2498	1976	1786	1782	1849
Kendujhar	2220	2122	2678	2714	2680	2867	1733	1572	2488
Khordha	1031	1372	642	1160	1571	707	894	1168	571
Koraput	1155	1049	1630	1161	1071	1563	1149	1028	1697
Malkangiri	1367	1449	401	1401	1474	527	1334	1424	278
Mayurbhanj	2306	2304	2337	2355	2357	2329	2259	2252	2345
Nabarangapur	1315	1322	-	1314	1333	-	1316	1311	-
Nuapada	1376	1358	-	1468	1425	-	1281	1289	-
Nayagarh	1313	1344	-	1689	1732	-	935	955	-
Puri	1565	1531	1738	1995	1888	2524	1127	1171	899
Rayagada	1600	1609	1557	1585	1557	1718	1614	1659	1392
Sambalpur	2480	2741	2065	2782	3101	2281	2169	2374	1841
Sonapur	1533	1557	1153	1635	1676	980	1424	1429	1343
Sundargarh	2383	2668	1809	2616	2812	2225	2137	2516	1362



INJURY


State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Severe								
	Person			Male			Female		
1	2	3	4	5	6	7	8	9	10
Odisha	223	226	209	313	316	299	133	136	115
Anugul	342	352	296	497	515	409	184	186	175
Balangir	214	216	194	261	262	255	166	169	131
Baleshwar	164	168	137	231	237	191	99	102	83
Bargarh	213	218	163	303	310	232	119	122	91
Baudh	259	263	-	331	335	-	184	190	-
Bhadrak	215	214	219	351	360	289	89	81	147
Cuttack	149	134	193	230	199	316	66	66	64
Debagarh	361	379	191	571	596	335	153	164	48
Dhenkanal	272	286	134	420	450	133	130	130	135
Gajapati	26	26	33	30	34	0	23	18	65
Ganjam	391	457	50	556	649	98	236	279	0
Jagatsinghpur	72	67	113	99	89	181	44	45	35
Jajapur	328	326	-	515	504	-	147	155	-
Jharsuguda	206	164	278	305	247	402	100	76	141
Kalahandi	262	269	-	357	371	-	163	163	-
Kandhamal	137	133	174	160	167	84	114	98	270
Kendrapara	470	478	334	701	718	445	262	264	231
Kendujhar	352	312	542	404	365	585	301	259	498
Khordha	188	155	224	261	229	297	109	80	144
Koraput	117	108	157	168	150	250	67	67	63
Malkangiri	122	126	80	172	176	122	72	75	40
Mayurbhanj	91	90	97	102	102	97	80	79	98
Nabarangapur	63	60	-	73	68	-	54	52	-
Nuapada	53	51	-	72	71	-	34	31	-
Nayagarh	429	434	-	598	615	-	258	253	-
Puri	323	316	359	424	405	518	221	227	190
Rayagada	99	108	55	146	166	55	54	54	56
Sambalpur	241	239	243	387	349	446	90	126	33
Sonapur	155	158	103	220	225	147	85	87	54
Sundargarh	141	108	208	205	141	333	74	74	74

INJURY


State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Major								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	350	359	302	495	508	430	204	210	168
Anugul	647	680	482	951	1005	686	336	350	263
Balangir	324	332	237	494	512	297	149	147	175
Baleshwar	304	324	165	478	504	300	137	152	28
Bargarh	323	332	222	473	485	348	165	172	91
Baudh	1016	1051	-	1116	1159	-	913	939	-
Bhadrak	504	524	352	797	825	602	233	251	98
Cuttack	257	210	386	351	302	483	159	113	284
Debagarh	747	770	525	1134	1162	862	364	382	190
Dhenkanal	605	606	602	956	949	1017	269	278	180
Gajapati	79	81	65	123	127	98	35	35	32
Ganjam	330	360	175	441	471	295	225	256	51
Jagatsinghpur	122	119	145	156	161	121	87	77	174
Jajapur	526	532	-	841	844	-	221	229	-
Jharsuguda	342	330	362	502	501	502	171	150	207
Kalahandi	392	378	-	477	456	-	304	298	-
Kandhamal	252	260	174	306	325	126	197	194	225
Kendrapara	792	796	740	1123	1132	988	497	496	509
Kendujhar	238	226	293	343	313	480	135	141	106
Khordha	189	188	190	268	259	278	105	115	93
Koraput	395	465	78	418	484	125	372	447	31
Malkangiri	262	277	80	273	282	162	251	272	0
Mayurbhanj	170	154	389	260	247	437	82	63	342
Nabarangapur	35	32	-	39	41	-	31	24	-
Nuapada	99	88	-	124	107	-	74	68	-
Nayagarh	544	551	-	771	796	-	316	306	-
Puri	481	506	351	705	737	550	252	274	138
Rayagada	166	192	41	213	241	82	121	145	0
Sambalpur	411	452	346	618	707	478	198	192	209
Sonapur	255	248	359	313	305	441	193	188	269
Sundargarh	362	317	452	530	476	637	184	150	253

INJURY									
State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Minor								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	1265	1337	894	1651	1741	1196	879	936	576
Anugul	1658	1699	1455	2451	2548	1978	846	836	895
Balangir	811	798	948	1224	1188	1615	387	398	262
Baleshwar	929	897	1153	1398	1343	1775	479	473	524
Bargarh	1511	1523	1379	2205	2226	1972	788	790	759
Baudh	1244	1304	-	1372	1429	-	1112	1175	-
Bhadrak	2167	2167	2163	3071	3076	3035	1334	1341	1275
Cuttack	389	353	489	528	468	694	245	235	275
Debagarh	1741	1822	979	2562	2656	1676	928	995	286
Dhenkanal	1734	1700	2073	2573	2509	3184	929	928	943
Gajapati	6811	7727	65	9370	10614	98	4221	4796	32
Ganjam	659	730	287	892	984	442	438	495	127
Jagatsinghpur	3700	4133	210	3796	4280	151	3603	3986	278
Jajapur	1428	1384	-	2009	1953	-	864	833	-
Jharsuguda	1278	1372	1119	1861	2010	1615	652	701	566
Kalahandi	585	593	-	730	744	-	434	437	-
Kandhamal	2410	2573	827	2967	3168	1054	1839	1965	585
Kendrapara	2478	2516	1887	3332	3402	2273	1714	1726	1526
Kendujhar	809	775	963	1136	1070	1441	486	486	483
Khordha	378	408	344	523	546	498	225	267	175
Koraput	371	429	110	465	549	94	278	312	126
Malkangiri	2815	2179	10333	2921	2305	10255	2710	2055	10409
Mayurbhanj	528	490	1022	769	731	1262	292	255	782
Nabarangapur	2140	1894	-	2100	1868	-	2180	1919	-
Nuapada	4726	4921	-	4754	4943	-	4697	4899	-
Nayagarh	1295	1312	-	1836	1876	-	750	745	-
Puri	1021	952	1371	1411	1262	2152	623	640	536
Rayagada	176	195	83	234	261	109	120	133	56
Sambalpur	1317	1383	1211	1870	2012	1645	748	741	760
Sonapur	340	333	461	428	415	637	247	245	269
Sundargarh	681	779	483	954	1094	676	392	450	274

**Odisha: Number of Injured Persons by type of Treatment received
(Per 100,000 Population)**



Odisha: Number of Injured Persons by type of Treatment received (Per 100,000 Population)



ACUTE ILLNESS


State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Diarrhoea/Dysentery								
	Person			Male			Female		
1	2	3	4	5	6	7	8	9	10
Odisha	592	630	399	568	610	355	617	649	445
Anugul	513	545	355	474	501	343	554	590	368
Balangir	472	478	409	485	491	425	458	464	393
Baleshwar	257	235	412	211	194	328	302	275	497
Bargarh	859	833	1142	840	818	1073	879	849	1214
Baudh	804	815	-	821	838	-	785	790	-
Bhadrak	867	877	790	798	809	723	931	940	858
Cuttack	327	324	336	302	300	307	353	348	366
Debagarh	1138	1178	764	1090	1144	575	1187	1211	952
Dhenkanal	959	936	1181	935	903	1238	982	968	1123
Gajapati	456	489	212	530	575	196	381	402	227
Ganjam	616	698	187	552	645	98	675	748	279
Jagatsinghpur	109	118	32	82	93	0	136	143	69
Jajapur	656	667	-	722	735	-	593	601	-
Jharsuguda	819	984	539	782	937	525	859	1033	555
Kalahandi	260	270	-	233	243	-	288	297	-
Kandhamal	543	541	566	440	446	379	649	637	765
Kendrapara	963	997	430	885	924	296	1033	1063	555
Kendujhar	1055	1112	790	1065	1133	750	1045	1091	829
Khordha	315	420	196	264	364	154	369	478	242
Koraput	233	264	94	211	244	63	254	283	126
Malkangiri	724	754	361	651	672	405	796	836	318
Mayurbhanj	743	738	803	723	726	679	763	750	928
Nabarangapur	431	448	-	435	452	-	427	443	-
Nuapada	200	207	-	147	154	-	256	264	-
Nayagarh	2176	2206	-	2089	2130	-	2264	2282	-
Puri	511	575	184	510	573	194	513	577	173
Rayagada	276	279	262	401	416	327	156	148	195
Sambalpur	625	747	433	590	716	393	661	778	474
Sonapur	305	296	461	326	319	441	283	271	483
Sundargarh	655	705	554	657	736	500	653	673	612

ACUTE ILLNESS									
State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Acute Respiratory Infection (ARI)								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	1252	1348	757	1209	1306	719	1296	1390	796
Anugul	300	297	313	278	278	278	322	317	351
Balangir	606	651	108	681	740	42	528	561	175
Baleshwar	1216	1350	274	1104	1214	355	1323	1480	193
Bargarh	685	689	638	631	644	493	741	737	789
Baudh	4161	4219	-	4359	4434	-	3957	3997	-
Bhadrak	10459	10761	8261	9950	10172	8430	10928	11297	8090
Cuttack	903	1062	466	940	1117	457	864	1004	476
Debagarh	475	419	1003	462	420	862	488	419	1142
Dhenkanal	462	481	267	477	509	177	447	455	359
Gajapati	171	188	49	164	177	65	178	199	32
Ganjam	1938	2248	324	2066	2422	319	1816	2088	330
Jagatsinghpur	1002	1122	32	909	1026	30	1096	1219	35
Jajapur	296	307	-	315	329	-	278	286	-
Jharsuguda	788	1034	369	754	1004	339	825	1065	403
Kalahandi	89	93	-	84	82	-	94	104	-
Kandhamal	480	514	152	514	559	84	446	469	225
Kendrapara	222	229	119	244	257	49	203	204	185
Kendujhar	255	267	203	235	244	195	275	289	211
Khordha	2841	3976	1550	2587	3678	1385	3110	4282	1730
Koraput	107	117	63	146	171	31	69	63	94
Malkangiri	444	473	100	494	529	81	393	417	119
Mayurbhanj	397	420	97	353	373	97	440	465	98
Nabarangapur	252	248	-	281	270	-	224	227	-
Nuapada	978	1010	-	1028	1067	-	925	949	-
Nayagarh	2458	2496	-	2432	2459	-	2484	2534	-
Puri	2401	2644	1162	2281	2518	1100	2524	2770	1227
Rayagada	32	30	41	28	29	27	35	31	56
Sambalpur	1013	1318	530	977	1321	435	1051	1315	628
Sonapur	417	320	1948	394	284	2108	441	359	1772
Sundargarh	244	275	183	228	259	167	261	291	201


ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Fever (All Types)								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	6403	6542	5684	6544	6633	6096	6262	6452	5251
Anugul	7556	8122	4738	7092	7630	4479	8033	8621	5017
Balangir	11009	11247	8425	10148	10339	8075	11892	12178	8785
Baleshwar	6033	6323	4007	6204	6543	3904	5869	6113	4110
Bargarh	8246	7970	11286	7893	7627	10818	8614	8327	11775
Baudh	7953	8016	-	8718	8587	-	7165	7428	-
Bhadrak	2186	2220	1944	2402	2401	2408	1988	2056	1471
Cuttack	4074	4664	2457	3975	4547	2414	4176	4784	2501
Debagarh	10844	11056	8833	10148	10461	7184	11533	11645	10471
Dhenkanal	10518	10759	8157	10847	11150	7961	10203	10385	8356
Gajapati	8258	8943	3210	9713	10599	3109	6785	7262	3310
Ganjam	5506	4435	11065	8024	5715	19371	3131	3249	2485
Jagatsinghpur	2044	2156	1146	1904	2004	1145	2188	2308	1146
Jajapur	3954	4031	-	4354	4452	-	3565	3624	-
Jharsuguda	5431	5145	5918	5035	4773	5467	5856	5535	6419
Kalahandi	8933	9314	-	8543	8930	-	9339	9712	-
Kandhamal	5808	5483	8948	5398	5114	8094	6227	5861	9860
Kendrapara	5407	5571	2866	5321	5477	2964	5483	5654	2774
Kendujhar	9160	9573	7236	8954	9432	6754	9363	9712	7721
Khordha	3686	4720	2509	3485	4575	2284	3899	4869	2755
Koraput	4942	5146	4027	4556	4837	3313	5323	5450	4745
Malkangiri	14192	13982	16673	14584	13851	23308	13804	14113	10171
Mayurbhanj	4294	4306	4138	4016	4034	3785	4566	4571	4494
Nabarangapur	6907	6846	-	7065	7077	-	6746	6611	-
Nuapada	7288	7301	-	8270	8216	-	6261	6344	-
Nayagarh	12552	12925	-	13016	13344	-	12084	12505	-
Puri	2695	2886	1722	2611	2801	1667	2781	2971	1780
Rayagada	6791	7346	4105	7794	8458	4692	5826	6288	3507
Sambalpur	10548	10013	11396	9739	9380	10303	11380	10660	12532
Sonapur	7024	6926	8585	8209	8132	9412	5757	5637	7680
Sundargarh	7342	6555	8925	6965	6255	8372	7740	6869	9522


ACUTE ILLNESS									
State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Any type of Acute Illness								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	9632	9954	7968	9649	9915	8316	9615	9993	7602
Anugul	10590	10854	9273	10051	10367	8516	11142	11348	10086
Balangir	13366	13644	10343	12706	12984	9690	14042	14321	11014
Baleshwar	7967	8198	6353	7948	8190	6306	7985	8206	6400
Bargarh	14556	14436	15883	13983	13901	14878	15155	14993	16935
Baudh	14732	14841	-	15536	15467	-	13906	14197	-
Bhadrak	14636	14970	12210	14615	14902	12645	14656	15032	11768
Cuttack	5980	6754	3860	5808	6598	3652	6159	6915	4077
Debagarh	15974	16111	14681	15154	15509	11782	16788	16706	17563
Dhenkanal	13308	13495	11478	13790	14007	11720	12846	13006	11231
Gajapati	9142	9890	3633	10650	11605	3534	7616	8150	3731
Ganjam	9102	8549	11976	11568	9821	20157	6777	7371	3525
Jagatsinghpur	3664	3951	1355	3447	3716	1417	3885	4185	1285
Jajapur	7351	7457	-	7452	7591	-	7254	7327	-
Jharsuguda	10317	11114	8961	9599	10322	8402	11088	11946	9582
Kalahandi	9960	10380	-	9489	9887	-	10450	10890	-
Kandhamal	7308	7020	10102	6845	6620	8980	7782	7427	11301
Kendrapara	8366	8556	5422	7777	7916	5682	8893	9127	5178
Kendujhar	12035	12819	8387	11689	12529	7819	12378	13104	8958
Khordha	7222	9559	4563	6713	9066	4121	7761	10064	5048
Koraput	6148	6492	4607	5657	6059	3875	6632	6917	5343
Malkangiri	16079	15912	18058	16492	15793	24807	15670	16029	11442
Mayurbhanj	8062	8144	6986	7644	7662	7424	8470	8616	6546
Nabarangapur	8549	8509	-	8678	8679	-	8417	8335	-
Nuapada	9398	9469	-	10363	10384	-	8389	8512	-
Nayagarh	19056	19487	-	19212	19618	-	18899	19356	-
Puri	6738	7253	4103	6480	6980	3997	7000	7529	4217
Rayagada	7368	7925	4670	8505	9204	5237	6274	6709	4091
Sambalpur	14916	15147	14548	14054	14442	13444	15801	15867	15695
Sonapur	8595	8391	11840	9793	9602	12794	7313	7097	10795
Sundargarh	9215	8113	11436	8901	7804	11077	9547	8435	11823



Odisha: Persons suffering from Acute Illness (Per 100,000 Population)



Odisha: Persons suffering from Acute Illness (Per 100,000 Population)



ACUTE ILLNESS

State / District	Persons suffering from Acute Illness and taking treatment from Any Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	96.3	96.2	96.9	96.7	96.6	97.2	95.9	95.8	96.5
Anugul	98.6	98.7	97.5	98.3	98.5	97.1	98.8	99.0	97.9
Balangir	92.5	92.3	95.4	92.9	92.8	95.2	92.1	91.9	95.6
Baleshwar	98.1	98.3	97.0	98.0	98.0	97.8	98.2	98.5	96.1
Bargarh	95.0	94.8	97.2	95.2	95.1	95.3	94.9	94.5	98.9
Baudh	99.4	99.4	-	99.6	99.6	-	99.2	99.2	-
Bhadrak	96.2	95.9	98.6	96.4	96.2	98.1	96.0	95.6	99.2
Cuttack	98.4	98.7	96.6	98.4	98.8	96.6	98.3	98.7	96.6
Debagarh	96.8	97.0	94.1	98.0	98.4	93.9	95.6	95.8	94.3
Dhenkanal	96.9	97.2	93.8	97.4	97.7	94.0	96.4	96.6	93.6
Gajapati	84.6	83.3	99.1	83.0	82.7	100.0	96.8	96.7	98.3
Ganjam	97.2	96.6	99.5	97.9	97.2	99.6	96.1	95.9	98.6
Jagatsinghpur	97.4	97.4	95.2	96.7	96.8	95.7	97.9	98.0	94.6
Jajapur	94.5	94.4	-	95.4	95.4	-	93.6	93.4	-
Jharsuguda	91.1	90.7	92.0	91.0	90.6	91.7	91.3	90.8	92.3
Kalahandi	98.2	98.3	-	98.5	98.6	-	98.0	98.0	-
Kandhamal	94.6	94.4	95.9	94.7	94.4	97.2	94.6	94.5	94.8
Kendrapara	98.8	98.8	99.6	99.3	99.3	99.1	98.5	98.4	100.0
Kendujhar	94.6	94.4	96.1	95.9	95.6	98.1	93.5	93.4	94.4
Khordha	97.0	97.0	96.8	97.2	97.3	96.7	96.8	96.7	96.9
Koraput	90.6	89.7	96.3	90.4	89.7	95.2	90.8	89.7	97.1
Malkangiri	94.8	94.5	98.0	95.3	94.9	98.4	94.3	94.1	97.2
Mayurbhanj	97.6	97.5	99.0	98.7	98.7	98.7	96.6	96.5	99.3
Nabarangapur	95.4	95.2	-	95.6	95.5	-	95.1	94.8	-
Nuapada	96.7	96.6	-	97.2	97.0	-	96.0	96.0	-
Nayagarh	99.0	99.0	-	99.2	99.3	-	98.8	98.8	-
Puri	98.8	98.8	98.4	99.1	99.1	98.8	98.5	98.6	98.0
Rayagada	95.8	95.7	97.1	96.3	96.3	95.8	95.3	94.9	98.6
Sambalpur	93.8	93.8	93.8	93.9	93.9	93.9	93.8	93.8	93.8
Sonapur	95.5	95.9	90.3	96.8	97.4	89.7	93.6	93.9	91.0
Sundargarh	96.9	96.1	98.0	97.3	96.3	98.7	96.5	96.0	97.3


ACUTE ILLNESS									
State / District	Persons suffering from Acute Illness and taking treatment from Government Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	55.3	58.2	36.7	56.4	60.0	35.0	54.2	56.4	38.8
Anugul	48.9	53.1	24.2	48.7	53.0	23.1	49.1	53.2	25.2
Balangir	47.7	48.6	34.3	49.0	50.0	34.6	46.5	47.4	34.0
Baleshwar	31.6	32.3	25.6	32.1	33.0	24.8	31.1	31.6	26.5
Bargarh	40.6	41.3	34.0	41.0	41.7	33.7	40.3	40.9	34.2
Baudh	47.9	46.6	-	48.6	46.5	-	47.1	46.6	-
Bhadrak	43.7	44.0	41.9	43.8	43.7	44.9	43.7	44.2	38.7
Cuttack	49.3	54.2	25.0	53.2	58.6	26.1	45.4	49.9	24.0
Debagarh	64.8	68.0	30.2	64.3	67.0	28.1	65.2	68.9	31.6
Dhenkanal	62.3	62.2	62.7	63.7	63.3	68.7	60.8	61.2	56.4
Gajapati	82.2	83.3	81.4	83.7	84.9	82.2	75.6	75.5	77.9
Ganjam	51.5	62.7	11.2	51.1	69.2	8.8	52.2	54.6	25.5
Jagatsinghapur	46.4	46.3	48.1	50.4	50.3	52.2	42.8	42.8	42.9
Jajapur	60.0	59.5	-	60.6	60.0	-	59.4	58.9	-
Jharsuguda	29.0	35.3	15.7	28.2	35.0	14.5	29.6	35.6	16.8
Kalahandi	70.7	70.3	-	71.5	71.3	-	69.9	69.4	-
Kandhamal	72.9	74.9	60.0	71.8	73.4	60.9	73.9	76.2	59.2
Kendrapara	58.0	58.4	48.7	61.4	61.8	53.5	55.3	55.7	43.8
Kendujhar	66.1	70.0	38.6	67.4	71.5	38.2	64.9	68.7	39.0
Khordha	51.6	60.8	29.5	55.3	65.1	31.2	48.2	56.8	28.1
Koraput	68.1	65.7	82.0	68.2	65.7	84.7	67.9	65.7	80.0
Malkangiri	68.7	67.0	85.4	69.6	67.0	88.5	67.7	67.0	78.6
Mayurbhanj	63.1	62.5	72.5	62.2	62.1	62.9	64.0	62.9	83.5
Nabarangapur	64.1	62.7	-	66.1	65.1	-	62.0	60.1	-
Nuapada	57.9	57.5	-	62.9	62.1	-	51.5	51.5	-
Nayagarh	81.9	82.2	-	83.5	83.9	-	80.3	80.5	-
Puri	50.2	50.4	48.0	47.0	47.1	46.3	53.2	53.5	49.8
Rayagada	78.2	79.2	70.2	79.7	80.8	72.8	73.7	74.5	66.9
Sambalpur	48.9	53.7	40.9	48.6	53.7	39.9	49.1	53.7	41.7
Sonapur	67.0	66.6	71.5	69.5	69.4	70.9	63.2	62.4	72.1
Sundargarh	43.5	56.5	25.2	43.1	56.0	25.6	43.8	57.0	24.8

CHRONIC ILLNESS									
State / District	Having any kind of Symptoms of Chronic Illness (Per 100,000 Population)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	7254	6981	8666	7013	6746	8355	7495	7213	8992
Anugul	3166	2795	5017	3391	3160	4511	2936	2424	5560
Balangir	6700	6281	11248	5892	5526	9860	7528	7055	12675
Baleshwar	8251	8250	8260	7707	7777	7235	8772	8700	9297
Bargarh	6549	6176	10648	6498	6152	10296	6601	6201	11017
Baudh	6956	6980	-	9829	9789	-	4000	4088	-
Bhadrak	9824	9765	10254	9492	9475	9610	10131	10029	10910
Cuttack	7714	7336	8751	7369	6980	8428	8072	7704	9088
Debagarh	8927	8751	10599	8410	8236	10057	9439	9261	11138
Dhenkanal	9736	9626	10809	9329	9194	10615	10126	10039	11006
Gajapati	3679	3566	4513	4318	4173	5399	3032	2950	3634
Ganjam	6299	5083	12612	5891	4752	11490	6683	5390	13771
Jagatsinghpur	9782	10399	4808	9310	9974	4310	10263	10826	5382
Jajapur	9846	9686	-	9423	9279	-	10257	10080	-
Jharsuguda	9194	8668	10090	8883	8328	9802	9529	9026	10411
Kalahandi	5827	5740	-	5744	5556	-	5914	5932	-
Kandhamal	7937	7857	8709	7757	7721	8094	8122	7996	9365
Kendrapara	8469	8429	9076	7843	7741	9387	9028	9043	8784
Kendujhar	5302	5170	5912	5067	4945	5628	5533	5392	6198
Khordha	9898	10095	9674	9820	9830	9808	9982	10367	9527
Koraput	3190	3237	2977	3154	3217	2875	3225	3257	3080
Malkangiri	2407	2417	2287	2492	2494	2473	2323	2341	2106
Mayurbhanj	5167	5047	6719	5071	5012	5822	5260	5082	7621
Nabarangapur	2333	2314	-	2146	2128	-	2525	2504	-
Nuapada	4426	4311	-	4589	4458	-	4256	4157	-
Nayagarh	17795	17643	-	16571	16437	-	19026	18853	-
Puri	13000	12931	13355	12583	12676	12120	13425	13187	14673
Rayagada	3785	3690	4243	3775	3602	4583	3795	3775	3896
Sambalpur	7066	6306	8272	6799	6270	7629	7340	6341	8939
Sonapur	8982	8802	11840	8703	8543	11225	9281	9080	12513
Sundargarh	5211	4098	7451	5308	4139	7627	5108	4055	7263


CHRONIC ILLNESS									
State / District	Having any kind of Symptoms of Chronic Illness and sought Medical Care (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	87.4	86.3	91.7	87.7	86.7	92.1	87.0	86.1	91.3
Anugul	98.9	99.2	98.1	99.0	99.4	97.8	98.8	99.0	98.4
Balangir	93.8	93.3	97.1	94.5	94.0	97.8	93.3	92.7	96.6
Baleshwar	95.3	95.6	93.0	95.7	96.0	93.6	94.9	95.3	92.6
Bargarh	94.6	94.0	97.8	95.2	94.7	98.6	93.9	93.4	97.0
Baudh	74.2	73.9	-	74.0	73.8	-	75.1	78.9	-
Bhadrak	94.6	94.5	95.4	95.1	94.9	96.5	94.2	94.2	94.4
Cuttack	95.6	94.1	98.9	96.0	94.9	98.8	95.1	93.4	99.1
Debagarh	83.6	85.5	69.4	85.3	86.7	74.3	82.1	84.3	65.0
Dhenkanal	96.8	97.4	91.1	97.3	97.7	93.7	96.4	97.2	88.6
Gajapati	92.1	95.0	78.4	92.3	94.4	82.1	91.8	95.9	73.7
Ganjam	88.2	85.9	93.1	93.4	92.8	94.7	83.9	80.3	91.7
Jagatsinghapur	96.0	96.4	88.9	95.8	96.4	86.7	96.2	96.5	91.0
Jajapur	88.6	88.6	-	90.1	90.1	-	87.3	87.1	-
Jharsuguda	89.5	86.6	93.8	90.1	87.1	94.3	88.9	86.0	93.2
Kalahandi	89.6	88.6	-	90.7	89.9	-	88.4	87.4	-
Kandhamal	82.7	83.1	79.0	78.0	82.5	77.6	83.3	83.7	80.3
Kendrapara	96.8	96.8	98.2	97.5	97.4	98.9	96.3	96.3	97.4
Kendujhar	95.8	95.7	96.3	96.1	96.0	96.5	95.6	95.5	96.1
Khordha	96.6	95.3	98.1	97.9	97.4	98.4	95.3	93.3	97.8
Koraput	78.5	75.7	92.1	80.7	78.3	92.4	76.3	73.1	91.8
Malkangiri	69.6	68.0	88.9	69.9	68.3	89.0	69.3	67.8	88.8
Mayurbhanj	90.0	89.2	98.2	89.3	88.5	98.3	90.6	89.8	98.1
Nabarangapur	84.9	84.1	-	86.9	86.4	-	83.0	82.1	-
Nuapada	93.5	93.6	-	96.2	96.3	-	90.4	90.5	-
Nayagarh	94.3	94.3	-	95.0	95.0	-	93.7	93.6	-
Puri	88.6	87.1	95.8	89.0	87.6	96.3	88.2	86.7	95.4
Rayagada	58.0	52.5	80.8	61.6	56.2	81.5	54.5	49.2	80.0
Sambalpur	88.9	83.3	95.8	89.2	84.1	95.8	88.7	82.4	95.8
Sonapur	88.3	88.3	87.9	89.0	88.9	90.0	87.6	87.7	85.8
Sundargarh	88.5	81.8	96.0	89.0	82.1	96.4	88.0	81.4	95.5

CHRONIC ILLNESS									
State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Diabetes								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	741	516	1904	915	636	2316	567	398	1471
Anugul	522	270	1777	648	310	2288	392	229	1228
Balangir	576	466	1767	710	564	2295	438	366	1224
Baleshwar	697	588	1454	877	744	1775	524	440	1131
Bargarh	670	518	2343	818	631	2871	515	399	1791
Baudh	321	253	-	400	306	-	239	198	-
Bhadrak	398	373	583	522	492	723	285	264	441
Cuttack	1657	1175	2977	2011	1435	3582	1290	907	2345
Debagarh	446	407	812	572	531	958	322	285	666
Dhenkanal	775	623	2273	946	720	3096	611	530	1438
Gajapati	596	380	2183	690	436	2585	500	324	1785
Ganjam	890	591	2445	1152	817	2799	643	381	2080
Jagatsinghpur	1048	1038	1129	1302	1319	1175	790	757	1076
Jajapur	769	709	-	918	822	-	625	600	-
Jharsuguda	1048	640	1742	1281	785	2104	797	488	1339
Kalahandi	445	290	-	568	347	-	316	230	-
Kandhamal	323	226	1263	408	287	1560	236	165	946
Kendrapara	696	630	1720	826	717	2470	581	553	1017
Kendujhar	564	389	1377	754	487	1981	377	293	769
Khordha	1410	689	2229	1732	812	2745	1068	564	1663
Koraput	155	60	580	192	73	719	118	47	440
Malkangiri	105	78	421	115	74	608	95	83	238
Mayurbhanj	403	337	1266	489	421	1359	319	255	1172
Nabarangapur	187	149	-	271	219	-	101	77	-
Nuapada	213	162	-	266	203	-	158	119	-
Nayagarh	982	938	-	1229	1157	-	734	719	-
Puri	1202	883	2833	1385	999	3301	1016	765	2333
Rayagada	290	165	895	383	225	1118	201	108	668
Sambalpur	988	520	1730	1215	699	2027	754	337	1422
Sonapur	347	292	1230	427	376	1225	262	201	1235
Sundargarh	795	339	1713	942	428	1961	640	246	1446

Odisha: Having diagnosed for Diabetes (Per 100,000 Population)




Odisha: Having diagnosed for Diabetes (Per 100,000 Population)




CHRONIC ILLNESS									
State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Hypertension								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	1373	1160	2477	1095	887	2135	1652	1429	2837
Anugul	459	305	1227	410	259	1144	509	352	1316
Balangir	1010	756	3771	718	510	2975	1310	1008	4589
Baleshwar	1383	1316	1852	827	743	1392	1917	1862	2317
Bargarh	1278	1080	3455	1005	838	2842	1563	1333	4097
Baudh	829	674	-	742	590	-	918	761	-
Bhadrak	1115	1144	899	735	737	723	1464	1514	1079
Cuttack	2472	2192	3237	1947	1715	2581	3015	2686	3921
Debagarh	1094	925	2698	918	721	2778	1268	1126	2618
Dhenkanal	1373	1297	2117	1056	1005	1548	1676	1575	2695
Gajapati	2138	1674	5556	1821	1406	4908	2459	1946	6197
Ganjam	1440	1132	3044	1189	911	2553	1678	1336	3551
Jagatsinghpur	1476	1555	839	1419	1507	753	1534	1603	938
Jajapur	1711	1681	-	1357	1350	-	2054	2002	-
Jharsuguda	2662	2378	3146	2209	1811	2868	3149	2975	3456
Kalahandi	1288	939	-	1085	786	-	1499	1098	-
Kandhamal	591	542	1067	494	453	885	691	633	1261
Kendrapara	868	834	1385	768	724	1433	957	933	1341
Kendujhar	935	801	1557	736	610	1321	1131	990	1795
Khordha	2921	2729	3139	2304	1898	2752	3574	3582	3565
Koraput	208	122	595	177	125	406	239	119	786
Malkangiri	134	107	441	135	113	405	132	102	477
Mayurbhanj	901	791	2337	697	600	1941	1100	976	2736
Nabarangapur	461	404	-	387	324	-	537	485	-
Nuapada	477	392	-	431	353	-	525	433	-
Nayagarh	2604	2566	-	1791	1741	-	3422	3393	-
Puri	2105	2103	2114	1542	1504	1731	2678	2707	2523
Rayagada	691	467	1777	633	400	1718	747	530	1837
Sambalpur	1257	638	2238	1071	537	1910	1448	741	2579
Sonapur	822	758	1845	632	557	1814	1026	973	1880
Sundargarh	1457	1045	2287	1381	926	2284	1537	1169	2291



Odisha: Having diagnosed for Hypertension (Per 100,000 Population)





Odisha: Having diagnosed for Hypertension (Per 100,000 Population)





CHRONIC ILLNESS									
State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Tuberculosis (TB)								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	178	187	130	223	234	164	132	140	94
Anugul	118	121	102	152	156	131	83	85	70
Balangir	246	257	129	284	294	170	208	219	87
Baleshwar	198	210	110	254	275	109	143	148	110
Bargarh	141	139	163	168	159	261	114	118	61
Baudh	159	154	-	194	186	-	123	120	-
Bhadrak	148	142	194	155	153	169	142	131	221
Cuttack	112	123	81	111	119	88	113	128	73
Debagarh	145	147	119	155	166	48	134	129	190
Dhenkanal	200	198	223	276	282	221	127	118	225
Gajapati	131	133	114	175	181	131	85	84	97
Ganjam	227	252	100	289	307	196	169	200	0
Jagatsinghpur	86	86	81	110	109	121	61	64	35
Jajapur	218	225	-	239	246	-	197	204	-
Jharsuguda	185	207	147	235	253	206	131	160	81
Kalahandi	288	301	-	376	387	-	195	211	-
Kandhamal	201	208	131	225	231	169	176	185	90
Kendrapara	163	163	167	189	185	247	140	143	92
Kendujhar	199	209	150	278	300	180	120	120	121
Khordha	157	191	118	168	208	124	144	173	111
Koraput	60	60	63	64	64	63	56	55	63
Malkangiri	121	121	120	176	178	162	66	65	79
Mayurbhanj	144	144	146	263	276	97	28	15	195
Nabarangapur	131	135	-	185	194	-	75	75	-
Nuapada	155	158	-	208	213	-	99	99	-
Nayagarh	282	288	-	319	330	-	245	246	-
Puri	197	195	209	216	214	227	178	176	190
Rayagada	191	222	41	258	296	82	127	153	0
Sambalpur	200	216	173	258	300	191	140	131	154
Sonapur	147	135	333	161	140	490	131	130	161
Sundargarh	254	295	173	337	368	274	168	218	63



CHRONIC ILLNESS									
State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Asthma/Chronic Respiratory Disease								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	650	644	683	664	666	653	637	622	715
Anugul	357	325	516	388	350	572	325	300	456
Balangir	452	434	646	496	483	637	407	384	656
Baleshwar	605	613	549	686	698	601	528	533	497
Bargarh	358	334	623	342	334	435	375	335	819
Baudh	732	697	-	784	736	-	678	657	-
Bhadrak	703	736	462	717	758	434	690	717	490
Cuttack	1043	1119	834	1067	1168	790	1018	1068	879
Debagarh	570	562	645	652	670	479	489	456	809
Dhenkanal	875	850	1114	767	755	885	978	942	1348
Gajapati	167	136	391	183	147	458	150	126	324
Ganjam	349	322	487	356	339	442	342	307	533
Jagatsinghpur	940	1022	274	934	1021	271	946	1023	278
Jajapur	815	805	-	712	714	-	914	892	-
Jharsuguda	389	348	459	400	367	455	377	328	462
Kalahandi	412	383	-	491	471	-	329	291	-
Kandhamal	691	637	1219	757	681	1476	624	592	946
Kendrapara	850	841	979	988	987	988	726	711	971
Kendujhar	461	467	429	468	459	510	453	476	347
Khordha	1371	1662	1040	1332	1687	941	1413	1637	1149
Koraput	111	111	110	165	181	94	57	42	126
Malkangiri	210	200	321	261	249	405	159	152	238
Mayurbhanj	318	316	341	360	369	243	277	265	440
Nabarangapur	245	247	-	267	276	-	222	217	-
Nuapada	233	228	-	236	238	-	229	216	-
Nayagarh	2130	2132	-	2078	2105	-	2182	2160	-
Puri	1987	2073	1546	1933	1990	1650	2042	2158	1434
Rayagada	126	118	165	152	126	273	102	111	56
Sambalpur	380	341	443	369	367	371	392	314	518
Sonapur	553	461	2025	627	529	2157	475	388	1880
Sundargarh	268	149	508	267	144	510	270	154	507




CHRONIC ILLNESS									
State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Arthritis								
	Person			Male			Female		
1	Total 2	Rural 3	Urban 4	Total 5	Rural 6	Urban 7	Total 8	Rural 9	Urban 10
Odisha	628	665	441	504	549	277	753	779	613
Anugul	119	116	135	101	102	98	137	130	175
Balangir	119	108	237	102	92	212	137	125	262
Baleshwar	571	555	686	480	471	546	658	635	828
Bargarh	215	209	282	168	160	261	264	260	303
Baudh	1322	1330	-	1165	1191	-	1483	1472	-
Bhadrak	303	278	486	240	222	361	361	329	613
Cuttack	539	638	269	418	517	149	664	763	394
Debagarh	91	70	286	110	81	383	71	59	190
Dhenkanal	575	588	446	499	505	442	648	668	449
Gajapati	996	1003	945	796	837	491	1198	1171	1395
Ganjam	932	962	773	695	756	393	1155	1153	1167
Jagatsinghpur	1351	1422	774	1021	1096	452	1686	1748	1146
Jajapur	753	750	-	724	725	-	781	774	-
Jharsuguda	278	258	312	254	248	266	304	270	363
Kalahandi	1233	1285	-	976	1041	-	1502	1538	-
Kandhamal	165	162	196	105	111	42	228	214	360
Kendrapara	150	143	263	135	134	148	164	151	370
Kendujhar	172	167	196	118	108	165	225	224	226
Khordha	917	1284	500	629	913	316	1223	1665	702
Koraput	357	370	298	247	253	219	466	485	377
Malkangiri	627	619	722	578	582	527	676	655	914
Mayurbhanj	280	270	414	226	233	146	333	307	684
Nabarangapur	652	655	-	503	515	-	804	798	-
Nuapada	806	809	-	696	698	-	920	926	-
Nayagarh	4314	4395	-	3760	3844	-	4870	4949	-
Puri	793	804	735	578	629	324	1011	980	1175
Rayagada	402	431	262	344	370	218	458	488	306
Sambalpur	282	205	405	228	238	212	338	170	606
Sonapur	796	803	692	661	666	588	940	949	806
Sundargarh	141	135	152	90	86	98	194	186	211




CHRONIC ILLNESS									
State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Any kind of Chronic Illness								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	6768	6513	8087	6457	6197	7758	7080	6826	8433
Anugul	3794	3413	5694	4399	4188	5427	3173	2625	5981
Balangir	6349	5906	11161	5601	5225	9690	7116	6605	12675
Baleshwar	7857	7877	7711	7377	7454	6852	8317	8280	8579
Bargarh	6146	5747	10529	6138	5768	10209	6154	5726	10865
Baudh	8009	7719	-	8193	7872	-	7819	7560	-
Bhadrak	9081	9194	8261	8836	8966	7948	9307	9402	8581
Cuttack	7668	7240	8841	7354	6947	8464	7993	7543	9234
Debagarh	7605	7574	7902	7287	7227	7854	7921	7918	7949
Dhenkanal	9667	9637	9962	9311	9220	10172	10009	10035	9748
Gajapati	5127	4372	10688	4717	4029	9849	5541	4720	11518
Ganjam	6944	6263	10479	6923	6303	9968	6963	6225	11007
Jagatsinghpur	9567	10211	4372	9125	9792	4099	10015	10630	4688
Jajapur	8729	8584	-	8518	8396	-	8934	8765	-
Jharsuguda	8314	7591	9545	8098	7336	9360	8546	7858	9752
Kalahandi	4941	4430	-	4860	4318	-	5026	4547	-
Kandhamal	3051	2827	5225	2834	2608	4975	3274	3050	5493
Kendrapara	7313	7207	8956	6828	6662	9338	7746	7693	8599
Kendujhar	4572	4444	5168	4493	4360	5103	4650	4526	5233
Khordha	8840	9448	8148	8278	8560	7966	9435	10358	8348
Koraput	1544	1421	2100	1597	1499	2031	1493	1344	2168
Malkangiri	2294	2238	2949	2413	2360	3040	2176	2117	2861
Mayurbhanj	4689	4533	6719	4596	4501	5822	4780	4565	7621
Nabarangapur	3241	3204	-	3172	3139	-	3311	3271	-
Nuapada	3596	3463	-	3720	3576	-	3466	3344	-
Nayagarh	18861	18905	-	18246	18317	-	19481	19494	-
Puri	11991	11970	12101	9000	8714	10421	15035	15252	13896
Rayagada	2454	2193	3720	2560	2256	3983	2353	2134	3451
Sambalpur	6222	5182	7872	6023	5204	7311	6427	5160	8454
Sonapur	3377	3100	7791	3260	2950	8137	3502	3259	7411
Sundargarh	4709	3474	7197	4820	3543	7352	4593	3402	7031

**Odisha: Having diagnosed for any kind of Chronic Illness
(Per 100,000 Population)**



Odisha: Having diagnosed for any kind of Chronic Illness (Per 100,000 Population)







CHRONIC ILLNESS									
State / District	Having diagnosed for any kind of Chronic Illness and getting Regular Treatment (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	62.6	59.6	75.2	64.2	61.0	77.0	61.8	58.9	74.2
Anugul	65.1	62.4	75.3	72.2	69.1	79.2	68.0	64.9	77.3
Balangir	58.6	56.0	73.7	56.7	54.0	72.4	57.6	54.9	73.0
Baleshwar	71.1	70.1	78.1	70.6	68.7	83.6	70.8	69.4	81.1
Bargarh	48.7	47.2	58.0	46.7	45.0	56.7	47.7	46.1	57.3
Baudh	54.3	53.9	-	57.2	56.5	-	51.2	51.2	-
Bhadrak	64.1	62.3	78.5	60.3	57.9	80.0	62.1	59.9	79.3
Cuttack	73.2	69.3	81.8	74.3	71.0	81.5	72.1	67.7	82.0
Debagarh	58.8	57.0	74.4	57.3	57.0	59.3	58.0	57.0	66.8
Dhenkanal	63.1	61.0	80.9	60.7	58.7	80.6	61.8	59.8	80.8
Gajapati	52.9	50.8	59.3	55.1	52.1	64.5	51.0	49.6	54.9
Ganjam	57.3	54.1	67.4	58.3	53.9	72.2	56.4	54.2	62.9
Jagatsinghpur	68.8	69.1	63.5	70.2	70.5	64.7	67.5	67.8	62.2
Jajapur	72.4	72.0	-	71.0	71.0	-	71.7	71.5	-
Jharsuguda	67.0	61.3	74.4	65.7	61.2	72.0	66.3	61.3	73.2
Kalahandi	54.4	52.7	-	55.7	54.3	-	53.1	51.1	-
Kandhamal	48.0	45.9	59.2	49.4	47.0	61.0	46.8	44.9	57.4
Kendrapara	77.7	78.1	73.5	71.8	71.8	72.0	74.4	74.5	72.8
Kendujhar	71.1	68.4	82.1	67.7	65.9	74.9	69.4	67.1	78.5
Khordha	69.8	61.3	81.2	71.9	63.1	82.3	68.0	59.7	80.0
Koraput	52.3	50.2	64.3	51.0	50.9	64.2	53.7	49.5	64.4
Malkangiri	48.5	50.8	27.9	46.0	47.6	30.7	51.3	54.3	25.0
Mayurbhanj	70.6	69.5	81.7	64.1	62.4	77.6	67.2	65.9	79.3
Nabarangapur	47.6	46.7	-	49.1	48.0	-	46.3	45.5	-
Nuapada	48.9	47.6	-	49.3	48.3	-	48.5	46.8	-
Nayagarh	45.3	45.0	-	50.3	50.1	-	48.5	48.3	-
Puri	58.0	54.6	75.6	59.4	54.2	80.9	57.2	54.8	71.4
Rayagada	39.6	33.6	65.2	43.5	37.7	65.1	35.9	29.9	65.3
Sambalpur	70.1	59.3	82.1	71.1	58.3	83.6	70.6	58.8	82.9
Sonapur	62.1	61.7	64.5	62.7	62.0	66.9	61.5	61.5	61.6
Sundargarh	75.0	62.3	87.2	73.9	64.0	83.8	74.5	63.1	85.6

CHRONIC ILLNESS									
State / District	Having diagnosed for any kind of Chronic Illness and getting Regular Treatment from Government Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	52.7	56.9	36.2	53.4	58.0	36.4	52.1	56.2	35.8
Anugul	36.5	40.4	25.4	41.2	44.7	28.5	29.6	33.0	22.3
Balangir	55.3	58.3	39.6	56.0	59.2	39.5	54.7	57.6	39.6
Baleshwar	36.2	38.5	19.2	37.7	40.0	20.0	35.0	37.2	18.6
Bargarh	52.3	52.6	50.6	53.8	53.8	53.3	50.7	51.2	47.9
Baudh	75.5	76.9	-	76.4	78.0	-	74.5	75.7	-
Bhadrak	35.4	36.7	26.8	36.0	37.5	26.2	34.9	36.0	27.3
Cuttack	50.4	55.3	39.9	50.0	55.1	38.9	50.8	55.4	40.8
Debagarh	57.7	58.7	49.5	59.6	60.2	54.5	56.1	57.3	44.2
Dhenkanal	59.7	60.4	52.9	59.3	60.2	52.5	60.0	60.6	53.4
Gajapati	74.5	79.3	62.5	73.9	78.8	61.8	75.2	79.8	63.2
Ganjam	54.0	58.6	40.7	51.2	54.9	41.1	56.5	61.8	40.2
Jagatsinghapur	53.1	53.9	37.8	54.6	55.2	43.0	51.8	52.8	32.8
Jajapur	48.6	49.5	-	49.1	50.0	-	48.2	49.1	-
Jharsuguda	30.6	40.9	16.8	30.7	41.6	16.7	30.6	40.3	16.9
Kalahandi	68.5	71.3	-	68.4	71.5	-	68.5	71.0	-
Kandhamal	86.0	88.4	73.7	85.2	86.7	78.1	86.8	90.0	69.4
Kendrapara	61.3	60.5	70.8	62.3	61.6	69.9	60.4	59.6	71.7
Kendujhar	64.1	70.6	39.2	64.6	70.8	41.5	63.6	70.3	36.9
Khordha	40.8	54.4	25.3	39.8	54.8	24.4	41.8	54.0	26.1
Koraput	65.8	69.4	57.7	66.1	69.5	57.4	65.5	69.3	58.0
Malkangiri	73.0	74.0	65.2	74.0	74.9	67.2	71.8	73.0	63.2
Mayurbhanj	49.1	50.8	35.4	50.4	51.8	37.6	47.8	49.7	33.6
Nabarangapur	73.4	74.3	-	74.5	75.1	-	72.4	73.4	-
Nuapada	70.6	71.4	-	72.1	73.1	-	69.1	69.6	-
Nayagarh	76.6	76.8	-	76.9	77.3	-	73.9	74.1	-
Puri	46.8	52.1	25.5	49.7	57.2	26.4	45.1	49.4	24.8
Rayagada	70.5	78.8	50.8	69.3	77.5	51.4	71.7	80.1	50.0
Sambalpur	43.5	56.5	31.4	45.5	59.3	31.6	41.5	53.5	31.2
Sonapur	74.1	72.6	83.6	76.1	74.9	82.9	72.1	70.3	84.5
Sundargarh	48.0	64.8	33.4	47.9	64.2	34.2	48.1	65.6	32.5

FERTILITY

State / District	Crude Birth Rate (CBR)			Natural Growth Rate			Total Fertility Rate		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
	1	2	3	4	5	6	7	8	9
Odisha	19.8	20.2	17.7	11.6	11.6	11.2	2.3	2.3	1.9
Anugul	17.5	17.6	16.9	10.5	10.3	11.5	1.9	-	-
Balangir	20.8	21.1	17.9	10.6	10.6	10.5	2.5	-	-
Baleshwar	18.8	19.2	15.8	12.0	12.5	8.2	2.1	-	-
Bargarh	17.6	17.6	17.4	7.7	7.4	11.5	1.9	-	-
Baudh	28.8	29.5	17.3	18.3	18.7	11.4	3.5	-	-
Bhadrak	20.5	20.4	21.7	12.5	12.2	15.1	2.3	-	-
Cuttack	19.5	19.3	19.9	12.6	12.0	14.5	2.2	-	-
Debagarh	18.4	18.7	15.0	9.7	10.0	6.3	2.0	-	-
Dhenkanal	20.9	21.3	16.5	10.3	10.5	8.7	2.4	-	-
Gajapati	20.2	20.8	15.2	12.4	13.0	8.1	2.3	-	-
Ganjam	19.0	19.1	18.3	10.5	10.5	10.9	2.2	-	-
Jagatsinghpur	17.7	17.9	16.3	10.6	10.3	12.9	2.0	-	-
Jajapur	18.3	18.5	14.9	10.5	10.6	8.1	2.1	-	-
Jharsuguda	17.0	16.9	17.3	8.9	7.9	10.8	1.9	-	-
Kalahandi	20.2	20.6	16.2	13.4	13.6	11.9	2.4	-	-
Kandhamal	21.2	21.8	16.1	12.2	12.4	9.9	2.5	-	-
Kendrapara	18.7	18.9	14.8	9.7	9.8	7.9	2.1	-	-
Kendujhar	20.3	20.6	18.6	11.0	11.0	10.9	2.2	-	-
Khordha	18.9	19.8	17.9	10.5	10.3	10.7	2.1	-	-
Koraput	25.1	25.7	22.3	17.2	17.3	16.8	2.9	-	-
Malkangiri	24.4	24.8	19.3	17.3	17.5	15.2	2.7	-	-
Mayurbhanj	19.8	20.2	14.5	11.1	11.4	6.0	2.3	-	-
Nabarangapur	24.1	24.5	15.4	16.4	16.7	10.1	2.8	-	-
Nuapada	20.6	21.0	11.7	11.5	11.8	5.1	2.8	-	-
Nayagarh	22.5	23.0	13.7	14.9	15.2	9.1	2.5	-	-
Puri	17.5	17.5	17.7	8.7	8.3	10.3	2.0	-	-
Rayagada	22.7	23.8	17.4	14.2	15.2	9.4	2.6	-	-
Sambalpur	18.6	18.7	18.5	9.4	8.9	10.3	2.1	-	-
Sonapur	20.9	21.0	19.1	13.2	13.3	12.9	2.7	-	-
Sundargarh	17.9	19.1	15.6	10.8	10.6	11.1	2.0	-	-






FERTILITY

State / District	Women aged 20-24 reporting birth of order 2 & above (%)			Women reporting birth of order 3 & above (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Odisha	35.4	35.7	33.2	26.3	27.6	18.7
Anugul	38.4	39.4	32.9	22.6	23.7	17.3
Balangir	40.4	40.9	31.7	31.7	32.7	16.8
Baleshwar	29.2	28.8	34.0	22.8	23.1	20.2
Bargarh	42.3	42.1	45.2	24.1	24.7	17.9
Baudh	33.0	32.8	-	35.8	36.4	-
Bhadrak	33.7	33.2	37.8	26.8	26.7	28.0
Cuttack	21.0	21.1	20.8	16.3	17.3	13.2
Debagarh	40.7	40.9	37.7	31.5	31.7	29.6
Dhenkanal	34.3	35.2	21.4	25.5	26.2	17.6
Gajapati	35.4	36.6	23.4	23.8	25.0	13.4
Ganjam	34.5	36.0	20.4	26.0	27.4	16.4
Jagatsinghpur	14.3	14.1	16.1	10.9	10.7	12.1
Jajapur	34.1	34.0	-	25.7	26.0	-
Jharsuguda	36.0	35.3	37.3	24.2	25.4	22.4
Kalahandi	33.6	34.1	-	28.9	30.4	-
Kandhamal	29.3	31.0	10.3	35.6	36.8	22.5
Kendrapara	31.8	32.1	22.7	26.1	26.5	18.5
Kendujhar	43.0	43.3	41.7	32.2	33.0	28.0
Khordha	20.8	21.7	19.4	15.5	19.5	9.1
Koraput	38.7	39.9	33.3	34.7	37.5	22.3
Malkangiri	45.1	45.2	43.8	41.4	42.1	31.2
Mayurbhanj	41.0	41.4	33.9	31.5	32.2	18.5
Nabarangapur	42.0	43.5	-	36.8	39.0	-
Nuapada	35.2	35.3	-	27.5	28.0	-
Nayagarh	29.5	29.5	-	21.3	21.5	-
Puri	21.6	19.7	29.3	14.9	15.2	13.0
Rayagada	32.2	31.7	34.4	32.6	35.9	13.2
Sambalpur	39.9	37.1	44.7	27.7	29.9	24.1
Sonapur	26.6	27.0	20.0	25.6	26.2	15.7
Sundargarh	38.2	38.2	38.1	27.3	30.0	20.8

FERTILITY

State / District	Women with two children wanting no more children (%)			Women aged 15-19 years who were already mothers or pregnant at the time of survey (%)		
	Total	Rural	Urban	Total	Rural	Urban
	1	2	3	4	5	6
Odisha	76.6	74.0	87.7	44.0	43.5	48.8
Anugul	90.8	90.7	91.4	49.0	46.9	65.1
Balangir	66.2	63.6	85.9	50.2	50.5	44.4
Baleshwar	84.0	83.1	89.7	43.6	42.5	52.4
Bargarh	78.8	77.9	86.4	48.3	48.3	48.0
Baudh	58.2	57.1	-	34.7	34.6	-
Bhadrak	78.5	78.5	78.2	53.8	51.0	68.4
Cuttack	85.9	84.0	90.8	51.5	48.3	57.3
Debagarh	86.8	86.9	86.0	55.3	55.6	50.0
Dhenkanal	81.0	80.6	84.3	45.8	45.1	75.0
Gajapati	39.1	35.7	66.3	36.2	37.4	25.0
Ganjam	70.6	66.5	87.9	46.2	46.3	44.4
Jagatsinghpur	91.1	90.8	93.4	33.2	32.0	37.5
Jajapur	83.7	83.4	-	45.1	44.5	-
Jharsuguda	78.0	74.8	82.3	50.5	46.8	55.2
Kalahandi	64.1	61.4	-	33.5	34.5	-
Kandhamal	47.9	44.3	82.1	41.3	42.2	27.3
Kendrapara	85.6	85.9	82.2	42.8	43.1	33.3
Kendujhar	79.6	77.4	87.9	50.9	49.4	61.5
Khordha	88.4	83.8	92.4	38.6	38.2	39.0
Koraput	43.4	37.0	70.0	42.0	39.8	58.6
Malkangiri	23.4	21.9	43.3	51.5	51.7	40.0
Mayurbhanj	77.3	75.7	93.2	47.0	47.0	46.7
Nabarangapur	38.2	36.4	-	39.8	39.5	-
Nuapada	45.7	44.5	-	31.5	31.7	-
Nayagarh	87.6	87.2	-	49.1	49.7	-
Puri	94.0	93.7	95.7	40.6	44.0	33.3
Rayagada	52.8	49.0	73.3	30.2	28.6	45.5
Sambalpur	80.5	77.3	85.0	57.4	57.2	57.6
Sonapur	65.8	65.5	69.7	24.5	25.3	11.1
Sundargarh	80.4	74.0	88.6	56.9	58.5	53.7



FERTILITY

State / District	Median age at first live birth of Women aged 15-49 years			Median age at first live birth of Women aged 25-49 years			Live Births taking place after an interval of 36 months (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	22.7	22.5	23.7	23.2	23.0	24.2	54.0	53.5	57.2
Anugul	21.9	21.7	23.2	21.4	21.2	22.7	56.7	55.5	63.0
Balangir	22.0	21.9	23.3	21.3	21.2	22.7	49.5	49.0	58.2
Baleshwar	22.4	22.3	23.2	22.0	21.9	22.9	58.9	59.2	57.1
Bargarh	21.9	21.8	23.1	21.3	21.2	22.7	57.1	57.8	49.2
Baudh	23.0	22.8	-	22.4	22.3	-	60.0	60.1	-
Bhadrak	23.3	23.3	23.2	22.7	22.7	22.5	48.1	47.5	53.7
Cuttack	24.4	23.9	25.8	24.0	23.5	25.3	51.3	50.2	54.8
Debagarh	21.9	21.8	22.8	21.4	21.4	22.3	53.9	53.6	57.4
Dhenkanal	22.9	22.8	24.3	22.5	22.4	23.9	48.7	48.9	47.1
Gajapati	22.7	22.6	23.7	22.2	22.0	23.3	45.2	44.3	55.4
Ganjam	22.3	22.0	23.8	21.5	21.3	22.8	61.0	59.9	70.1
Jagatsinghpur	25.0	25.0	25.0	24.5	24.5	24.4	58.7	57.2	71.4
Jajapur	23.7	23.7	-	23.1	23.1	-	52.3	52.0	-
Jharsuguda	22.7	22.7	22.8	22.0	22.0	22.1	44.7	44.9	44.3
Kalahandi	24.9	24.8	-	24.3	24.3	-	60.5	60.1	-
Kandhamal	24.3	24.2	25.1	23.7	23.6	24.4	57.6	56.5	73.1
Kendrapara	24.2	24.1	25.1	23.6	23.6	24.6	51.2	50.8	61.3
Kendujhar	22.3	22.2	22.8	22.0	21.9	22.4	52.8	52.2	56.3
Khordha	24.4	23.5	25.4	23.9	22.9	25.0	58.5	55.9	64.3
Koraput	24.0	23.9	24.6	23.7	23.7	23.9	55.3	54.8	58.3
Malkangiri	22.0	21.8	24.9	21.6	21.4	24.6	49.4	48.9	56.5
Mayurbhanj	21.9	21.8	23.7	21.3	21.2	23.1	53.1	52.8	57.8
Nabarangapur	22.4	22.3	-	22.1	22.0	-	54.8	54.8	-
Nuapada	24.5	24.5	-	24.1	24.1	-	52.2	51.7	-
Nayagarh	22.3	22.2	-	21.9	21.8	-	68.5	68.7	-
Puri	24.8	24.8	25.2	24.2	24.1	24.8	50.4	48.4	60.7
Rayagada	23.2	23.3	23.1	22.7	22.8	22.6	55.2	56.4	45.9
Sambalpur	22.9	22.7	23.2	22.3	22.1	22.7	49.2	49.7	48.4
Sonapur	25.0	25.0	25.8	24.2	24.1	25.1	58.1	57.6	67.2
Sundargarh	23.6	23.5	23.8	23.1	22.9	23.5	48.5	45.1	57.4

Odisha: Median age of Women at first live birth




FERTILITY

State / District	Mean number of children ever born to Women aged 15-49 years			Mean number of children surviving to Women aged 15-49 years			Mean number of children ever born to Women aged 45-49 years		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	2.4	2.5	2.2	2.2	2.3	2.0	3.5	3.5	3.1
Anugul	2.5	2.5	2.3	2.2	2.2	2.1	3.6	3.7	3.3
Balangir	2.5	2.6	2.3	2.3	2.3	2.1	3.6	3.6	3.4
Baleshwar	2.4	2.4	2.1	2.2	2.2	1.9	3.6	3.7	3.0
Bargarh	2.3	2.3	2.2	2.1	2.1	2.1	3.3	3.3	3.2
Baudh	2.5	2.5	-	2.3	2.3	-	3.7	3.7	-
Bhadrak	2.7	2.7	2.8	2.4	2.4	2.5	4.1	4.0	4.4
Cuttack	2.1	2.2	2.0	2.0	2.1	1.9	3.0	3.1	2.8
Debagarh	2.5	2.6	2.4	2.2	2.2	2.2	3.6	3.7	3.3
Dhenkanal	2.5	2.5	2.2	2.2	2.2	2.0	3.7	3.7	3.4
Gajapati	2.5	2.6	1.9	2.3	2.3	1.8	3.3	3.4	2.6
Ganjam	2.6	2.6	2.3	2.3	2.4	2.2	3.5	3.6	3.3
Jagatsinghpur	2.0	2.0	2.0	2.0	2.0	2.0	2.8	2.8	2.7
Jajapur	2.6	2.6	-	2.3	2.3	-	3.9	3.9	-
Jharsuguda	2.4	2.5	2.4	2.2	2.2	2.2	3.6	3.6	3.6
Kalahandi	2.3	2.3	-	2.1	2.1	-	3.0	3.0	-
Kandhamal	2.5	2.5	2.3	2.3	2.3	2.1	3.6	3.6	3.0
Kendrapara	2.6	2.6	2.4	2.3	2.3	2.2	3.9	4.0	3.6
Kendujhar	2.6	2.6	2.4	2.3	2.3	2.2	3.5	3.6	3.4
Khordha	2.1	2.3	1.8	2.0	2.2	1.8	2.9	3.2	2.5
Koraput	2.2	2.3	2.1	2.2	2.2	2.1	2.6	2.6	2.4
Malkangiri	2.5	2.5	2.4	2.4	2.4	2.3	3.2	3.1	3.3
Mayurbhanj	2.6	2.6	2.1	2.4	2.4	2.0	3.6	3.7	2.9
Nabarangapur	2.5	2.5	-	2.3	2.3	-	3.4	3.5	-
Nuapada	2.4	2.4	-	2.2	2.2	-	3.3	3.3	-
Nayagarh	2.3	2.3	-	2.1	2.1	-	3.2	3.3	-
Puri	2.2	2.3	2.0	2.1	2.2	1.9	3.1	3.1	2.8
Rayagada	2.4	2.5	2.1	2.2	2.2	2.0	3.2	3.4	2.7
Sambalpur	2.5	2.6	2.3	2.2	2.3	2.2	3.5	3.7	3.2
Sonapur	2.4	2.4	2.2	2.2	2.2	2.1	3.5	3.5	3.3
Sundargarh	2.4	2.5	2.2	2.2	2.3	2.1	3.4	3.6	3.1

ABORTION

State / District	Pregnancy to Women aged 15-49 years resulting in abortion (%)			Women who received any ANC before abortion (%)			Women who went for Ultrasound before abortion (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	6.4	6.3	7.0	60.6	58.9	69.8	18.0	17.1	23.1
Anugul	8.5	8.3	9.8	54.2	52.6	61.0	18.2	17.4	22.0
Balangir	8.9	8.8	10.6	62.5	61.8	71.4	14.7	14.8	14.3
Baleshwar	4.4	4.2	6.3	78.2	75.8	90.9	9.2	9.2	9.1
Bargarh	12.7	12.7	12.1	63.9	64.2	60.5	17.7	18.0	14.0
Baudh	7.0	7.1	-	57.6	58.1	-	20.5	20.6	-
Bhadrak	10.2	9.8	14.0	62.3	62.3	62.7	14.9	15.7	10.2
Cuttack	3.0	2.7	3.6	57.1	48.5	76.0	22.5	18.2	32.0
Debagarh	12.9	12.5	16.7	62.5	62.6	61.8	13.5	13.4	14.7
Dhenkanal	9.3	9.2	10.2	68.3	67.4	78.3	27.1	26.8	30.4
Gajapati	1.8	1.6	3.6	61.4	56.3	80.0	27.2	12.6	80.0
Ganjam	4.6	4.6	4.4	59.9	57.4	77.8	15.6	14.6	22.2
Jagatsinghpur	1.7	1.7	1.5	52.2	52.4	50.0	27.5	21.4	100.0
Jajapur	9.8	9.8	-	54.5	54.2	-	14.9	15.4	-
Jharsuguda	8.4	7.2	10.2	74.4	73.6	75.2	29.3	24.0	35.3
Kalahandi	0.8	0.6	-	70.2	71.9	-	19.0	28.1	-
Kandhamal	1.6	1.3	5.2	61.7	59.8	66.7	43.0	40.2	50.0
Kendrapara	10.0	10.0	10.4	48.7	48.8	47.4	19.9	19.6	26.3
Kendujhar	7.7	7.5	8.5	61.2	58.5	73.0	18.4	17.5	22.2
Khordha	2.9	3.1	2.4	64.2	59.5	73.9	20.1	19.3	21.7
Koraput	0.9	0.5	2.7	62.8	37.6	83.3	18.4	0.0	33.3
Malkangiri	0.8	0.7	2.1	24.8	30.1	0.0	0.0	0.0	0.0
Mayurbhanj	5.5	5.4	7.1	45.5	45.8	41.7	13.3	12.4	25.0
Nabarangapur	0.9	0.6	-	60.0	37.5	-	23.3	13.7	-
Nuapada	1.8	1.7	-	83.9	82.4	-	23.1	20.7	-
Nayagarh	5.2	5.2	-	64.7	63.9	-	25.3	25.8	-
Puri	8.6	7.7	13.2	67.7	64.1	78.7	20.4	19.4	23.4
Rayagada	1.2	1.2	1.2	73.0	76.8	50.0	38.7	45.1	0.0
Sambalpur	10.5	11.2	9.4	67.2	65.3	71.0	19.8	17.8	23.7
Sonapur	2.7	2.8	1.7	67.6	66.4	100.0	12.3	12.7	0.0
Sundargarh	5.3	4.4	7.5	52.8	43.7	65.6	18.9	10.3	31.1

Odisha: Pregnancy to Women aged 15 - 49 years resulting in abortion (%)



ABORTION

State / District	Average Month of pregnancy at the time of abortion			Abortion performed by skilled health personnel (%)			Abortion taking place in Institution (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	2.9	3.0	2.8	52.2	51.3	57.5	49.1	48.1	54.2
Anugul	2.7	2.8	2.4	52.0	50.3	59.3	50.9	49.3	57.6
Balangir	3.0	3.0	2.4	39.6	36.5	81.0	34.5	31.4	76.2
Baleshwar	2.9	3.0	2.6	58.2	59.8	50.0	54.8	55.7	50.0
Bargarh	2.9	2.9	2.3	45.7	45.5	48.8	43.6	43.5	44.2
Baudh	2.8	2.9	-	42.2	42.6	-	37.5	37.8	-
Bhadrak	2.8	2.8	2.8	65.9	64.2	76.3	63.8	62.0	74.6
Cuttack	3.2	3.3	3.1	65.9	68.5	60.0	62.8	64.1	60.0
Debagarh	2.9	3.0	2.6	53.9	56.8	29.4	49.2	51.2	32.4
Dhenkanal	3.1	3.1	2.7	49.2	48.9	52.2	49.6	49.3	52.2
Gajapati	4.9	5.1	4.4	95.7	100.0	80.0	88.4	90.8	80.0
Ganjam	3.2	3.2	3.4	55.5	57.1	44.4	53.6	56.5	33.3
Jagatsinghpur	3.6	3.5	4.5	93.4	92.9	100.0	91.2	90.5	100.0
Jajapur	2.7	2.7	-	45.2	44.3	-	44.3	43.3	-
Jharsuguda	2.8	2.8	2.7	46.4	43.9	49.2	41.2	39.7	42.9
Kalahandi	3.6	4.0	-	65.2	64.5	-	77.2	82.3	-
Kandhamal	4.5	4.4	4.8	95.3	100.0	83.3	86.0	100.0	50.0
Kendrapara	2.9	2.9	2.9	60.8	59.6	84.2	54.3	53.0	78.9
Kendujhar	3.0	3.1	2.8	41.3	41.0	42.9	39.9	39.6	41.3
Khordha	2.8	2.8	2.8	74.8	76.3	71.7	67.6	63.6	76.1
Koraput	3.4	3.4	3.5	53.6	37.6	66.7	44.4	37.6	50.0
Malkangiri	4.2	4.3	3.7	66.1	73.0	33.3	52.9	57.1	33.3
Mayurbhanj	3.1	3.2	2.8	53.1	50.3	91.7	49.5	47.6	75.0
Nabarangapur	3.5	3.5	-	76.8	78.5	-	67.6	68.5	-
Nuapada	4.4	4.3	-	67.7	64.8	-	62.3	59.0	-
Nayagarh	3.4	3.4	-	73.2	73.3	-	66.5	66.5	-
Puri	3.0	3.1	2.5	77.9	81.2	68.1	71.9	70.4	76.6
Rayagada	5.4	5.3	6.0	100.0	100.0	100.0	95.8	95.1	100.0
Sambalpur	2.7	2.7	2.5	32.2	26.6	43.0	31.2	25.0	43.0
Sonapur	3.4	3.4	2.0	59.2	59.5	50.0	56.0	56.2	50.0
Sundargarh	2.7	2.7	2.7	43.7	39.8	49.2	36.5	34.6	39.3

Odisha: Abortion where ultrasound was performed/ Abortion performed by skilled health personnel (%)



FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)									
State / District	Current Usage								
	Any Method (%)			Any Modern Method (%)			Female Sterilization (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	59.4	58.7	63.0	46.8	46.6	48.1	32.6	33.6	27.7
Anugul	71.6	70.8	75.3	45.6	45.6	45.8	22.2	22.2	22.2
Balangir	62.0	60.9	73.6	42.7	41.9	50.6	31.7	32.1	27.6
Baleshwar	78.1	77.7	80.7	61.4	61.5	61.0	33.7	34.3	29.7
Bargarh	58.1	57.4	66.0	46.6	45.9	54.1	34.0	34.6	27.5
Baudh	29.8	29.0	-	28.5	28.1	-	20.5	20.3	-
Bhadrak	62.8	62.6	64.2	53.3	53.3	53.6	30.7	31.4	25.4
Cuttack	66.4	71.6	51.2	54.3	58.7	41.1	40.0	44.1	27.8
Debagarh	63.6	62.7	72.2	42.9	42.2	50.4	20.3	20.2	21.6
Dhenkanal	63.9	63.3	70.1	47.6	47.6	47.1	33.4	34.4	23.4
Gajapati	62.5	61.9	66.6	63.8	63.1	68.4	59.5	59.4	59.8
Ganjam	56.6	55.5	62.1	53.3	52.6	57.2	43.6	44.2	40.3
Jagatsinghpur	74.8	78.7	44.0	55.5	57.7	39.0	37.8	39.1	27.2
Jajapur	68.1	68.1	-	44.5	44.3	-	30.7	31.2	-
Jharsuguda	63.3	60.0	68.7	53.3	51.3	56.6	30.6	31.0	30.0
Kalahandi	42.8	42.0	-	41.5	40.7	-	37.0	36.9	-
Kandhamal	32.9	32.0	43.8	32.3	31.4	43.1	17.5	17.2	21.5
Kendrapara	72.4	72.4	72.6	54.1	54.1	54.1	29.0	29.4	22.5
Kendujhar	70.3	69.0	76.4	43.6	43.4	44.6	26.9	27.8	23.0
Khordha	61.4	60.3	62.6	43.9	44.9	42.8	24.6	29.2	19.6
Koraput	49.8	50.5	46.7	42.1	42.6	40.0	39.2	40.4	34.0
Malkangiri	37.8	36.7	53.5	36.0	34.9	51.5	29.9	29.4	36.5
Mayurbhanj	68.5	67.5	82.2	43.5	42.8	52.8	30.1	30.4	25.8
Nabarangapur	38.7	38.1	-	38.1	37.4	-	35.5	35.1	-
Nuapada	35.3	34.9	-	34.8	34.4	-	32.3	32.0	-
Nayagarh	55.1	55.2	-	56.0	56.4	-	44.8	45.3	-
Puri	57.5	57.0	60.4	51.1	52.2	45.5	37.7	39.9	26.5
Rayagada	41.2	38.1	55.7	48.0	45.4	60.0	37.2	32.9	55.7
Sambalpur	57.8	52.4	66.0	48.8	45.6	53.6	28.6	27.5	30.3
Sonapur	40.3	39.8	48.7	45.3	44.9	51.5	31.5	31.4	33.6
Sundargarh	59.0	55.0	66.3	44.7	42.7	48.2	27.0	28.2	24.8


FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)									
State / District	Current Usage								
	Male Sterilization (%)			Copper-T/IUD (%)			Pills (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	0.2	0.2	0.3	0.4	0.3	0.8	11.7	11.2	14.5
Anugul	0.2	0.2	0.2	0.8	0.7	1.2	20.5	21.1	17.6
Balangir	0.0	0.0	0.1	0.3	0.3	0.8	9.3	8.5	17.4
Baleshwar	0.1	0.1	0.1	0.5	0.4	0.9	25.5	25.9	22.8
Bargarh	0.1	0.1	0.2	0.5	0.4	1.1	10.2	9.6	16.6
Baudh	0.1	0.1	-	0.1	0.1	-	7.4	7.3	-
Bhadrak	0.1	0.1	0.2	0.3	0.3	0.4	20.7	20.2	24.4
Cuttack	0.1	0.2	0.1	0.3	0.2	0.5	12.3	12.8	10.9
Debagarh	0.1	0.0	0.3	1.1	1.0	1.6	16.1	15.9	18.5
Dhenkanal	0.1	0.1	0.1	0.3	0.3	0.2	12.8	12.0	20.5
Gajapati	2.0	2.2	0.8	0.1	0.1	0.8	1.8	1.3	5.2
Ganjam	0.3	0.1	1.1	0.1	0.1	0.2	8.0	7.2	12.2
Jagatsinghpur	0.2	0.1	0.2	0.1	0.1	0.2	15.8	16.4	10.7
Jajapur	0.1	0.1	-	0.2	0.2	-	12.0	11.4	-
Jharsuguda	0.1	0.1	0.2	0.7	0.5	0.9	14.6	13.9	15.7
Kalahandi	0.1	0.1	-	0.2	0.1	-	4.0	3.5	-
Kandhamal	0.1	0.1	0.2	0.7	0.6	1.0	12.6	12.2	16.5
Kendrapara	0.4	0.4	0.7	0.5	0.5	0.1	20.8	20.6	25.1
Kendujhar	0.1	0.1	0.1	0.4	0.4	0.4	14.3	13.4	18.6
Khordha	0.2	0.2	0.3	0.6	0.3	0.9	15.1	13.3	17.0
Koraput	0.6	0.7	0.3	0.2	0.1	0.5	1.9	1.2	4.8
Malkangiri	0.3	0.3	0.1	0.6	0.7	0.4	4.9	4.4	12.3
Mayurbhanj	0.2	0.2	0.4	0.4	0.3	1.3	11.0	10.3	20.2
Nabarangapur	0.3	0.3	-	0.1	0.1	-	1.3	1.1	-
Nuapada	0.0	0.0	-	0.1	0.1	-	2.0	1.9	-
Nayagarh	0.1	0.1	-	0.1	0.1	-	10.3	10.2	-
Puri	0.2	0.2	0.2	0.7	0.4	2.1	11.1	10.9	12.2
Rayagada	1.7	1.7	1.7	0.1	0.1	0.1	1.0	0.7	2.1
Sambalpur	0.2	0.2	0.3	0.7	0.5	1.0	14.3	14.3	14.3
Sonapur	0.0	0.0	0.0	0.2	0.2	0.2	12.9	12.8	15.1
Sundargarh	0.1	0.1	0.3	1.0	0.8	1.4	11.8	11.2	13.0

FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)									
State / District	Current Usage								
	Condom/Nirodh (%)			Emergency Contraceptive Pills (%)			Any Traditional Method (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	1.6	1.1	4.3	0.1	0.1	0.1	13.2	12.8	15.3
Anugul	1.9	1.4	4.3	0.1	0.1	0.1	25.9	25.2	29.5
Balangir	1.3	1.0	4.7	0.0	0.0	0.0	19.3	19.0	22.9
Baleshwar	1.4	0.6	6.9	0.1	0.0	0.4	16.7	16.3	19.7
Bargarh	1.8	1.1	8.7	0.0	0.0	0.1	11.5	11.5	11.9
Baudh	0.3	0.2	-	0.1	0.1	-	1.3	0.9	-
Bhadrak	1.2	1.0	2.9	0.1	0.1	0.0	9.4	9.3	10.6
Cuttack	1.3	1.3	1.5	0.1	0.1	0.0	14.9	15.7	12.3
Debagarh	4.3	4.0	7.6	0.1	0.0	0.5	20.6	20.5	21.7
Dhenkanal	0.8	0.7	2.5	0.0	0.0	0.1	16.3	15.7	22.9
Gajapati	0.3	0.1	1.8	0.0	0.0	0.1	0.9	1.1	0.0
Ganjam	1.1	0.7	3.2	0.0	0.0	0.1	3.3	3.0	4.9
Jagatsinghpur	1.6	1.7	0.6	0.0	0.1	0.0	19.2	21.0	5.0
Jajapur	1.3	1.2	-	0.1	0.1	-	23.6	23.8	-
Jharsuguda	6.6	5.1	9.1	0.1	0.0	0.1	10.0	8.7	12.1
Kalahandi	0.1	0.1	-	0.0	0.0	-	0.2	0.1	-
Kandhamal	1.3	1.1	3.6	0.0	0.0	0.3	0.6	0.6	0.6
Kendrapara	3.1	3.0	4.7	0.1	0.0	0.7	18.4	18.4	18.5
Kendujhar	1.6	1.5	2.3	0.2	0.2	0.0	26.7	25.5	31.8
Khordha	3.2	1.7	4.8	0.1	0.1	0.1	17.5	15.4	19.8
Koraput	0.2	0.2	0.4	0.0	0.0	0.1	7.6	7.9	6.7
Malkangiri	0.3	0.2	1.6	0.0	0.0	0.0	1.8	1.8	2.0
Mayurbhanj	1.7	1.5	4.3	0.0	0.0	0.0	25.0	24.6	29.4
Nabarangapur	0.2	0.1	-	0.7	0.7	-	4.8	5.1	-
Nuapada	0.2	0.2	-	0.2	0.2	-	0.5	0.5	-
Nayagarh	0.6	0.6	-	0.1	0.1	-	3.8	3.5	-
Puri	1.2	0.7	3.8	0.1	0.1	0.5	6.4	4.8	15.0
Rayagada	0.0	0.0	0.2	0.1	0.0	0.2	1.0	1.2	0.1
Sambalpur	4.4	2.6	7.3	0.0	0.0	0.1	9.0	6.8	12.4
Sonapur	0.5	0.4	2.2	0.1	0.1	0.4	0.2	0.2	1.1
Sundargarh	4.3	2.1	8.3	0.2	0.1	0.2	14.4	12.2	18.1

FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Periodic Abstinence (%)			Withdrawal (%)			LAM (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	4.0	4.0	3.8	6.9	6.3	10.0	1.1	1.2	1.0
Anugul	8.0	6.9	13.5	15.7	16.1	13.8	1.6	1.6	1.6
Balangir	11.0	10.8	12.8	4.6	4.5	5.7	2.3	2.1	3.3
Baleshwar	4.8	5.3	1.6	9.9	9.1	15.4	1.6	1.6	1.9
Bargarh	4.4	4.6	2.5	5.0	4.9	6.1	1.3	1.1	2.9
Baudh	0.2	0.2	-	0.5	0.2	-	0.1	0.0	-
Bhadrak	3.1	3.0	3.5	4.1	4.0	5.1	2.1	2.1	2.0
Cuttack	4.1	3.4	6.4	10.6	12.1	5.9	0.0	0.0	0.0
Debagarh	6.6	5.9	13.1	10.2	10.6	6.0	2.9	3.0	2.0
Dhenkanal	4.7	4.3	9.1	9.7	9.4	12.2	1.7	1.7	1.4
Gajapati	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ganjam	0.1	0.1	0.0	2.6	2.2	4.6	0.1	0.0	0.1
Jagatsinghpur	6.1	6.4	3.5	12.4	13.8	1.4	0.1	0.1	0.1
Jajapur	8.6	8.9	-	12.8	12.7	-	1.8	1.9	-
Jharsuguda	3.4	3.7	2.8	4.8	3.3	7.3	1.7	1.6	1.9
Kalahandi	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
Kandhamal	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
Kendrapara	5.8	5.8	6.5	10.8	10.9	10.1	1.6	1.6	1.9
Kendujhar	7.3	7.3	7.3	14.8	13.5	20.8	3.7	3.8	3.2
Khordha	3.2	4.2	2.2	13.9	10.7	17.5	0.2	0.4	0.0
Koraput	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malkangiri	0.2	0.2	0.1	0.1	0.1	1.3	0.0	0.0	0.0
Mayurbhanj	12.6	12.0	20.5	7.8	7.9	7.2	3.1	3.3	1.2
Nabarangapur	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
Nuapada	0.0	0.1	-	0.1	0.1	-	0.0	0.0	-
Nayagarh	0.3	0.3	-	3.4	3.1	-	0.1	0.1	-
Puri	0.9	0.9	1.0	5.4	3.8	13.8	0.0	0.0	0.1
Rayagada	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Sambalpur	3.2	2.2	4.8	4.5	3.1	6.6	0.9	0.9	0.8
Sonapur	0.1	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0
Sundargarh	1.5	1.7	1.0	9.4	6.5	14.7	2.7	3.1	2.1


Odisha: Current Usage of Family Planning Practices (CMMW aged 15 - 49 years) (%)



UNMET NEED FOR FAMILY PLANNING									
State / District	Unmet need for Spacing (%)			Unmet need for Limiting (%)			Total Unmet need (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	8.1	8.4	6.3	11.0	10.6	13.5	19.1	19.0	19.9
Anugul	5.6	5.8	4.7	6.9	7.3	5.1	12.5	13.1	9.8
Balangir	9.7	10.0	6.2	7.5	7.7	4.8	17.1	17.7	11.1
Baleshwar	7.5	8.0	4.4	6.4	6.5	5.8	14.0	14.5	10.2
Bargarh	7.8	8.0	5.7	9.8	9.7	10.4	17.6	17.7	16.1
Baudh	13.2	13.6	-	32.1	32.0	-	45.3	45.6	-
Bhadrak	8.5	8.7	6.5	11.0	11.3	8.9	19.5	20.0	15.4
Cuttack	5.5	5.3	6.1	15.2	12.3	8.7	24.7	17.6	17.7
Debagarh	8.0	8.5	3.7	9.5	9.8	6.1	17.5	18.3	9.8
Dhenkanal	6.7	6.8	5.5	9.1	9.5	6.1	15.9	16.3	11.6
Gajapati	9.1	9.4	6.8	9.1	9.4	7.1	18.2	18.8	13.9
Ganjam	7.3	7.2	7.7	12.0	11.7	20.3	26.3	25.9	28.0
Jagatsinghpur	3.9	3.8	4.6	9.2	5.0	42.3	13.1	8.8	46.9
Jajapur	6.6	6.6	-	7.0	6.9	-	13.5	13.5	-
Jharsuguda	7.0	7.7	5.8	7.0	7.7	5.8	14.0	15.4	11.6
Kalahandi	15.4	15.4	-	23.3	23.8	-	38.7	39.2	-
Kandhamal	12.5	12.8	8.6	29.0	29.1	27.6	41.5	41.9	36.2
Kendrapara	5.9	6.1	3.0	8.0	7.9	9.9	13.9	14.0	12.9
Kendujhar	6.5	6.8	5.2	3.1	3.1	3.4	9.7	9.9	8.6
Khordha	5.5	6.1	4.9	19.3	14.4	28.5	22.9	20.5	33.3
Koraput	10.7	11.1	8.7	20.3	19.0	25.7	30.9	30.1	34.4
Malkangiri	17.9	18.2	13.4	16.3	16.6	12.9	34.2	34.8	26.3
Mayurbhanj	6.8	7.0	3.3	5.2	5.4	2.8	12.0	12.4	6.1
Nabarangapur	15.2	15.5	-	12.9	12.8	-	28.1	28.3	-
Nuapada	13.8	13.9	-	20.6	20.5	-	34.4	34.5	-
Nayagarh	10.3	10.3	-	17.6	17.4	-	27.9	27.7	-
Puri	5.7	5.5	6.6	19.6	19.8	18.3	25.2	25.3	24.9
Rayagada	14.9	15.5	11.9	20.9	22.3	14.8	35.8	37.8	26.6
Sambalpur	9.0	10.5	6.8	11.4	14.0	7.5	20.5	24.5	14.3
Sonapur	13.0	13.0	13.2	27.0	27.4	21.2	40.0	40.4	34.4
Sundargarh	9.8	11.6	6.7	13.4	14.6	11.3	23.3	26.2	18.0


ANTE NATAL CARE									
State / District	Currently Married Pregnant Women aged 15-49 years registered for ANC (%)			Mothers who received any Antenatal Check-up (%)			Mothers who had Antenatal Check-up in First Trimester (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	83.1	83.3	81.9	97.0	96.9	97.7	67.1	65.3	77.6
Anugul	79.1	78.4	82.7	97.3	97.6	96.0	69.0	67.3	77.5
Balangir	90.7	90.8	89.3	98.6	98.6	100.0	71.7	70.6	88.3
Baleshwar	88.6	89.1	83.9	98.1	98.2	97.7	75.9	75.0	83.6
Bargarh	87.1	86.7	93.3	98.9	98.8	100.0	74.3	73.8	80.0
Baudh	80.2	80.2	-	96.2	96.2	-	61.9	61.3	-
Bhadrak	81.7	81.5	82.9	97.6	97.7	97.0	64.3	63.8	68.9
Cuttack	80.8	80.9	80.8	97.6	97.9	97.0	74.6	72.7	80.2
Debagarh	82.7	82.3	92.3	97.4	97.2	99.4	63.5	62.0	79.7
Dhenkanal	76.7	76.6	78.3	97.0	96.9	97.3	63.0	61.8	77.5
Gajapati	86.8	86.6	88.5	92.5	91.5	100.0	63.6	60.2	91.6
Ganjam	79.4	78.6	87.0	94.1	93.5	98.4	63.9	60.6	85.8
Jagatsinghpur	87.8	91.3	57.9	98.0	98.0	97.7	78.5	78.4	80.2
Jajapur	83.7	84.1	-	97.9	98.0	-	67.8	67.2	-
Jharsuguda	85.1	84.9	85.5	99.5	99.4	99.7	80.2	79.2	81.9
Kalahandi	78.3	79.1	-	94.7	94.1	-	61.5	61.3	-
Kandhamal	86.0	85.5	93.8	95.7	95.4	100.0	56.3	54.2	78.7
Kendrapara	83.1	83.5	69.2	98.8	98.8	99.3	72.2	71.4	86.0
Kendujhar	86.5	86.8	84.8	97.1	97.2	96.4	70.5	69.2	76.6
Khordha	78.1	82.1	72.0	96.0	96.0	96.1	66.6	60.7	75.9
Koraput	77.0	75.6	85.0	95.6	95.3	97.1	48.8	47.3	55.8
Malkangiri	79.1	79.1	77.8	90.9	90.3	99.3	38.5	35.9	75.0
Mayurbhanj	90.0	89.8	94.7	98.0	97.9	98.7	70.8	70.0	84.6
Nabarangapur	80.1	79.8	-	94.4	93.9	-	45.6	43.8	-
Nuapada	88.1	88.2	-	95.9	95.7	-	61.9	61.3	-
Nayagarh	82.8	82.4	-	93.4	93.4	-	49.5	49.0	-
Puri	79.0	78.3	82.6	96.9	96.7	97.3	63.7	61.1	78.3
Rayagada	81.8	81.7	82.6	96.1	95.7	98.8	44.8	44.3	47.6
Sambalpur	80.1	81.3	77.9	97.6	97.1	98.5	73.8	71.7	77.1
Sonapur	85.3	85.5	82.4	97.1	96.9	99.1	71.2	70.6	80.7
Sundargarh	82.5	80.3	87.6	97.4	97.0	98.1	65.0	59.1	79.3

Odisha: Antenatal Care(%)



ANTE NATAL CARE									
State / District	Mothers who received 3 or more Antenatal Care (%)			Mothers who received at least one Tetanus Toxoid (TT) injection(%)			Mothers who consumed IFA for 100 days or more (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	78.5	77.1	87.1	96.6	96.5	97.5	26.0	24.7	34.0
Anugul	78.3	77.1	84.7	93.1	92.6	96.0	19.3	17.4	28.8
Balangir	76.8	76.2	85.4	98.6	98.6	100.0	17.4	17.2	21.1
Baleshwar	82.4	81.6	89.0	98.0	98.1	97.7	20.2	19.7	24.1
Bargarh	84.0	83.1	93.9	98.8	98.7	99.7	20.6	20.4	23.1
Baudh	72.5	72.3	-	95.8	95.8	-	28.8	28.7	-
Bhadrak	73.2	71.5	87.6	97.5	97.6	96.7	15.9	14.3	30.5
Cuttack	81.2	79.8	85.6	97.5	97.8	96.5	33.6	28.8	47.7
Debagarh	77.6	76.4	90.5	97.3	97.2	98.7	19.2	18.8	24.1
Dhenkanal	73.8	73.0	83.5	96.8	96.7	97.3	19.7	19.2	24.7
Gajapati	81.4	79.2	97.7	92.1	91.1	100.0	26.1	25.3	32.8
Ganjam	79.4	77.5	92.6	93.6	92.9	98.4	31.7	31.1	35.8
Jagatsinghpur	89.7	89.9	88.5	97.7	97.8	96.9	46.3	46.1	48.9
Jajapur	78.4	78.0	-	97.8	97.9	-	14.7	14.6	-
Jharsuguda	94.8	94.4	95.5	99.0	98.7	99.5	37.3	38.9	34.7
Kalahandi	70.1	67.9	-	94.2	93.7	-	27.0	26.4	-
Kandhamal	78.2	77.1	90.7	95.6	95.1	100.0	37.7	36.7	48.1
Kendrapara	79.8	79.2	90.7	98.4	98.4	99.3	23.7	22.7	42.7
Kendujhar	66.7	66.6	66.9	96.9	97.0	96.3	27.1	25.0	37.4
Khordha	79.3	76.4	83.9	95.6	95.7	95.6	32.2	25.6	42.5
Koraput	73.8	72.4	81.1	95.4	95.1	97.1	24.8	22.9	33.5
Malkangiri	66.1	64.1	95.6	90.6	90.0	99.3	17.5	16.6	30.1
Mayurbhanj	88.5	88.1	96.0	97.9	97.8	98.7	35.7	35.8	33.6
Nabarangapur	68.7	66.8	-	92.9	92.3	-	30.6	29.8	-
Nuapada	73.5	72.9	-	95.2	95.0	-	44.6	44.3	-
Nayagarh	63.5	63.3	-	93.2	93.1	-	25.7	25.4	-
Puri	81.8	79.9	91.5	96.6	96.5	97.3	21.5	20.2	28.8
Rayagada	74.8	72.6	87.8	96.1	95.6	98.8	34.0	33.2	39.0
Sambalpur	84.4	80.0	91.5	97.5	97.0	98.4	22.5	20.2	26.1
Sonapur	83.4	83.0	89.9	96.8	96.6	99.1	26.6	27.4	13.8
Sundargarh	79.5	75.2	89.6	97.2	96.8	98.1	28.1	26.6	31.5

ANTE NATAL CARE									
State / District	Mothers who had Full Antenatal Check-up (%)			Mothers who received ANC from Govt. Source (%)			Mothers whose Blood Pressure (BP) taken (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	22.7	21.3	31.6	57.7	59.2	49.1	82.2	81.1	88.9
Anugul	17.7	15.5	28.6	55.5	59.2	35.8	78.4	76.9	86.1
Balangir	14.8	14.5	18.1	69.5	71.6	38.6	89.9	89.5	96.5
Baleshwar	18.4	17.9	23.1	59.0	60.9	43.2	85.2	84.4	92.0
Bargarh	17.6	17.2	21.4	61.7	62.6	52.2	85.8	85.5	88.8
Baudh	22.9	22.7	-	75.4	74.9	-	82.1	82.2	-
Bhadrak	14.1	12.4	29.3	53.8	56.1	33.0	77.8	76.8	86.4
Cuttack	29.8	25.2	43.3	64.2	74.6	33.2	90.4	89.2	93.9
Debagarh	16.9	16.3	23.4	83.2	83.7	77.7	79.2	78.6	86.7
Dhenkanal	16.6	16.1	23.1	77.5	77.4	79.1	82.5	81.9	89.6
Gajapati	23.2	22.0	32.8	55.6	55.0	60.3	81.0	78.7	100.0
Ganjam	28.5	27.6	34.2	65.3	66.8	55.6	80.3	78.3	93.7
Jagatsinghapur	43.5	43.1	47.3	74.3	73.7	81.3	91.9	92.1	90.1
Jajapur	13.4	13.3	-	68.4	69.2	-	85.1	84.9	-
Jharsuguda	36.1	37.4	34.0	57.7	68.2	40.4	92.4	92.1	92.8
Kalahandi	21.8	20.9	-	79.0	80.9	-	80.4	79.6	-
Kandhamal	32.5	31.2	47.2	86.2	85.6	92.6	72.8	71.7	84.3
Kendrapara	21.1	20.0	42.0	73.2	73.7	63.8	85.0	84.6	92.7
Kendujhar	20.8	19.1	28.9	87.2	90.9	68.9	71.3	71.0	72.9
Khordha	28.8	21.9	39.5	59.7	71.4	41.6	85.5	82.0	91.0
Koraput	18.8	16.5	29.6	48.6	42.5	76.5	69.7	68.3	76.2
Malkangiri	14.8	13.7	30.1	41.3	39.5	63.7	65.7	64.1	86.8
Mayurbhanj	33.4	33.4	32.9	91.5	92.6	72.1	84.6	83.9	96.6
Nabarangapur	20.9	19.4	-	44.8	39.1	-	68.9	67.4	-
Nuapada	37.1	36.8	-	90.2	90.5	-	83.0	83.3	-
Nayagarh	20.0	19.7	-	79.0	79.1	-	67.5	67.2	-
Puri	18.4	16.6	27.8	72.9	76.5	53.3	87.5	86.3	94.2
Rayagada	29.2	27.7	37.8	52.1	48.2	73.5	87.9	87.6	89.6
Sambalpur	20.7	17.9	25.2	76.8	82.6	67.6	81.7	79.4	85.4
Sonapur	24.3	25.0	12.8	84.6	84.3	89.8	82.7	82.1	92.7
Sundargarh	25.7	24.0	29.7	77.4	88.9	50.0	78.6	73.8	90.0




ANTE NATAL CARE						
State / District	Mothers whose Blood taken for Hb (%)			Mothers who underwent Ultrasound (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Odisha	65.7	63.8	77.5	39.1	35.6	60.8
Anugul	65.2	63.2	75.5	41.0	37.9	56.5
Balangir	71.3	70.3	86.0	34.2	32.4	60.8
Baleshwar	69.2	67.3	84.9	35.6	33.9	49.5
Bargarh	74.4	73.5	83.1	52.0	50.5	68.5
Baudh	72.7	72.5	-	28.4	27.9	-
Bhadrak	57.3	56.2	67.1	40.0	39.5	45.0
Cuttack	79.0	75.1	90.6	57.4	50.7	76.9
Debagarh	68.1	66.3	88.6	32.1	30.5	50.6
Dhenkanal	77.6	76.4	92.3	38.9	37.5	55.5
Gajapati	68.1	64.4	98.5	32.4	28.1	67.9
Ganjam	73.8	70.9	92.6	38.5	33.7	70.0
Jagatsinghapur	89.5	89.8	86.3	52.5	51.8	59.5
Jajapur	69.0	68.7	-	41.2	41.0	-
Jharsuguda	71.8	69.2	76.1	52.8	45.8	64.4
Kalahandi	72.9	71.9	-	38.0	34.8	-
Kandhamal	64.8	62.4	90.7	28.4	26.4	49.1
Kendrapara	73.9	73.4	84.0	55.4	54.3	74.7
Kendujhar	35.9	34.9	41.0	31.1	28.7	42.6
Khordha	75.3	69.6	84.1	58.4	48.4	73.9
Koraput	46.0	41.9	65.0	22.9	17.9	46.6
Malkangiri	34.2	33.1	49.3	13.7	13.0	23.5
Mayurbhanj	55.4	53.8	81.9	21.7	20.3	46.3
Nabarangapur	40.6	35.8	-	15.6	10.8	-
Nuapada	80.8	80.6	-	23.2	22.2	-
Nayagarh	59.8	59.5	-	40.0	39.7	-
Puri	81.6	81.0	85.1	49.7	47.7	60.7
Rayagada	71.4	71.2	72.6	16.5	15.2	24.4
Sambalpur	61.8	53.7	75.0	47.6	37.5	64.0
Sonapur	66.6	65.9	78.9	48.1	47.6	56.0
Sundargarh	53.1	46.5	69.0	36.7	25.6	63.5




DELIVERY CARE									
State / District	Institutional Delivery (%)			Delivery at Government Institution (%)			Delivery at Private Institution (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	77.7	76.4	85.5	68.0	69.5	58.6	9.3	6.6	26.3
Anugul	79.6	79.0	83.1	64.3	67.8	45.9	15.2	10.9	37.2
Balangir	75.8	74.7	93.6	72.0	72.0	70.8	3.9	2.6	22.8
Baleshwar	83.2	82.4	89.6	76.6	77.5	69.6	6.5	4.9	20.1
Bargarh	84.1	83.0	95.3	73.8	74.6	65.4	9.8	8.0	29.2
Baudh	62.9	62.3	-	61.4	60.9	-	1.3	1.3	-
Bhadrak	75.5	75.5	75.5	65.7	66.2	61.3	9.7	9.2	14.2
Cuttack	88.5	89.1	86.8	68.4	75.7	46.8	19.1	12.4	38.9
Debagarh	74.3	73.4	84.2	71.5	71.1	75.3	2.7	2.3	8.2
Dhenkanal	80.9	80.4	86.8	72.8	73.1	69.2	8.1	7.3	17.6
Gajapati	62.6	60.3	81.7	47.5	47.5	47.3	15.1	12.7	34.4
Ganjam	85.7	83.8	97.9	72.6	73.5	66.8	12.3	9.6	30.0
Jagatsinghpur	93.0	94.5	78.6	79.2	80.7	64.9	11.6	11.5	12.2
Jajapur	85.4	85.2	-	75.6	75.8	-	9.7	9.3	-
Jharsuguda	82.3	82.6	81.8	62.1	70.8	47.8	18.9	10.7	32.2
Kalahandi	64.5	62.3	-	58.7	57.2	-	5.5	4.9	-
Kandhamal	72.8	71.1	90.7	71.1	69.7	86.1	1.5	1.4	2.8
Kendrapara	74.0	73.4	85.3	63.5	63.5	64.0	10.4	9.8	21.3
Kendujhar	67.3	68.3	62.4	60.8	64.2	44.1	6.3	3.9	18.3
Khordha	90.8	92.1	88.7	69.0	81.2	49.8	20.7	10.2	37.1
Koraput	50.5	46.1	70.9	48.0	44.6	64.1	2.4	1.5	6.3
Malkangiri	45.5	44.2	64.0	45.2	44.0	61.8	0.3	0.2	2.2
Mayurbhanj	77.0	76.1	93.3	74.5	74.2	78.5	2.6	1.9	14.8
Nabarangapur	45.1	41.0	-	43.1	40.0	-	1.9	1.0	-
Nuapada	65.8	64.7	-	60.4	59.7	-	4.9	4.8	-
Nayagarh	85.2	85.0	-	78.6	78.7	-	6.0	5.7	-
Puri	94.0	94.2	92.9	82.3	85.1	66.8	11.3	8.6	25.8
Rayagada	59.3	54.6	86.0	51.1	47.7	70.1	6.4	4.7	15.9
Sambalpur	80.2	75.2	88.4	67.5	67.5	67.3	12.5	7.3	20.9
Sonapur	79.7	79.0	91.7	76.4	76.3	78.9	3.0	2.4	12.8
Sundargarh	75.4	70.4	87.2	60.4	64.2	51.2	14.8	6.1	35.7

Odisha: Institutional Delivery (%)



DELIVERY CARE									
State / District	Delivery at Home (%)			Delivery at home conducted by skilled health personnel (%)			Safe Delivery (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	21.7	22.9	14.0	22.2	21.4	29.9	80.8	79.7	87.8
Anugul	19.9	20.5	16.7	11.6	10.6	18.1	81.5	80.7	85.3
Balangir	23.9	25.1	6.4	33.6	33.8	27.3	82.7	81.9	95.3
Baleshwar	16.6	17.4	10.4	23.0	23.5	16.1	86.2	85.6	90.6
Bargarh	15.3	16.3	4.4	38.3	38.1	46.2	89.2	88.5	96.6
Baudh	37.1	37.7	-	13.6	13.5	-	67.1	66.6	-
Bhadrak	24.1	24.1	24.2	23.6	22.6	32.5	79.0	79.1	78.5
Cuttack	11.4	10.8	13.2	27.9	25.1	34.5	90.1	90.6	88.7
Debagarh	25.1	26.0	15.2	14.9	14.4	25.0	76.6	75.8	85.4
Dhenkanal	18.8	19.2	13.2	13.8	12.4	37.5	82.2	81.5	90.7
Gajapati	37.3	39.6	18.3	13.9	13.0	29.2	66.8	64.6	85.5
Ganjam	13.8	15.6	2.1	18.1	17.5	50.0	87.1	85.3	98.9
Jagatsinghpur	6.9	5.4	21.4	38.3	28.0	64.3	93.8	95.1	80.9
Jajapur	14.2	14.4	-	13.2	13.1	-	86.6	86.4	-
Jharsuguda	15.3	16.5	13.4	43.1	40.2	48.9	87.3	87.7	86.6
Kalahandi	35.3	37.5	-	24.7	24.8	-	71.3	69.7	-
Kandhamal	27.1	28.7	9.3	14.7	14.0	40.0	75.2	73.6	92.6
Kendrapara	21.4	21.9	12.3	40.2	39.9	50.0	78.9	78.5	87.3
Kendujhar	32.5	31.5	37.3	19.2	16.6	29.7	70.9	71.5	68.2
Khordha	9.1	7.8	11.1	21.4	13.7	29.7	91.9	92.9	90.3
Koraput	49.5	53.9	29.1	22.6	21.8	30.0	54.3	49.7	75.7
Malkangiri	54.5	55.8	36.0	14.5	14.4	16.3	48.0	46.8	64.7
Mayurbhanj	22.6	23.5	6.7	17.3	17.6	0.0	78.9	78.1	93.3
Nabarangapur	50.1	53.5	-	19.6	18.8	-	49.1	45.0	-
Nuapada	34.2	35.3	-	27.9	27.6	-	73.8	72.9	-
Nayagarh	14.7	14.9	-	6.7	6.8	-	85.9	85.7	-
Puri	5.8	5.6	7.1	19.4	19.5	19.0	94.7	95.0	93.2
Rayagada	40.7	45.4	14.0	13.0	12.0	30.4	62.0	57.2	89.6
Sambalpur	19.6	24.8	11.3	24.6	24.0	26.4	83.8	79.7	90.6
Sonapur	20.3	21.0	8.3	27.5	26.6	66.7	84.7	84.0	96.3
Sundargarh	24.4	29.4	12.4	24.9	24.5	27.6	79.4	75.4	89.0



DELIVERY CARE

State / District	Caesarean out of total delivery taken place in Government Institutions (%)			Caesarean out of total delivery taken place in Private Institutions (%)		
	Total	Rural	Urban	Total	Rural	Urban
	1	2	3	4	5	6
Odisha	7.9	7.2	13.0	43.4	44.2	42.1
Anugul	6.5	6.1	9.6	38.5	35.4	43.2
Balangir	9.5	8.8	19.8	41.9	40.9	43.6
Baleshwar	8.3	7.6	14.4	53.1	51.4	56.7
Bargarh	13.4	13.2	16.1	29.5	28.9	31.4
Baudh	6.3	5.9	-	24.2	25.5	-
Bhadrak	5.0	4.9	5.4	58.3	60.3	46.8
Cuttack	9.2	7.8	15.8	42.1	44.8	39.5
Debagarh	8.5	7.8	16.0	45.2	40.1	61.5
Dhenkanal	8.2	7.5	15.9	47.1	46.5	50.0
Gajapati	9.0	8.2	16.1	20.0	18.6	24.4
Ganjam	6.2	5.6	10.2	34.3	38.1	26.3
Jagatsinghpur	7.5	7.7	4.7	55.3	57.9	31.3
Jajapur	6.1	6.1	-	54.1	54.1	-
Jharsuguda	9.3	8.3	11.6	32.2	31.1	32.8
Kalahandi	8.0	6.6	-	45.2	42.1	-
Kandhamal	7.2	7.4	5.4	32.5	32.3	33.3
Kendrapara	8.3	8.2	9.4	58.9	59.6	53.1
Kendujhar	6.8	6.1	12.4	29.1	23.4	35.0
Khordha	9.4	7.4	14.4	46.2	44.1	47.1
Koraput	8.8	5.0	21.2	19.1	29.2	7.7
Malkangiri	7.4	6.6	15.5	0.0	0.0	0.0
Mayurbhanj	5.9	5.8	7.7	47.3	37.8	68.2
Nabarangapur	9.4	5.8	-	28.9	46.4	-
Nuapada	5.0	4.6	-	62.8	61.9	-
Nayagarh	6.0	5.9	-	53.9	52.3	-
Puri	10.5	10.0	14.2	49.9	51.3	47.4
Rayagada	6.9	6.4	8.7	27.7	25.9	30.8
Sambalpur	10.6	9.4	12.5	46.4	34.3	53.3
Sonapur	11.6	11.8	8.1	42.8	47.3	28.6
Sundargarh	7.0	5.1	12.5	38.4	34.6	40.0

Odisha: Caesarean out of total delivery taken place in Government/Private Institutions (%)



POST NATAL CARE									
State / District	Less than 24 hrs. stay in institution after delivery (%)			Mothers who received Post-natal Check-up within 48 hrs. of delivery (%)			Mothers who received Post-natal Check-up within 1 week of delivery (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	52.4	54.5	41.2	80.0	78.9	87.0	83.9	82.9	90.0
Anugul	48.3	49.5	42.5	81.5	80.8	85.1	84.4	83.9	87.3
Balangir	64.0	64.6	56.3	85.4	84.8	94.7	89.2	88.7	97.7
Baleshwar	49.8	50.4	44.8	85.6	85.0	91.3	88.5	87.7	95.7
Bargarh	62.7	62.7	62.3	92.2	91.7	97.3	95.2	94.9	98.3
Baudh	52.9	52.5	-	73.2	72.8	-	79.2	79.0	-
Bhadrak	53.0	52.3	59.2	77.0	76.4	81.9	81.5	81.2	84.6
Cuttack	47.3	55.1	23.5	87.4	86.7	89.3	91.0	90.8	91.5
Debagarh	54.3	55.4	43.2	76.7	75.9	85.4	81.1	80.4	88.6
Dhenkanal	61.7	62.6	51.3	83.0	82.5	87.9	84.3	83.9	88.5
Gajapati	64.0	64.4	61.7	61.6	58.7	86.3	68.4	64.8	97.7
Ganjam	61.8	64.4	47.3	86.2	84.6	97.4	89.1	87.7	97.9
Jagatsinghpur	24.9	23.6	40.8	88.7	90.0	76.3	91.8	92.9	80.2
Jajapur	60.8	61.3	-	85.9	85.8	-	87.5	87.3	-
Jharsuguda	45.8	48.9	40.8	88.7	88.5	89.0	92.4	92.1	93.0
Kalahandi	62.2	63.1	-	64.9	63.0	-	69.7	67.9	-
Kandhamal	42.9	42.6	45.8	71.7	70.3	87.0	77.6	76.4	89.8
Kendrapara	47.9	48.0	46.9	79.3	78.9	86.7	81.3	80.9	87.3
Kendujhar	73.6	75.0	66.5	68.5	68.6	68.2	72.8	72.7	73.5
Khordha	49.1	57.7	35.1	87.9	88.6	86.8	91.2	91.7	90.5
Koraput	55.0	54.9	55.5	53.2	48.5	75.2	59.9	56.2	77.7
Malkangiri	33.2	32.1	43.7	46.4	45.0	66.2	52.2	50.9	69.9
Mayurbhanj	52.3	52.6	48.2	80.8	80.0	94.6	86.4	85.7	97.3
Nabarangapur	52.2	52.3	-	50.8	46.9	-	58.3	55.1	-
Nuapada	56.5	57.4	-	65.8	64.8	-	71.6	70.9	-
Nayagarh	71.6	72.1	-	84.4	84.1	-	86.4	86.2	-
Puri	35.8	34.9	40.6	89.9	89.0	94.9	91.5	90.7	95.9
Rayagada	40.6	43.2	31.2	64.7	61.2	84.8	77.5	76.0	86.0
Sambalpur	29.4	28.8	30.1	81.8	79.1	86.1	85.7	83.6	89.2
Sonapur	47.7	47.9	45.0	90.1	89.5	100.0	92.1	91.6	100.0
Sundargarh	34.1	36.7	29.0	77.7	73.0	88.9	84.1	80.3	93.0


POST NATAL CARE						
State / District	Mothers who did not receive any Post-natal Check-up (%)			New borns who were checked up within 24 hrs. of birth (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Odisha	14.8	15.7	9.2	79.7	78.6	86.3
Anugul	15.5	16.0	12.7	81.2	80.6	84.1
Balangir	10.1	10.6	2.3	84.2	83.5	95.2
Baleshwar	11.4	12.2	4.3	85.1	84.3	92.3
Bargarh	4.7	5.0	1.7	92.6	92.3	96.3
Baudh	18.9	19.1	-	68.0	67.8	-
Bhadrak	17.8	18.2	14.2	77.1	77.0	78.0
Cuttack	8.3	8.4	8.2	87.1	86.8	88.2
Debagarh	17.6	18.2	11.4	76.2	75.2	87.3
Dhenkanal	15.5	15.8	11.5	83.0	82.6	87.6
Gajapati	26.1	29.3	0.0	57.7	55.1	79.4
Ganjam	9.1	10.2	1.6	85.4	83.9	95.2
Jagatsinghpur	7.1	6.1	17.6	90.0	91.5	75.6
Jajapur	12.3	12.4	-	86.3	86.1	-
Jharsuguda	7.1	7.3	6.7	89.7	89.4	90.2
Kalahandi	27.0	28.9	-	64.2	62.0	-
Kandhamal	19.7	20.6	10.2	70.6	69.1	87.0
Kendrapara	18.6	18.9	12.7	82.4	82.1	87.2
Kendujhar	26.2	26.2	26.1	69.1	69.5	66.8
Khordha	8.0	7.6	8.6	88.8	90.0	86.8
Koraput	30.2	32.9	17.5	50.9	46.6	71.4
Malkangiri	39.4	40.5	23.5	44.5	43.3	62.2
Mayurbhanj	12.9	13.5	2.0	81.8	81.1	93.2
Nabarangapur	32.5	35.1	-	47.9	43.7	-
Nuapada	23.9	24.4	-	64.1	63.1	-
Nayagarh	12.9	13.1	-	84.5	84.3	-
Puri	8.0	8.8	4.1	90.1	89.6	93.2
Rayagada	18.2	19.4	11.6	59.4	55.5	81.1
Sambalpur	13.7	15.7	10.3	83.6	80.3	88.9
Sonapur	7.8	8.2	0.0	86.6	86.1	95.4
Sundargarh	15.0	18.9	5.7	76.0	71.3	87.4

Odisha: Mothers by status of receipt of Post-natal Check-up (%)



JANANI SURAKSHA YOJANA (JSY)									
State / District	Mothers who availed financial assistance for delivery under JSY (%)			Mothers who availed financial assistance for institutional delivery under JSY (%)			Mothers who availed financial assistance for Government Institutional delivery under JSY (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	67.7	70.1	53.2	84.7	88.9	61.8	95.0	96.0	87.7
Anugul	64.0	68.3	42.1	77.6	83.3	49.9	94.7	95.4	89.5
Balangir	72.1	72.4	66.7	92.4	94.2	70.6	96.7	96.9	93.4
Baleshwar	76.5	77.5	67.6	89.6	91.7	73.5	96.2	96.6	92.8
Bargarh	77.9	78.7	68.8	87.5	89.2	71.3	96.6	96.6	96.4
Baudh	62.0	61.6	-	95.7	95.9	-	96.6	96.8	-
Bhadrak	65.6	66.3	58.9	85.0	85.7	78.0	95.9	96.1	94.1
Cuttack	67.1	75.9	41.0	75.4	84.6	47.6	95.1	97.0	85.6
Debagarh	71.9	72.0	71.5	93.1	93.9	84.8	96.0	96.2	94.1
Dhenkanal	74.8	75.9	62.1	89.4	91.1	70.3	96.7	97.7	84.1
Gajapati	39.5	39.2	42.0	62.4	64.2	51.4	80.3	79.9	83.9
Ganjam	71.9	73.5	61.1	83.0	86.6	62.5	95.4	96.2	89.8
Jagatsinghpur	76.5	78.9	51.9	83.4	84.8	66.3	94.2	95.6	76.5
Jajapur	73.9	74.1	-	84.8	85.1	-	94.7	94.5	-
Jharsuguda	59.7	70.3	42.5	72.2	84.5	51.8	91.0	94.8	81.8
Kalahandi	55.6	53.8	-	83.4	82.9	-	89.8	89.1	-
Kandhamal	75.7	74.8	85.2	97.0	97.1	95.8	98.2	98.1	98.9
Kendrapara	66.2	66.4	63.3	82.9	83.6	71.9	95.4	95.5	94.8
Kendujhar	60.4	64.8	38.8	86.8	91.6	61.5	95.0	96.5	84.8
Khordha	65.8	80.8	42.5	72.4	87.4	48.0	92.6	96.8	81.8
Koraput	47.4	45.8	55.3	88.2	92.6	74.5	91.1	94.2	81.1
Malkangiri	42.8	42.1	53.7	93.3	94.4	82.8	93.5	94.4	84.5
Mayurbhanj	74.9	75.0	73.2	95.2	96.4	78.4	97.7	98.0	93.2
Nabarangapur	43.1	41.3	-	89.3	93.6	-	92.2	95.0	-
Nuapada	64.0	63.5	-	94.5	94.7	-	95.9	95.8	-
Nayagarh	79.7	79.9	-	90.7	91.1	-	96.9	97.0	-
Puri	81.4	84.8	63.1	85.4	88.7	67.0	95.0	95.7	90.4
Rayagada	51.9	50.9	57.3	83.5	89.3	63.1	87.6	91.4	73.0
Sambalpur	65.1	66.8	62.4	80.3	87.6	70.3	94.1	96.0	91.0
Sonapur	74.0	74.2	71.6	92.8	93.9	78.0	96.0	96.3	90.7
Sundargarh	59.6	66.5	42.9	73.9	86.8	48.9	91.5	94.6	82.2

Odisha: Mothers who availed financial assistance for delivery under JSY (%)



IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT									
State / District	Children aged 12-23 months having Immunization Card (%)			Children aged 12-23 months who have received BCG (%)			Children aged 12-23 months who have received 3 doses of Polio vaccine (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	94.9	94.8	95.9	97.8	97.7	98.2	78.9	78.5	81.4
Anugul	93.5	93.4	94.2	98.1	98.1	98.3	90.4	89.8	93.5
Balangir	96.3	96.2	97.8	98.3	98.2	100.0	82.6	82.3	87.1
Baleshwar	97.6	97.6	97.9	97.4	97.2	99.0	93.3	93.2	94.4
Bargarh	96.2	96.2	96.7	98.1	98.0	99.3	95.4	95.2	97.4
Baudh	95.4	95.4	-	98.5	98.5	-	88.6	88.8	-
Bhadrak	96.8	96.9	96.0	98.8	98.8	99.0	92.5	92.3	94.0
Cuttack	96.3	96.3	96.2	98.2	98.8	96.5	61.9	63.7	56.0
Debagarh	93.5	93.4	95.0	96.2	96.3	95.0	86.5	86.5	86.1
Dhenkanal	97.5	97.8	95.0	99.1	99.0	99.2	88.5	88.2	91.7
Gajapati	92.3	91.5	98.6	93.4	93.1	95.7	49.9	48.8	59.4
Ganjam	96.3	95.9	99.0	96.5	96.2	99.0	59.0	58.5	62.1
Jagatsinghpur	99.2	99.1	100.0	99.7	99.7	100.0	65.0	64.0	76.6
Jajapur	95.1	95.1	-	98.2	98.3	-	91.5	91.4	-
Jharsuguda	97.5	98.0	96.8	99.1	99.0	99.4	93.0	93.1	92.7
Kalahandi	95.9	95.9	-	96.9	96.8	-	34.6	35.1	-
Kandhamal	98.2	98.2	98.6	98.7	98.7	98.6	40.0	39.7	42.9
Kendrapara	97.1	97.3	93.2	98.8	98.7	100.0	94.1	93.9	98.1
Kendujhar	91.0	91.7	87.2	96.8	97.0	96.2	91.4	91.2	92.3
Khordha	97.2	97.9	95.9	98.3	98.8	97.6	57.0	57.1	56.9
Koraput	90.2	88.4	98.3	96.2	96.1	96.6	74.6	72.7	83.2
Malkangiri	85.8	85.1	95.2	93.9	93.5	100.0	29.1	26.9	61.9
Mayurbhanj	88.9	88.6	96.3	97.0	96.9	98.8	86.8	86.3	96.3
Nabarangapur	89.1	87.6	-	95.5	95.2	-	72.2	69.8	-
Nuapada	95.2	94.9	-	98.3	98.2	-	61.9	60.4	-
Nayagarh	98.3	98.4	-	99.0	98.9	-	65.8	65.5	-
Puri	98.8	99.3	96.3	98.7	98.7	98.8	63.2	60.2	79.6
Rayagada	94.6	94.9	93.1	96.7	96.7	96.6	32.3	33.1	27.6
Sambalpur	96.8	97.0	96.6	99.1	99.3	98.7	93.8	94.3	93.1
Sonapur	98.2	98.0	100.0	99.5	99.5	100.0	68.0	68.3	63.1
Sundargarh	93.1	91.8	96.1	98.2	98.0	98.7	87.0	82.5	97.2

IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children aged 12-23 months who have received 3 doses of DPT vaccine (%)			Children aged 12-23 months who have received Measles vaccine (%)			Children aged 12-23 months Fully Immunized (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	77.9	78.0	77.4	87.8	87.7	88.3	62.3	62.0	64.1
Anugul	82.1	80.1	92.9	90.5	90.3	91.5	74.5	72.0	87.4
Balangir	84.8	86.7	53.8	91.5	91.6	90.3	70.7	72.1	48.4
Baleshwar	87.6	88.1	83.6	91.0	90.7	93.8	79.9	79.8	80.5
Bargarh	89.4	89.2	92.7	87.9	87.5	93.4	78.2	77.7	84.8
Baudh	41.7	41.6	-	90.8	90.6	-	34.2	34.3	-
Bhadrak	87.8	87.3	92.0	88.5	88.8	85.9	79.2	79.1	80.9
Cuttack	83.3	87.0	71.4	89.7	90.9	85.8	53.4	57.5	40.4
Debagarh	85.1	85.7	77.2	88.5	89.1	81.2	74.9	75.4	69.3
Dhenkanal	83.1	82.8	86.8	86.9	86.8	88.4	71.3	70.4	81.0
Gajapati	50.6	49.2	62.3	85.0	85.6	79.7	32.7	32.1	37.7
Ganjam	51.1	50.1	58.3	83.2	82.4	88.3	27.2	25.9	36.9
Jagatsinghpur	71.1	70.2	81.3	93.6	94.3	85.9	45.5	43.8	65.6
Jajapur	91.0	91.0	-	87.8	87.7	-	78.8	78.4	-
Jharsuguda	89.1	89.1	89.0	92.7	94.6	89.8	83.7	84.2	82.8
Kalahandi	68.1	67.4	-	87.6	87.3	-	24.0	24.4	-
Kandhamal	56.3	58.2	38.6	92.3	92.4	91.4	24.0	24.9	15.7
Kendrapara	94.0	93.9	96.1	92.1	91.9	95.1	84.9	84.3	94.2
Kendujhar	82.3	82.3	82.7	86.4	86.5	86.0	72.5	72.1	74.5
Khordha	67.6	67.3	68.1	82.6	82.7	82.4	40.0	37.9	43.5
Koraput	61.6	65.0	46.2	79.4	76.5	92.4	42.7	44.4	35.3
Malkangiri	46.1	44.2	74.6	79.3	78.5	90.5	18.1	15.4	57.1
Mayurbhanj	83.2	82.6	95.0	88.5	88.4	90.0	73.3	72.6	86.3
Nabarangapur	61.8	65.1	-	78.7	76.3	-	45.0	46.8	-
Nuapada	57.4	56.7	-	88.0	87.3	-	36.4	35.0	-
Nayagarh	64.7	64.7	-	91.7	91.7	-	39.3	39.0	-
Puri	68.6	70.6	57.4	87.5	87.6	87.0	38.6	38.4	40.1
Rayagada	34.8	36.1	27.6	72.2	72.8	69.0	17.7	17.8	17.2
Sambalpur	83.2	82.7	84.1	85.5	87.6	82.2	75.9	77.1	73.9
Sonapur	70.7	70.5	73.8	89.8	90.7	75.4	55.1	55.5	49.2
Sundargarh	89.4	86.0	97.2	92.6	91.7	94.6	79.8	74.6	91.6





IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children who have received Polio dose at birth (%)			Children who did not receive any vaccination (%)			Children (aged 6-35 months) who received at least one Vitamin A dose during last six months (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	80.7	79.9	85.6	1.0	1.0	1.2	71.3	71.5	69.7
Anugul	83.3	82.5	87.4	1.3	1.3	1.0	71.0	72.8	61.6
Balangir	80.9	80.6	86.0	0.9	0.9	0.0	74.7	75.1	68.8
Baleshwar	86.8	86.3	90.3	0.3	0.2	1.0	78.9	78.3	84.1
Bargarh	71.4	71.2	74.2	0.6	0.6	0.0	65.4	64.6	75.5
Baudh	61.8	60.8	-	0.2	0.2	-	79.3	79.1	-
Bhadrak	74.1	74.4	70.9	0.9	0.9	0.5	60.3	59.9	64.3
Cuttack	85.1	85.8	83.2	1.1	0.7	2.4	74.4	77.7	64.0
Debagarh	77.5	76.9	85.1	2.0	1.9	3.0	73.1	72.8	77.2
Dhenkanal	88.3	88.0	91.7	0.7	0.7	0.8	72.3	73.4	60.3
Gajapati	81.7	80.6	91.3	5.1	5.2	4.3	65.6	65.5	66.7
Ganjam	84.4	83.0	94.2	1.6	1.8	0.0	62.2	61.8	65.0
Jagatsinghpur	93.1	94.6	76.6	0.3	0.3	0.0	73.9	73.2	81.3
Jajapur	87.0	87.0	-	0.9	0.7	-	79.3	79.1	-
Jharsuguda	89.9	89.7	90.3	0.4	0.3	0.5	77.2	78.1	75.8
Kalahandi	72.2	71.7	-	1.5	1.6	-	57.4	56.8	-
Kandhamal	87.4	87.1	90.0	0.1	0.0	1.4	60.5	58.2	82.9
Kendrapara	84.8	84.2	94.2	0.3	0.3	0.0	67.3	66.6	79.6
Kendujhar	72.9	73.1	72.2	1.5	1.1	3.6	63.4	65.1	54.8
Khordha	85.3	82.9	89.2	0.7	0.4	1.3	68.5	69.3	67.1
Koraput	61.8	59.7	71.4	2.1	2.2	1.7	60.2	58.3	68.9
Malkangiri	54.7	54.3	60.3	3.5	3.7	0.0	63.2	61.3	90.5
Mayurbhanj	81.3	80.7	92.5	0.4	0.5	0.0	68.0	68.3	61.3
Nabarangapur	59.9	56.8	-	3.3	3.7	-	60.3	59.2	-
Nuapada	74.1	73.2	-	1.3	1.4	-	76.5	76.5	-
Nayagarh	84.8	84.7	-	0.6	0.7	-	83.3	83.3	-
Puri	91.6	92.2	88.3	0.7	0.7	0.6	80.9	80.4	83.3
Rayagada	81.9	80.5	89.7	1.6	1.3	3.4	64.4	66.5	52.9
Sambalpur	81.4	78.5	85.7	0.7	0.5	1.1	59.8	58.8	61.2
Sonapur	86.7	86.2	93.8	0.3	0.4	0.0	78.6	78.7	76.9
Sundargarh	85.0	81.7	92.6	1.2	1.3	0.9	68.5	71.0	62.8

IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children (aged 6-35 months) who received IFAtablets/syrup during last 3 months (%)			Children whose birth weight was taken (%)			Children with birth weight less than 2.5 Kg. (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	24.0	24.5	21.5	82.0	81.2	87.0	21.6	22.1	18.5
Anugul	15.7	16.9	9.2	81.2	80.7	84.2	22.4	22.8	20.3
Balangir	27.0	27.6	17.2	85.9	85.3	96.2	16.4	16.6	13.1
Baleshwar	23.9	24.3	20.5	85.4	84.8	90.4	24.5	25.4	17.4
Bargarh	19.1	19.9	9.3	89.1	88.5	95.3	17.2	16.9	20.6
Baudh	25.3	25.6	-	74.5	74.2	-	21.6	21.5	-
Bhadrak	9.9	10.1	8.0	76.8	77.1	74.1	20.6	21.0	16.7
Cuttack	17.2	18.1	14.5	86.0	85.8	86.6	22.7	23.4	20.5
Debagarh	30.4	30.7	26.7	78.2	77.1	89.8	19.0	19.9	9.4
Dhenkanal	15.5	15.9	11.6	81.3	81.1	83.6	12.0	12.0	11.6
Gajapati	23.8	22.7	33.3	70.2	68.3	85.8	25.9	26.7	20.5
Ganjam	21.3	19.5	34.0	86.4	84.8	96.8	27.9	28.7	22.8
Jagatsinghpur	41.8	42.0	39.1	92.8	94.5	76.3	24.1	23.8	27.8
Jajapur	11.8	12.0	-	85.2	85.0	-	22.0	22.3	-
Jharsuguda	24.5	26.4	21.6	91.4	91.7	91.0	17.6	18.4	16.2
Kalahandi	20.9	21.2	-	79.2	78.0	-	20.2	20.8	-
Kandhamal	42.8	43.0	41.4	89.2	89.3	88.3	27.4	27.8	23.0
Kendrapara	12.2	12.5	6.8	80.6	80.1	89.8	21.0	21.4	13.7
Kendujhar	17.1	17.2	16.6	72.7	73.1	70.5	17.5	17.8	16.1
Khordha	25.2	25.3	25.1	87.8	86.8	89.4	20.6	23.0	16.8
Koraput	33.2	34.0	29.4	60.2	56.7	75.8	31.1	31.3	30.4
Malkangiri	35.9	36.7	23.8	53.1	51.7	71.7	34.2	34.6	30.0
Mayurbhanj	29.6	30.3	16.3	88.7	88.5	91.0	25.4	25.9	18.0
Nabarangapur	34.6	35.4	-	60.3	57.4	-	31.0	31.8	-
Nuapada	44.0	44.2	-	87.5	87.1	-	25.3	25.2	-
Nayagarh	37.7	37.8	-	81.3	80.9	-	19.4	19.7	-
Puri	28.7	27.9	33.3	91.7	92.1	89.7	20.7	20.2	23.8
Rayagada	44.7	47.6	28.7	85.0	83.5	93.8	21.7	22.6	16.3
Sambalpur	17.8	19.8	14.7	83.2	78.8	90.1	14.1	15.8	11.9
Sonapur	35.0	34.6	43.1	86.3	85.7	96.5	16.9	16.5	23.3
Sundargarh	40.0	43.9	31.0	81.1	77.6	89.7	20.4	21.1	19.0



CHILDHOOD DISEASES									
State / District	Children suffering from Diarrhoea (%)			Children suffering from Diarrhoea who received HAF/ORS/ORT (%)			Children suffering from Acute Respiratory Infection (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	13.0	13.0	13.3	91.0	90.9	91.5	18.5	18.4	19.1
Anugul	12.1	12.8	8.7	91.2	90.1	100.0	15.0	15.7	11.0
Balangir	12.0	11.9	12.8	93.2	92.9	100.0	15.3	15.6	7.7
Baleshwar	10.8	10.2	15.3	95.2	94.2	100.0	12.1	12.1	12.1
Bargarh	11.7	10.8	23.3	91.7	91.9	90.0	25.9	25.8	26.7
Baudh	13.7	13.7	-	93.0	94.5	-	33.7	31.7	-
Bhadrak	10.9	10.5	15.6	84.5	85.3	78.6	23.7	22.3	40.0
Cuttack	13.8	12.0	19.7	88.4	84.8	95.8	35.4	35.0	36.9
Debagarh	14.5	13.8	22.4	89.9	89.6	92.3	22.1	23.1	10.3
Dhenkanal	14.1	12.4	29.8	94.6	93.9	100.0	15.7	15.2	20.2
Gajapati	8.1	7.9	9.4	100.0	100.0	100.0	5.3	4.4	12.5
Ganjam	15.0	15.7	10.9	77.7	77.5	80.0	26.0	26.7	21.7
Jagatsinghpur	14.2	14.9	4.5	97.4	97.3	100.0	29.5	29.3	31.8
Jajapur	15.4	15.4	-	94.0	93.8	-	14.6	15.0	-
Jharsuguda	12.6	12.3	13.1	92.2	93.2	90.8	14.2	17.9	8.4
Kalahandi	16.0	16.3	-	95.0	94.7	-	14.5	14.3	-
Kandhamal	23.0	23.0	23.5	92.3	91.9	100.0	27.8	27.4	35.3
Kendrapara	9.6	10.0	3.3	97.3	97.2	100.0	13.8	13.5	18.3
Kendujhar	14.3	15.7	6.8	88.1	88.2	86.7	18.7	19.7	12.7
Khordha	12.6	12.2	13.2	86.5	89.4	82.4	31.9	32.9	30.4
Koraput	14.2	15.1	9.3	100.0	100.0	100.0	8.6	9.4	4.7
Malkangiri	11.1	10.9	17.6	98.9	98.8	100.0	8.4	8.3	11.8
Mayurbhanj	12.6	12.6	13.2	89.0	88.4	100.0	15.5	14.8	28.3
Nabarangapur	18.6	19.0	-	90.5	90.4	-	18.9	19.1	-
Nuapada	10.4	10.8	-	89.7	89.7	-	24.0	24.3	-
Nayagarh	16.7	16.4	-	88.0	87.4	-	29.9	30.4	-
Puri	12.9	12.5	15.7	91.7	90.4	100.0	31.5	32.5	23.5
Rayagada	14.3	13.7	19.4	90.8	91.7	85.7	12.6	11.4	22.2
Sambalpur	11.6	9.9	14.2	84.8	88.3	81.0	22.0	21.8	22.4
Sonapur	18.2	17.8	25.0	88.0	87.0	100.0	22.6	22.0	32.1
Sundargarh	10.5	10.8	9.9	95.7	96.9	92.9	9.1	7.8	12.1

CHILDHOOD DISEASES

State / District	Children suffering from Acute Respiratory Infection who sought treatment (%)			Children suffering from Fever (%)			Children suffering from Fever who sought treatment (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	91.7	91.5	93.2	30.4	30.7	28.4	91.0	90.9	91.7
Anugul	92.6	91.7	100.0	35.2	34.9	37.2	91.3	90.5	95.3
Balangir	83.7	83.4	100.0	22.2	22.3	20.5	85.4	85.3	87.5
Baleshwar	96.3	96.7	93.3	35.1	34.9	36.3	90.0	89.9	91.1
Bargarh	93.4	92.9	100.0	28.0	27.0	40.7	92.6	91.7	100.0
Baudh	88.3	87.2	-	34.2	34.2	-	94.8	94.7	-
Bhadrak	94.6	95.0	91.7	32.4	32.9	26.7	93.5	93.6	91.7
Cuttack	98.9	98.6	100.0	35.3	36.8	30.3	92.5	91.4	97.3
Debagarh	88.4	88.6	83.3	30.8	31.5	22.4	92.3	92.8	84.6
Dhenkanal	89.2	88.5	94.1	36.5	37.6	26.2	87.4	88.2	77.3
Gajapati	100.0	100.0	100.0	37.9	38.4	34.4	97.9	97.6	100.0
Ganjam	92.3	93.9	80.0	29.5	31.5	17.4	86.0	87.0	75.0
Jagatsinghpur	96.2	95.9	100.0	36.9	37.0	36.4	92.4	91.8	100.0
Jajapur	93.1	93.0	-	43.6	43.6	-	92.9	93.0	-
Jharsuguda	90.8	91.2	89.5	28.0	27.6	28.7	88.3	88.0	88.9
Kalahandi	91.1	90.4	-	23.9	23.8	-	92.5	91.9	-
Kandhamal	90.6	92.3	66.7	29.9	30.3	23.5	91.8	92.6	75.0
Kendrapara	98.6	98.5	100.0	39.5	40.4	25.0	96.8	97.2	86.7
Kendujhar	88.3	88.2	89.3	30.2	29.8	32.7	90.6	90.7	90.3
Khordha	95.2	94.5	96.6	36.3	38.0	33.5	93.7	93.6	93.8
Koraput	67.8	69.4	50.0	33.2	32.0	39.5	94.0	92.7	100.0
Malkangiri	79.8	78.9	100.0	35.0	34.7	47.1	92.9	92.6	100.0
Mayurbhanj	90.3	90.0	93.3	21.8	21.6	24.5	94.8	95.4	84.6
Nabarangapur	84.1	83.8	-	24.0	23.7	-	84.5	83.8	-
Nuapada	88.8	88.6	-	24.8	25.8	-	84.9	84.9	-
Nayagarh	97.2	97.2	-	38.7	38.9	-	85.1	85.2	-
Puri	94.7	95.0	91.7	35.5	35.6	35.3	90.1	90.3	88.9
Rayagada	80.2	81.5	75.0	18.4	18.6	16.7	83.5	81.7	100.0
Sambalpur	86.9	85.2	89.4	28.3	27.0	30.2	90.5	89.3	92.1
Sonapur	89.2	90.2	77.8	28.7	28.8	28.6	86.1	85.3	100.0
Sundargarh	88.4	84.4	94.1	16.5	16.4	16.7	89.1	88.0	91.5

Odisha: Childhood Diseases (%)




BREASTFEEDING AND SUPPLEMENTATION

State / District	Children breastfed within one hour of birth (%)			Children (aged 6-35 months) exclusively breastfed for at least six months (%)		
	Total	Rural	Urban	Total	Rural	Urban
	1	2	3	4	5	6
Odisha	74.3	74.3	74.1	26.6	26.2	29.0
Anugul	68.9	68.3	72.2	11.1	10.6	14.1
Balangir	50.4	51.1	39.6	13.0	13.2	9.0
Baleshwar	75.9	74.6	86.9	19.7	19.3	22.5
Bargarh	61.9	62.0	60.5	20.7	20.5	23.3
Baudh	75.7	75.5	-	29.8	29.8	-
Bhadrak	76.2	76.6	71.8	18.4	18.0	22.3
Cuttack	80.1	81.3	76.3	37.8	34.3	47.9
Debagarh	58.1	58.4	54.2	29.3	29.1	31.9
Dhenkanal	69.2	70.1	58.7	14.1	14.5	9.3
Gajapati	72.5	72.0	75.8	21.3	23.0	7.9
Ganjam	74.5	72.7	87.1	25.3	26.0	20.6
Jagatsinghpur	84.0	83.0	94.8	26.0	26.9	16.5
Jajapur	75.0	74.8	-	16.8	17.3	-
Jharsuguda	74.3	75.3	72.7	21.0	23.7	16.2
Kalahandi	88.0	88.3	-	40.8	41.7	-
Kandhamal	82.4	84.1	65.5	61.8	63.5	43.4
Kendrapara	82.6	82.6	83.4	15.2	15.4	12.3
Kendujhar	75.7	74.9	80.2	33.0	31.1	42.5
Khordha	80.9	84.6	75.1	35.1	33.6	37.5
Koraput	79.7	79.8	79.4	42.1	44.5	30.9
Malkangiri	63.2	62.9	67.4	17.0	16.7	20.6
Mayurbhanj	72.8	73.1	67.9	36.2	36.1	38.7
Nabarangapur	77.2	76.7	-	39.2	40.2	-
Nuapada	89.0	88.8	-	48.1	48.6	-
Nayagarh	78.6	78.8	-	35.6	35.5	-
Puri	85.2	86.5	77.9	32.4	28.9	51.9
Rayagada	73.4	74.8	65.1	39.1	38.6	42.3
Sambalpur	72.6	77.9	64.5	20.6	22.4	17.7
Sonapur	89.7	89.1	98.2	17.5	17.5	17.3
Sundargarh	70.8	70.6	71.3	16.7	14.8	21.6

Odisha: Children breastfed within one hour of birth (%)



Odisha: Children (aged 6-35 months) exclusively breastfed for at least six months (%)



CHILDREN WHO RECEIVED FOODS OTHER THAN BREAST MILK DURING FIRST 6 MONTHS									
State / District	Water (%)			Animal/Formula Milk (%)			Semi-Solid mashed food (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	65.8	66.1	63.5	70.5	71.0	66.9	16.2	16.3	15.5
Anugul	88.9	89.1	88.3	82.6	82.5	82.9	7.0	7.7	3.3
Balangir	83.7	83.4	88.7	88.6	88.6	88.1	5.2	4.4	17.0
Baleshwar	76.1	76.5	73.2	65.6	65.4	67.1	16.5	17.6	7.3
Bargarh	84.5	84.4	84.9	78.2	78.5	75.3	27.5	27.8	24.1
Baudh	61.6	62.1	-	76.5	76.8	-	36.5	36.8	-
Bhadrak	78.3	78.3	78.2	71.8	71.4	75.6	23.9	24.1	22.6
Cuttack	43.2	46.3	33.4	53.4	54.6	49.8	11.6	11.2	12.9
Debagarh	72.8	72.9	72.3	76.8	77.1	74.1	22.6	22.6	22.3
Dhenkanal	87.8	87.8	88.4	83.4	83.7	80.4	39.7	40.2	34.4
Gajapati	55.7	54.9	62.5	71.3	71.4	71.1	9.0	9.1	8.6
Ganjam	57.7	56.2	68.0	72.8	72.5	74.7	19.0	18.3	23.6
Jagatsinghpur	57.7	57.5	59.1	56.1	56.2	55.7	12.6	12.3	15.7
Jajapur	80.9	80.6	-	71.9	71.6	-	21.8	22.1	-
Jharsuguda	76.4	73.7	80.7	80.1	80.9	78.8	24.1	24.7	23.2
Kalahandi	32.3	30.9	-	48.9	48.2	-	4.1	3.8	-
Kandhamal	22.6	20.6	43.6	54.7	54.3	59.1	4.3	4.2	5.5
Kendrapara	82.9	82.9	83.4	70.5	70.9	61.8	20.8	21.1	14.6
Kendujhar	62.3	63.3	57.3	74.4	75.5	69.2	15.8	15.9	15.2
Khordha	41.8	43.8	38.5	50.6	51.5	49.1	8.0	8.7	7.0
Koraput	43.5	42.2	49.5	66.4	65.4	71.1	13.4	11.2	23.7
Malkangiri	56.2	57.0	45.9	76.1	75.8	79.3	13.0	12.8	15.6
Mayurbhanj	58.7	58.8	57.1	71.5	72.2	60.3	10.4	10.4	9.6
Nabarangapur	47.6	47.5	-	66.6	66.1	-	13.6	11.6	-
Nuapada	41.6	41.5	-	32.9	33.5	-	3.5	3.7	-
Nayagarh	45.4	45.2	-	55.2	55.2	-	7.8	7.7	-
Puri	49.4	52.1	34.8	55.9	57.6	46.4	9.5	10.0	6.9
Rayagada	42.6	42.3	44.1	62.4	65.3	46.1	6.1	6.4	3.9
Sambalpur	81.6	79.8	84.4	81.4	81.7	81.1	20.6	20.3	21.2
Sonapur	67.2	66.6	77.0	73.0	72.5	82.3	21.3	22.0	10.6
Sundargarh	80.4	81.8	76.9	80.8	85.9	68.4	21.3	22.8	17.4

CHILDREN WHO RECEIVED FOODS OTHER THAN BREAST MILK DURING FIRST 6 MONTHS

State / District	Solid (Adult) Food (%)			Vegetables/Fruits (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Odisha	5.2	5.3	4.6	4.2	4.2	4.3
Anugul	5.9	6.5	2.7	4.4	4.7	3.3
Balangir	3.7	3.7	4.4	1.4	1.4	1.9
Baleshwar	2.7	2.8	2.2	1.3	1.1	2.9
Bargarh	6.8	7.0	5.0	4.6	4.6	4.7
Baudh	15.3	15.5	-	19.9	20.4	-
Bhadrak	5.1	4.8	7.9	3.5	3.4	4.1
Cuttack	5.8	6.2	4.4	6.3	6.8	4.9
Debagarh	3.8	3.8	4.2	2.5	2.5	1.8
Dhenkanal	7.2	7.4	4.8	5.7	5.8	5.3
Gajapati	2.3	2.2	3.1	2.7	2.7	3.1
Ganjam	8.9	9.7	3.9	7.7	8.2	4.5
Jagatsinghapur	10.8	10.4	14.8	10.4	9.9	15.7
Jajapur	5.4	5.4	-	3.7	3.7	-
Jharsuguda	4.7	4.9	4.4	3.0	2.9	3.1
Kalahandi	2.5	2.6	-	2.4	2.6	-
Kandhamal	3.3	3.3	2.7	2.9	3.0	2.7
Kendrapara	9.8	9.9	7.6	5.0	5.0	5.1
Kendujhar	3.0	2.9	3.1	1.5	1.3	2.5
Khordha	5.1	5.3	4.8	5.0	5.0	4.9
Koraput	8.0	6.7	13.9	8.0	7.0	12.9
Malkangiri	9.9	9.4	16.3	9.8	9.0	20.7
Mayurbhanj	1.9	1.9	1.3	1.3	1.3	0.6
Nabarangapur	6.9	5.5	-	7.1	5.9	-
Nuapada	1.7	1.7	-	1.8	1.9	-
Nayagarh	4.5	4.5	-	4.2	4.3	-
Puri	2.8	2.3	5.8	4.1	3.9	5.4
Rayagada	4.9	5.6	0.7	4.3	4.9	0.7
Sambalpur	2.7	2.7	2.7	2.2	2.0	2.5
Sonapur	8.8	9.2	1.8	9.5	9.9	1.8
Sundargarh	4.3	5.1	2.5	3.0	3.2	2.3


AVERAGE MONTH BY WHICH CHILDREN RECEIVED FOODS OTHER THAN BREAST MILK

State / District	Water			Animal/Formula Milk			Semi-Solid mashed food		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	3.2	3.2	3.3	2.9	2.9	3.2	6.8	6.8	6.8
Anugul	1.7	1.7	1.6	2.1	2.1	2.0	7.2	7.2	7.4
Balangir	1.7	1.7	1.4	1.2	1.2	1.2	7.1	7.1	6.3
Baleshwar	3.1	3.0	3.3	3.4	3.4	3.3	6.8	6.8	6.8
Bargarh	1.5	1.6	1.4	2.0	1.9	2.1	6.3	6.3	6.3
Baudh	3.3	3.3	-	2.3	2.3	-	5.4	5.4	-
Bhadrak	3.0	3.0	2.7	3.1	3.1	2.3	6.5	6.5	6.4
Cuttack	4.3	4.2	4.7	4.3	4.3	4.5	7.3	7.4	7.0
Debagarh	2.8	2.8	2.6	2.1	2.1	2.2	6.5	6.5	6.3
Dhenkanal	1.8	1.8	2.0	2.4	2.4	2.6	5.8	5.8	5.9
Gajapati	3.8	3.8	3.9	3.5	3.4	3.6	7.4	7.5	7.2
Ganjam	3.6	3.6	3.4	3.4	3.4	3.5	6.7	6.7	6.7
Jagatsinghpur	3.8	3.8	3.7	4.1	4.1	4.0	6.6	6.6	6.3
Jajapur	2.4	2.4	-	2.8	2.8	-	6.6	6.6	-
Jharsuguda	2.7	2.9	2.3	2.0	1.9	2.2	6.3	6.3	6.3
Kalahandi	5.0	5.0	-	4.2	4.2	-	7.6	7.5	-
Kandhamal	5.4	5.5	4.9	3.7	3.7	3.7	7.7	7.8	6.9
Kendrapara	2.5	2.5	2.6	3.0	2.9	3.7	6.7	6.6	7.2
Kendujhar	4.0	3.9	4.0	2.5	2.4	2.8	6.7	6.7	6.7
Khordha	4.4	4.2	4.7	4.5	4.5	4.5	7.6	7.7	7.5
Koraput	4.5	4.6	4.1	3.0	3.1	2.8	7.2	7.4	6.6
Malkangiri	3.0	3.0	2.4	3.2	3.2	3.3	7.5	7.6	6.0
Mayurbhanj	4.2	4.2	4.4	2.9	2.8	4.1	6.9	6.9	7.2
Nabarangapur	4.3	4.3	-	3.0	3.0	-	7.4	7.5	-
Nuapada	5.6	5.6	-	2.9	2.9	-	7.5	7.5	-
Nayagarh	4.4	4.4	-	4.3	4.3	-	7.9	7.9	-
Puri	4.4	4.3	4.8	4.3	4.2	4.6	7.3	7.1	8.1
Rayagada	4.9	4.9	4.9	3.4	3.2	4.7	8.1	8.0	8.2
Sambalpur	2.5	2.7	2.2	1.9	1.9	1.9	6.2	6.2	6.3
Sonapur	3.4	3.4	3.5	3.0	3.0	3.2	6.3	6.2	6.6
Sundargarh	2.9	2.8	3.1	2.1	1.7	3.1	6.3	6.2	6.4

AVERAGE MONTH BY WHICH CHILDREN RECEIVED FOODS OTHER THAN BREAST MILK						
State / District	Solid (Adult) Food			Vegetables/Fruits		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Odisha	9.4	9.4	9.3	8.7	8.7	8.7
Anugul	10.1	10.2	9.6	9.2	9.3	8.9
Balangir	10.2	10.1	10.2	7.9	7.9	7.6
Baleshwar	9.5	9.4	9.7	8.5	8.5	8.4
Bargarh	8.5	8.5	8.4	7.9	7.9	8.1
Baudh	7.1	7.0	-	6.6	6.5	-
Bhadrak	10.0	10.0	10.3	9.1	9.1	9.2
Cuttack	9.6	9.4	10.6	8.6	8.7	8.4
Debagarh	9.0	9.0	9.2	8.7	8.8	8.0
Dhenkanal	10.4	10.4	10.5	9.7	9.7	10.0
Gajapati	10.1	10.1	10.0	10.8	10.8	11.2
Ganjam	8.9	8.8	9.1	9.0	8.9	9.4
Jagatsinghpur	8.5	8.4	9.4	8.4	8.4	8.3
Jajapur	10.3	10.3	-	9.6	9.5	-
Jharsuguda	8.6	8.5	8.7	8.4	8.3	8.5
Kalahandi	9.0	8.8	-	8.8	8.7	-
Kandhamal	8.9	9.0	8.2	8.8	8.8	8.2
Kendrapara	10.2	10.2	10.5	8.8	8.8	8.8
Kendujhar	9.2	9.2	9.2	8.7	8.8	8.5
Khordha	10.1	10.3	9.9	8.9	8.9	8.9
Koraput	8.7	8.8	8.1	8.5	8.6	8.1
Malkangiri	9.1	9.2	7.8	9.4	9.5	8.2
Mayurbhanj	9.4	9.3	10.3	8.9	8.9	9.5
Nabarangapur	9.0	9.1	-	8.8	9.0	-
Nuapada	9.4	9.5	-	9.5	9.6	-
Nayagarh	10.1	10.1	-	9.6	9.6	-
Puri	9.9	9.8	10.4	9.1	8.8	10.5
Rayagada	10.1	10.0	10.3	10.3	10.3	10.7
Sambalpur	9.2	9.5	8.8	8.5	8.7	8.2
Sonapur	7.2	7.2	7.6	7.1	7.1	7.7
Sundargarh	8.0	7.9	8.3	7.9	7.8	8.2

BIRTH REGISTRATION




State / District	Birth Registered (%)			Children whose birth was registered and received Birth Certificate (%)		
	Total	Rural	Urban	Total	Rural	Urban
	1	2	3	4	5	6
Odisha	87.1	86.6	90.2	33.1	30.1	51.3
Anugul	91.4	91.2	92.6	27.5	24.2	44.6
Balangir	94.7	94.4	99.4	14.6	12.8	42.8
Baleshwar	93.7	93.5	94.9	36.2	34.3	51.1
Bargarh	90.0	89.4	96.7	26.0	24.0	46.8
Baudh	82.8	83.0	-	8.2	7.5	-
Bhadrak	86.7	86.6	87.6	25.2	23.7	39.1
Cuttack	89.2	89.4	88.6	48.2	44.2	60.0
Debagarh	92.1	92.5	88.0	28.1	27.5	35.5
Dhenkanal	96.4	96.3	97.4	29.3	28.7	36.5
Gajapati	80.7	80.2	84.3	37.1	35.0	55.2
Ganjam	76.6	74.0	94.2	42.7	37.6	76.7
Jagatsinghapur	89.7	89.9	87.0	41.6	40.4	53.4
Jajapur	91.4	91.2	-	40.0	39.1	-
Jharsuguda	92.5	92.6	92.4	40.0	30.2	56.0
Kalahandi	61.4	59.2	-	31.8	30.3	-
Kandhamal	75.3	74.0	89.1	39.5	36.2	75.5
Kendrapara	92.7	92.5	95.5	45.9	45.2	59.2
Kendujhar	92.0	92.2	91.2	13.8	10.4	30.8
Khordha	84.5	86.7	81.0	50.1	44.8	58.5
Koraput	70.5	68.0	81.7	23.0	19.8	37.4
Malkangiri	72.9	71.4	93.5	31.7	31.1	40.6
Mayurbhanj	93.8	93.5	97.4	25.7	24.5	44.9
Nabarangapur	54.7	52.6	-	23.8	20.9	-
Nuapada	73.2	72.3	-	47.7	46.4	-
Nayagarh	82.3	82.0	-	29.1	28.7	-
Puri	91.3	91.2	91.7	49.0	48.3	52.8
Rayagada	78.9	78.1	83.3	53.0	49.7	72.2
Sambalpur	90.7	88.9	93.6	44.6	42.1	48.5
Sonapur	71.1	71.5	64.9	20.7	20.8	20.2
Sundargarh	92.3	92.4	92.0	32.3	23.4	53.7





AWARENESS ON HIV/AIDS, RTI/STI, HAF/ORS/ORT AND ARI/PNEUMONIA

State / District	Women who are aware of HIV/AIDS (%)			Women who are aware of RTI/STI (%)			Women who are aware of HAF/ORS/ORT (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Odisha	84.5	82.6	94.2	54.7	51.9	69.8	98.1	97.9	98.9
Anugul	88.4	86.6	97.1	69.3	67.0	80.9	99.1	99.1	99.2
Balangir	79.7	77.6	97.2	55.8	54.7	64.7	99.7	99.7	100.0
Baleshwar	94.0	93.7	96.2	81.9	81.3	85.9	99.5	99.5	99.8
Bargarh	80.9	79.5	96.5	37.0	36.1	46.6	99.8	99.8	99.7
Baudh	76.0	75.4	-	73.0	72.6	-	95.2	95.2	-
Bhadrak	95.9	96.6	89.2	81.1	82.3	68.7	99.9	99.9	100.0
Cuttack	94.6	95.0	93.2	73.4	65.5	97.0	98.4	98.6	97.9
Debagarh	87.0	85.4	96.8	43.2	40.9	58.1	99.7	99.8	99.1
Dhenkanal	88.2	87.3	98.1	66.7	65.8	76.8	99.7	99.7	99.9
Gajapati	80.4	79.4	87.3	48.8	46.2	66.7	90.5	90.0	93.7
Ganjam	92.7	91.6	98.1	56.3	60.1	35.8	97.7	97.4	99.5
Jagatsinghapur	96.8	96.7	98.0	62.2	62.0	63.2	99.6	99.6	99.8
Jajapur	97.4	97.4	-	44.4	44.3	-	99.9	99.9	-
Jharsuguda	83.5	80.8	88.5	44.0	40.2	51.2	99.8	99.8	99.8
Kalahandi	58.6	55.2	-	29.1	29.2	-	94.7	94.3	-
Kandhamal	78.9	77.4	95.2	62.1	60.2	83.5	98.7	98.6	99.8
Kendrapara	97.6	97.5	98.9	27.2	26.1	42.7	99.9	99.9	99.9
Kendujhar	89.4	88.7	92.4	62.8	58.9	78.6	99.2	99.2	99.3
Khordha	97.9	97.7	98.1	74.8	71.1	78.8	99.7	99.7	99.7
Koraput	74.6	72.1	85.6	49.5	44.3	72.4	98.4	98.3	98.7
Malkangiri	64.5	62.4	94.5	23.0	20.3	60.6	94.5	94.5	95.0
Mayurbhanj	84.7	83.5	97.3	46.4	44.1	70.2	98.8	98.8	99.4
Nabarangapur	40.1	37.5	-	9.3	8.1	-	87.1	86.6	-
Nuapada	71.0	69.8	-	54.9	53.0	-	97.4	97.3	-
Nayagarh	84.9	84.5	-	50.9	50.2	-	97.5	97.5	-
Puri	90.6	90.9	88.9	61.8	59.6	73.0	98.0	99.3	91.6
Rayagada	71.5	67.4	90.5	14.8	11.6	29.6	90.2	88.6	97.8
Sambalpur	87.6	82.9	94.2	69.8	66.5	74.4	99.4	99.5	99.2
Sonapur	73.5	72.5	89.4	84.6	85.0	77.1	97.5	97.5	97.8
Sundargarh	74.4	65.5	92.7	50.8	40.7	71.3	99.7	99.6	99.9



Awareness on HIV/AIDS, RTI/STI, HAF/ORS/ORT and ARI/Pneumonia			
State / District	Women who are aware of danger signs of ARI/Pneumonia (%)		
	Total	Rural	Urban
1	2	3	4
Odisha	49.7	49.7	49.7
Anugul	23.9	24.0	23.4
Balangir	36.6	35.6	44.9
Baleshwar	20.4	19.3	28.6
Bargarh	17.1	15.8	30.8
Baudh	87.5	87.5	-
Bhadrak	25.5	25.0	29.8
Cuttack	89.0	89.0	89.0
Debagarh	38.9	38.0	45.2
Dhenkanal	30.5	29.1	47.0
Gajapati	46.9	46.9	46.9
Ganjam	64.9	64.9	64.9
Jagatsinghpur	88.7	88.7	88.7
Jajapur	48.7	48.3	-
Jharsuguda	34.3	35.2	32.6
Kalahandi	77.5	77.5	-
Kandhamal	85.3	85.3	85.3
Kendrapara	17.6	17.1	24.8
Kendujhar	38.3	33.4	57.8
Khordha	79.9	79.9	79.9
Koraput	54.6	54.6	54.6
Malkangiri	54.1	54.1	54.1
Mayurbhanj	24.9	23.6	38.3
Nabarangapur	55.0	55.0	-
Nuapada	87.9	87.9	-
Nayagarh	75.4	75.4	-
Puri	79.7	79.7	79.7
Rayagada	46.6	46.6	46.6
Sambalpur	22.8	14.3	34.8
Sonapur	89.8	89.8	89.8
Sundargarh	42.7	33.0	62.3

Odisha: Women who are aware of HIV/AIDS (%)**Odisha: Women who are aware of RTI/STI (%)****Odisha: Women who are aware of HAF/ORS/ORT (%)**

MORTALITY									
State / District	Crude Death Rate (CDR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
ODISHA	8.2	8.8	7.6	8.6	9.2	8	6.5	7.1	5.9
Anugul	6.9	7	6.9	7.3	7.2	7.3	5.4	5.9	4.9
Balangir	10.3	11	9.5	10.5	11.3	9.8	7.4	8.2	6.6
Baleshwar	6.8	7.6	6	6.7	7.5	5.9	7.5	8.3	6.7
Bargarh	9.9	10.3	9.5	10.3	10.6	9.9	5.9	6.8	5.1
Baudh	10.5	10.8	10.2	10.8	11.1	10.4	5.9	6	5.8
Bhadrak	8	8.6	7.5	8.2	8.8	7.6	6.7	6.7	6.7
Cuttack	6.8	7.1	6.5	7.4	7.6	7.2	5.4	5.9	4.8
Debagarh	8.7	8.8	8.5	8.7	8.6	8.7	8.7	10.8	6.7
Dhenkanal	10.6	10.8	10.4	10.9	10.9	10.8	7.8	9	6.6
Gajapati	7.8	7.9	7.6	7.9	8	7.8	7.1	7.7	6.5
Ganjam	8.5	9.2	7.7	8.7	9.5	7.9	7.5	7.9	7
Jagatsinghpur	7.1	7.8	6.4	7.6	8.4	6.8	3.4	3.1	3.8
Jajapur	7.8	8.4	7.3	7.9	8.4	7.4	6.7	8.1	5.4
Jharsuguda	8.1	8.7	7.4	9	9.7	8.3	6.6	7.1	6
Kalahandi	6.7	7.4	6	7	7.9	6.1	4.2	3.8	4.7
Kandhamal	9	9.4	8.6	9.3	9.8	8.9	6.2	6.4	6
Kendrapara	9	9.7	8.4	9.1	9.8	8.5	6.9	7	6.9
Kendujhar	9.3	9.9	8.8	9.7	10.2	9.2	7.7	8.5	7
Khordha	8.4	8.6	8.2	9.5	9.9	9.1	7.2	7.2	7.1
Koraput	7.9	8.6	7.1	8.4	9.3	7.5	5.5	5.7	5.3
Malkangiri	7.1	7.9	6.3	7.3	8.2	6.5	4.1	4.6	3.6
Mayurbhanj	8.7	9.9	7.5	8.7	9.8	7.6	8.6	11	6.2
Nabarangapur	7.7	8.9	6.4	7.8	9.1	6.5	5.3	6	4.6
Nayagarh	9.1	9.6	8.6	9.2	9.7	8.7	6.7	7.7	5.6
Nuapada	7.6	7.6	7.6	7.7	7.8	7.7	4.6	3.9	5.4
Puri	8.9	9.2	8.5	9.2	9.5	8.8	7.3	7.8	6.8
Rayagada	8.5	9.2	7.8	8.6	9.3	7.9	7.9	8.5	7.3
Sambalpur	9.3	10.2	8.3	9.9	10.5	9.3	8.2	9.9	6.6
Sonapur	7.7	7.7	7.7	7.8	7.8	7.7	6.2	6.1	6.3
Sundargarh	7.2	8.2	6.1	8.5	9.4	7.6	4.5	5.8	3.1




MORTALITY									
State / District	Infant Mortality Rate (IMR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
ODISHA	59	56	63	62	58	66	41	40	43
Anugul	48	46	52	51	46	58	33	45	18
Balangir	98	98	99	100	99	101	-	-	-
Baleshwar	47	44	50	48	44	53	38	48	25
Bargarh	62	57	69	64	58	72	-	-	-
Baudh	60	52	70	62	54	70	-	-	-
Bhadrak	51	50	53	53	48	58	-	-	-
Cuttack	61	57	65	72	66	78	33	34	32
Debagarh	62	58	66	66	61	71	21	31	11
Dhenkanal	69	63	75	70	63	77	-	-	-
Gajapati	61	52	72	62	52	74	50	57	44
Ganjam	59	55	65	66	60	73	-	-	-
Jagatsinghpur	51	42	60	54	45	63	-	-	-
Jajapur	50	48	52	51	49	53	33	24	45
Jharsuguda	47	46	49	47	51	43	47	38	58
Kalahandi	56	51	60	59	54	64	-	-	-
Kandhamal	86	74	98	89	77	103	-	-	-
Kendrapara	61	54	68	63	55	71	-	-	-
Kendujhar	57	58	57	58	59	56	55	51	60
Khordha	72	70	74	79	76	81	64	62	65
Koraput	53	49	56	55	53	57	41	28	54
Malkangiri	52	51	53	53	53	53	42	21	66
Mayurbhanj	50	49	51	51	51	51	-	-	-
Nabarangapur	51	56	45	51	57	44	-	-	-
Nayagarh	65	53	79	65	54	79	63	21	104
Nuapada	52	46	57	52	47	58	-	-	-
Puri	78	72	84	83	79	86	52	35	71
Rayagada	61	56	66	64	60	69	40	31	51
Sambalpur	52	48	56	63	62	65	33	24	43
Sonapur	52	48	57	54	48	60	-	-	-
Sundargarh	49	49	49	56	57	56	31	30	31



MORTALITY



State / District	Neo-natal Mortality Rate			Post Neo-natal Mortality Rate		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
ODISHA	39	41	26	21	21	15
Anugul	32	34	23	16	17	10
Balangir	72	73	-	26	27	-
Baleshwar	34	34	26	13	14	12
Bargarh	48	50	-	14	14	-
Baudh	46	47	-	14	14	-
Bhadrak	34	34	-	18	19	-
Cuttack	38	46	16	23	25	17
Debagarh	45	47	21	17	18	-
Dhenkanal	47	47	-	22	23	-
Gajapati	30	31	18	31	31	32
Ganjam	37	41	-	22	25	-
Jagatsinghpur	30	32	-	23	25	-
Jajapur	37	38	27	13	13	7
Jharsuguda	37	40	33	10	7	14
Kalahandi	30	32	-	25	26	-
Kandhamal	41	41	-	45	48	-
Kendrapara	44	46	-	16	17	-
Kendujhar	43	43	42	15	15	13
Khordha	45	52	37	27	26	29
Koraput	34	36	26	18	19	14
Malkangiri	33	32	42	20	21	-
Mayurbhanj	38	39	-	13	13	-
Nabarangapur	29	30	-	21	21	-
Nayagarh	38	38	42	27	27	21
Nuapada	31	31	-	21	21	-
Puri	42	44	30	37	40	22
Rayagada	30	32	13	31	32	27
Sambalpur	32	40	19	20	23	14
Sonapur	35	36	-	17	18	-
Sundargarh	34	39	24	15	18	7

Odisha: Infant Mortality Rate (IMR) with its component



MORTALITY

State / District	Under Five Mortality Rate (U5MR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
ODISHA	79	76	81	83	81	86	52	51	54
Anugul	58	52	65	62	53	72	39	48	29
Balangir	110	110	111	113	112	114	-	-	-
Baleswar	53	50	56	54	51	58	43	48	36
Bargarh	72	67	77	73	68	80	-	-	-
Baudh	88	85	91	91	89	93	-	-	-
Bhadrak	61	58	64	62	55	69	-	-	-
Cuttack	88	82	94	105	95	115	43	47	39
Debagarh	78	66	90	82	68	97	26	40	11
Dhenkanal	80	73	87	81	73	90	-	-	-
Gajapati	82	79	86	86	82	91	50	57	44
Ganjam	90	92	89	101	101	102	-	-	-
Jagatsinghpur	64	59	70	68	63	74	-	-	-
Jajapur	59	56	62	60	57	62	33	24	45
Jharsuguda	55	51	58	56	58	54	52	40	65
Kalahandi	75	70	81	80	74	87	-	-	-
Kandhamal	142	134	150	149	142	158	-	-	-
Kendrapara	66	58	75	68	59	77	-	-	-
Kendujhar	81	82	79	82	86	79	73	64	82
Khordha	100	95	106	114	111	118	84	77	91
Koraput	69	66	72	72	72	72	52	37	68
Malkangiri	77	78	75	78	81	75	61	43	81
Mayurbhanj	73	81	64	75	84	65	-	-	-
Nabarangapur	85	94	76	87	96	76	-	-	-
Nayagarh	83	72	96	84	74	96	63	21	104
Nuapada	74	76	72	76	78	73	-	-	-
Puri	105	99	113	110	104	116	81	71	93
Rayagada	103	100	105	109	110	110	63	49	78
Sambalpur	67	60	75	82	76	88	44	34	55
Sonapur	81	71	92	83	72	95	-	-	-
Sundargarh	58	58	58	67	66	68	36	40	32




MORTALITY

State / Commissionrait	Maternal Mortality Ratio (MMR), Maternal Mortality Rate and Life Time Risk							
	Sample Female Population	Sample Live Births	Maternal Deaths	MMR	95% Confidence Interval		Maternal Mortality Rate	Life Time Risk
1	2	3	4	5	6	7	8	9
ODISHA	550038	111421	264	237	208	265	16	0.56%
NORTHERN DIVISION (Bargarh, Jharsuguda, Sambalpur, Debagarh, Sundargarh, Kendujhar, Dhenkanal, Anugul, Sonapur, Balangir)	200843	38156	81	212	166	258	13	0.47%
CENTRAL DIVISION (Mayurbhanj, Baleshwar, Bhadrak, Kendrapara, Jagatsinghpur, Cuttack, Jajapur, Nayagarh, Khordha, Puri)	236158	46345	103	222	179	265	15	0.51%
SOUTHERN DIVISION (Ganjam, Gajapati, Kandhamal, Baudh, Nuapada, Kalahandi, Rayagada, Nabarangapur, Koraput, Malkangiri)	113037	26920	80	297	232	362	24	0.82%

DISTRIBUTION OF MATERNAL AND NON-MATERNAL DEATHS BY BROAD AGE GROUP									
Age Group	Sample Female Deaths	Maternal Deaths	Proportion	95% confidence Interval		Non Maternal Deaths	Proportion	95% confidence Interval	
				Lower Limit	Upper Limit			Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10
15-19	437	22	8	5	12	415	14	12	15
20-24	471	70	27	21	32	401	13	12	14
25-29	424	71	27	22	32	353	12	11	13
30-34	364	53	20	15	25	311	10	9	11
35-39	510	34	13	9	17	476	16	14	17
40-44	475	7	3	1	5	468	15	14	17
45-49	613	7	3	1	5	606	20	19	21
Total	3294	264	100			3030	100		

Odisha: Maternal Mortality Ratio (MMR) at Commissionariat level



CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Crude Birth Rate						Crude Death Rate					
	Total		Rural		Urban		Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10	11	12	13
ODISHA	19.6	20.0	20.0	20.4	17.2	18.2	8.1	8.4	8.4	8.7	6.2	6.8
Anugul	16.6	18.4	16.7	18.5	13.7	20.1	6.4	7.5	6.6	7.9	4.3	6.4
Balangir	19.8	21.9	19.9	22.3	15.1	20.7	9.4	11.2	9.6	11.5	5.7	9.0
Baleshwar	17.8	19.8	18.2	20.2	12.1	19.4	6.3	7.3	6.2	7.2	5.9	9.2
Bargarh	16.9	18.3	16.9	18.4	15.4	19.5	9.3	10.5	9.6	10.9	3.8	8.1
Baudh	27.0	30.6	27.5	31.4	15.0	19.7	9.7	11.3	9.9	11.6	2.8	9.0
Bhadrak	19.7	21.4	19.5	21.3	19.4	24.0	7.6	8.4	7.8	8.6	5.3	8.1
Cuttack	18.7	20.3	18.4	20.3	18.6	21.2	6.4	7.3	6.8	8.0	4.7	6.1
Debagarh	17.4	19.4	17.7	19.8	11.9	18.1	7.7	9.7	7.6	9.8	7.1	10.4
Dhenkanal	19.9	21.8	20.3	22.3	14.1	19.0	9.8	11.4	10.0	11.7	5.6	10.1
Gajapati	18.8	21.5	19.3	22.3	12.0	18.5	7.0	8.6	6.9	8.8	5.9	8.4
Ganjam	18.0	20.0	18.0	20.2	16.3	20.3	7.9	9.1	8.0	9.3	5.9	9.0
Jagatsinghpur	16.8	18.6	16.9	18.8	13.6	19.0	6.5	7.7	6.9	8.3	2.2	4.7
Jajapur	17.3	19.4	17.4	19.6	10.8	19.0	7.4	8.2	7.4	8.3	4.7	8.8
Jharsuguda	16.6	17.5	16.3	17.4	16.6	18.1	7.8	8.4	8.6	9.4	6.1	7.0
Kalahandi	18.7	21.6	19.3	21.9	10.2	22.1	6.0	7.5	6.3	7.7	2.5	6.0
Kandhamal	19.7	22.7	20.1	23.4	13.6	18.7	8.1	10.0	8.3	10.4	4.1	8.3
Kendrapara	17.4	20.0	17.6	20.3	13.5	16.2	8.5	9.5	8.6	9.6	5.6	8.3
Kendujhar	19.1	21.5	19.3	22.0	15.7	21.5	8.7	10.0	8.9	10.4	6.5	9.0
Khordha	18.4	19.5	19.0	20.7	17.2	18.6	8.1	8.7	9.1	10.0	6.7	7.6
Koraput	23.6	26.5	24.3	27.1	17.5	27.1	6.8	9.0	7.0	9.8	4.0	7.0
Malkangiri	23.2	25.7	23.5	26.2	17.0	21.6	6.4	7.8	6.6	8.1	2.2	5.9
Mayurbhanj	18.7	20.8	19.1	21.3	12.0	17.1	8.0	9.4	8.0	9.4	6.3	10.8
Nabarangapur	22.6	25.5	22.9	26.0	11.9	18.9	7.0	8.4	7.0	8.6	4.1	6.5
Nayagarh	19.3	21.8	19.6	22.3	5.8	17.7	8.5	9.7	8.6	9.8	4.4	8.9
Nuapada	20.5	24.6	20.8	25.1	11.7	15.8	6.7	8.5	6.8	8.7	2.5	6.7
Puri	16.8	18.3	16.7	18.3	15.3	20.0	8.3	9.4	8.6	9.8	6.4	8.2
Rayagada	21.3	24.0	22.1	25.4	15.2	19.5	7.6	9.3	7.6	9.6	6.5	9.4
Sambalpur	17.4	19.9	16.9	20.6	17.0	20.0	8.5	10.0	8.9	10.9	7.2	9.3
Sonapur	20.0	21.9	20.0	22.0	16.2	22.1	7.1	8.3	7.1	8.4	5.0	7.4
Sundargarh	16.9	19.0	17.8	20.3	13.7	17.4	6.5	7.9	7.6	9.4	3.6	5.3

CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Infant Mortality Rate						Under Five Mortality Rate (U5MR)					
	Total		Rural		Urban		Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10	11	12	13
ODISHA	57	61	60	64	37	45	77	80	81	85	49	56
Anugul	40	56	42	61	18	48	51	66	54	71	24	55
Balangir	84	113	85	116	-	-	99	122	101	125	-	-
Baleshwar	37	57	37	59	18	58	46	60	46	62	21	64
Bargarh	54	70	56	73	-	-	64	80	65	82	-	-
Baudh	50	71	51	72	-	-	75	101	78	104	-	-
Bhadrak	45	58	46	59	-	-	54	67	55	69	-	-
Cuttack	53	69	62	81	22	44	81	96	95	114	32	54
Debagarh	48	77	50	82	10	32	65	91	68	97	3	48
Dhenkanal	58	79	58	81	-	-	71	88	72	90	-	-
Gajapati	50	73	50	75	30	71	71	93	74	98	25	76
Ganjam	49	70	54	78	-	-	81	100	90	112	-	-
Jagatsinghpur	40	62	42	66	-	-	56	73	59	77	-	-
Jajapur	43	57	44	58	25	42	51	66	52	67	5	62
Jharsuguda	43	51	42	52	41	53	50	59	50	62	44	60
Kalahandi	45	66	48	70	-	-	65	86	69	91	-	-
Kandhamal	72	99	75	103	-	-	126	157	133	166	-	-
Kendrapara	53	68	55	70	-	-	58	74	60	76	-	-
Kendujhar	49	66	48	67	40	70	72	89	73	92	54	92
Khordha	67	77	72	85	55	72	94	106	106	122	75	92
Koraput	43	62	44	65	22	59	59	79	61	83	31	74
Malkangiri	43	61	43	62	20	65	68	85	69	86	33	89
Mayurbhanj	40	60	41	62	-	-	63	82	64	85	-	-
Nabarangapur	41	60	41	60	-	-	75	94	77	96	-	-
Nayagarh	56	74	56	74	34	92	75	92	75	93	14	112
Nuapada	40	63	40	65	-	-	64	84	65	86	-	-
Puri	66	90	69	96	26	77	96	115	100	121	60	102
Rayagada	51	71	53	76	27	53	90	115	95	124	38	88
Sambalpur	41	62	49	77	17	49	58	77	68	95	31	56
Sonapur	45	60	46	61	-	-	72	90	73	92	-	-
Sundargarh	40	58	45	68	17	44	50	66	57	77	24	48

CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Sex Ratio at Birth					
	Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7
ODISHA	892	914	890	913	885	938
Anugul	801	911	804	925	693	955
Balangir	865	1001	852	993	845	1392
Baleshwar	844	963	849	976	670	1025
Bargarh	803	906	780	885	925	1406
Baudh	849	1013	846	1016	650	1341
Bhadrak	818	911	803	900	809	1132
Cuttack	893	993	873	986	880	1090
Debagarh	853	1038	847	1044	711	1263
Dhenkanal	812	927	809	928	678	1146
Gajapati	835	984	825	983	767	1230
Ganjam	817	936	825	954	670	971
Jagatsinghpur	882	1013	900	1042	613	960
Jajapur	838	946	840	951	580	1111
Jharsuguda	855	930	846	940	829	957
Kalahandi	835	975	828	974	715	1259
Kandhamal	810	963	793	953	833	1417
Kendrapara	883	1005	879	1004	752	1330
Kendujhar	867	981	849	974	859	1146
Khordha	866	937	851	944	854	962
Koraput	841	984	826	981	790	1160
Malkangiri	879	995	877	997	742	1185
Mayurbhanj	863	1002	862	1006	675	1211
Nabarangapur	887	1015	886	1015	657	1410
Nayagarh	779	883	775	880	-	-
Nuapada	860	1005	856	1002	-	-
Puri	847	957	847	968	747	1020
Rayagada	829	981	822	989	736	1106
Sambalpur	799	932	755	922	806	1029
Sonapur	860	982	865	992	614	1046
Sundargarh	840	961	843	986	760	985

Confidential when filled Page No.

ANNUAL HEALTH SURVEY HOUSING LISTING SCHEDULE

Cols. 1-6 are to be copied for all the houses listed during Baseline. For new houses, the record is to be appended at the end of the houselist and Code '4' is to be assigned in Col. 4 during updation rounds. New houses can be in an existing structure or, altogether a new structure. In case of addition of new households in an existing house or replacement of an existing household by a new household or change in status from non residential/ vacant to residential/partly residential, the records should also be appended at the end of houselist. For such cases, Code given for status of house during Baseline should be recorded in Col. 4. In all cases (including houses/households having no change in status), record present status of house/household in Cols. 7-8/ Cols. 11-12 as the case may be. For new household(s), record the name of head of the household in Col. 6 only. Cols. 9 & 10 (for current updation round) and Cols. 13 & 14 (for next updation round) are to be filled only when there is a change in name of head of the household as on date of survey.

Code for Col. (8, 12)		
Item	Code	Code
Household continues in the same house	1	
Out-migrated (out of the unit)	2	
Shifted within the unit	3	
In-migrated (from outside the unit)	4	
Split household	5	
Merged household	6	

Code for Col. (7, 11)		
Item	Code	
Residential/Partly residential	1	
Non-residential	2	
Vacant	3	
Does not exist	0	

Code for Col. (4)		
Item	Code	
Residential	1	
Non-residential	2	
Vacant	3	
New House	4	

(For Households not existing as on 01.01.2011 or 01.01.2012, put '-' in Cols. 8 &12 respectively)

ANNUAL HEALTH SURVEY

ANNUAL HEALTH SURVEY																		HOUSEHOLD SCHEDULE									
State		Zone		District		Rural-1, Urban-2		Stratum		House Unit		House No.*		Household		Household		Household									
(i) Cols. 1-3 are to be copied for all members listed during baseline survey irrespective of their present residential status. Copy Cols. 6, 8 & 13 also for those who are/were usual residents as on 01.01.2010 (Code '1' in Col. 4 of the baseline Household Schedule).																		No.*									
(ii) Cols. 1-3 are to be filled for all usual residents as on date of survey excluding those who have been covered in (i) above. This would include those who have out migrated or died after 01.01.2011.																											
(iii) Cols. 1-3 are also to be filled for new born died during 01.01.2010 to 31.12.2010 (Code '0' in Col. 4).																											
(iv) For the above three categories, Residential Status is to be updated in Col. 4.																											
Serial No.		Name (In case of new household, start with the Head of the Household)		Relationship to Head (Code)		Residential Status as on 01.01.2011 Sex (Male-1, Female-2)		Identification Code of members of the Household		Date of Birth		Social Group (Code)		Marital Status as on 01.01.2011 (in completed years)		Age as on 01.01.2011 (in completed years)		Religion (Code)		Date of first marriage							
1	2	3	4	5	6	7	8	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y	D D M M Y Y Y Y				
To be recorded from Col. 1																											
Serial No. of Father Serial No. of Mother																											
Whether currently attending school (Yes - 1, Never attended before - 2, If Code '2' or '3' in Col. 14, Note: Attended school (Yes - 1, Never attended before - 2, If Code '2' or '3'. In Col. 14, main reason thereof (Code))																											
Highest educational qualification (for age 7 years and above) Occupation / Activity Status during last 365 days (for age 5 years and above) Years and above (Code)																											
For age group 6-17 years																											
(i.e. Codes '0' to '6' in Col. 4).																											

SIDE - 'B'

Confidential when filled

ANNUAL HEALTH SURVEY**HOUSEHOLD SCHEDULE**

Serial Number	Name (Start with Head of the Household)	Type of illness? (Code)	Injury (During last 15 days)	Acute illness (During last 15 days)	Morbidity Status										
					Chronic illness (During last 1 year)				Access to Health scheme/ Insurance						
1	2	18	19	20	21	22	23	24	25	26	27	28	29		
Not to be asked if Code '00' in Col. 24				If Code '1' in Col. 26, source of treatment if Code '1', or '2', in Col. 26, source of treatment (Code)				Source of regular treatment (Code)				Name & signature/thumb impression of the Responent with date of the Enumerator with date			
Whether covered by any health scheme or health insurance? (Yes - 1, No - 2, Don't know - 3)				Whether covered by any health scheme or health insurance? (Yes - 1, No - 2, Don't know - 3)				Telephone/Mobile Number:							
Name & signature/thumb impression of the Responent with date of the Enumerator with date															

Code for Col. (18)			Code for Col. (24) Contd.		
Item	Code	Code	Item	Code	Code
GOVERNMENT			Diabetes	01	Rheumatic fever/Rheumatic heart disease
Sub center	01		Hypertension	01	Tumour (any type)
PHC	02		Chronic heart disease	02	Blood Cancer/Leukemia
CHC	03		Myocardial infarction/Heart attack	03	Skin Cancer
UHC/UHP/UFWC	04		Stroke/Cerebrovascular accident	04	Piles, Anal Fissure, Anal Fistula
Dispensary/Clinic	05		Epilepsy	05	Anaemia
Hospital	06		Asthma/Chronic respiratory disease	06	Others/Hernia, Hydrocoele, Peptic Ulcer, etc.
Fever with chills/rigors (malaria etc.)	07		Gout/Thyroid disorder	07	No diagnosed
Fever of short duration with rashes	08		Tuberculosis	08	
Hospital	09		Leprosy	09	
Other types of fever	10		Cancer-Respiratory System	10	
Reproductive tract infections (RTI)	11		Cancer-Gastrointestinal system	11	
DOT Center (only for Col. 27)	12		Cancer-Centaurinary system	12	
At Home	13		Cancer-Breast	13	
Others	99		Renal stone	14	
No Illness	00		Chronic renal disease	15	
No injury	0		Gall stone/Cholelithiasis	16	
			Chronic liver disease	17	
			Rheumatoid arthritis/Osteoarthritis	18	
			Chronic skin diseases/Psoriasis	19	
			Carcaret	20	
			Glucoma	21	
			Sinusitis, Tonsillitis	22	
			Fluorosis	23	
			Pyorrhea	24	
			Others	25	
			No	7	

Code for Col. (20)			Code for Col. (22)		
Item	Code	Code	Item	Code	Code
Acute illnesses			Diseases of respiratory system	01	Rheumatic fever/Rheumatic heart disease
Mental	1		Diseases of cardiovascular system	02	Tumour (any type)
Visual	2		Diseases of central nervous system	03	Blood Cancer/Leukemia
Hearing	3		Diseases of musculo-skeletal system	04	Skin Cancer
Speech	4		Stroke/Cerebrovascular accident	05	Piles, Anal Fissure, Anal Fistula
Locomotor	5		Epilepsy	06	Anaemia
Multiple	6		Asthma/Chronic respiratory disease	07	Others/Hernia, Hydrocoele, Peptic Ulcer, etc.
Others	7		Gout/Thyroid disorder	08	No diagnosed
No Disability	0		Tuberculosis	09	
			Leprosy	10	
			Cancer-Respiratory System	11	
			Cancer-Gastrointestinal system	12	
			Cancer-Centaurinary system	13	
			Cancer-Breast	14	
			Renal stone	15	
			Chronic renal disease	16	
			Gall stone/Cholelithiasis	17	
			Chronic liver disease	18	
			Rheumatoid arthritis/Osteoarthritis	19	
			Chronic skin diseases/Psoriasis	20	
			Carcaret	21	
			Glucoma	22	
			Sinusitis, Tonsillitis	23	
			Fluorosis	24	
			Pyorrhea	25	

Code for Col. (19)			Code for Col. (23)		
Item	Code	Code	Item	Code	Code
Treated in intensive care unit for any time	1		Details of diagnosis/treatment	1	
Treated as in patient with stay > 2 weeks	2		Yes	1	
Other types of fever	7		No available	2	
Reproductive tract infections (RTI)	4		Yes	3	
DOT Center (only for Col. 27)	5		No available	3	
At Home	6		Yes	4	
Others	7		No available	5	
No Illness	0		No	6	
No injury	0		No	7	

ANNUAL HEALTH SURVEY

WOMAN SCHEDULE

State	<input type="text"/>	<input type="text"/> / <input type="text"/>	Zone	<input type="text"/>
District	<input type="text"/>	<input type="text"/> / <input type="text"/>	Rural - 1/ Urban - 2	<input type="text"/> Stratum <input type="text"/>
Sample Unit	<input type="text"/>			<input type="text"/> / <input type="text"/> / <input type="text"/>
House No.	<input type="text"/> / <input type="text"/> / <input type="text"/> / <input type="text"/>	Household No. <input type="text"/> / <input type="text"/>		

Section I – Ever Married Woman (Aged 15–49 years)

Sl. No., Name, Identification Code, Age, Marital Status, Highest educational qualification and Occupation/ Activity Status are to be copied from Col. 1, 2, 6, 9, 12, 16 & 17 respectively of the Household Schedule. However, Marital Status, Highest educational qualification and Occupation/ Activity Status should be probed from the woman and in case of any variations, the response given by the woman should be recorded in the relevant columns of the Household Schedule by according priority.

Sl. No.	Name	Identification Code	Age	Marital Status (Code)*	Highest educational Qualification attained (Code)	Occupation/ Activity Status (Code)

* If Code '2' (Married but, Gauna not performed), go to Section II of the Schedule.

Q. No.	Questions and Codes	Responses															
Q.1	Have you ever conceived?	Yes-1, No-2 <input type="checkbox"/>	If Code '2', go to Section II of the Schedule														
Q.2	If Yes, how many times have you conceived?	Record the number <input type="text"/> / <input type="text"/>															
Q.3	What was your age at first conception ? (in completed years)	<input type="text"/> / <input type="text"/>															
Q.4	Have you delivered a live baby before 01.01.2011?	Yes-1, No-2 <input type="checkbox"/>	If Code '2', go to Q.7														
Q.5	How many children have been born alive ever before 01.01.2011 and out of them how many are surviving as on 01.01.2011?	Record the number <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th></th> <th>Male</th> <th>Female</th> <th>Total</th> </tr> <tr> <td>Born Alive</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Surviving</td> <td></td> <td></td> <td></td> </tr> </table>		Male	Female	Total	Born Alive				Surviving						
	Male	Female	Total														
Born Alive																	
Surviving																	
Q.6	What was your age at first live birth? (in completed years)	<input type="text"/> / <input type="text"/>															
Q.7	Has the outcome of any pregnancy(s) resulted in live birth/still birth/abortion during 01.01.2010 to 31.12.2010?	Yes-1, No-2 <input type="checkbox"/>	If Code '2', go to Section II of the Schedule														

Q.8	If Code '1' (Yes) in Q.7, record the history of outcome(s) of pregnancy(s). Start with the last pregnancy excluding the current one. Use separate lines for twins/triplets. Same pregnancy number to be recorded for twins/triplets.																																																																																											
	Pregnancy Number (to be recorded)	Outcome of Pregnancy	If Code '1' or '2' in Col. 2, record the sex of the baby (Male-1, Female-2)	Whether pregnancy confirmation test was done by using NPT kit? (Yes-1, No-2)	To be filled for Induced or Spontaneous abortions (Code '3' or '4' in Col. 2)																																																																																							
					At what month of pregnancy did abortion happen?	Did you receive any ANC? (Yes-1, No-2)	Did you go for ultrasound before this abortion? (Yes-1, No-2)	Where was the abortion performed/completed? (Code)	Who performed/completed the abortion? (Code)	Only for induced abortion																																																																																		
	1	2	3	4	5	6	7	8	9	10																																																																																		
	(.....) Last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																		
	(.....) Previous to last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																		
	(.....) Second from last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																		
	Note: If outcome(s) of pregnancy(s) resulted in 'only Abortion(s)', go to Section II of Schedule after filling Columns 4 to 10 of Q.8.																																																																																											
	<table border="1"> <thead> <tr> <th colspan="2">Code for Col.8 (Q.8)</th> </tr> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td colspan="2">GOVERNMENT</td></tr> <tr><td>Sub - Center</td><td>01</td></tr> <tr><td>PHC</td><td>02</td></tr> <tr><td>CHC</td><td>03</td></tr> <tr><td>UHC / UHP / UFWC</td><td>04</td></tr> <tr><td>Dispensary / Clinic</td><td>05</td></tr> <tr><td>Hospital</td><td>06</td></tr> <tr><td>AYUSH Hospital / Clinic</td><td>07</td></tr> <tr><td colspan="2">PRIVATE</td></tr> <tr><td>Dispensary / Clinic</td><td>08</td></tr> <tr><td>Hospital</td><td>09</td></tr> <tr><td>AYUSH Hospital / Clinic</td><td>10</td></tr> <tr><td colspan="2">NGO or Trust Hosp. / Clinic</td></tr> <tr><td>At Home</td><td>Self</td><td>11</td></tr> <tr><td>At Home</td><td>Elsewhere</td><td>12</td></tr> <tr><td>Others</td><td></td><td>13</td></tr> <tr><td>Others</td><td></td><td>99</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Code for Col.9 (Q.8)</th> </tr> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Doctor</td><td>1</td></tr> <tr><td>Nurse / ANM / LHV</td><td>2</td></tr> <tr><td>Trained dai</td><td>3</td></tr> <tr><td>Untrained dai</td><td>4</td></tr> <tr><td>Family members / Relatives / Friends</td><td>5</td></tr> <tr><td>None / Self</td><td>6</td></tr> <tr><td>Others</td><td>7</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Code for Col.10 (Q.8)</th> </tr> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Unplanned pregnancy</td><td>1</td></tr> <tr><td>Due to contraceptive failure</td><td>2</td></tr> <tr><td>Complication(s) in pregnancy</td><td>3</td></tr> <tr><td>Health did not permit</td><td>4</td></tr> <tr><td>Female foetus</td><td>5</td></tr> <tr><td>Economic reason(s)</td><td>6</td></tr> <tr><td>Last child too young</td><td>7</td></tr> <tr><td>Foetus had congenital abnormality</td><td>8</td></tr> <tr><td>Others</td><td>9</td></tr> </tbody> </table>										Code for Col.8 (Q.8)		Item	Code	GOVERNMENT		Sub - Center	01	PHC	02	CHC	03	UHC / UHP / UFWC	04	Dispensary / Clinic	05	Hospital	06	AYUSH Hospital / Clinic	07	PRIVATE		Dispensary / Clinic	08	Hospital	09	AYUSH Hospital / Clinic	10	NGO or Trust Hosp. / Clinic		At Home	Self	11	At Home	Elsewhere	12	Others		13	Others		99	Code for Col.9 (Q.8)		Item	Code	Doctor	1	Nurse / ANM / LHV	2	Trained dai	3	Untrained dai	4	Family members / Relatives / Friends	5	None / Self	6	Others	7	Code for Col.10 (Q.8)		Item	Code	Unplanned pregnancy	1	Due to contraceptive failure	2	Complication(s) in pregnancy	3	Health did not permit	4	Female foetus	5	Economic reason(s)	6	Last child too young	7	Foetus had congenital abnormality	8	Others	9
	Code for Col.8 (Q.8)																																																																																											
Item	Code																																																																																											
GOVERNMENT																																																																																												
Sub - Center	01																																																																																											
PHC	02																																																																																											
CHC	03																																																																																											
UHC / UHP / UFWC	04																																																																																											
Dispensary / Clinic	05																																																																																											
Hospital	06																																																																																											
AYUSH Hospital / Clinic	07																																																																																											
PRIVATE																																																																																												
Dispensary / Clinic	08																																																																																											
Hospital	09																																																																																											
AYUSH Hospital / Clinic	10																																																																																											
NGO or Trust Hosp. / Clinic																																																																																												
At Home	Self	11																																																																																										
At Home	Elsewhere	12																																																																																										
Others		13																																																																																										
Others		99																																																																																										
Code for Col.9 (Q.8)																																																																																												
Item	Code																																																																																											
Doctor	1																																																																																											
Nurse / ANM / LHV	2																																																																																											
Trained dai	3																																																																																											
Untrained dai	4																																																																																											
Family members / Relatives / Friends	5																																																																																											
None / Self	6																																																																																											
Others	7																																																																																											
Code for Col.10 (Q.8)																																																																																												
Item	Code																																																																																											
Unplanned pregnancy	1																																																																																											
Due to contraceptive failure	2																																																																																											
Complication(s) in pregnancy	3																																																																																											
Health did not permit	4																																																																																											
Female foetus	5																																																																																											
Economic reason(s)	6																																																																																											
Last child too young	7																																																																																											
Foetus had congenital abnormality	8																																																																																											
Others	9																																																																																											

Q.9 Details about the last two outcome of pregnancy(s) which resulted in live birth (surviving / not surviving) / still birth during 01.01.2010 to 31.12.2010. Begin with last birth. Survival status to be assessed as on 01.01.2011.

Questions 9 (1) to 9 (45) are to be probed for live births (surviving/not surviving) as well as still births unless otherwise specified.

Q. No.	Questions and Codes	Responses										
Q.9 (1)	Pregnancy number of last two live / still birth(s) in Chronological order [Copy from Col. 1 (Q.8)]	Pregnancy Number	Last birth	Previous to last birth								
Q.9 (2)	What kind of birth is / was it? <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td>Live birth surviving</td> <td>1</td> </tr> <tr> <td>Live birth not surviving</td> <td>2</td> </tr> <tr> <td>Still birth</td> <td>3</td> </tr> </table> (If Code '3' is recorded for any of the births, go to Q.9 (6) for that particular birth)	Item	Code	Live birth surviving	1	Live birth not surviving	2	Still birth	3		Last birth	Previous to last birth
Item	Code											
Live birth surviving	1											
Live birth not surviving	2											
Still birth	3											
Q.9 (3)	What is the order of live birth? (If more than 9, record '9' only)	Order of live birth	Last birth	Previous to last birth								
Q.9 (4)	Only if birth order ≥ 2 What is the interval between the previous and current live births? (If more than 99 months, record '99' only)	Interval (in completed months)	Last birth	Previous to last birth								
Q.9 (5)	Identification Code (only for live birth surviving) – To be copied from Col. 6 of the Household Schedule	Identification Code	Last birth	Previous to last birth								
Q.9 (6)	What is/was the date of birth of the baby? (In case of still birth, record only month and year)	Date of Birth	Last birth	Previous to last birth								
Q.9 (7)	What type of birth was it? <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td>Single</td> <td>1</td> </tr> <tr> <td>Multiple</td> <td>2</td> </tr> </table>	Item	Code	Single	1	Multiple	2		Last birth	Previous to last birth		
Item	Code											
Single	1											
Multiple	2											
ANTE NATAL CARE (ANC)												
Q.9 (8)	Did you get your pregnancy registered for each birth? <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </table> (Record Code '2' only after ascertaining that the woman has not received any ANC for that particular birth)	Item	Code	Yes	1	No	2		Last birth	Previous to last birth		
Item	Code											
Yes	1											
No	2											
					If Code '2', go to Q.9 (15)							

Q.9 (9)	How many months pregnant were you at the time of first ANC ?	Number of completed months	Last birth	Previous to last birth																															
			<input type="text"/>	<input type="text"/>																															
Q.9 (10)	How many ANCs did you receive during pregnancy associated with each birth? (If more than 9 ANCs, record '9' only)	Number of ANCs	Last birth	Previous to last birth																															
			<input type="text"/>	<input type="text"/>																															
Q.9 (11)	What was the main source of ANC ? <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td colspan="2">GOVERNMENT</td></tr> <tr><td>Anganwadi</td><td>00</td></tr> <tr><td>Sub - Center</td><td>01</td></tr> <tr><td>PHC</td><td>02</td></tr> <tr><td>CHC</td><td>03</td></tr> <tr><td>UHC / UHP / UFWC</td><td>04</td></tr> <tr><td>Dispensary / Clinic</td><td>05</td></tr> <tr><td>Hospital</td><td>06</td></tr> <tr><td>AYUSH Hospital / Clinic</td><td>07</td></tr> <tr><td colspan="2">PRIVATE</td></tr> <tr><td>Dispensary / Clinic</td><td>08</td></tr> <tr><td>Hospital</td><td>09</td></tr> <tr><td>AYUSH Hospital / Clinic</td><td>10</td></tr> <tr><td>NGO or Trust Hospital/Clinic</td><td>11</td></tr> <tr><td>Others</td><td>99</td></tr> </tbody> </table>	Item	Code	GOVERNMENT		Anganwadi	00	Sub - Center	01	PHC	02	CHC	03	UHC / UHP / UFWC	04	Dispensary / Clinic	05	Hospital	06	AYUSH Hospital / Clinic	07	PRIVATE		Dispensary / Clinic	08	Hospital	09	AYUSH Hospital / Clinic	10	NGO or Trust Hospital/Clinic	11	Others	99	Last birth	Previous to last birth
		Item	Code																																
		GOVERNMENT																																	
		Anganwadi	00																																
		Sub - Center	01																																
		PHC	02																																
		CHC	03																																
		UHC / UHP / UFWC	04																																
		Dispensary / Clinic	05																																
		Hospital	06																																
		AYUSH Hospital / Clinic	07																																
		PRIVATE																																	
Dispensary / Clinic	08																																		
Hospital	09																																		
AYUSH Hospital / Clinic	10																																		
NGO or Trust Hospital/Clinic	11																																		
Others	99																																		
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																		

Q.9 (13)	<p>(i) How many TT injections did you receive?</p> <p>(ii) How many months pregnant were you at the time of 2nd TT injection?</p>	Last birth Number of TT injections		Previous to last birth																			
		<input type="text"/>	<input type="text"/>																				
Q.9 (14)	<p>For how many days did you consume Iron & Folic Acid (IFA) tablets / tablespoons of IFA syrup during pregnancy? (Record '000' if not consumed)</p>	Number of completed months	Last birth	Previous to last birth																			
		<input type="text"/>	<input type="text"/>																				
Q.9 (15)	<p>If Code '2' is recorded for any of the births in Q.9 (8), what was the main reason of not going for any ANC for that particular birth?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Not needed</td><td>1</td></tr> <tr><td>Not customary</td><td>2</td></tr> <tr><td>Cost too much</td><td>3</td></tr> <tr><td>Too far / no transport</td><td>4</td></tr> <tr><td>Poor quality service</td><td>5</td></tr> <tr><td>Family did not allow</td><td>6</td></tr> <tr><td>No time to go</td><td>7</td></tr> <tr><td>Lack of knowledge</td><td>8</td></tr> <tr><td>Others</td><td>9</td></tr> </tbody> </table>	Item	Code	Not needed	1	Not customary	2	Cost too much	3	Too far / no transport	4	Poor quality service	5	Family did not allow	6	No time to go	7	Lack of knowledge	8	Others	9	Last birth (Number of days)	Previous to last birth (Number of days)
		Item	Code																				
Not needed	1																						
Not customary	2																						
Cost too much	3																						
Too far / no transport	4																						
Poor quality service	5																						
Family did not allow	6																						
No time to go	7																						
Lack of knowledge	8																						
Others	9																						
Tablets	<input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>																					
Syrup	<input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>																					
Q.9 (16)	<p>Did you suffer from any of the health problem(s) during pregnancy associated with each birth? (Read out the health problems)</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> </tbody> </table>	Item	Code	Yes	1	No	2	Last birth	Previous to last birth														
		Item	Code																				
Yes	1																						
No	2																						
<input type="text"/>	<input type="text"/>																						
Health Problems	Last birth	Previous to last birth																					
Swelling of hands, feet and face	<input type="text"/>	<input type="text"/>																					
Paleness/ Giddiness/ Weakness	<input type="text"/>	<input type="text"/>																					
Visual disturbances	<input type="text"/>	<input type="text"/>																					
Excessive Fatigue	<input type="text"/>	<input type="text"/>																					
Convulsions not from fever	<input type="text"/>	<input type="text"/>																					
Weak or no movement of foetus	<input type="text"/>	<input type="text"/>																					
Abnormal position of foetus	<input type="text"/>	<input type="text"/>																					
Excessive vomiting	<input type="text"/>	<input type="text"/>																					

		Health Problems	Last birth	Previous to last birth
	Hypertension/ High BP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Jaundice	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Excessive bleeding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Vaginal discharge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Q.9 (17)	If Code '1' is recorded for any of the health problem(s) in Q.9 (16), did you seek treatment?		Last birth	Previous to last birth
			<input type="checkbox"/>	<input type="checkbox"/>
Q.9 (18)	If Code '1' in Q.9 (17), where did you go for consultation or to seek treatment?		Last birth	Previous to last birth
			<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
NATAL CARE				
Q.9 (19)	Where did your delivery take place?		Last birth	Previous to last birth
			<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>

Q.9 (20)	<p>If Code '12' in Q.9 (19), what was the main reason for not going to health facility for delivery?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item</th> <th style="text-align: center;">Code</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">Not needed</td><td style="text-align: center;">01</td></tr> <tr><td style="text-align: center;">Not customary</td><td style="text-align: center;">02</td></tr> <tr><td style="text-align: center;">Cost too much</td><td style="text-align: center;">03</td></tr> <tr><td style="text-align: center;">Too far / no transport</td><td style="text-align: center;">04</td></tr> <tr><td style="text-align: center;">Poor quality service</td><td style="text-align: center;">05</td></tr> <tr><td style="text-align: center;">Family decision</td><td style="text-align: center;">06</td></tr> <tr><td style="text-align: center;">No time to go</td><td style="text-align: center;">07</td></tr> <tr><td style="text-align: center;">Lack of knowledge</td><td style="text-align: center;">08</td></tr> <tr><td style="text-align: center;">Better care at home</td><td style="text-align: center;">09</td></tr> <tr><td style="text-align: center;">Others</td><td style="text-align: center;">10</td></tr> </tbody> </table>	Item	Code	Not needed	01	Not customary	02	Cost too much	03	Too far / no transport	04	Poor quality service	05	Family decision	06	No time to go	07	Lack of knowledge	08	Better care at home	09	Others	10	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%;"></td> </tr> <tr> <td style="width: 50%; text-align: center;">Last birth</td> <td style="width: 50%; text-align: center;">Previous to last birth</td> </tr> <tr> <td style="width: 50%;"><input type="checkbox"/></td> <td style="width: 50%;"><input type="checkbox"/></td> </tr> <tr> <td style="width: 50%;"><input type="checkbox"/></td> <td style="width: 50%;"><input type="checkbox"/></td> </tr> </table>			Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																											
Item	Code																																																																																																										
Not needed	01																																																																																																										
Not customary	02																																																																																																										
Cost too much	03																																																																																																										
Too far / no transport	04																																																																																																										
Poor quality service	05																																																																																																										
Family decision	06																																																																																																										
No time to go	07																																																																																																										
Lack of knowledge	08																																																																																																										
Better care at home	09																																																																																																										
Others	10																																																																																																										
Last birth	Previous to last birth																																																																																																										
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																										
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																										
Q.9 (21)	<p>In case of institutional delivery [for Code '1-11' in Q.9 (19)], who facilitated or motivated you to go to the health facility for delivery and where did she/he advise you to go?</p> <p>(Read out all facilitators/ motivators mentioned)</p> <p>Code for Facilitator/Motivator</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item</th> <th style="text-align: center;">Code</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">Yes</td><td style="text-align: center;">1</td></tr> <tr><td style="text-align: center;">No</td><td style="text-align: center;">2</td></tr> </tbody> </table> <p>Code for health facility</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item</th> <th style="text-align: center;">Code</th> </tr> </thead> <tbody> <tr><td colspan="2">Government</td></tr> <tr><td style="text-align: center;">Sub - Center</td><td style="text-align: center;">01</td></tr> <tr><td style="text-align: center;">PHC</td><td style="text-align: center;">02</td></tr> <tr><td style="text-align: center;">CHC</td><td style="text-align: center;">03</td></tr> <tr><td style="text-align: center;">UHC/UHP/UFWC</td><td style="text-align: center;">04</td></tr> <tr><td style="text-align: center;">Dispensary/Clinic</td><td style="text-align: center;">05</td></tr> <tr><td style="text-align: center;">Hospital</td><td style="text-align: center;">06</td></tr> <tr><td style="text-align: center;">AYUSH Hospital/Clinic</td><td style="text-align: center;">07</td></tr> <tr><td colspan="2">Private</td></tr> <tr><td style="text-align: center;">Dispensary/Clinic</td><td style="text-align: center;">08</td></tr> <tr><td style="text-align: center;">Hospital</td><td style="text-align: center;">09</td></tr> <tr><td style="text-align: center;">AYUSH Hospital/Clinic</td><td style="text-align: center;">10</td></tr> <tr><td colspan="2">NGO or Trust Hospital/Clinic</td></tr> <tr><td style="text-align: center;">Others</td><td style="text-align: center;">99</td></tr> </tbody> </table>	Item	Code	Yes	1	No	2	Item	Code	Government		Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	Private		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hospital/Clinic		Others	99	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2"></th> <th colspan="2" style="text-align: center;">Last birth</th> <th colspan="2" style="text-align: center;">Previous to last birth</th> </tr> <tr> <th style="text-align: center;">Facilitator/ Motivator</th> <th style="text-align: center;">Recom- mended health facility</th> <th style="text-align: center;">Facilitator/ Motivator</th> <th style="text-align: center;">Recom- mended health facility</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">Doctor</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">ANM</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Health Worker</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Anganwadi Worker</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">ASHA</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">NGO/CBO</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Husband</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Mother-in-law</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Mother</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Relatives/ Friends</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Self</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Others</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> </tbody> </table>		Last birth		Previous to last birth		Facilitator/ Motivator	Recom- mended health facility	Facilitator/ Motivator	Recom- mended health facility	Doctor	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ANM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Health Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Anganwadi Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ASHA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NGO/CBO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Husband	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mother-in-law	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mother	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Relatives/ Friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Item	Code																																																																																																										
Yes	1																																																																																																										
No	2																																																																																																										
Item	Code																																																																																																										
Government																																																																																																											
Sub - Center	01																																																																																																										
PHC	02																																																																																																										
CHC	03																																																																																																										
UHC/UHP/UFWC	04																																																																																																										
Dispensary/Clinic	05																																																																																																										
Hospital	06																																																																																																										
AYUSH Hospital/Clinic	07																																																																																																										
Private																																																																																																											
Dispensary/Clinic	08																																																																																																										
Hospital	09																																																																																																										
AYUSH Hospital/Clinic	10																																																																																																										
NGO or Trust Hospital/Clinic																																																																																																											
Others	99																																																																																																										
	Last birth		Previous to last birth																																																																																																								
	Facilitator/ Motivator	Recom- mended health facility	Facilitator/ Motivator	Recom- mended health facility																																																																																																							
Doctor	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
ANM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Health Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Anganwadi Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
ASHA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
NGO/CBO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Husband	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Mother-in-law	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Mother	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Relatives/ Friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Self	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							

		Health Problems	Last birth	Previous to last birth
	Hypertension/ High BP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Jaundice	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Excessive bleeding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Vaginal discharge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Q.9 (17)	If Code '1' is recorded for any of the health problem(s) in Q.9 (16), did you seek treatment?		Last birth	Previous to last birth
			<input type="checkbox"/>	<input type="checkbox"/>
Q.9 (18)	If Code '1' in Q.9 (17), where did you go for consultation or to seek treatment?		Last birth	Previous to last birth
			<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
NATAL CARE				
Q.9 (19)	Where did your delivery take place?		Last birth	Previous to last birth
			<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>

Q.9 (20)	<p>If Code '12' in Q.9 (19), what was the main reason for not going to health facility for delivery?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item</th> <th style="text-align: center;">Code</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">Not needed</td><td style="text-align: center;">01</td></tr> <tr><td style="text-align: center;">Not customary</td><td style="text-align: center;">02</td></tr> <tr><td style="text-align: center;">Cost too much</td><td style="text-align: center;">03</td></tr> <tr><td style="text-align: center;">Too far / no transport</td><td style="text-align: center;">04</td></tr> <tr><td style="text-align: center;">Poor quality service</td><td style="text-align: center;">05</td></tr> <tr><td style="text-align: center;">Family decision</td><td style="text-align: center;">06</td></tr> <tr><td style="text-align: center;">No time to go</td><td style="text-align: center;">07</td></tr> <tr><td style="text-align: center;">Lack of knowledge</td><td style="text-align: center;">08</td></tr> <tr><td style="text-align: center;">Better care at home</td><td style="text-align: center;">09</td></tr> <tr><td style="text-align: center;">Others</td><td style="text-align: center;">10</td></tr> </tbody> </table>	Item	Code	Not needed	01	Not customary	02	Cost too much	03	Too far / no transport	04	Poor quality service	05	Family decision	06	No time to go	07	Lack of knowledge	08	Better care at home	09	Others	10	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%;"></td> </tr> <tr> <td style="width: 50%; text-align: center;">Last birth</td> <td style="width: 50%; text-align: center;">Previous to last birth</td> </tr> <tr> <td style="width: 50%;"><input type="checkbox"/></td> <td style="width: 50%;"><input type="checkbox"/></td> </tr> <tr> <td style="width: 50%;"><input type="checkbox"/></td> <td style="width: 50%;"><input type="checkbox"/></td> </tr> </table>			Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																											
Item	Code																																																																																																										
Not needed	01																																																																																																										
Not customary	02																																																																																																										
Cost too much	03																																																																																																										
Too far / no transport	04																																																																																																										
Poor quality service	05																																																																																																										
Family decision	06																																																																																																										
No time to go	07																																																																																																										
Lack of knowledge	08																																																																																																										
Better care at home	09																																																																																																										
Others	10																																																																																																										
Last birth	Previous to last birth																																																																																																										
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																										
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																										
Q.9 (21)	<p>In case of institutional delivery [for Code '1-11' in Q.9 (19)], who facilitated or motivated you to go to the health facility for delivery and where did she/he advise you to go?</p> <p>(Read out all facilitators/ motivators mentioned)</p> <p>Code for Facilitator/Motivator</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item</th> <th style="text-align: center;">Code</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">Yes</td><td style="text-align: center;">1</td></tr> <tr><td style="text-align: center;">No</td><td style="text-align: center;">2</td></tr> </tbody> </table> <p>Code for health facility</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item</th> <th style="text-align: center;">Code</th> </tr> </thead> <tbody> <tr><td colspan="2">Government</td></tr> <tr><td style="text-align: center;">Sub - Center</td><td style="text-align: center;">01</td></tr> <tr><td style="text-align: center;">PHC</td><td style="text-align: center;">02</td></tr> <tr><td style="text-align: center;">CHC</td><td style="text-align: center;">03</td></tr> <tr><td style="text-align: center;">UHC/UHP/UFWC</td><td style="text-align: center;">04</td></tr> <tr><td style="text-align: center;">Dispensary/Clinic</td><td style="text-align: center;">05</td></tr> <tr><td style="text-align: center;">Hospital</td><td style="text-align: center;">06</td></tr> <tr><td style="text-align: center;">AYUSH Hospital/Clinic</td><td style="text-align: center;">07</td></tr> <tr><td colspan="2">Private</td></tr> <tr><td style="text-align: center;">Dispensary/Clinic</td><td style="text-align: center;">08</td></tr> <tr><td style="text-align: center;">Hospital</td><td style="text-align: center;">09</td></tr> <tr><td style="text-align: center;">AYUSH Hospital/Clinic</td><td style="text-align: center;">10</td></tr> <tr><td colspan="2">NGO or Trust Hospital/Clinic</td></tr> <tr><td style="text-align: center;">Others</td><td style="text-align: center;">99</td></tr> </tbody> </table>	Item	Code	Yes	1	No	2	Item	Code	Government		Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	Private		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hospital/Clinic		Others	99	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2"></th> <th colspan="2" style="text-align: center;">Last birth</th> <th colspan="2" style="text-align: center;">Previous to last birth</th> </tr> <tr> <th style="text-align: center;">Facilitator/ Motivator</th> <th style="text-align: center;">Recom- mended health facility</th> <th style="text-align: center;">Facilitator/ Motivator</th> <th style="text-align: center;">Recom- mended health facility</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">Doctor</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">ANM</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Health Worker</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Anganwadi Worker</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">ASHA</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">NGO/CBO</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Husband</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Mother-in-law</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Mother</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Relatives/ Friends</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Self</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td style="text-align: center;">Others</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> </tbody> </table>		Last birth		Previous to last birth		Facilitator/ Motivator	Recom- mended health facility	Facilitator/ Motivator	Recom- mended health facility	Doctor	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ANM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Health Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Anganwadi Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ASHA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NGO/CBO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Husband	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mother-in-law	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mother	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Relatives/ Friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Item	Code																																																																																																										
Yes	1																																																																																																										
No	2																																																																																																										
Item	Code																																																																																																										
Government																																																																																																											
Sub - Center	01																																																																																																										
PHC	02																																																																																																										
CHC	03																																																																																																										
UHC/UHP/UFWC	04																																																																																																										
Dispensary/Clinic	05																																																																																																										
Hospital	06																																																																																																										
AYUSH Hospital/Clinic	07																																																																																																										
Private																																																																																																											
Dispensary/Clinic	08																																																																																																										
Hospital	09																																																																																																										
AYUSH Hospital/Clinic	10																																																																																																										
NGO or Trust Hospital/Clinic																																																																																																											
Others	99																																																																																																										
	Last birth		Previous to last birth																																																																																																								
	Facilitator/ Motivator	Recom- mended health facility	Facilitator/ Motivator	Recom- mended health facility																																																																																																							
Doctor	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
ANM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Health Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Anganwadi Worker	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
ASHA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
NGO/CBO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Husband	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Mother-in-law	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Mother	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Relatives/ Friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Self	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							
Others	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																							

POST NATAL CARE

Q.9 (31)	Did you have any check-up within 48 hours of delivery?			
	Item	Code	Last birth	Previous to last birth
	Yes	1	<input type="checkbox"/>	<input type="checkbox"/>
	No	2	<input type="checkbox"/>	<input type="checkbox"/>
Q.9 (32)	If Code '2' in Q.9 (31), after how many days of delivery, the first check-up took place?			
	Number of Days	Last birth	Previous to last birth	
<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>		
Q.9 (33)	Where did your Post Natal check-up take place?			
	Item	Code	Last birth	Previous to last birth
	GOVERNMENT			
	Sub Center	01	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	PHC	02	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	CHC	03	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	UHC / UHP / UFWC	04	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	Dispensary / Clinic	05	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	Hospital	06	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	AYUSH Hospital / Clinic	07	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	PRIVATE			
	Dispensary / Clinic	08	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	Hospital	09	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	AYUSH Hospital / Clinic	10	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
	NGO or Trust Hospital/Clinic			
Others	99	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
Q.9 (34)	Did any of the following happen when you had the check-up after each birth? (Read out all options mentioned)			
	Item	Code	Last birth	Previous to last birth
	Abdomen examined	<input type="checkbox"/>	<input type="checkbox"/>	
	Advice on breast feeding	<input type="checkbox"/>	<input type="checkbox"/>	
	Advice on baby care	<input type="checkbox"/>	<input type="checkbox"/>	
Advice on family planning	<input type="checkbox"/>	<input type="checkbox"/>		

Q.9 (35)	<p>When was the new born baby checked up after birth?</p> <p>(To be asked only in respect of live births surviving or not surviving)</p> <table border="1" data-bbox="241 370 747 652"> <thead> <tr> <th style="background-color: #d3d3d3;">Item</th> <th style="background-color: #d3d3d3;">Code</th> </tr> </thead> <tbody> <tr> <td rowspan="4" style="text-align: center;">Checked Up</td> <td>Within 24 hrs</td> <td>1</td> </tr> <tr> <td>24 hrs to 72 hrs</td> <td>2</td> </tr> <tr> <td>4th day to 7th day</td> <td>3</td> </tr> <tr> <td>After the 7th day</td> <td>4</td> </tr> <tr> <td>Not checked up</td> <td>5</td> </tr> </tbody> </table>	Item	Code	Checked Up	Within 24 hrs	1	24 hrs to 72 hrs	2	4th day to 7th day	3	After the 7th day	4	Not checked up	5																								
Item	Code																																					
Checked Up	Within 24 hrs	1																																				
	24 hrs to 72 hrs	2																																				
	4th day to 7th day	3																																				
	After the 7th day	4																																				
Not checked up	5																																					
Q.9 (36)	If Code '1' or '2' or '3' in Q.9 (35), number of check-up(s) during one week of delivery	<table border="1" data-bbox="915 393 1437 831"> <thead> <tr> <th style="background-color: #d3d3d3;">Last birth</th> <th style="background-color: #d3d3d3;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>																																
Last birth	Previous to last birth																																					
<input type="checkbox"/>	<input type="checkbox"/>																																					
Q.9 (37)	<p>If Code '1-4' in Q.9 (35), where was the baby's first check-up done?</p> <table border="1" data-bbox="251 963 740 1608"> <thead> <tr> <th style="background-color: #d3d3d3;">Item</th> <th style="background-color: #d3d3d3;">Code</th> </tr> </thead> <tbody> <tr> <td colspan="2">Government</td> </tr> <tr> <td>Sub - Center</td> <td>01</td> </tr> <tr> <td>PHC</td> <td>02</td> </tr> <tr> <td>CHC</td> <td>03</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>04</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>05</td> </tr> <tr> <td>Hospital</td> <td>06</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>07</td> </tr> <tr> <td colspan="2">Private</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>08</td> </tr> <tr> <td>Hospital</td> <td>09</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>10</td> </tr> <tr> <td>NGO or Trust Hosp/Clinic</td> <td>11</td> </tr> <tr> <td>At Home</td> <td>12</td> </tr> <tr> <td>Others</td> <td>99</td> </tr> </tbody> </table>	Item	Code	Government		Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	Private		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp/Clinic	11	At Home	12	Others	99	<table border="1" data-bbox="915 1108 1437 1262"> <thead> <tr> <th style="background-color: #d3d3d3;">Last birth</th> <th style="background-color: #d3d3d3;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/> <input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/> <input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
Item	Code																																					
Government																																						
Sub - Center	01																																					
PHC	02																																					
CHC	03																																					
UHC/UHP/UFWC	04																																					
Dispensary/Clinic	05																																					
Hospital	06																																					
AYUSH Hospital/Clinic	07																																					
Private																																						
Dispensary/Clinic	08																																					
Hospital	09																																					
AYUSH Hospital/Clinic	10																																					
NGO or Trust Hosp/Clinic	11																																					
At Home	12																																					
Others	99																																					
Last birth	Previous to last birth																																					
<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>																																					
Q.9 (38)	If Code '12' in Q.9 (37), who did the check-up at home?	<table border="1" data-bbox="915 1799 1437 1953"> <thead> <tr> <th style="background-color: #d3d3d3;">Last birth</th> <th style="background-color: #d3d3d3;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>																																
Last birth	Previous to last birth																																					
<input type="checkbox"/>	<input type="checkbox"/>																																					

Q.9 (39)	<p>During the first 6 weeks after delivery, did you experience any of the health problems?</p> <p>(Read out all health problems)</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Health Problems</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td>High fever</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Lower abdominal pain</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Foul smelling vaginal discharge</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Excessive bleeding</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Convulsions</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Head ache</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Others</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>			Health Problems	Last birth	Previous to last birth	High fever	<input type="checkbox"/>	<input type="checkbox"/>	Lower abdominal pain	<input type="checkbox"/>	<input type="checkbox"/>	Foul smelling vaginal discharge	<input type="checkbox"/>	<input type="checkbox"/>	Excessive bleeding	<input type="checkbox"/>	<input type="checkbox"/>	Convulsions	<input type="checkbox"/>	<input type="checkbox"/>	Head ache	<input type="checkbox"/>	<input type="checkbox"/>	Others	<input type="checkbox"/>	<input type="checkbox"/>
		Item	Code																															
Yes	1																																	
No	2																																	
Health Problems	Last birth	Previous to last birth																																
High fever	<input type="checkbox"/>	<input type="checkbox"/>																																
Lower abdominal pain	<input type="checkbox"/>	<input type="checkbox"/>																																
Foul smelling vaginal discharge	<input type="checkbox"/>	<input type="checkbox"/>																																
Excessive bleeding	<input type="checkbox"/>	<input type="checkbox"/>																																
Convulsions	<input type="checkbox"/>	<input type="checkbox"/>																																
Head ache	<input type="checkbox"/>	<input type="checkbox"/>																																
Others	<input type="checkbox"/>	<input type="checkbox"/>																																
Q.9 (40)	If Code '1' in any of the health problems in Q.9 (39), did you seek treatment?	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>			Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>																										
Last birth	Previous to last birth																																	
<input type="checkbox"/>	<input type="checkbox"/>																																	
Q.9 (41)	If Code '1' in Q.9 (40), where did you go for consultation or to seek treatment?	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> <input type="checkbox"/></td> <td><input type="checkbox"/> <input type="checkbox"/></td> </tr> </tbody> </table>			Last birth	Previous to last birth	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>																										
Last birth	Previous to last birth																																	
<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>																																	
Q.9 (42)	<p>Whether birth weight of the baby was taken?</p> <p>(To be asked only in respect of live births surviving or not surviving)</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> <tr> <td>Don't Know</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	Don't Know	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>			Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>																		
Item	Code																																	
Yes	1																																	
No	2																																	
Don't Know	3																																	
Last birth	Previous to last birth																																	
<input type="checkbox"/>	<input type="checkbox"/>																																	

Q.9 (43)	If Code '1' in Q.9 (42), what was the birth weight of the baby?	<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2" style="text-align: center; width: 15%;">Birth weight</th> <th colspan="2" style="text-align: center;">Last birth</th> <th colspan="2" style="text-align: center;">Previous to last birth</th> </tr> <tr> <th style="text-align: center;">Kg</th> <th style="text-align: center;">gms</th> <th style="text-align: center;">Kg</th> <th style="text-align: center;">gms</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center; width: 45px;"><input type="text"/></td> </tr> </tbody> </table>	Birth weight	Last birth		Previous to last birth		Kg	gms	Kg	gms		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>				
Birth weight	Last birth			Previous to last birth																
	Kg	gms	Kg	gms																
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																
Q.9 (44)	<p>When did you first breast feed your baby?</p> <p>(To be asked only in respect of live births surviving or not surviving)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; width: 20%;">Item</th> <th style="text-align: center; width: 80%;">Code</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Immediately within 1 hour of birth</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">1 hour to 24 hours of birth</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="text-align: center;">2-3 days</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="text-align: center;">After 3 days</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="text-align: center;">Never breast-fed</td> <td style="text-align: center;">5</td> </tr> </tbody> </table>	Item	Code	Immediately within 1 hour of birth	1	1 hour to 24 hours of birth	2	2-3 days	3	After 3 days	4	Never breast-fed	5	<table border="1" style="width: 100%;"> <thead> <tr> <th style="text-align: center; width: 50%;">Last birth</th> <th style="text-align: center; width: 50%;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; width: 50%;"><input type="text"/></td> <td style="text-align: center; width: 50%;"><input type="text"/></td> </tr> </tbody> </table> <p style="text-align: right;">If Code '5' go to Q.9 (48)</p>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>		
Item	Code																			
Immediately within 1 hour of birth	1																			
1 hour to 24 hours of birth	2																			
2-3 days	3																			
After 3 days	4																			
Never breast-fed	5																			
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			
Q.9 (45)	<p>Did you feed "milk colostrum/khees" (yellowish thick milk) to your baby, secreted during the first few days after child birth?</p> <p>(To be asked only in respect of live births surviving or not surviving)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; width: 20%;">Item</th> <th style="text-align: center; width: 80%;">Code</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">No</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1" style="width: 100%;"> <thead> <tr> <th style="text-align: center; width: 50%;">Last birth</th> <th style="text-align: center; width: 50%;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; width: 50%;"><input type="text"/></td> <td style="text-align: center; width: 50%;"><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>								
Item	Code																			
Yes	1																			
No	2																			
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			
The following questions are to be probed only for live births and surviving. BREAST FEEDING PRACTISE																				
Q.9 (46)	<p>Are you currently breastfeeding your baby?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; width: 20%;">Item</th> <th style="text-align: center; width: 80%;">Code</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">No</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Baby's Name</td> <td style="width: 50%;"></td> </tr> <tr> <th style="text-align: center; width: 50%;">Last birth</th> <th style="text-align: center; width: 50%;">Previous to last birth</th> </tr> <tr> <td style="text-align: center; width: 50%;"><input type="text"/></td> <td style="text-align: center; width: 50%;"><input type="text"/></td> </tr> </table>	Baby's Name		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>						
Item	Code																			
Yes	1																			
No	2																			
Baby's Name																				
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			
Q.9 (47)	<p>How many days/months did you exclusively breastfeed your baby?</p> <p>(If duration of breastfeeding is less than one month, record no. of days and if duration is in months, record no. of months)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; width: 20%;">Unit</th> <th style="text-align: center; width: 80%;">Code</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Days</td> <td style="text-align: center;">D</td> </tr> <tr> <td style="text-align: center;">Months</td> <td style="text-align: center;">M</td> </tr> </tbody> </table>	Unit	Code	Days	D	Months	M	<table border="1" style="width: 100%;"> <thead> <tr> <th colspan="2" style="text-align: center;">Last birth</th> <th colspan="2" style="text-align: center;">Previous to last birth</th> </tr> <tr> <th style="text-align: center;">D/M</th> <th style="text-align: center;">No.</th> <th style="text-align: center;">D/M</th> <th style="text-align: center;">No.</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="text"/></td> <td style="text-align: center; width: 45px;"><input type="text"/></td> <td style="text-align: center;"><input type="text"/></td> <td style="text-align: center; width: 45px;"><input type="text"/></td> </tr> </tbody> </table>	Last birth		Previous to last birth		D/M	No.	D/M	No.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Unit	Code																			
Days	D																			
Months	M																			
Last birth		Previous to last birth																		
D/M	No.	D/M	No.																	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																	

Q.9 (48)	<p>At what age (in months/days) did you start feeding the baby, food other than breast milk? (If only breast feeding, record '00')</p> <p>(If duration of starting other types of food is less than one month, record no. of days and if duration is in months, record no. of months)</p> <table border="1" style="margin-left: 10px;"> <thead> <tr> <th>Unit</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Days</td> <td>D</td> </tr> <tr> <td>Month</td> <td>M</td> </tr> </tbody> </table>	Unit	Code	Days	D	Month	M				
		Unit	Code								
Days	D										
Month	M										
Type of food	Last birth		Previous to last birth								
Water	D/M	No.	D/M	No.							
Animal Milk/ Formula Milk											
Semi Solid Mashed											
Solid (Adult food)											
Vegetables/ Fruits											

IMMUNIZATION	
---------------------	--

Q.9 (49)	<p>Do you have an Immunization/MCH card for your baby?</p> <table border="1" style="margin-left: 10px;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2				
		Item	Code								
Yes	1										
No	2										
Last birth	Previous to last birth										
	<input type="checkbox"/>	<input type="checkbox"/>									

Q.9 (50)	<p>If Code '1' in Q.9 (49), whether Immunization card made available at the time of interview?</p> <table border="1" style="margin-left: 10px;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2				
		Item	Code								
Yes	1										
No	2										
Last birth	Previous to last birth										
	<input type="checkbox"/>	<input type="checkbox"/>									

Q.9 (51)	<p>If card made available, whether information recorded by using the card?</p> <table border="1" style="margin-left: 10px;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2				
		Item	Code								
Yes	1										
No	2										
Last birth	Previous to last birth										
	<input type="checkbox"/>	<input type="checkbox"/>									

Q.9 (52)	<p>Has the baby ever received any vaccination?</p> <table border="1" style="margin-left: 10px;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table> <p>(If Code '2' for any births, go to Q.9 (56) for that particular birth)</p>	Item	Code	Yes	1	No	2				
		Item	Code								
Yes	1										
No	2										
Last birth	Previous to last birth										
	<input type="checkbox"/>	<input type="checkbox"/>									

Q.9 (53)	Was the baby given BCG vaccine? <table border="1" style="margin-left: 10px;"> <thead> <tr> <th style="background-color: #cccccc;">Item</th> <th style="background-color: #cccccc;">Code</th> </tr> </thead> <tbody> <tr> <td rowspan="3" style="text-align: center; vertical-align: middle;">Yes</td> <td>At birth</td> </tr> <tr> <td>Within 6 weeks</td> </tr> <tr> <td>Thereafter</td> </tr> <tr> <td>No</td> <td>4</td> </tr> </tbody> </table>	Item	Code	Yes	At birth	Within 6 weeks	Thereafter	No	4	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Last birth</td> <td style="width: 50%;">Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>																								
Item	Code																																					
Yes	At birth																																					
	Within 6 weeks																																					
	Thereafter																																					
No	4																																					
Last birth	Previous to last birth																																					
<input type="checkbox"/>	<input type="checkbox"/>																																					
Q.9 (54)	<p>Were the following vaccines administered to your baby? (Read out the type of vaccines)</p> <p># If more than 9 doses, record '9' only for that particular birth.</p> <p>* If no vaccination received, record '0' for that particular birth.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%; background-color: #cccccc;">Type of Vaccine</th> <th style="width: 33%; background-color: #cccccc;">Last birth</th> <th style="width: 33%; background-color: #cccccc;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td>Polio birth dose (Yes-1, No-2, Don't Know-3)</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>* No. of Polio doses in routine immunization (RI) other than the birth dose</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td># No. of Polio doses in PP (Pulse Polio) immunization during last one year</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>* No. of DPT injections</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Measles (Yes-1, No-2, Don't Know -3)</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>* No. of doses of Hepatitis B during last one year</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Type of Vaccine	Last birth	Previous to last birth	Polio birth dose (Yes-1, No-2, Don't Know-3)	<input type="checkbox"/>	<input type="checkbox"/>	* No. of Polio doses in routine immunization (RI) other than the birth dose	<input type="checkbox"/>	<input type="checkbox"/>	# No. of Polio doses in PP (Pulse Polio) immunization during last one year	<input type="checkbox"/>	<input type="checkbox"/>	* No. of DPT injections	<input type="checkbox"/>	<input type="checkbox"/>	Measles (Yes-1, No-2, Don't Know -3)	<input type="checkbox"/>	<input type="checkbox"/>	* No. of doses of Hepatitis B during last one year	<input type="checkbox"/>	<input type="checkbox"/>															
Type of Vaccine	Last birth	Previous to last birth																																				
Polio birth dose (Yes-1, No-2, Don't Know-3)	<input type="checkbox"/>	<input type="checkbox"/>																																				
* No. of Polio doses in routine immunization (RI) other than the birth dose	<input type="checkbox"/>	<input type="checkbox"/>																																				
# No. of Polio doses in PP (Pulse Polio) immunization during last one year	<input type="checkbox"/>	<input type="checkbox"/>																																				
* No. of DPT injections	<input type="checkbox"/>	<input type="checkbox"/>																																				
Measles (Yes-1, No-2, Don't Know -3)	<input type="checkbox"/>	<input type="checkbox"/>																																				
* No. of doses of Hepatitis B during last one year	<input type="checkbox"/>	<input type="checkbox"/>																																				
Q.9 (55)	<p>From where did the baby receive most of his/her vaccinations?</p> <table border="1" style="margin-left: 10px;"> <thead> <tr> <th style="background-color: #cccccc;">Item</th> <th style="background-color: #cccccc;">Code</th> </tr> </thead> <tbody> <tr> <td colspan="2" style="text-align: left;">Government</td> </tr> <tr> <td>Anganwadi</td> <td>00</td> </tr> <tr> <td>Sub - Center</td> <td>01</td> </tr> <tr> <td>PHC</td> <td>02</td> </tr> <tr> <td>CHC</td> <td>03</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>04</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>05</td> </tr> <tr> <td>Hospital</td> <td>06</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>07</td> </tr> <tr> <td colspan="2" style="text-align: left;">Private</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>08</td> </tr> <tr> <td>Hospital</td> <td>09</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>10</td> </tr> <tr> <td>NGO or Trust Hosp/Clinic</td> <td>11</td> </tr> <tr> <td>Others</td> <td>99</td> </tr> </tbody> </table>	Item	Code	Government		Anganwadi	00	Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	Private		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp/Clinic	11	Others	99	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Last birth</td> <td style="width: 50%;">Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/> <input type="checkbox"/></td> <td><input type="checkbox"/> <input type="checkbox"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
Item	Code																																					
Government																																						
Anganwadi	00																																					
Sub - Center	01																																					
PHC	02																																					
CHC	03																																					
UHC/UHP/UFWC	04																																					
Dispensary/Clinic	05																																					
Hospital	06																																					
AYUSH Hospital/Clinic	07																																					
Private																																						
Dispensary/Clinic	08																																					
Hospital	09																																					
AYUSH Hospital/Clinic	10																																					
NGO or Trust Hosp/Clinic	11																																					
Others	99																																					
Last birth	Previous to last birth																																					
<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>																																					

Q.9 (56)	If no vaccination was received by your baby, what was the main reason thereof?																											
	<table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Child is weak/sick</td><td>1</td></tr> <tr><td>Not aware of the need</td><td>2</td></tr> <tr><td>Place of immunization is not known</td><td>3</td></tr> <tr><td>Session site too far</td><td>4</td></tr> <tr><td>Fear of side effects</td><td>5</td></tr> <tr><td>Nobody to take child to session site</td><td>6</td></tr> <tr><td>Not customary</td><td>7</td></tr> <tr><td>Child too young</td><td>8</td></tr> <tr><td>Others</td><td>9</td></tr> </tbody> </table>		Item	Code	Child is weak/sick	1	Not aware of the need	2	Place of immunization is not known	3	Session site too far	4	Fear of side effects	5	Nobody to take child to session site	6	Not customary	7	Child too young	8	Others	9	<table border="1"> <tr> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>
	Item	Code																										
	Child is weak/sick	1																										
	Not aware of the need	2																										
	Place of immunization is not known	3																										
	Session site too far	4																										
	Fear of side effects	5																										
	Nobody to take child to session site	6																										
Not customary	7																											
Child too young	8																											
Others	9																											
Last birth	Previous to last birth																											
<input type="checkbox"/>	<input type="checkbox"/>																											
Q.9(57)	Number of Vitamin A doses received by your baby during last six months?																											
	<table border="1"> <tr> <td rowspan="2">No. of Vitamin A doses</td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>		No. of Vitamin A doses	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>																					
No. of Vitamin A doses	Last birth	Previous to last birth																										
	<input type="checkbox"/>	<input type="checkbox"/>																										
Q.9 (58)	Was IFA tablet/syrup administered to your baby, in the last 3 months?																											
	<p>(To be asked for babies older than 6 months)</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Tablets</td><td>1</td></tr> <tr><td>Yes</td><td>Syrup</td><td>2</td></tr> <tr><td>No</td><td></td><td>3</td></tr> </tbody> </table>		Item	Code	Tablets	1	Yes	Syrup	2	No		3	<table border="1"> <tr> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>										
	Item	Code																										
	Tablets	1																										
Yes	Syrup	2																										
No		3																										
Last birth	Previous to last birth																											
<input type="checkbox"/>	<input type="checkbox"/>																											
Q.9 (59)	If Code '1' or '2' in Q.9 (58), then for how many days was it given in the last 3 months?																											
	<table border="1"> <tr> <td rowspan="2">No. of Days</td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/><input type="checkbox"/></td> <td><input type="checkbox"/><input type="checkbox"/></td> </tr> </table>		No. of Days	Last birth	Previous to last birth	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>																					
No. of Days	Last birth	Previous to last birth																										
	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>																										
CHILD HEALTH																												
Q.9 (60)	Did the baby suffer from Acute Respiratory Infection (ARI) during last 15 days?																											
	<table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> </tbody> </table>		Item	Code	Yes	1	No	2	<table border="1"> <tr> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>														
	Item	Code																										
Yes	1																											
No	2																											
Last birth	Previous to last birth																											
<input type="checkbox"/>	<input type="checkbox"/>																											
Q.9 (61)	If Code '1' in Q.9 (60), was the baby given any treatment?																											
	<table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Antibiotic</td><td>1</td></tr> <tr><td>Other treatment</td><td>2</td></tr> <tr><td>No treatment</td><td>3</td></tr> </tbody> </table>		Item	Code	Antibiotic	1	Other treatment	2	No treatment	3	<table border="1"> <tr> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>												
	Item	Code																										
	Antibiotic	1																										
Other treatment	2																											
No treatment	3																											
Last birth	Previous to last birth																											
<input type="checkbox"/>	<input type="checkbox"/>																											

Q.9(62)	Did the baby suffer from fever during last 15 days?		
		Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
Q.9 (63)	If Code '1' in Q.9 (62), was the baby given any treatment?		
		Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
Q.9 (64)	Did the baby suffer from diarrhoea during last 15 days?		
		Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
Q.9 (65)	If Code '1' in Q.9 (64), did you administer HAF/ORT/ ORS and Zinc to the baby?		
		HAF	Last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
	ORT/ORS	Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
	ORT/ORS & Zinc	Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
Q.9 (66)	Have you availed Anganwadi services during the pregnancy and/or lactation associated with each birth?		
		During Pregnancy	Last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
	During Lactation	Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
REGISTRATION OF BIRTH			
Q.9 (67)	Is the birth of your baby registered ?		
		Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	
Q.9 (68)	If Code '1' in Q.9 (67), did you receive Birth Certificate for your baby ?		
		Last birth	Previous to last birth
	<input type="checkbox"/>	<input type="checkbox"/>	

Section II – Currently Married Woman (Aged 15-49 years)																																																				
Q.1 Which of the family planning method (s) are you aware of? (Read out all the family planning methods) [For Married but, Gauna not performed go to Q.21 directly after recording response of Q.1]	<table border="1"> <thead> <tr> <th>Codes</th> <th>Family Planning Methods</th> <th>Awareness (Yes - 1, No - 2)</th> </tr> </thead> <tbody> <tr><td></td><td colspan="2">Modern</td></tr> <tr><td>01</td><td>Tubectomy</td><td><input type="checkbox"/></td></tr> <tr><td>02</td><td>Vasectomy</td><td><input type="checkbox"/></td></tr> <tr><td>03</td><td>Copper-T / IUD</td><td><input type="checkbox"/></td></tr> <tr><td>04</td><td>Pills (Daily)</td><td><input type="checkbox"/></td></tr> <tr><td>05</td><td>Pills (Weekly)</td><td><input type="checkbox"/></td></tr> <tr><td>06</td><td>Emergency Contraceptive Pill</td><td><input type="checkbox"/></td></tr> <tr><td>07</td><td>Condom / Nirodh</td><td><input type="checkbox"/></td></tr> <tr><td>08</td><td>Injectable Contraceptives</td><td><input type="checkbox"/></td></tr> <tr><td>09</td><td>Other modern method</td><td><input type="checkbox"/></td></tr> <tr><td></td><td colspan="2">Traditional</td></tr> <tr><td>10</td><td>Contraceptive Herbs</td><td><input type="checkbox"/></td></tr> <tr><td>11</td><td>Rhythm / Periodic Abstinence</td><td><input type="checkbox"/></td></tr> <tr><td>12</td><td>Withdrawal</td><td><input type="checkbox"/></td></tr> <tr><td>13</td><td>Lactational Amenorrhoea Method (LAM)</td><td><input type="checkbox"/></td></tr> <tr><td>14</td><td>Other traditional method</td><td><input type="checkbox"/></td></tr> </tbody> </table>	Codes	Family Planning Methods	Awareness (Yes - 1, No - 2)		Modern		01	Tubectomy	<input type="checkbox"/>	02	Vasectomy	<input type="checkbox"/>	03	Copper-T / IUD	<input type="checkbox"/>	04	Pills (Daily)	<input type="checkbox"/>	05	Pills (Weekly)	<input type="checkbox"/>	06	Emergency Contraceptive Pill	<input type="checkbox"/>	07	Condom / Nirodh	<input type="checkbox"/>	08	Injectable Contraceptives	<input type="checkbox"/>	09	Other modern method	<input type="checkbox"/>		Traditional		10	Contraceptive Herbs	<input type="checkbox"/>	11	Rhythm / Periodic Abstinence	<input type="checkbox"/>	12	Withdrawal	<input type="checkbox"/>	13	Lactational Amenorrhoea Method (LAM)	<input type="checkbox"/>	14	Other traditional method	<input type="checkbox"/>
		Codes	Family Planning Methods	Awareness (Yes - 1, No - 2)																																																
			Modern																																																	
		01	Tubectomy	<input type="checkbox"/>																																																
		02	Vasectomy	<input type="checkbox"/>																																																
		03	Copper-T / IUD	<input type="checkbox"/>																																																
		04	Pills (Daily)	<input type="checkbox"/>																																																
		05	Pills (Weekly)	<input type="checkbox"/>																																																
		06	Emergency Contraceptive Pill	<input type="checkbox"/>																																																
		07	Condom / Nirodh	<input type="checkbox"/>																																																
		08	Injectable Contraceptives	<input type="checkbox"/>																																																
		09	Other modern method	<input type="checkbox"/>																																																
			Traditional																																																	
		10	Contraceptive Herbs	<input type="checkbox"/>																																																
11	Rhythm / Periodic Abstinence	<input type="checkbox"/>																																																		
12	Withdrawal	<input type="checkbox"/>																																																		
13	Lactational Amenorrhoea Method (LAM)	<input type="checkbox"/>																																																		
14	Other traditional method	<input type="checkbox"/>																																																		
Q.2	Are you currently pregnant?	Yes-1, No-2, Not sure-3	<input type="checkbox"/> ▶ If Code '2' or '3', go to Q.6																																																	
		If Code '1', record no. of completed months of pregnancy.	<input type="checkbox"/>																																																	
Q.3	Are you registered for ANC? (Ensure that the woman has not received any ANC, before recording Code '2')	Yes-1, No-2	<input type="checkbox"/> ▶ If Code '2' go to Q.5																																																	
Q.4	How many months pregnant were you at the time of first ANC?	Number of completed months	<input type="checkbox"/>																																																	
Q.5 When you became pregnant this time, did you want to become pregnant now, did you want to wait until later, or did you not want to have any (more) children at all? (After recording the response, go to Q.13)	Now	1																																																		
	Later	Within 2 years	2																																																	
		2 years or more	3																																																	
	Did not want any (more) children at all			4																																																
	CODE			<input type="checkbox"/> ▶ Go to Q.13																																																
Q.6 Are you currently menstruating?	Yes	1																																																		
	No	Lactational Amenorrhoea	2	▶ Go to Q.7																																																
		Secondary Amenorrhoea	3	▶ Go to Q.13																																																
		In Menopause	4	▶ Go to Q.21																																																
		Uterus Removed	5																																																	
		Never Menstruated	6																																																	
	CODE			<input type="checkbox"/>																																																

Q.7	<p>When you became mother last time, did you want this child then, did you want to wait until later or did you not want to have any (more) children at all?</p> <p>(Applicable for those who have given atleast one live birth)</p>	Then	1			
		Later	Within 2 years 2 years or more		2 3	
	Did not want any (more) children at all	4				
	CODE	<input type="text"/>				
Q.8	Is your husband living with you?	Yes-1, No-2	<input type="text"/>	If Code '2', go to Q.13		
Q.9	<p>(i) Are you or your husband currently using any method(s) of family planning? (ii) If Code '1' in Q.9 (i), specify the most used method (iii) If Code '01' or '02' in Q.9 (ii), where did you or your husband got the operation done? (iv) Did you/your husband receive the compensation after sterilization? (v) If Yes, when did you/your husband receive compensation for sterilization? (vi) How much compensation did you/ your husband receive?</p>	Yes-1, No-2	<input type="text"/>	If Code '2', go to Q.12		
		(Use Codes from Q.1)		<input type="text"/>	If Code '03-14', go to Q.10	
		GOVERNMENT				
		Govt. / Municipal hospital	1			
		Govt. Dispensary	2			
		UHC / UHP / UFWC	3			
		CHC	4			
		PHC	5			
Camp	6					
PRIVATE						
Hospital	7					
Dispensary / Clinic	8					
Others	9					
CODE	<input type="text"/>					
Yes-1, No-2	<input type="text"/>			If Code '2', go to Q.20		
Before /At the time of discharge	1					
At the time of first follow up	2					
After several visit	3					
CODE	<input type="text"/>					
Amount (In Rs.)	<input type="text"/>			Go to Q.20		
Q.10	<p>(i) How long have you or your husband been using this method continuously? (ii) Have you/your husband had any health problems after you/your husband started using this method?</p>	Less than 6 months	1			
6 months to < 1 year		2				
1 year to < 2 years		3				
2 years or more		4				
Not remember		5				
CODE		<input type="text"/>				
Yes-1, No-2		<input type="text"/>				

<p>Q.11 From where did you obtain this method last time?</p> <p>[Not applicable for Code '11' or '12' or '13' if recorded in Q.9 (ii)]</p> <p>(After recording the response, go to Q.17)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left;">PUBLIC MEDICAL SECTOR</th> </tr> </thead> <tbody> <tr><td>Govt. / Municipal hospital</td><td style="text-align: right;">01</td></tr> <tr><td>Govt. Dispensary</td><td style="text-align: right;">02</td></tr> <tr><td>UHC / UHP / UFWC</td><td style="text-align: right;">03</td></tr> <tr><td>CHC</td><td style="text-align: right;">04</td></tr> <tr><td>PHC</td><td style="text-align: right;">05</td></tr> <tr><td>Sub centre</td><td style="text-align: right;">06</td></tr> <tr><td>Govt. AYUSH hospital /clinic</td><td style="text-align: right;">07</td></tr> <tr><td>Govt. Mobile clinic</td><td style="text-align: right;">08</td></tr> <tr><td>Camp</td><td style="text-align: right;">09</td></tr> <tr><td>Anganwadi / ICDS Centre</td><td style="text-align: right;">10</td></tr> <tr><td>ASHA/ANM</td><td style="text-align: right;">11</td></tr> <tr><td>Other community based worker</td><td style="text-align: right;">12</td></tr> <tr><td>Other public sector health facility</td><td style="text-align: right;">13</td></tr> <tr> <th colspan="2" style="text-align: left;">PRIVATE MEDICAL SECTOR</th> </tr> <tr><td>Pvt. Hospital / clinic</td><td style="text-align: right;">14</td></tr> <tr><td>Pvt. AYUSH Hospital / clinic</td><td style="text-align: right;">15</td></tr> <tr> <th colspan="2" style="text-align: left;">ANY OTHER SOURCE</th> </tr> <tr><td>Pharmacy / Shop</td><td style="text-align: right;">16</td></tr> <tr><td>Husband</td><td style="text-align: right;">17</td></tr> <tr><td>Friends / Relatives</td><td style="text-align: right;">18</td></tr> <tr><td>Vending machine</td><td style="text-align: right;">19</td></tr> <tr><td>Others</td><td style="text-align: right;">20</td></tr> <tr> <td style="text-align: right; padding-right: 10px;">CODE</td> <td style="text-align: center; padding: 5px;"><input type="text"/> <input type="text"/></td> </tr> </tbody> </table>	PUBLIC MEDICAL SECTOR		Govt. / Municipal hospital	01	Govt. Dispensary	02	UHC / UHP / UFWC	03	CHC	04	PHC	05	Sub centre	06	Govt. AYUSH hospital /clinic	07	Govt. Mobile clinic	08	Camp	09	Anganwadi / ICDS Centre	10	ASHA/ANM	11	Other community based worker	12	Other public sector health facility	13	PRIVATE MEDICAL SECTOR		Pvt. Hospital / clinic	14	Pvt. AYUSH Hospital / clinic	15	ANY OTHER SOURCE		Pharmacy / Shop	16	Husband	17	Friends / Relatives	18	Vending machine	19	Others	20	CODE	<input type="text"/> <input type="text"/>
PUBLIC MEDICAL SECTOR																																																	
Govt. / Municipal hospital	01																																																
Govt. Dispensary	02																																																
UHC / UHP / UFWC	03																																																
CHC	04																																																
PHC	05																																																
Sub centre	06																																																
Govt. AYUSH hospital /clinic	07																																																
Govt. Mobile clinic	08																																																
Camp	09																																																
Anganwadi / ICDS Centre	10																																																
ASHA/ANM	11																																																
Other community based worker	12																																																
Other public sector health facility	13																																																
PRIVATE MEDICAL SECTOR																																																	
Pvt. Hospital / clinic	14																																																
Pvt. AYUSH Hospital / clinic	15																																																
ANY OTHER SOURCE																																																	
Pharmacy / Shop	16																																																
Husband	17																																																
Friends / Relatives	18																																																
Vending machine	19																																																
Others	20																																																
CODE	<input type="text"/> <input type="text"/>																																																
Go to Q.17																																																	
<p>Q.12 What is the main reason for currently not using any method of family planning?</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>Wanted child now / soon</td><td style="text-align: right;">01</td></tr> <tr><td>Lack of knowledge about family planning</td><td style="text-align: right;">02</td></tr> <tr><td>Against the religion</td><td style="text-align: right;">03</td></tr> <tr><td>Opposed to family planning</td><td style="text-align: right;">04</td></tr> <tr><td>Husband opposed</td><td style="text-align: right;">05</td></tr> <tr><td>Other family members opposed</td><td style="text-align: right;">06</td></tr> <tr><td>Not liking existing methods</td><td style="text-align: right;">07</td></tr> <tr><td>Afraid of sterilization/operation</td><td style="text-align: right;">08</td></tr> <tr><td>Cannot work after sterilization/operation</td><td style="text-align: right;">09</td></tr> <tr><td>Worry about side effects</td><td style="text-align: right;">10</td></tr> <tr><td>Costs too much</td><td style="text-align: right;">11</td></tr> <tr><td>Health does not permit</td><td style="text-align: right;">12</td></tr> <tr><td>Difficult / inconvenient to get method</td><td style="text-align: right;">13</td></tr> <tr><td>Inconvenient to use method</td><td style="text-align: right;">14</td></tr> <tr><td>Lack of access / Too far</td><td style="text-align: right;">15</td></tr> <tr><td>Infertility</td><td style="text-align: right;">16</td></tr> <tr><td>Others</td><td style="text-align: right;">17</td></tr> <tr> <td style="text-align: right; padding-right: 10px;">CODE</td> <td style="text-align: center; padding: 5px;"><input type="text"/> <input type="text"/></td> </tr> </tbody> </table>	Wanted child now / soon	01	Lack of knowledge about family planning	02	Against the religion	03	Opposed to family planning	04	Husband opposed	05	Other family members opposed	06	Not liking existing methods	07	Afraid of sterilization/operation	08	Cannot work after sterilization/operation	09	Worry about side effects	10	Costs too much	11	Health does not permit	12	Difficult / inconvenient to get method	13	Inconvenient to use method	14	Lack of access / Too far	15	Infertility	16	Others	17	CODE	<input type="text"/> <input type="text"/>												
Wanted child now / soon	01																																																
Lack of knowledge about family planning	02																																																
Against the religion	03																																																
Opposed to family planning	04																																																
Husband opposed	05																																																
Other family members opposed	06																																																
Not liking existing methods	07																																																
Afraid of sterilization/operation	08																																																
Cannot work after sterilization/operation	09																																																
Worry about side effects	10																																																
Costs too much	11																																																
Health does not permit	12																																																
Difficult / inconvenient to get method	13																																																
Inconvenient to use method	14																																																
Lack of access / Too far	15																																																
Infertility	16																																																
Others	17																																																
CODE	<input type="text"/> <input type="text"/>																																																
<p>Q.13*</p> <p>(i) Have you /your husband used any method in the past and discontinued?</p> <p>(ii) If Code '1' in Q.13 (i), specify the most used method?</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Yes-1, No-2</td> <td style="text-align: center; padding: 5px;"><input type="text"/></td> <td style="vertical-align: bottom; text-align: right; padding-right: 10px;">If Code '2', go to Q.15</td> </tr> <tr> <td style="padding: 5px;">(Use Codes from Q.1)</td> <td style="text-align: center; padding: 5px;"><input type="text"/> <input type="text"/></td> <td style="vertical-align: bottom; text-align: right; padding-right: 10px;">If Code '01' or '02', go to Q.21</td> </tr> </table>	Yes-1, No-2	<input type="text"/>	If Code '2', go to Q.15	(Use Codes from Q.1)	<input type="text"/> <input type="text"/>	If Code '01' or '02', go to Q.21																																										
Yes-1, No-2	<input type="text"/>	If Code '2', go to Q.15																																															
(Use Codes from Q.1)	<input type="text"/> <input type="text"/>	If Code '01' or '02', go to Q.21																																															

Q.14* What was the main reason for discontinuing the use of the method in the past? * For Code '4' or '5' in Q.6, skip and go to Q.21 after recording the response(s) in Q.13/Q.14	Wanted child	01
	Method failed/became pregnant	02
	Supply not available	03
	Difficult/inconvenient to get method	04
	Weakness/inability to work	05
	Body ache/back ache	06
	Cramps	07
	Weight gain	08
	Dizziness	09
	Nausea/Vomiting	10
	Breast tenderness	11
	Irregular periods	12
	Excessive bleeding	13
	Spotting	14
	White discharge	15
	Lack of pleasure	16
	Method was inconvenient	17
	Others	18
	CODE	<input type="checkbox"/> <input type="checkbox"/>
Q.15 Do you intend to use any method of family planning, any time in the future?	Yes-1, No-2	<input type="checkbox"/>
If Code '2', go to Q.17		
Q.16 If Code '1' in Q.15, then (i) When do you want to use? (ii) Which method would you prefer to use?	Within 6 months	1
	6 months to < 1 year	2
	1 year to < 2 years	3
	2 years or after	4
	CODE	<input type="checkbox"/>
	(Use Codes from Q.1)	<input type="checkbox"/> <input type="checkbox"/>
Q.17 Would you like to have another child? (For Currently Pregnant Woman, response should pertain to child other than she is expecting now)	Want more children	1
	Want no more children	2
	Not decided	3
	CODE	<input type="checkbox"/>
	If Code '2', go to Q.20	
Q.18 What would you prefer as your next child?	Boy	1
	Girl	2
	Doesn't matter	3
	CODE	<input type="checkbox"/>
Q.19 How long would you like to wait to have another child?	Soon/Now/Less than 1 year	1
	1 year to < 2 years	2
	2 years to < 3 years	3
	3 years or more	4
	Not decided	5
	CODE	<input type="checkbox"/>

Q.20	Did an ANM /Health worker visit you during the last three months? (Applicable only for currently pregnant women/lactating mother)	Yes-1, No-2	<input type="checkbox"/>								
Q.21	Have you ever been counselled by Health Functionaries for menstrual hygiene?	Yes-1, No-2	<input type="checkbox"/>								
Q.22	Have you heard of RTI/STI?	Yes-1, No-2	<input type="checkbox"/>								
Q.23	Have you heard of HIV/AIDS?	Yes-1, No-2	<input type="checkbox"/>								
Q.24	Are you aware about the administration of HAF/ORT/ORS and Zinc during diarrhoea?	Home Available Fluids (HAF) ORT/ORS ORT/ORS and Zinc	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>								
Q.25	Are you aware of the danger signs of Acute Respiratory Infection (ARI)/ Pneumonia?	Yes-1, No-2	<input type="checkbox"/>								
Q.26	Are you aware of the danger signs of new born?	Yes-1, No-2	<input type="checkbox"/>								
Result of Interview Completed 1 Not completed Refused 2 Incapacitated 3 Partly completed 4 Not at Home 5 Others (Please specify) 6		<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2">CODE</th> <th rowspan="2">Name & Signature of the Enumerator</th> <th>Name & Signature/Thumb Impression of the Respondent</th> </tr> <tr> <th></th> </tr> </thead> <tbody> <tr> <td rowspan="2"><input type="checkbox"/></td> <td rowspan="2"></td> <td>Date of Interview</td> </tr> <tr> <td>D D M M Y Y Y Y</td> </tr> </tbody> </table>		CODE	Name & Signature of the Enumerator	Name & Signature/Thumb Impression of the Respondent		<input type="checkbox"/>		Date of Interview	D D M M Y Y Y Y
CODE	Name & Signature of the Enumerator	Name & Signature/Thumb Impression of the Respondent									
<input type="checkbox"/>		Date of Interview									
		D D M M Y Y Y Y									

Remarks or Enumerator

Name & Signature with Date:

Remarks or Supervisor

Name & Signature with Date:

ANNUAL HEALTH SURVEYState Zone District Rural-1, Urban-2 Stratum Sample Unit **MORTALITY SCHEDULE**

Household No. (2 digits)*
House No. (4 digits)*
Serial No.

Name of the deceased
Sex of deceased
 (Male-1, Female-2)

Household No. (2 digits)*
Date of Death

Age at death
 Below 1 month (in days)
 1 to 11 months (in completed months)
 1 year and above
 (in completed years)

Source of medical attention
 before death (Code)

Place of death (Code)
 If Code '1' in Col. 12,
 whether received the Death
 certificate? (Yes-1, No-2)

Is the death registered?
 (Yes-1, No-2, Don't know-3)

**Serial number of mother
 as in Household Schedule**
 If Code '1' in Col. 12,
 whether received the Death
 certificate? (Yes-1, No-2)

**Symptoms preceding death
 (Code)**
 Order of birth

**Was the death associated
 with pregnancy? (Yes-1, No-2)**
 Period when the death
 occurred? (Code)

**If Code '1' or '2', in
 Col. 18, how many months
 was she pregnant at the
 time of death?**

**Top two factors
 contributing to death in
 order of priority (Code)**
 Time between onset of
 complications and death (Code)

**Distance from place where the
 deceased was staying to the nearest
 medical facility (in kms) #**
 Discharge from place (Col. 17, ask the following
 if 'Yes' in Col. 17, ask the following
 For female deceased aged 15-49 years
 If 'Yes' in Col. 17, ask the following
 For Infant death
 (*< 1 year*)
 Registration
 of death
 Age at death

ANNUAL MORTALITY SURVEYRural-1, Urban-2 Stratum Sample Unit **Col. 1 to 3 to be filled for all Households & Col. 4 to 23 for deaths occurred to the usual residents of the sample unit during 01.01.2010 to 31.12.2010. Still births not to be included.**

Code for Col. (10)			Code for Col. (18)			Code for Col. (20)			Code for Col. (21)			Code for Col. (22)		
Item	Code	Code	Item	Code	Code	Item	Code	Code	Item	Code	Item	Code	Code	Code
GOVERNMENT			During antenatal period	09	Delay in receiving health care at facility	1	Excess bleeding	1	At home	1	< 2 hours	1		
Sub Center	01	1	During delivery	10	Inadequate care at health facility	2	Sepsis	2	In health facility	2	2 hours to < 24 hours	2		
PHC	02	2	During abortion	11	Lack of transport in shifting to facility	3	Pregnancy induced Hypertension (PIH)	3	Other places	3	24 hours to < 2 days	3		
CHC/UH/PUI/FWC	03	3	During abortion	12	Lack of funds	4	Prolonged Labour/ Obstructed labour	4	UHC/UH/PUI/FWC	4	2 days to < 7 days	4		
Hospital	04	4	Fever with rash	13	Seriousness of the condition	5	Injury to uterus & other organs	5	AYUSH Hospital/Clinic	5	7 days < 14 days	5		
Dispensary/Clinic	05	5	Fever with convulsion	14	not realized	6	Anaemia	6	AYUSH Hospital/Clinic	6	14 days or more	6		
Hospital	06	6	Fever with jaundice	15	Seriousness of the condition realized but decision not made by family members	7	Jaundice	7	PRIVATE Dispensary/Clinic	7		7		
AYUSH Hospital/Clinic	07	7	Others	16	Within 42 days of delivery	4	Malaria	8	Hospital	8				
PRIVATE			Neonatal mortality (0-28 days): Codes 01-09 & 15	17	After 42 days of delivery	5	Other medical conditions in pregnancy	9	AYUSH Hospital/Clinic	9				
Dispensary/Clinic	08	8	Codes 01-09 & 15	18	Within 42 days of abortion	6	Other conditions not related to pregnancy	0	Hospital	10				
Hospital	09	9	Post neonatal mortality (29-365 days): Codes 08-15	19	After 42 days of abortion	7			AYUSH Hospital/Clinic	11				
AVISH Hospital/Clinic	10	10	Birth Injuries	20	Others	8			NGO or Trust Hosp/Clinic	12				
Convulsions soon after birth	04	04	Convolusions soon after birth	21	Jaundice	9			At Home	13				
Others	05	05	Bleeding from umbilicus & elsewhere	22	Sl. No.	06								
No Medical Attention	00	00	Congenital/Birth defects	23	Name	07								

* = To be copied from Household Schedule
if distance is less than 1 km, record '0'

Enumerator-1:
 Enumerator-2:

LIST OF OFFICERS ASSOCIATED WITH THE FACTSHEET

Vital Statistics Division (Annual Health Survey)		
Sl. No.	Name	Designation
1	Dr. Vijay P. Goel	Deputy Director General & Project Director
2	Shri Rohit Bhardwaj	Deputy Registrar General
3	Shri Rajeev Kumar	Senior Research Officer
4	Shri Muhammed Yasir. F	Senior Research Officer
5	Shri Rajesh N. Malvia	Deputy Director
6	Shri Deepak Dhanawat	Research Officer
7	Shri Narendra Singh	Research Officer
8	Shri Harmeet Singh Maddh	Assistant Director
9	Shri Mohan K. Tiwary	Assistant Director
10	Shri Suresh Kumar	Assistant Director
11	Shri Pankaj Shrivastava	Statistical Investigator Gr. I
12	Shri Ravinder Kumar	Statistical Investigator Gr. I
13	Shri Sandeep Goel	Senior Compiler
14	Shri Tufail Ahmad	Compiler
15	Smt. Navita Bhatia	Compiler

