

# Luageo

by Gavin Polhemus



## Introduction

Luageo is simple ConT<sub>E</sub>Xt module for drawing globes. A globe can be drawn with any location centered using the MetaPost macro `globe( , )`. The two arguments are the latitude and longitude of the center location. The macro returns a single MetaPost path consisting of all visible country and island boundaries. This path can be drawn or filled. For example, the MetaPost commands

```
draw globe(21,0) scaled 3cm ;
```

and

```
fill globe(21,0) scaled 3cm ;
```

produce



and



To draw a complete globe either start by filling a circle with the ocean color or finish by drawing a horizon circle. You can do both, as in the complete example below code. This code produces the large globe on this manual's first page.

```
\usemodule [luageo]
\startMPpage
  GlobeDiameter := 10cm ;
  path p ; p := globe(40, -108) scaled GlobeDiameter ;
  % Fill a circle with the water color
  fill fullcircle
    scaled GlobeDiameter
    withcolor .7white + .3blue ;
  % Fill the land
  fill p
    withcolor darkgreen
    withtransparency (1,.5) ;
  % Draw the borders.
  draw p
    withpen pencircle scaled .2mm
    withcolor blue
    withtransparency (1,.5) ;
  % Draw a horizon circle
  draw fullcircle
    scaled GlobeDiameter
    withcolor black ;
  % Add other picture elements
  label(texttext("*"),origin) ;
\stopMPpage
```

The code above was placed in a buffer so the globe is not redrawn with every typeset.

## Limitations and experiments

Currently, luageo only draws complete globes, not other maps. The path always includes country boundaries but no other features. (Large lakes are visible if they are on country boundaries.) You cannot fill the countries with different colors. You cannot draw only the coasts. I do not know when the country boundaries were last updated. They do show a unified Germany, so the map data is not too ancient.

The level of detail in luageo globes is excessive, resulting in very large file sizes. For example, the globe at the beginning of this manual is 2.5MB. The size can be

reduced using an experimental command `globetrot( , , )`. The third argument is a step size, telling luageo to skip points when calculating the path. (For example, a step size of 2 will skip every other point.) The globe below uses a step size of 20 and is only 73KB.

```
\usemodule [luageo]
\startMPpage
  GlobeDiameter := 10cm ;
  % Fill a circle with the water color.
  fill fullcircle scaled GlobeDiameter withcolor blue ;
  % Draw the land.
  fill globetrot(23, 0, 20) scaled GlobeDiameter withcolor green ;
  % Add a border, if you want.
  draw fullcircle scaled GlobeDiameter withcolor black ;
\stopMPpage
```



However, notice that the country boundaries are visible but inconsistent. This happens because the boundaries between countries are drawn twice, once for each country. If the step mechanism selects different points for each country along the shared border, the two borders will not match. The resulting gaps are visible. The `globetrot` command may be removed if a better solution is found.

## Contribute to Luageo

Luageo is a small module, containing only a few hundred lines of code (in addition to the data files). Most of the code is written in lua, with some help from MetaPost and ConTeXt. If you are interested in integrating lua and MetaPost for graphics in ConTeXt, luageo might be an interesting example for you. Visit [luageo on GitHub](#) to improve luageo or to use it as a starting point for your own ConTeXt+MetaPost+lua project.

There are several obvious opportunities for improving luageo:

- More ConTeXt-like behavior. For example, adding a `key=value` interface.
- More globe views and map projections.
- Better map data. For example, [Natural Earth](#) has less detailed data appropriate for luageo's small globes, as well as more detailed data for zoomed-in maps of countries or regions. For local maps, [OpenStreetMap](#) might be a good source.

You can also find some of my other projects on GitHub. I created luageo to help with diagrams for a physics textbook. Eventually, I hope to write other modules related to the textbook project.

## Acknowledgements

The luageo module was inspired by the MetaPost extension [mp-geo](#) by Christophe Poulain. No code from mp-geo is used in luageo, but the map data came from the mp-geo extension.

The map data is adapted from the [CIA World DataBank II](#). At some point, this data was available at GLOBE Binaries DECODING : World Public Domain Dbase : F.Pospeschil, A.Rivera (1999), <ftp://ftp.blm.gov/pub/gis/wdbprg.zip> (according to the [pst-geo manual](#), p.4).

Hans Hagen offered many helpful suggestions, some improvements to the code, and general encouragement. I received helpful guidance from Henning Hraban Ramm as I prepared the module for sharing. Thanks!