Description Part # Picture # in 2013 Kit

## **AXLES**

| # 2 Axle          | 32062 | 32 |
|-------------------|-------|----|
| # 3 Axle          | 4519  | 48 |
| #3 Axle w/ stud   | 6587  | 4  |
| #4 Axle           | 3705  | 12 |
| # 4 Axle w/ stop  | 87083 | 8  |
| #5 Axle           | 32073 | 12 |
| #5.5 Axle w/ stop | 32209 | 2  |
| #6 Axle           | 3706  | 16 |
| #7 Axle           | 44294 | 16 |

| #8 Axle               | 3707  |       | 2  |
|-----------------------|-------|-------|----|
| #10 Axle              | 3737  |       | 4  |
| #12 Axle              | 3708  |       | 2  |
|                       | Conne | ctors |    |
| #1 Angle<br>Connector | 32013 |       | 12 |
| #2 Angle<br>Connector | 32034 |       | 4  |
| #3 Angle<br>Connector | 32016 |       | 4  |
| #4 Angle<br>Connector | 924   |       | 4  |
| #5 Angle<br>Connector | 32015 |       | 4  |
| #6 Angle<br>Connector | 32014 |       | 16 |

| Axle Joiner Inline<br>Smooth                  | 6538c |    | 32 |
|---|-------|----|----|
| Axle Connector                                | 6538b |    | 4  |
| Axle Connector<br>Double Rubber               | 45590 | 88 | 8  |
| Axle Joiner<br>Perpendicular                  | 6536  |    | 48 |
| Axle Joiner<br>Perpendicular 3<br>Long        | 32184 |    | 8  |
| Axle Joiner<br>Perpendicular<br>Double        | 32291 |    | 8  |
| Axle Joiner<br>Perpendicular<br>Double Split  | 41678 |    | 6  |
| Axle Joiner<br>Perpendicular<br>Double 3 Long | 32557 |    | 8  |
| Axle Joiner<br>Perpendicular<br>Triple        | 63869 |    | 8  |
| Axle Joiner<br>Perpendicular w/<br>2 Holes    | 42003 |    | 12 |

| Bionicle Tooth                      | x346     |         | 8 |
|-------------------------------------|----------|---------|---|
| Connector w/<br>Axle Hole           | 32039    |         | 4 |
| Bionicle Fang                       | 50914    |         | 4 |
| Pin Joiner<br>Perpendicular<br>Bent | 44809    |         | 4 |
| Pin Connector                       | 75535    |         | 4 |
| Pole Reverser                       | 6553     |         | 4 |
| Axle Connector<br>Hub w/ 3 Axles    | 57585    |         | 4 |
| Universal Joint                     | 9244     |         | 2 |
|                                     | Liftarms | s Thick |   |
| 1 x 2 Liftarm w/<br>Axle Hole       | x1835    |         | 8 |

| 1 x 3 Liftarm                   | 32523 |  | 16 |
|---------------------------------|-------|--|----|
| 1 x 5 Liftarm                   | 32316 | Ordioraio  | 11 |
| 1 x 5 Liftarm Bent (2 x 4)      | 32140 |  | 12 |
| 1 x 7 Liftarm                   | 32524 | olerente de la constante de la | 16 |
| 1 x 7 Liftarm Bent (4 x 4)      | 32348 |  | 16 |
| 1 x 7 Liftarm Bent (3 x 5)      | 32526 |  | 8  |
| 1 x 9 Liftarm                   | 120   |  | 12 |
| 1 x 9 Liftarm Bent (3 x 7)      | 152   |  | 4  |
| 1 x 11 Liftarm                  | 32525 |  | 12 |
| 1 x 11.5 Liftarm<br>Double Bent | 32009 | d aggregation of the state of t | 6  |
|                                 |       |  |    |

| 1 x 13 Liftarm                                | 41239 |    | 12  |
|---|-------|----|-----|
| 1 x 15 Liftarm                                | 32278 |    | 16  |
|   | Pi    | ns |     |
| Pin 1/2                                       | 4274  |    | 16  |
| Pin 3/4                                       | 32002 |    | 16  |
| Pin w/out Friction                            | 3673  |    | 25  |
| Pin w/ Friction                               | 4459  |    | 122 |
| Pin Long w/<br>Friction                       | 6558  |    | 40  |
| Pin Long w/ out<br>Friction                   | x202  |    | 13  |
| Pin w/ Out<br>Friction 3 Long<br>w/ Stop Bush | 32054 |    | 16  |

| Pin Towball                     | 6628  |     | 8  |
|---------------------------------|-------|-----|----|
| Axle Pin w/<br>Friction         | 43093 |     | 80 |
| Axle Pin w/ out<br>Friction     | 3749  |     | 20 |
| Axle Joiner 3<br>Long w/ 4 Pins | 48989 |     | 13 |
| Axle Joiner 3 x 3 w/ 4 Pins     | 55615 |     | 8  |
| Axle Joiner 2<br>Long w/ 4 Pins | 32136 |     | 3  |
| Axle Towball                    | 2736  |     | 2  |
|                                 | Gea   | ars |    |
| 8 Tooth                         | 3647  |     | 12 |
| 12 Tooth Double<br>Bevel        | 32270 |     | 4  |

| 12 Tooth Single<br>Bevel | 6589  | 5  |
|--------------------------|-------|----|
| 16 Tooth                 | 4019  | 6  |
| 16 Tooth w/<br>Clutch    | 6542  | 2  |
| 20 Tooth Double<br>Bevel | 32269 |    |
| 24 Tooth                 | 3648  | 8  |
| 24 Tooth Crown           | 3650b | 4  |
| 36 Tooth Double<br>Bevel | x403  |    |
| 40 Tooth                 | 3649  | 6  |
| Bush 1/2                 | 4265c | 42 |
| Bush                     | 3713  | 42 |

| Cam                       | 6575     | 3335 S   | 4 |
|---------------------------|----------|--|---|
| Driving Ring              | 6539     |  | 2 |
| Changeover<br>Catch       | 6641     |  | 2 |
| Differential              | 6573     | 8  | 1 |
| Gear Rack 1 x 4           | 3743     | All the state of t | 4 |
| Knob Wheel                | 32072    | 8=3  | 4 |
| Low Profile Turn<br>Table | 48452cx1 |  | 1 |
| Pulley Wheel              | 4185     |  | 4 |
| Worm Gear                 | 4716     |  |   |
|                           | Liftarm  | s Thin   |   |

| 1 x 3 Liftarm Thin | 6632   |         | 16 |
|--------------------|--------|---------|----|
| Triangle           | 2905   | 30 CO   | 4  |
| Link 1 x 6         | 2739   |         | 3  |
| Link 1 x 9         | 32293  |         | 2  |
|                    | Plates | / Tiles |    |
| 1 x 2 Tile         | 3069b  |         | 4  |
| 1 x 2 Plate        | 3023   | 50      | 8  |
| 1 x 4 Plate        | 3710   | 2000    | 4  |
| 1 x 6 Plate        | 3666   | 00000   | 4  |
| 1 x 8 Plate        | 3460   |         | 4  |

| 2 x 2 Round Dish        | 2654  | 4   |
|-------------------------|-------|-----|
| 2 x 2 Plate<br>Round    | 4032b | 4   |
| 2 x 4 Plate w/<br>holes | 3709b | 4   |
| 2 x 6 Plate w/<br>holes | 32001 | 4   |
| 2 x 8 Plate w/<br>holes | 3738  | 4   |
|                         | Bri   | cks |
| 1 x 1 Cone              | 4589  | 3   |
| 1 x 2 w/ axle hole      | 32064 | 4   |
| 1 x 2 w/ Hole           | 3700  | 4   |
| 1 x 4 w/ Holes          | 3701  | 4   |

| 1 x 6 w/ Holes                   | 3894  | CCCCC  | 2  |
|----------------------------------|-------|--|----|
| 1 x 8 w/ Holes                   | 3702  | CONTROL OF THE PARTY OF THE PAR |    |
| 1 x 12 w/ Holes                  | 3895  |  | 2  |
| 1 x 14 w/ Holes                  | 32018 | <b>EXECUTION</b>   | 2  |
| 2 x 2 Round                      | 3941  |  | 4  |
|                                  | Whe   | eels   |    |
| Wheel 30.4 x 20                  | 56145 |  | 10 |
| Technic Wedge<br>Belt Wheel Tire | 70162 | 0  | 4  |
| Tire 56 x 26<br>Balloon          | 55976 |  |    |
|                                  |       |  | 4  |

| Tread | x1681 |
|-------|-------|
|-------|-------|