


Recognition of Multi-Oriented, Multi-Sized, and Curved Text

Yao-Yi Chiang and Craig A. Knoblock
Spatial Sciences Institute and
Information Sciences Institute
University of Southern California


1

Interactive Extraction of Text Pixels

- Use color segmentation to reduce the number of colors
- User provides examples of text areas for identifying text colors



Extracted Text Pixels





National

Antiquities

ALHIYA

User Labels




Extracted text layers

3

Text Recognition from the Identified Pixels

- Multi-oriented text labels
- Characters can have various sizes




Identify Individual Strings

- Conditional Dilation Algorithm:
 - Expand the foreground area of the connected components (i.e., characters) when certain conditions meet
 - To determine the connectivity between the characters
- **Conditions:**
 - A character can only connect to **at most two other characters**
 - Two characters can be connected only if they **have a similar size**
 - A character can only connect to characters **in a local area**
 - Two strings can only be connected if they **have a similar orientation**

5


Conditional Dilation Results



6

Detect String Orientation


- Rotate a string from 0° to 180°
- Apply Run Length Smoothing algorithm



7

Recognize Characters in the Horizontal Text Strings


- Feed the horizontal text strings to a commercial OCR product
- Use the OCR returned confidence to determine the correctly oriented horizontal string
 - Number of **suspicious characters**
 - Number of recognized characters



8

Experiments

- Tested on 15 maps from 10 sources
- Tested the 15 test maps using an OCR product called ABBYY FineReader alone for comparison



9

Experiments (Cont'd)


- Strabo extracted 22 text layers using 74 user labels (avg. 3.36)
- Strabo extracted 6,708 characters and 1,383 words
- ABBYY FineReader extracted 2,956 characters and 655 words

	Char. P.	Char. R.	Char. F.	Word P.	Word R.	Word F.
Avg. (Strabo)	92.77%	87.99%	90.32%	82.07%	77.58%	79.76%
Avg. (ABBYY)	71.99%	30.09%	42.44%	46.11%	20.64%	28.52%

10

Preliminary Experiments with Road Vectorization

- Tested on a Rand McNally map with our previous work on road vectorization from raster maps
- We labeled 1 road area, 1 text area, and 1 non-text area for extracting the named road vector data



Extracted Named Road Vector Data

