TECHNICAL PORTFOLIO / OCTOBER 2026

IT Support Lab

Beginner technical walkthrough | Reproduce, investigate, verify and document

A reproducible training guide built from the completed Jira tickets. GUI actions are primary for Windows Server Desktop Experience; PowerShell commands provide observable checks and optional alternatives.

Prepared by	**Soranut Srisilapa-udom**
Environment	**support.test / Windows Server 2025**
Evidence base	**User-supplied lab screenshots**
Edition	**1.0**

How to use this walkthrough

Use this guide in an isolated lab or test domain, never against a production user or corporate environment without authorization. It follows the actual four Jira scenarios, but some commands are optional alternatives rather than commands proven to have been executed in the screenshots.

> **LAB STARTING POINT**
>
> DC02 (AD), FS01 (file share), WIN11-01 (domain workstation), Jira project IT Support Lab / ITLAB. Domain: support.test.

Preparation checklist

- Verify that DC02, FS01 and WIN11-01 are powered on and can reach each other.
- Use an admin account on DC02 and FS01; use standard test accounts for workstation sign-in.
- Verify WIN11-01 is domain-joined to support.test; verify domain DNS points to your AD DNS server.
- Verify the Finance share exists at \\FS01\Finance.
- Prepare a screenshot folder for ticket status, PowerShell, security logs and permissions.

Ticket progression

ITLAB-1	Disabled Active Directory user
ITLAB-2	Account lockout and Event ID 4740
ITLAB-3	Finance share access denied
ITLAB-4	Onboard Jamie Carter (on-premises only)

Evidence conventions


For each ticket, capture the before state, the technician's correction, an independent verification step, a saved Jira internal note, the customer reply and the Resolved / Done status. Hide passwords and personal secrets.

Module 0 | Jira Service Management workflow

1. Open the IT Support Lab (ITLAB) project. Select Create and choose Get IT help.
2. Write a concise issue Summary and a description including affected user/system, observed symptom, and requested outcome.
3. Create the ticket and use Assign to me. Change status from Waiting for support to In Progress.
4. Open Activity > Add internal note. Record planned diagnostics. Use internal notes for technician details and Reply to customer for end-user updates.
5. Perform the technical work. Post observed results, not just generic troubleshooting steps.
6. After validation, reply to the requester. Set the status to Resolved / Done. Save screenshots of the final issue screen and work list.

Ticket quality checklist

- State an actual root cause only if supported by evidence.
- Note the affected account, machine, security group, UNC path and any relevant event ID.
- Avoid copying passwords into tickets or project screenshots.
- Record any scope exceptions, such as unlicensed Microsoft 365 services.



EVIDENCE • Example of an In Progress ticket and internal investigation plan.

Module 1 | Disabled user login (ITLAB-1)

Goal

Diagnose why nicky.support cannot sign in and restore the account without unnecessarily changing its password.

1. On DC02, open Server Manager > Tools > Active Directory Users and Computers.
2. Expand support.test > LabUsers. Open nicky Support > Properties > Account.
3. Inspect Account is disabled. Record the before-state screenshot if selected.
4. Run the account-state command in elevated PowerShell on DC02:

```
Get-ADUser -Identity "nicky.support" -Properties Enabled,LockedOut,PasswordExpired |
Select-Object Name,Enabled,LockedOut,PasswordExpired
```


Interpretation: Enabled=False indicates the account is disabled; LockedOut=True is a separate condition; PasswordExpired=True suggests a password-lifecycle issue. The captured initial result was False / False / False.

5. For the authorized lab account only, uncheck Account is disabled and Apply; an optional PowerShell equivalent is:

```
Enable-ADAccount -Identity "nicky.support"
```

6. Re-run the Get-ADUser command and confirm Enabled=True.
7. On WIN11-01, sign out and sign in as SUPPORT\nicky.support with the known valid password.
8. Open PowerShell and run whoami. Expected account context: support\nicky.support.

```
whoami
```



EVIDENCE • Before / after Active Directory Enabled states.
Finish ITLAB-1 with a factual resolution note and a customer confirmation. The screenshot record shows the Jira ticket resolved.

Module 2 | Account lockout (ITLAB-2)

Part A — Read the current policy

1. On DC02, run the default domain policy query:

```
Get-ADDefaultDomainPasswordPolicy |
Select-Object LockoutThreshold,LockoutDuration,LockoutObservationWindow
```

The observed default LockoutThreshold was 0 (no lockouts from that policy). We avoided changing the domain-wide policy and used a fine-grained test policy.

2. Verify support.test is a standard lab account and not an administrator or service identity:


```
Get-ADUser -Identity "support.test" -Properties Enabled,LockedOut |
Select-Object Name,Enabled,LockedOut
Get-ADPrincipalGroupMembership "support.test" | Select-Object Name
```

Part B — Configure a targeted policy in the Desktop GUI

3. Open Server Manager > Tools > Active Directory Administrative Center (ADAC).
4. Browse support.test > System > Password Settings Container > New > Password Settings.
5. Name: ITLAB-SupportLockout. Set Precedence to 10. Configure password complexity/age controls appropriate to the lab.
6. Check Enforce account lockout policy. Set attempts allowed = 5; reset counter = 10 minutes; lockout duration = 10 minutes.
7. Under Directly Applies To, add the support test user object only. Do not apply to Domain Users or Domain Admins.
8. Save and verify the effective policy using:

```
Get-ADUserResultantPasswordPolicy -Identity "support.test" |
Format-List Name,LockoutThreshold,LockoutDuration,LockoutObservationWindow
```

Observed result: ITLAB-SupportLockout / 5 / 00:10:00 / 00:10:00.



EVIDENCE • Effective lockout policy as verified in PowerShell.

Module 2 | Lockout and recovery (continued)

Part C — Reproduce and investigate

9. On WIN11-01, sign out. Use Other user and enter SUPPORT\support.test with a deliberately incorrect lab password until the threshold is reached. Stop as soon as the account becomes locked.


10. Immediately query the account on DC02:

```
Get-ADUser -Identity "support.test" -Properties Enabled,LockedOut,BadPwdCount |
Select-Object Name,Enabled,LockedOut,BadPwdCount
```

The captured result was Enabled=True, LockedOut=True, BadPwdCount=5. Counts are DC-dependent; LockedOut=True is the key signal.

11. On DC02 open Event Viewer > Windows Logs > Security > Filter Current Log > enter Event ID 4740.

12. Open event 4740. Confirm the target account is support.test and review Caller Computer Name; screenshot showed WIN11-01.



EVIDENCE • Security Event 4740 on DC02, including caller computer.

Part D — Restore and verify

13. If the account is still locked, unlock via ADUC > user > Account > Unlock account > Apply; an optional PowerShell method is:

```
Unlock-ADAccount -Identity "support.test"
```

14. Repeat the account-state query and verify LockedOut=False. The configured 10-minute lockout may also expire automatically.

15. Sign in on WIN11-01 using the valid known lab password. Run whoami; expected support\support.test.

Document recovery carefully: the screenshots proved restored access, but not whether the unlock was performed manually or through automatic expiry. Do not claim a password reset unless one was actually completed.

Module 3 | Shared folder access (ITLAB-3)

Part A — Diagnose FS01 permissions

1. On FS01, browse C:\LabShares\Finance. Open Finance Properties > Sharing.
2. Verify the UNC network path is \\FS01\Finance.
3. Choose Advanced Sharing > Permissions. Record the groups and allowed access.


Finance.modify	Change and Read
Finance.read	Read
FS01\Administrators	Full Control

4. Return to Finance Properties > Security > Edit, or Advanced for detailed ACLs. Confirm read-related rights for Finance.read and Modify for Finance.modify.
5. On DC02, open alex Finance > Member Of; initially the user showed Domain Users only.

```
Get-ADPrincipalGroupMembership "alex.finance" | Select-Object Name
```

Part B — Approved least-privilege correction

6. For this simulated approved request, add alex.finance to Finance.read in ADUC > Member Of > Add > Check Names > Apply.
7. Sign out then back into WIN11-01 as SUPPORT\alex.finance to refresh the account's logon token.
8. In PowerShell, run whoami. In Explorer, open \\FS01\Finance and read the sample files.
9. Attempt to create a new text file in Finance. It should fail with Access Denied. If it succeeds, stop and inspect effective permissions and group memberships.



EVIDENCE • File creation blocked for an account with Finance.read permissions.
Watch for file-level exceptions: one test file briefly produced an open error and later opened. Inspect its own Security > Advanced settings before inferring a persistent ACL problem.

Module 4 | New starter onboarding (ITLAB-4)

Part A — Create Jamie Carter

1. On DC02, open Server Manager > Tools > Active Directory Users and Computers.
2. Navigate to support.test > LabUsers > New > User. Create fictitious Finance Assistant Jamie Carter with samAccountName jamie.carter.
3. Assign a unique strong initial password. Set User must change password at next logon when practical for the lab workflow; never include the password in a screenshot or Jira comment.
4. Complete creation. Verify using:

```
Get-ADUser -Identity "jamie.carter" -Properties Enabled |
Select-Object Name,SamAccountName,Enabled
```

The observed state was jamie.carter / Enabled=True.

Part B — Grant only approved rights


5. Open Jamie user Properties > Member Of > Add > Finance.read > Check Names > Apply.
6. Verify membership through PowerShell:

```
Get-ADPrincipalGroupMembership "jamie.carter" | Select-Object Name
```

Observed memberships: Domain Users and Finance.read. No privileged role was shown.

Part C — Workstation and file tests

7. On WIN11-01, sign in as SUPPORT\jamie.carter with the lab password; complete a mandatory password change if prompted.
8. Run whoami and confirm support\jamie.carter.
9. Open \\FS01\Finance; confirm Readme and EditTest open for reading.
10. Try to create a file in Finance; confirm an Access Denied dialog.



EVIDENCE • Jamie logged in and opened the Finance network share.
The Microsoft 365 tenant was not confirmed available. This completed ticket is limited to on-premises user provisioning and file access; no cloud user or license is claimed.

Module 5 | Final ticket resolution


Minimum records for each ticket

- Issue title, user, affected host and request type.
- Troubleshooting evidence: account query output, event ID or group membership as appropriate.
- Corrective action actually performed and verification of the outcome.
- Customer-facing response and Jira final status Resolved / Done.

Recommended final ticket summary format

```
Root cause: <observed cause>
Affected object: <account, share or host>
Action performed: <change actually made>
Verification: <command/test and observed result>
Scope limits: <what was not completed>
Ticket status: Resolved / Done
```

For ITLAB-4, write that on-premises provisioning is complete and that Microsoft 365 onboarding was excluded because the trial may have expired. Do not describe the cloud portion as completed.



EVIDENCE • ITLAB-4 with internal report, customer response and Resolved / Done.

Reference | PowerShell command glossary


Get-ADUser ... Enabled	Reports whether the account is enabled; read-only
Get-ADUser ... LockedOut	Reports account-lockout state; read-only
Get-ADUser ... BadPwdCount	Failed-password count at the queried DC; read-only
Enable-ADAccount	Enables an account; changes directory state
Unlock-ADAccount	Unlocks an account; changes directory state
Get-ADDefaultDomainPasswordPolicy	Reads default domain password/lockout policy
Get-ADUserResultantPasswordPolicy	Reads applicable fine-grained policy
Get-ADPrincipalGroupMembership	Shows AD groups directly associated with a principal
whoami	Displays the identity of the running logon session

Troubleshooting quick reference

Get-ADUser cannot find object	Confirm exact samAccountName; use ADUC or a name filter to discover user
Bad passwords do not lock user	Check threshold, applied fine-grained policy and source DC
Group membership changed but denied	Sign out/in to refresh token; verify file-specific/share ACLs
Folder opens but file denies	Inspect the individual file's NTFS security descriptor
File created despite read-only policy	Review all group memberships and effective share + NTFS access
Microsoft 365 unavailable	Record as excluded; avoid license purchase solely for this lab

Final evidence checklist

ITLAB-1	Disabled checkbox, before/after Enabled output, Windows identity, Resolved ticket
ITLAB-2	Policy settings, LockedOut True, Event 4740, LockedOut False, Windows identity, Resolved ticket
ITLAB-3	Share ACLs, NTFS ACLs, group membership before/after, read and deny tests, Resolved ticket
ITLAB-4	New user Enabled True, group membership, whoami, Finance read/deny tests, Resolved ticket
Overall	Jira All work list showing the four ticket keys



EVIDENCE • Final Jira project work list showing ITLAB-1 through ITLAB-4.

Completion criteria

The four simulated tickets are considered complete when the user-visible action is validated and the Jira issue is resolved. This guide documents the Windows/on-premises work; cloud license provisioning remains outside scope.

> **PORTFOLIO PRACTICE**
>
> When discussing this lab in interviews, describe it as an isolated, self-built environment. Emphasize troubleshooting sequence, evidence handling, least-privilege choices and communication with the requester - not enterprise production experience.

Prepared October 2026 from session-provided screenshots. The screenshots are test evidence, not third-party certification of functionality.