

## # Day 2 - Firecrawl Read-Only Proof Report

### ## Objective

Move Firecrawl from blocked to read-only connected if a credential/backend exists, without printing keys, modifying `.env`, running broad crawls, or making external writes.

### ## Result

**\*\*BLOCKED.\*\*** Firecrawl remains blocked by `firecrawl\_credential\_required`. Mission Control does not have a Firecrawl credential in its service environment, and the Firecrawl SDK/job runner is not wired.

No Firecrawl crawl/scrape job was executed.

### ## Updated Percentage

| System                    | Previous | Current | Decision                                           |
|---------------------------|----------|---------|----------------------------------------------------|
| Firecrawl                 | 0-10%    | 10%     | BLOCKED, credential/backend required               |
| SpaceAgent Firecrawl path | 35%      | 35%     | Can route/block honestly, cannot execute Firecrawl |
| Gateway Firecrawl status  | 70%      | 70%     | Status route/auth/blocker proven                   |

### ## Actions

| Action                                             | Result                              |
|----------------------------------------------------|-------------------------------------|
| Checked Firecrawl credential source as yes/no only | Missing in Mission Control          |
| Printed key value                                  | No                                  |
| Modified `.env`                                    | No                                  |
| Checked authenticated `/api/firecrawl/status`      | HTTP 200 with `CREDENTIAL_REQUIRED` |
| Checked unauthenticated `/api/firecrawl/status`    | HTTP 401                            |
| Attempted one safe public-page scrape smoke        | Blocked before execution, HTTP 503  |
| Ran broad crawl/private page/login/paywall access  | No                                  |
| Updated production status honestly                 | Firecrawl remains blocked           |

### ## Commands And Routes Used

| Command / Route                                     | Purpose                                                              | Result                    |
|-----------------------------------------------------|----------------------------------------------------------------------|---------------------------|
| Firecrawl credential boolean check                  | Confirm whether Mission Control has a usable key without printing it | `credential_present=no`   |
| `GET /api/firecrawl/status` with auth               | Firecrawl readiness route                                            | HTTP 200                  |
| `GET /api/firecrawl/status` without auth            | Protected route check                                                | HTTP 401                  |
| `POST /api/firecrawl/jobs` with auth and public URL | Safe read-only smoke if possible                                     | HTTP 503 before execution |

### ## Proof

Authenticated Firecrawl status:

| Field         | Value                 |
|---------------|-----------------------|
| `ok`          | true                  |
| `status`      | `credential_required` |
| `state`       | `CREDENTIAL_REQUIRED` |
| `key_present` | false                 |

```
| `sdk_loaded` | false |
| approved fix required | true |
| mismatch visible | true |
```

## Authenticated Firecrawl job request:

```
| Field | Value |
| --- | --- |
| HTTP status | 503 |
| `ok` | false |
| credential names returned | `FIRECRAWL_API_KEY` only |
| requested URL | public example page |
| job executed | false |
```

## ## Files Changed

```
| File | Change |
| --- | --- |
| `runtime/day-02-firecrawl-readonly-proof-report.md` | Added this report |
| `runtime/day-02-firecrawl-readonly-proof-report.pdf` | Generated PDF report |
```

No application code was changed in this phase.

## ## Tests

```
| Test | Result |
| --- | --- |
| Authenticated Firecrawl status route | PASS |
| Unauthenticated Firecrawl status route | PASS, protected with 401 |
| Safe public-page job request | PASS for blocker, no execution |
| Secret exposure check | PASS, no key printed |
| `.env` modification check | PASS, no `.env` changes |
```

## ## Services

```
| Service | State |
| --- | --- |
| Mission Control | Active after Hermes handoff deployment |
| Firecrawl backend | Not configured |
```

## ## Blockers

```
| Blocker | Impact | Exact Next Step |
| --- | --- | --- |
| `firecrawl_credential_required` | Firecrawl cannot perform read-only search/scrape/crawl/map/extract through Mission Control | Owner-approved credential sync into Mission Control service environment |
| Firecrawl SDK/job runner not wired | Even with a key, production jobs require approved package/backend wiring | Install and wire Firecrawl SDK/job runner after credential path is approved |
```

## ## Rollback

No code or service behavior changed in this phase. Rollback is not required. If this report needs removal, revert the report-only commit that adds it.

## ## No-Secrets Confirmation

No Firecrawl key, token value, auth file, or `.env` content was printed or committed. The report includes credential name only, not credential value.

## ## Final Decision

Firecrawl remains **\*\*BLOCKED\*\***. Gateway and SpaceAgent may route Firecrawl requests to SpaceAgent, but must return the exact blocker until the credential and backend are safely configured.